



Presented by

193



22500031514

FIFTY-EIGHTH ANNUAL REPORT

OF THE
REGISTRAR GENERAL

FOR
SCOTLAND.

1912.

Presented to Parliament by Command of His Majesty.



GLASGOW :

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By JAMES HEDDERWICK & SONS LIMITED, ST. VINCENT PLACE.

To be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
WYMAN AND SONS, LIMITED, 29 BREAMS BUILDINGS, FETTER LANE, LONDON, E.C., and
28 ABINGDON STREET, LONDON, S.W., and 54 ST. MARY STREET, CARDIFF; or

E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

1914.

[Cd. 7699] Price 2s. 3d.

CONTENTS.

<i>REPORT.</i>	PAGE.
Introductory Letter,	v
General Summary,	vii
Population Estimates,	vii
Births,	viii
Marriages,	xiii
Deaths,	xiv
Ages of those Dying,	xvii
Causes of Death,	xix

APPENDIX I.

Forty-Eighth Annual Report on Vaccination (1911),	xxxiii
---	--------

APPENDIX II.

Additional Marriage Statistics for Year 1911,	xxxvi
---	-------

APPENDIX III.

Weather Report for Year 1912,	xli
---	-----

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1912.

Table 1. Births, Deaths, and Marriages, 1855 to 1912,	lv
„ 2. Birth-, Death-, and Marriage-rates, 1855 to 1912,	lvi
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1902 to 1912,	lviii
„ 4. Birth-, Death-, and Marriage-rates in Larger Burghs,	lix
„ 5. Do. do. Smaller Burghs,	lx
„ 6. Do. do. County Districts,	lxiv
„ 7. Do. do. Counties,	lxvii
„ 8. Birth-rate among Married and among Unmarried Women	lxviii

MARRIAGES, 1911.

Table 9. Method of Celebration, etc., of Marriages, 1855-1911. Numbers,	lxix
„ 10. Method of Celebration, etc., of Marriages, 1855-1911. Percentages,	lxx
„ 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1911. Numbers,	lxxii
„ 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1911. Percentages,	lxxiii
„ 13. Regular and Irregular Marriages, 1911,	lxxv
„ 14. Church of Celebration of Regular Marriages, 1911,	lxxvi

	PAGE.
Table 15. Civil Condition of Persons Marrying, 1911,	lxxvii
„ 16. Method of Signature of Marriage Registers, or Schedules, 1911,	lxxviii
„ 17. Ages of Men at Marriage, 1911,	lxxx
„ 18. Ages of Women at Marriage, 1911,	lxxxii
„ 19. Age Distribution of Men and Women at Marriage, 1911,	lxxxiv
„ 20. Age Distribution of Men and Women at Marriage, 1855-1911,	lxxxiv
„ 21. Ages in Combination of Men and Women at Marriage, 1911,	lxxxv
„ 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1911,	lxxxvi
„ 23. Ages in Combination of Bachelors and Widows at Marriage, 1911,	lxxxvii
„ 24. Ages in Combination of Widowers and Spinsters at Marriage, 1911,	lxxxviii
„ 25. Ages in Combination of Widowers and Widows at Marriage, 1911,	lxxxix

DEATHS, 1912.

Table 26. Ages at Death—Quinquennial Age-Groups,	xc
„ 27. Death-rates—Quinquennial Age-Groups,	xc
„ 28. Percentage of Deaths in Quinquennial Age-Groups,	xc
„ 29. Ages at Death, Single Years of Age, and Condition as to Marriage,	xcii
„ 30. Deaths in Age-Groups in Larger Burghs,	xciv
„ 31. Death-rates in Age-Groups in Larger Burghs,	xciv
„ 32. Deaths by Age and Cause,	xcv
„ 33. Death-rates by Age and Cause,	xcvi
„ 34. Percentage of Deaths from various Causes in Age-Groups,	xcvii
„ 35. Deaths from various Causes—Scotland and Groups of Public Health Districts,	xcviii
„ 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts,	xcix
„ 37. Deaths from various Causes—Larger Burghs,	c
„ 38. Death-rates from various Causes—Larger Burghs,	ci
„ 39. Deaths from Principal Epidemic and certain other Diseases, 1855-1912,	cii
„ 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1912,	ciii
„ 41. Deaths and Death-rate from Puerperal Conditions,	cv
„ 42. Deaths from Malignant Disease,	cvi
„ 43. Deaths from Suicide,	cviii
„ 44. Deaths from Poison,	cx
„ 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months,	cx i
„ 46. Deaths of Children of less than One Year, showing the Month of Registration of Death,	cx i
„ 47. Certified and Uncertified Deaths,	cxii

OTHER TABLES.

Table 48. Meteorology of Scotland,	cxiii
„ 49. Weather, and Weekly Death-rates,	cxiii
„ 50. Vaccinations in Scotland, 1901-1911,	cxiv
„ 51. Vaccinations in Scotland, deducting those dying before Vaccination,	cxiv
„ 52. Deaths from Small-pox in Scotland, 1855-1911, with Vaccination Particulars, 1864-1911,	cxv
„ 53. Deaths from Small-pox, 1855-1911,	cxvi
„ 54. Age Distribution of Deaths from Small-pox, 1855-1911,	cxvi

ABSTRACTS.

	PAGE.
Summary for each Registration District,	1-39

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes,	40
Scotland—Males,	44
Scotland—Females,	48
Counties of Scotland—Both Sexes,	52
Scotland, by Month of Registration—Both Sexes,	68
Glasgow—Both Sexes,	72
Edinburgh do.	76
Dundee do.	80
Aberdeen do.	84
Paisley do.	88
Leith do.	92
Greenock do.	96
Middle District of Lanark—Both Sexes,	100

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen,	104
Do. Argyll,	123
Do. Ayr,	136
Do. Banff,	156
Do. Berwick,	167
Do. Bute,	174
Do. Caithness,	179
Do. Clackmannan,	182
Do. Dumbarton,	187
Do. Dumfries,	195
Do. Edinburgh (Midlothian),	207
Do. Elgin,	219
Do. Fife,	226
Do. Forfar,	258
Do. Haddington,	271
Do. Inverness,	280
Do. Kincardine,	291
Do. Kinross,	300
Do. Kirkcudbright,	302
Do. Lanark,	312
Do. Linlithgow,	326
Do. Nairn,	334
Do. Orkney,	336
Do. Peebles,	342
Do. Perth,	345
Do. Renfrew,	362
Do. Ross and Cromarty,	372
Do. Roxburgh,	384
Do. Selkirk,	393
Do. Shetland,	396
Do. Stirling,	399
Do. Sutherland,	408
Do. Wigtown,	410

METEOROLOGICAL ABSTRACTS,	416
-------------------------------------	-----

REPORT.

TO THE RIGHT HONOURABLE

THOMAS M'KINNON WOOD, M.P.,

His Majesty's Secretary for Scotland.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
EDINBURGH, 13th November, 1914.

SIR,

In compliance with the requirements of the Scottish Registration Act, 17 and 18 Vict., cap. 80, I have now the honour to submit a Report on the Registration Statistics of Scotland during the year 1912, and with it to submit three Appendices, the first being a Report on the Vaccination of Children born in Scotland during the year 1911, the second being a Report—supplementary to that of last year—on the Marriage Statistics of that same year, and the third being a Report on the Meteorology of the year 1912,—with which year the Vital Statistics herein dealt with are concerned. The principal Report and the first two Appendices have been prepared by Dr. James Craufurd Dunlop, Superintendent of the Statistical Branch of this Department. The third Appendix has been prepared by Mr. A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

In submitting this Report, I may explain that the preparation of the Report dealing with the statistics of the year 1913 is now far advanced. When it is completed,—

probably before the end of the year—the arrears of work in the Statistical Branch, caused by the reorganisation of the whole system of tabulation, will have been overtaken, and I have good reason to hope that the Reports of future years should be ready for Press, if not indeed submitted, within six months of the close of each year.

I have the honour to be,

SIR,

Your most obedient Servant,

J. PATTEN MACDOUGALL,
Registrar General.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1912.

The vital statistics of Scotland for the year ending 31st December 1912 shew that the birth- and death-rates continue to be low, while the marriage-rate is found to be increasing.

The birth-rate of the year, 25·90 per thousand, though slightly above that of 1911, is lower than those of all previous years.

The death-rate of the year, 15·26 per thousand, though somewhat higher than those of the previous two years, is less than those of all other preceding years. This is the fourth consecutive year in which the Scottish death-rate has been less than 16 per thousand.

The marriage-rate of the year, 6·86 per thousand, is higher than those of the years 1908 to 1911, but is lower than those of the years 1906 and 1907.

One feature of the statistics of the year is a low infantile mortality rate. It amounted to 105·5 per thousand registered births, and is the lowest yet recorded, the previous lowest being that of 1909, which was 107·7.

An examination of the recorded causes of death presents several satisfactory features. The death-rates from enteric fever, from all forms of tuberculosis, and from phthisis are the lowest recorded, as is also that from diarrhoea. The death-rates from scarlet fever, from diphtheria, and from whooping-cough are low, and those from pneumonia and bronchitis are of less than average amount.

Causes of death which were more than usually prevalent during the year include measles and cancer. The death-rate from the latter has shewn a steady increase since 1855, the year in which national registration commenced, and the figures of this year, 1912, shew that increase to be continuing, for the cancer death-rate is once more higher than in all previous years.

The deaths of 13 reputed centenarians were registered during the year, and by research the ages of 6 of them have been satisfactorily proved. In the remaining 7 definite information was lacking.

ESTIMATED POPULATION OF SCOTLAND AND OF THE PRINCIPAL DIVISIONS OF THE COUNTRY.

The population of Scotland at the middle of the year 1911 was estimated to have been 4,751,132, and as from that date to the middle of 1912 the natural increase, the excess of births over deaths, amounted to 48,404, while the loss by migration amounted

to 58,459, there was during the twelve months an apparent loss of 10,055, and the population at the middle of 1912 is consequently estimated at 4,741,077. This estimated population is 19,827 less than the population of Scotland as ascertained by the 1911 census, but is 2466 more than the estimated population of the year 1910.

The estimated collective population of the larger burghs, those with censal populations of more than 30,000, is estimated to have been 2,168,007 at the middle of the year, which estimate is partly based on the number of inhabited houses in these burghs as shewn by the burgh assessors' valuation rolls of the year, and partly on other local information. This estimate is 6066 more than that of the previous year. The collective population of the smaller burghs is estimated at 968,835, and of the county districts at 1,604,235; the former being 3153, and the latter 12,968, less than in the previous year.

Estimates of the individual populations of the counties may be seen in Table 7, of the larger burghs in Table 4, of the smaller burghs in Table 5, and of the county districts in Table 6.

BIRTH STATISTICS.

The births of 122,790 living children were registered in Scotland during the year 1912. This number is 940 more than that of the previous year, but is 4166 less than the mean of the numbers of the preceding five years, and 6869 less than the mean of those of preceding ten years. The registered births of the year are fewer than those of all previous years since 1873, those of 1889, 1890, and 1911 excepted. The maximum number of births registered in any one year occurred in 1903, when the number was 133,525, and compared with that maximum the figure of the present year is 10,735, or 8·0 per cent., less. (*Table 1.*)

Of the children registered, 62,931, or 51·3 per cent., were male, and 59,859, or 48·7 per cent., female. The male children of the year are 657 more than those of the previous year, but are 1843 fewer than the mean of the numbers of the five preceding years, and 3209 fewer than the mean of those of the preceding ten years. The female children of the year are 283 more than those of the previous year, but are 2323 fewer than the mean of the numbers of the preceding five years, and 3660 fewer than the mean of those of

TABLE A.—Population of Scotland and its Groups of Public Health Districts.

GROUPS OF DISTRICTS.	Census 1901.			Census 1911.			Estimated to 30th June 1912.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	991,608	1,062,139	2,053,747	1,037,791	1,129,056	2,166,847	1,038,437	1,129,570	2,168,007
Smaller Burghs	422,969	475,525	898,495	460,553	514,129	974,682	457,802	511,033	968,835
County Districts	759,178	760,683	1,519,861	810,495	803,880	1,619,375	802,985	801,250	1,604,235
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,839	2,452,065	4,760,904	2,299,224	2,441,853	4,741,077

the preceding ten years. The ratio of male to female children was 105·1 to 100; in 1911 this ratio was 104·5. (*Tables 1 and 2.*)

The birth-rate of the year is 25·90 per thousand of the estimated population, which is 0·25 more than that of the previous year, but is 1·09 less than the mean of those of the five preceding years, and 2·09 less than the mean of those of the ten preceding years. It is the second annual Scottish birth-rate which has been less than 26 per thousand. In all years previous to 1894 the Scottish birth-rate was over 30 per thousand, and it also was so during the years 1895, 1896, and 1898, but it fell below 30 for the first time in 1894, below 29 for the first time in 1905, below 28 in 1907, and below 27 in 1910; in 1911 and 1912 it has been below 26 per thousand. The maximum Scottish birth-rate occurred in the year 1876, and was 35·62; compared with that figure the 1912 birth-rate is 9·72, or 27·3 per cent., less. (*Table 2.*)

The male birth-rate of the year was 27·37 per thousand of the estimated male population, and the female birth-rate 24·51 per thousand of the female population. The former is 0·34, and the latter 0·16, more than the corresponding rate of the previous year.

Of the 122,790 children registered, 57,954 were born to persons with usual residence in one or other of the larger burghs—burghs with censal populations exceeding 30,000; 24,086 to persons with usual residence in the smaller burghs—those with censal populations of less than 30,000; and 40,750 to persons with usual residence in county, or extra-burghal, districts. The collective birth-rate of the year in the larger burghs was 26·74; in the smaller burghs, 24·86; and in the county districts, 25·40. Compared with the corresponding rate of the previous year that of the larger burghs is 0·26 more, of the smaller burghs, 0·30 more, and of the county districts, 0·21 more. (*Table 4.*)

The birth-rate of the year expressed as per thousand women of child-bearing age, 15 to 45, is 107·6, which is 1·0 more than that of the previous year. In the larger burghs this rate was 104·6; in the smaller burghs, 101·8; and in the county districts, 116·3.

The birth-rate in the larger burghs averaged 26·73, and ranged from 34·5 in Hamilton, 33·8 in Clydebank, 32·5 in Motherwell, and 32·2 in Coatbridge, to 20·1 in Edinburgh, 21·3 in Perth, and 24·9 in Kirkcaldy. In Greenock the birth-rate of the year was 31·3; in

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1912.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegit. Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	57,954	53,866	4,088	26·73	24·85	1·89	7·05
Smaller Burghs .	24,086	22,312	1,774	24·86	23·03	1·83	7·37
County Districts	40,750	37,623	3,127	25·40	23·45	1·95	7·67
SCOTLAND . .	122,790	113,801	8,989	25·90	24·00	1·90	7·32

Govan, 31·0; in Partick, 28·7; in Glasgow, 27·9; in Leith, 27·1; in Ayr, 27·0; in Paisley, 26·8; in Falkirk, 26·8; in Aberdeen, 25·4; in Kilmarnock, 25·2; and in Dundee, 25·0. The birth-rates of the year of these burghs, those of Edinburgh, Dundee, Motherwell, and Falkirk excepted, are all higher than those of the previous year. (*Table 4.*)

In the smaller burghs, those with populations of less than 30,000, the birth-rate of the year averaged 24·86, and, omitting reference to the rates of those burghs which have populations of less than 1000, varied from 37·2 in Aberchirder, 37·1 in Lochgelly, 36·9 in Armadale, 36·1 in Inverkeithing, 36·1 in Port-Glasgow, and 35·8 in Tranent, to 7·8 in Bridge of Allan, 10·8 in Biggar, 11·1 in Auchterarder, 11·3 in Melrose, 11·8 in Moffat, and 11·9 in Largs. In 3 of these burghs the birth-rate of the year was less than 10 per thousand; in 22 it was more than 10 but less than 15; in 48 it was more than 15 but less than 20; in 52 it was more than 20 but less than 25; in 30 it was more than 25 but less than 30; in 25 it was more than 30 but less than 35; and in 7 it was more than 35. In the previous year the collective birth-rate of these burghs was 24·56, and compared with it the rate of the year now under review is 0·30 more. (*Table 5.*)

In the county, or extra-burghal, public health districts the birth-rate of the year averaged 25·40, and varied from 35·2 in the Bathgate District of Linlithgow, 34·7 in the Middle Ward of Lanark, 33·7 in the Kirkcaldy District of Fife, 31·3 in the Ayr District of Ayr, 31·0 in the Dunfermline District of Fife, and 30·1 in the Central District of Stirling, to 12·7 in the Black Isle District of Ross and Cromarty, 12·8 in the Arran District of Bute, 14·3 in the South-Western District of Ross and Cromarty, 14·7 in the Lochaber District of Inverness, 15·2 in the Western District of Ross and Cromarty, and 15·6 in the Hawick District of Roxburgh. In 4 of these districts the birth-rate of the year was more than 10 but less than 15; in 35, more than 15 but less than 20; in 39, more than 20 but less than 25; in 22, more than 25 but less than 30; in 5, more than 30 but less than 35; and in 1 it was more than 35. In the previous year the collective or average birth-rate of these districts was 25·19, and compared with that the rate of 1912 is 0·21 more. (*Table 6.*)

TABLE C.—Birth-rate in Scotland and its Groups of Public Health Districts in 1912.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	553,918	57,954	47·2	26·73	103·2	104·6	97·2
Smaller Burghs .	236,559	24,086	19·6	24·86	96·0	101·8	94·6
County Districts	350,497	40,750	33·2	25·40	98·1	116·3	108·1
SCOTLAND . .	1,140,974	122,790	100·0	25·90	100·0	107·6	100·0

In the counties, all burghs included, the birth-rate of the year varied from 32·3 in Linlithgow, 29·6 in Lanark, 28·7 in Dumbarton, 27·5 in Renfrew, and 27·3 in Stirling, to 16·3 in Bute, 17·5 in Selkirk, 17·5 in Shetland, 17·5 in Argyll, and 17·7 in Sutherland. In 12 counties the birth-rate of the year was more than 15 but less than 20; in 10, more than 20 but less than 25; in 10, more than 25 but less than 30; and in 1, more than 30 but less than 35. (*Table 7.*)

Of the 122,790 children registered during the year, 113,801, or 92·68 per cent., were legitimate, while 8989, or 7·32 per cent., were illegitimate. The legitimate children of the year are 1151 more than those registered in the previous year, but are 4051 less than the mean of the numbers of the five preceding years, and 6907 less than the mean of those of the ten preceding years. The illegitimate children of the year are 211 fewer than those of the previous year, and are 115 less than the mean of the numbers of the five preceding years, but are 38 more than the mean of those of the ten preceding years. The illegitimate children of the year are fewer than those of all years from 1904 to 1911, those of the year 1907 excepted, and fewer than those of all years from 1858 to 1897, but are more than those of the years 1898 to 1903, and of the year 1907. (*Tables 1 and 2.*)

The illegitimate rate of the year—the percentage of the total children registered constituted by illegitimate children—which is 7·32, is 0·23 less than that of the previous year, but is 0·14 more than the mean of those of the five preceding years, and 0·41 more than the mean of those of the ten preceding years. (*Table 2.*)

The legitimate birth-rate of the year expressed as per thousand married women of child-bearing age, 15 to 45, was 234·2, and the illegitimate birth-rate expressed as per thousand of the unmarried and widowed women of these ages was 13·7. The former is 2·9 more, but the latter is 0·3 less, than in the previous year. The legitimate birth-rate of the year expressed in this manner in the larger burghs taken collectively was 226·8; in the smaller burghs, 229·2; and in the county districts, 248·9. The illegitimate birth-rate expressed in this manner in the larger burghs was 12·9; in the smaller burghs, 12·7; and in the county districts, 15·7. (*Table 8.*)

In the counties, burghs included, the legitimate birth-rate per thousand married women of child-bearing age varied from 286·5 in Caithness, 275·7 in Linlithgow, 268·3 in Ross and Cromarty, and 256·5 in Sutherland, to 177·6 in Selkirk, 183·6 in Bute, 187·3 in Roxburgh, and 191·2 in Peebles. In the larger burghs this rate varied from 274·7 in Hamilton, 274·6 in Coatbridge, 270·1 in Greenock, and 256·9 in Clydebank, to 182·7 in Edinburgh, 194·1 in Perth, 209·3 in Kirkcaldy, 212·3 in Dundee, and 215·0 in Aberdeen. (*Table 8.*)

In the counties the illegitimate birth-rate per thousand unmarried and widowed women of child-bearing age varied from 29·5 in Wigtown, 27·0 in Banff, 25·8 in Kincardine, and 25·2 in Elgin, to 5·5 in Selkirk, 5·6 in Bute, and 7·6 in Ross and Cromarty and in Shetland. In the larger burghs this rate varied from 19·6 in Hamilton, 17·7 in Aberdeen, 16·3 in Ayr, and 15·2 in Coatbridge, to 8·9 in Edinburgh, 9·4 in Partick, 10·0 in Kirkcaldy, and 10·5 in Paisley. (*Table 8.*)

In the larger burghs the illegitimate rate—the percentage of the total children registered constituted by illegitimate children—averaged 7·05, and varied from 10·4 in Aberdeen, 9·5 in Ayr, 9·3 in Dundee, and 9·0 in Perth, to 3·2 in Clydebank, 3·6 in Motherwell, 4·4 in Coatbridge, and 4·7 in Partick. In Edinburgh this percentage was 8·0; in Glasgow, 7·3; in Kilmarnock, 6·5; in Paisley, 6·3; in Leith, 6·3; in Kirkcaldy, 5·6; in Greenock, 5·3; in Hamilton, 5·3; in Govan, 5·1; and in Falkirk, 5·1. (*Table 4.*)

In the smaller burghs taken collectively 7·37 per cent. of the children were illegitimate, a percentage which, disregarding what it may have been in burghs of less than 1000 population, varied from 30·8 in Inverbervie, 26·5 in Rattray, 26·3 in Aberchirder, 24·1 in Old Meldrum, 22·7 in Ballater, 21·2 in Huntly, and 21·8 in Macduff, to 0 in Biggar, Crail, Invergordon, Melrose, and Newport. (*Table 5.*)

In the county, or extra-burghal, public health districts this percentage varied from 23·3 in the Huntly District of Aberdeen, 22·6 in the Rhins District of Wigtown, 21·5 in the Alford District of Aberdeen, 21·5 in the Turriff District of Aberdeen, 20·7 in the Lower Deeside District of Kincardine, and 20·3 in the Upper Deeside District of Kincardine, to 0 in the Walls District of Orkney, 1·4 in the Western District of Ross and Cromarty, 2·0 in the Lochaber District of Inverness, 2·6 in the County District of Selkirk, and 2·7 in the Lews District of Ross and Cromarty, (*Table 6.*)

In the counties, burghs included, this percentage varied from 18·2 in Wigtown, 14·3 in Elgin, 13·9 in Kirkcudbright, 13·8 in Aberdeen, and 13·2 in Banff, to 4·5 in Linlithgow, 4·9 in Dumbarton, 5·2 in Renfrew, 5·4 in Fife, 5·5 in Ross and Cromarty, and 5·6 in Selkirk. (*Table 7.*)

An illegitimate rate of over 20 per cent. occurred in 11 of the smaller burghs, and in 6 of the county districts. A rate of over 15 but under 20 occurred in 21 of the smaller burghs, in 16 of the county districts, and in 1 of the counties, burghs included. A rate of more than 10 but less than 15 occurred in 1 of the larger burghs, in 32 of the smaller burghs, in 19 of the county districts, and in 11 of the counties, burghs included. A rate of more than 5 but less than 10 occurred in 13 of the larger burghs, in 70 of the smaller burghs, in 44 of the county districts, and in 19 of the counties, burghs included. A rate of less than 5 per cent. occurred in 4 of the larger burghs, in 53 of the smaller burghs, in 21 of the county districts, and in 2 of the counties, burghs included. (*Tables 4-7.*)

The average number of children registered daily throughout the year was 336. This average ranged from 376 in April, 354 in May, and 352 in July, to 316 in August, September, and November. In March this average was 340; in October, 336; in June, 332; in February, 330; in January, 328; and in December, 327. (*Table 48.*)

The birth-rate of the year of the United Kingdom was 23·9; of England and Wales, 23·8; and of Ireland, 23·0. The Scottish birth-rate of the year is thus 2·0 more than that of the United Kingdom, 2·1 more than that of England and Wales, and 2·9 more than that of Ireland.

The following are the birth-rates of the year of some European

countries :—Roumania, 43·4 ; Servia, 38·0 ; Hungary, 36·3 ; Spain, 32·6 ; Italy, 32·4 ; Austria, 31·3 ; Finland, 29·1 ; Prussia, 28·9 ; Holland, 28·1 ; Denmark, 26·7 ; Norway, 25·4 ; Sweden, 23·7 ; and France, 19·0.

MARRIAGE STATISTICS.

Under the revised scheme of these reports the marriage statistics fall to be partly dealt with here and partly in the next Annual Report, that dealing with the birth and death statistics of the year 1913.

Marriages registered in Scotland during 1912 numbered 32,516. They are 672 more than those registered during the previous year, 964 more than the mean of the numbers registered during the preceding five years, and 646 more than the mean of the numbers registered during the preceding ten years. The marriages of the year are fewer than those of the years 1907, 1906, and 1899, but are more than those of all other years since 1855. (*Table 1.*)

The Scottish marriage-rate of the year was 6·86 per thousand of the estimated population, which is 0·16 more than that of the previous year, and 0·15 more than the mean of the marriage-rates of the five preceding years, but is 0·02 less than the mean of the marriage rates of the ten preceding years. (*Table 2.*)

In the counties, burghs included, the marriage-rate of the year varied from 8·12 in Lanark, 7·92 in Midlothian, 6·84 in Aberdeen, 6·76 in Forfar, and 6·74 in Renfrew, to 2·64 in Sutherland, 3·49 in Nairn, 3·59 in Argyll, 3·70 in Bute, and 3·73 in Ross and Cromarty. (*Table 7.*)

In the larger burghs the marriage-rate of the year ranged from 9·9 in Glasgow, 8·9 in Edinburgh, 8·4 in Paisley, and 8·3 in Aberdeen and Kilmarnock, to 5·3 in Motherwell, 5·6 in Coatbridge, and 5·8 in Hamilton. In Perth the marriage-rate of the year was 8·2 ; in Greenock, 7·8 ; in Dundee, 7·5 ; in Kirkcaldy, 7·3 ; in Govan, 7·2 ; in Partick, 7·2 ; in Ayr, 7·2 ; in Leith, 6·8 ; in Falkirk, 6·6 ; and in Clydebank, 6·3. (*Table 4.*)

The marriage-rates of the smaller burghs and of the county, or extra-burghal districts, are given in Table 6. It is, however, very doubtful if these rates are in fact significant of the prevalence of marriage during the year in the local sub-divisions of the country, and the same might no doubt be said regarding the marriage-rates of the counties and of the larger burghs given above. The tables only shew the frequency of marriages contracted within the burghs or districts, but as removal from one district to another for purpose of marriage is a common custom, the value of the rates as expressing the true frequency of marriage among the resident population cannot be great. Removals of this nature are known to be frequent from the county districts and from the smaller burghs into the larger burghs, and consequently tend to increase the marriage-rates of the larger burghs, and to diminish at least some of those of the smaller burghs and of the county districts. For instance, the marriage-rate of the year of the City of Edinburgh, as above stated, was 8·9 per thousand, while in the neighbouring town of Leith it was 6·8, and in the neighbouring county districts of Midlothian, Lasswade

and Suburban, 4·2 and 3·7, and the contrasts are marked; but even figures so widely different as these should not be accepted as indicating a greater frequency of marriage among the resident population of Edinburgh than among those of Leith and of the two county districts, for it is possible, and indeed probable, that Leith residents and residents of these county districts were during the year married in Edinburgh, and their marriages consequently registered there.

The average number of marriages registered daily throughout the year was 89. This average varied from 146 in June, 139 in December, and 137 in July, to 30 in May, 51 in March, and 60 in February. In January this average was 118; in April, 97; in September, 84; in October, 70; in November, 68; and in August, 65. (*Table 48*).

The marriage-rate of the year of the United Kingdom was 7·4; of England and Wales, 7·8; and of Ireland, 5·3. The Scottish marriage-rate of the year is thus 0·5 less than that of the United Kingdom, and 0·9 less than that of England and Wales, but it is 1·6 more than that of Ireland.

The following are the marriage-rates of the year in some European countries:—Hungary, 8·6; Roumania, 8·6; Prussia, 8·0; France, 7·9; Italy, 7·6; Holland, 7·5; Austria, 7·3; Denmark, 7·3; Spain, 7·3; Norway, 6·2; Finland, 5·9; Sweden, 5·9; and Servia, 4·4.

DEATH STATISTICS.

Deaths registered in Scotland during the year 1912 numbered 72,340, 36,072 being of males, and 36,268 of females. The male deaths of the year are 249 more than those of the previous year, the female deaths 359 more, and the total deaths 608 more. The total deaths of the year are 2413 less than the mean of the numbers of the preceding five years, and 3246 less than the mean of those of the preceding ten years. Though the deaths of the year are more than those of 1911, and also more than those of 1910, they are fewer than those of all other years since 1881, with the exception of the years 1888, 1894, and 1896. (*Table 1.*)

The death-rate of the year was 15·26. It is 0·16 more than that of the previous year, but is 0·63 less than the mean of the death-rates of the preceding five years, and 1·06 less than the mean of those of the preceding ten years. The year now under review, 1912, is the fourth consecutive year in which the Scottish death-rate has been less than 16 per thousand. From 1858 to 1880 the national death-rate was constantly more than 20 per thousand; in 1881 it fell for the first time below 20; in 1886, for the first time below 19; in 1894, for the first time below 18; in 1896, for the first time below 17; and in 1909, for the first time below 16. (*Table 2.*)

The male death-rate of the year per thousand of the male population was 15·69, and the female death-rate per thousand of the female population, 14·85; the former is 0·14, and the latter 0·18, more than in the previous year. (*Table 2.*)

This report contains three different death-rates for each of the sub-divisions of the country. The first is the Uncorrected, or

Crude, death-rate, which is based on the number of deaths registered within the district or group of districts; the second is the Corrected death-rate, which is based on the number of deaths occurring among those with usual residence in the district, *i.e.*, the crude number of deaths less the number of deaths of non-residents registered in the district and plus the number of deaths of residents of the district registered elsewhere in Scotland; and the third is the Corrected and Adjusted death-rate, the adjustment being an arithmetical procedure to allow for differences of age and sex distribution between the populations of districts and that of Scotland. Of these three death-rates the third is the best for purposes of mutual comparison.

TABLE D.—Deaths in Scotland and its Groups of Public Health Districts in 1912.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths.	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,168,007	35,206	16·22	16·24	17·34
Smaller Burghs . . .	968,835	15,000	14·91	15·48	15·08
County Districts . . .	1,604,235	22,134	14·17	13·80	12·91
SCOTLAND . . .	4,741,077	72,340	15·26	15·26	15·26

TABLE E.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1912.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Dundee . . .	18·9	-0·1	18·8	+0·6	19·4
Glasgow . . .	17·6	-0·3	17·3	+1·7	19·0
Greenock . . .	19·3	-0·6	18·7	+0·3	19·0
Coatbridge . . .	16·2	+0·5	16·7	+1·4	18·1
Govan . . .	13·7	+2·1	15·8	+1·8	17·6
Leith . . .	15·0	+1·4	16·4	+0·7	17·1
Kilmarnock . . .	15·7	-0·3	15·4	+1·3	16·7
Partick . . .	11·5	+3·6	15·1	+1·5	16·6
Hamilton . . .	14·5	+0·3	14·8	+1·2	16·0
Aberdeen . . .	15·4	+0·3	15·7	+0·2	15·9
Paisley . . .	14·4	...	14·4	+1·5	15·9
Perth . . .	17·0	-1·1	15·9	-0·3	15·6
Edinburgh . . .	15·8	-1·0	14·8	+0·6	15·4
Clydebank . . .	10·6	+2·3	12·9	+2·0	14·9
Ayr . . .	16·3	-1·6	14·7	+0·2	14·9
Motherwell . . .	11·7	+1·2	12·9	+1·7	14·6
Kirkcaldy . . .	12·5	+1·5	14·0	+0·3	14·3
Falkirk . . .	13·2	-0·6	12·6	+1·2	13·8

In the larger burghs considered collectively the crude death-rate of the year was 16·22 per thousand; the corrected death-rate, 16·24; and the corrected and adjusted death-rate, 17·34. In the smaller burghs these three rates were 14·91, 15·48, and 15·08 respectively, and in the county, or extra-burghal, districts, 14·17, 13·80, and 12·91. Thus a comparison between the corrected and adjusted death-rates of the three groups of public health districts shews that the rate of the larger burghs is 2·26 more than that of the smaller burghs, and 4·43 more than that of the county districts, while the rate of the smaller burghs is 2·17 more than that of the county districts. The corrected but not adjusted death-rate of the larger burghs is 0·03 less than that of the previous year, but that of the smaller burghs is 0·35 more, and that of the county districts is 0·26 more, than the corresponding rate of the previous year. (*Table 4.*)

In the larger burghs the corrected and adjusted death-rate of the year averaged 17·3, and varied from 19·4 in Dundee, and 19·0 in Glasgow and Greenock, to 13·8 in Falkirk, 14·3 in Kirkcaldy, and 14·6 in Motherwell. In Coatbridge this death-rate was 18·1; in Govan, 17·6; in Leith, 17·1; in Kilmarnock, 16·7; in Partick, 16·6; in Hamilton, 16·0; in Aberdeen, 15·9; in Paisley, 15·9; in Perth, 15·6; in Edinburgh, 15·4; in Clydebank, 14·9; and in Ayr, 14·9. (*Table 4.*)

In the smaller burghs this death-rate of the year averaged 15·1, and, omitting reference to those of burghs with populations of less than 1000, varied from 23·3 in Rattray, 21·4 in Penicuik, 21·4 in Thurso, 21·3 in Ladybank, 21·0 in Dollar, and 20·0 in Port-Glasgow, to 6·8 in Crail, 7·2 in Whithorn, 8·8 in Auchtermuchty, 9·6 in Darvel, and 9·6 in Prestonpans. In 11 of the smaller burghs the corrected and adjusted death-rate of the year was less than 10 per thousand; in 96 it was more than 10 but less than 15; in 74 it was more than 15 but less than 20; and in 6, more than 20. (*Table 5.*)

In the county, or extra-burghal, public health districts the corrected and adjusted death-rate of the year averaged 12·9, and varied from 15·9 in the Middle Ward of Lanarkshire, 15·5 in the Mid-Argyll District of Argyll, 15·4 in the Mull District of Argyll, 15·4 in the County District of Clackmannan, 15·3 in the Ellon District of Aberdeen, 15·2 in the Dunfermline District of Fife and in the South Ronaldshay District of Orkney, to 8·5 in the Brechin District of Forfar, 9·2 in the Black Isle District of Ross and Cromarty, 9·5 in the Hawick District of Roxburgh, 9·6 in the Liddesdale District of Roxburgh, 9·8 in the South Uist District of Inverness, and 9·9 in the Arran District of Bute and in the Walls District of Orkney. In 7 of these districts this rate was less than 10 per thousand; in 92, more than 10 but less than 15; and in 7, more than 15. (*Table 6.*)

In the counties, burghs included, the corrected and adjusted death-rate of the year varied from 17·4 in Lanark, 16·7 in Forfar, 16·2 in Clackmannan, and 16·0 in Renfrew, to 11·2 in Bute, 11·3 in Shetland, 11·8 in Kincardine, and 11·9 in Kinross. A comparison of the corrected and adjusted death-rates of the counties of this year with those of the previous year shews a decline of the death-rates of Bute, Dumbarton, Dumfries, Midlothian, Haddington, Kinross, Kirkcudbright, Lanark, Linlithgow,

Orkney, Renfrew, and Stirling, and a rise of death-rate in the remaining 21 counties. (*Table 7.*)

The death-rate of the year of the United Kingdom was 13·8; of England and Wales, 13·3; and of Ireland, 16·5. The Scottish death-rate of the year is thus 1·5 more than that of the United Kingdom, and 2·0 more than that of England and Wales, but 1·2 less than that of Ireland.

The following were the death-rates of the year in some European countries:—Hungary, 23·3; Roumania, 22·9; Spain, 21·8; Servia, 21·1; Austria, 20·5; Italy, 18·2; France, 17·5; Finland, 16·3; Prussia, 15·5; Sweden, 14·2; Norway, 13·4; Denmark, 13·0; and Holland, 12·3.

AGES OF THOSE DYING DURING THE YEAR.

Of the 72,340 persons whose deaths were registered during the year, 20,317, or 28·09 per cent., were less than 5 years old; 2995, or 4·14 per cent., were more than 5 but less than 15; 3447, or 4·77 per cent., were more than 15 but less than 25; 4011, or 5·54 per cent., were more than 25 but less than 35; 5060, or 6·99 per cent., were more than 35 but less than 45; 6287, or 8·69 per cent., were more than 45 but less than 55; 8588, or 11·87 per cent., were more than 55 but less than 65; 10,917, or 15·09 per cent., were more than 65 but less than 75; and 10,674, or 14·76 per cent., were more than 75. In 44 instances the ages of those whose deaths were registered were not recorded. This exceptional number is accounted for by the drowning of a number of Asiatic seamen through shipwreck on the Aberdeenshire coast. Compared with the numbers of the previous year, that of persons of less than 5 is 723 less; of more than 5 but less than 15, 148 less; of more than 15 but less than 25, 59 less; and of more than 25 but less than 35, 141 less; but that of those more than 35 but less than 45 is 114 more; of more than 45 but less than 55, 96 more; of more than 55 but less than 65, 497 more; of more than 65 but less than 75, 244 more; and of more than 75, 687 more. Thus a general comparison of the ages of those whose deaths were registered in 1912 with

TABLE F.—Age-group Death-rates per 1000 in 1912 and in 1911.

	1912.		1911.		Difference.	
	Male.	Female.	Male.	Female.	Male.	Female.
- 1	133·6	106·1	140·9	112·2	- 7·3	- 6·1
1- 4	17·8	17·1	17·8	16·8	...	+0·3
5- 9	3·5	3·6	3·7	3·8	- 0·2	- 0·2
10-14	2·3	2·4	2·3	2·6	...	- 0·2
15-24	4·0	3·9	4·1	3·9	- 0·1	...
25-34	5·6	5·3	5·5	5·7	+0·1	- 0·4
35-44	8·7	8·2	8·4	8·1	+0·3	+0·1
45-54	15·8	12·6	15·5	12·4	+0·3	+0·2
55-64	32·8	25·9	30·6	24·6	+2·2	+1·3
65-74	67·0	53·6	65·2	52·4	+1·8	+1·2
75—	156·0	143·2	148·6	132·0	+7·4	+11·2

those whose deaths were registered in the previous year shews that deaths in the younger age periods have been fewer, while those in the older age-periods have been more. (*Tables 26.*)

Among the male deaths of the year a larger proportion were of children and a smaller proportion were of elderly persons than was the case among the female deaths. Thus of the male deaths 20·17 per cent. were of children of less than one year old, and 10·49 per cent. of children of more than one but less than five; while the corresponding proportions among the female deaths were 15·65 and 9·88. Among the male deaths 14·48 per cent. were of persons of over 65 but less than 75, and 11·57 per cent. of persons of over 75; while the corresponding percentages among the female deaths were 15·70 and 17·92. (*Table 28.*)

The average age of all persons whose deaths were registered during the year was 40·2, that of males being 37·8, and of females, 42·5. The male average age at death is 0·9 more than in the previous year, the female average, 1·0 more, and the average of both sexes in combination 1·0 more.

The average age at death in the larger burghs was 36·7; in the smaller burghs, 42·8; and in the county districts, 43·9. Compared with the corresponding figure of the previous year, the larger burgh average is 1·5 more, the smaller burgh average is 0·5 more, and the county district average is 0·4 more.

A tabulation of all the deaths registered in Scotland during the year by single ages and by the conjugal condition of those dying may be seen in Table 29.

Children of less than one year old whose deaths were registered during the year numbered 12,949, and as the registered births of the year numbered 122,790, the infantile mortality rate is 105·5 per thousand births. This rate is 7·0 less than that of the previous year, 6·3 less than the mean of those of the preceding five years, and 8·9 less than the mean of those of the preceding ten years. It is the lowest annual Scottish infantile mortality rate yet recorded, the previous lowest being that of 1909, which was 107·7. (*Table 2.*)

Of the 12,949 children of less than one year old whose deaths were registered during the year, 7274 were male, and 5675 female. The male infantile mortality rate of the year was 115·6, and the female 94·7; compared with the corresponding rate of the previous year, the former is 7·7 less, and the latter is 6·3 less.

In the counties, burghs included, the infantile mortality rate of the year ranged from 133·5 in Forfar, 116·7 in Lanark, 112·8 in Banff, 112·5 in Elgin, and 109·8 in Caithness, to 54·5 in Kinross, 62·4 in Ross and Cromarty, 63·6 in Argyll, 65·3 in Bute, and 67·8 in Orkney. (*Table 7.*)

In the larger burghs taken collectively the infantile mortality rate of the year was 118·8; in the smaller burghs, 104·3; and in the county, or extra-burghal, districts, 87·1. Comparison with the corresponding rate of the previous year shews that of the larger burghs to be 11·1 less, that of the smaller burghs to be 2·7 less, and that of the county districts to be 4·1 less. (*Table 4.*)

In the larger burghs the infantile mortality rate ranged from 161 in Dundee, 132 in Coatbridge, 127 in Aberdeen, 125 in Kilmarnock, and 123 in Glasgow, to 90 in Kirkcaldy, 92 in Falkirk, 93 in Paisley, 94 in Ayr, and 95 in Perth. (*Table 4.*)

In the smaller burghs, excluding those with populations of less than 1000, this rate varied from 261 in Cromarty, 233 in Wigtown, 231 in Pittenweem, 228 in Keith, 214 in Biggar, 186 in Burghead, and 182 in Kelso, to 0 in Darvel, Jedburgh, Millport, Moffat, Rothes, and Stromness. (*Table 5.*)

In the county, or extra-burghal, districts this rate ranged from 133 in the South Ronaldshay District of Orkney, 125 in the Upper Deeside District of Kincardine, 120 in the Annan District of Dumfries, 118 in the Lasswade District of Midlothian, 117 in the Rhins District of Wigtown, 116 in the Keith District of Banff, and 115 in the Middle Ward District of Lanark, to 0 in the Ardnarmurchan District of Argyll, 27 in the North Isles District of Orkney, 27 in the Blairgowrie District of Perth, 29 in the County District of Nairn, 30 in the Lochaber District of Inverness, 32 in the Walls District of Orkney, and 35 in the Kintyre District of Argyll. (*Table 6.*)

Deaths of persons of 70 years of age and over numbered 16,895, 6958 being males, and 9937 females. The estimated male population of these ages is 58,798, and the female, 93,463. Thus the male death-rate of the male population of these ages is 118·3 per thousand; of the female, 106·3 per thousand; and of the two sexes taken together, 111·0 per thousand. In the previous year this male death-rate was 114·5, this female death-rate was 100·0, and the death-rate of the two sexes taken together, 105·6.

During the year the deaths were registered of 13 reputed female centenarians, but of no male centenarians. Continuing the practice of the previous two years, endeavours have been made in every case to verify the age, and as the result the fact that the age was 100 years or over was satisfactorily proved in 6 instances, while in the remaining 7 instances satisfactory proof was not found. During the three years in which this research has been made the deaths of 42 reputed centenarians have been registered, and satisfactory proof of correctness has been found in 17 instances, and satisfactory proof of incorrectness in 4 instances, while in 21 instances no satisfactory proof was found.

CAUSES OF DEATH.

Of the 72,340 deaths registered in Scotland during the year, 70,978, or 98·1 per cent., were certified as to cause by a registered medical practitioner or by a procurator-fiscal, while 1362, or 1·9 per cent., are reported as not being so certified. This number of deaths uncertified as to cause, 1362, may be taken as approximately correct, but as it is founded on periodic returns from Registrars, and as certification in some instances may have taken place after the submission of the returns, it is possible, and indeed even probable, that the number is in some excess of the true fact. In previous years this source of error in counting the uncertified deaths did not exist because the annual statistics were prepared direct from the registers, and in these all late certifications were noted. The figure, such as it is, points to the percentage of deaths uncertified as to cause being somewhat higher than in the previous year, when it was only 1·6; it is, however, similar to what it was in 1910, and less than in all other previous years.

As in previous years, high percentages of the deaths are found to have been uncertified in some of the Highland counties. In Ross and Cromarty this percentage was 22·6; in Sutherland, 19·2; in Shetland, 17·9; in Inverness, 14·9; in Orkney, 9·7; and in Argyll, 6·6. In the counties of Berwick, Kinross, Peebles, and Selkirk, all the deaths registered during the year were certified. (*Table 47.*)

Of the 72,340 deaths the cause was unspecified or merely described as Natural Causes in 595 instances, while in 1412 instances the cause was only described by some ill-defined term. The latter include 881 deaths described as due to heart failure, 322 to syncope, 34 to sudden death, 25 to dropsy, and 12 to teething.

Small-pox.—Deaths from small-pox numbered 17, which is more than in any one year since 1904. In the year 1911 there were 5 deaths from this disease; in 1910 and 1909 there were none; in 1908, 6; in 1907, 1; in 1906, 1; and in 1905, 4. Of these 17, 7 were of persons who at some time had been vaccinated, and 8 among persons who had never been vaccinated, while in 2 instances it was doubtful whether the person had or had not been vaccinated. Of these 17 deaths, 13 occurred in Kirkcaldy. (*Tables 32 to 40.*)

Enteric Fever.—Deaths from enteric fever numbered 196, 119 being of males, and 77 of females. They are 76 less than those registered in the previous year, 100 less than the mean of the numbers registered in the preceding five years, and 181 less than that of those of the preceding ten years. It is the smallest number of deaths from enteric fever registered in any year since 1865, which was the first year in which these deaths were separately counted. From 1865 to 1884, 1883 excepted, these deaths numbered more than 1000 annually, attaining a maximum of 1625 in 1875. The annual number fell below 800 for the first time in 1886, below 600 for the first time in 1902, below 400 for the first time in 1905, and this year for the first time below 200. The death-rate from this cause is 4 per 100,000, which is 2 less than that of the previous year, and 4 less than the mean of these death-rates of the preceding ten years. In the larger burghs taken collectively, in the smaller burghs taken

TABLE G.—Deaths from Uncertified Causes, 1881-1912.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881	7863	10·9	1897	3041	3·8
1882	7220	9·9	1898	2459	3·1
1883	7278	9·5	1899	2425	3·0
1884	6487	8·6	1900	2757	3·4
1885	6204	8·3	1901	2392	3·0
1886	5932	8·1	1902	2180	2·8
1887	5466	7·3	1903	2058	2·8
1888	5029	7·1	1904	1893	2·4
1889	4566	6·2	1905	1741	2·3
1890	4569	5·8	1906	1727	2·3
1891	4691	5·6	1907	1796	2·3
1892	4267	5·6	1908	1654	2·1
1893	3729	4·7	1909	1552	2·1
1894	3290	4·6	1910	1396	1·9
1895	3222	3·9	1911	1135	1·6
1896	2509	3·6	1912	1362	1·9

collectively, and in the county districts taken collectively, the death-rate from this cause was in each case the same as the national death-rate, namely, 4 per 100,000. In the larger burghs taken individually this death-rate ranged from 10 in Motherwell and Kirkcaldy, and 9 in Aberdeen and Falkirk, to 0 in Hamilton and in Ayr, and 1 in Dundee, Paisley, and Leith. In Glasgow it was 5, and in Edinburgh 2. (*Tables 32 to 40.*)

Typhus Fever.—Deaths from typhus fever during the year numbered 14, 8 being of males, and 6 of females. These deaths are 6 more than in the previous year, and 1 more than the mean of the number of the preceding five years, but are 3 fewer than the mean of those of the preceding ten years. Of these deaths 10 were in the larger burghs, 3 each occurring in Govan and Motherwell, 2 in Glasgow, and 1 each in Paisley and Partick. (*Tables 32 to 40.*)

Measles.—To this cause 1983 deaths were ascribed, 1059 being of males, and 924 of females. These deaths are 1060 more than those of the previous year, 441 more than the mean of those of the preceding five years, and 498 more than the mean of those of the preceding ten years. They are, however, less than the numbers of 1908 and 1910. The death-rate from this cause was 42 per 100,000, which is 23 more than in the previous year, 9 more than the mean of the corresponding death-rates of the preceding five years, and the same amount more than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate was 57, in the smaller burghs, 32, and in the county districts, 28. In the larger burghs taken individually this death-rate ranged from 91 in Hamilton, and 88 in Partick and Motherwell, to 3 in Kirkcaldy, 6 in Perth, and 12 in Falkirk. In Glasgow this rate was 67, and in Edinburgh 40. As is invariably the case, the large majority of those dying from measles are young children; this year's returns shew that 1859 were less than five years old, while only 124 were of more than that age. (*Tables 32 to 40.*)

Scarlet Fever.—Deaths from scarlet fever numbered 439, 207 being of males, and 232 of females. These deaths are 12 fewer than in the previous year, and 4 less than the mean of the numbers of the five preceding years, but are 53 more than the mean of the numbers of the preceding ten years. The death-rate from this cause is 9 per 100,000, which is the same as that of the previous year, the same as the mean of the rates of the preceding five years, but 1 more than the mean of those of the preceding ten years. The collective death-rate from this cause in the larger burghs was 10 per 100,000, in the smaller burghs 9, and in the county districts 8. In the larger burghs taken individually the death-rate from this cause ranged from 47 in Greenock, 19 in Aberdeen, and 14 in Coatbridge, to 3 in Edinburgh and in Perth, and 4 in Paisley. Of the 439 dying from this cause during the year, 251 were less than five years old, 143 were more than five but less than fifteen, and 45 were more than fifteen years old. (*Tables 32 to 40.*)

Whooping-Cough.—Deaths from whooping-cough during the year numbered 1427, 615 being of males, and 812 of females. They are 920 less than the number of the previous year, 611 less than the mean of those of the preceding five years, and 564 less than that of those of the preceding ten years. These deaths number less than in all years since 1855 with the exception of the year 1910, when they numbered 999, and the year 1906, when they numbered

1363. The death-rate from this cause was 30 per 100,000, which is 19 less than that of the previous year, 13 less than the mean of those of the preceding five years, and the same amount less than the mean of those of the preceding ten years. The collective death-rate from this cause in the larger burghs was 32, in the smaller burghs 34, and in the county districts 25. In the larger burghs taken individually the death-rate from this cause ranged from 77 per 100,000 in Ayr, 60 in Coatbridge, and 47 in Hamilton, to 17 in Falkirk, and 20 in Govan and Clydebank. In Glasgow this death-rate was 31, and in Edinburgh 25. Of those dying from whooping-cough the great majority, 1382, were children of less than five years old, while of the small remainder 39 were less than ten years old. Only 6 persons of more than ten years of age died from this cause during the year. (*Tables 32 to 40.*)

Diphtheria.—Deaths from diphtheria, including those certified as due to croup, numbered 824, 414 being of males, and 410 of females. These deaths are 107 fewer than in the previous year, and are 29 less than the mean of the numbers of the preceding five years, but are 14 more than those of the preceding ten years. The death-rate from this cause is 3 less than that of the previous year, 1 less than the mean of those of the preceding five years, and 1 less than the mean of those of the preceding ten years. The collective death-rate from diphtheria in the larger burghs was 20 per 100,000, in the smaller burghs 16, and in the county districts 15. In the larger burghs taken individually the death-rate from this cause ranged from 27 in Dundee and Partick, and 25 in Glasgow and Leith, to 0 in Kirkcaldy, 6 in Kilmarnock, and 10 in Edinburgh and Clydebank. Of those dying from diphtheria during the year, 563 were less than five years old, 231 were more than five but less than fifteen years old, while only 30 were more than fifteen years old. (*Tables 32 to 40.*)

Other Infectious Diseases.—Deaths from infectious diseases other than the foregoing include 234 from influenza (uncomplicated by pneumonia or other serious disease), 1 from cholera nostras, 6 from malaria, 12 from dysentery, 158 from erysipelas, 10 from chicken-pox, 9 from mumps, 2 from German measles, and 1 each from continued (tropical) fever, mycosis fungoides, and sprue.

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 8149, 4105 being of males, and 4044 of females. This number is 238 less than the number of the previous year, 993 less than the mean of the numbers of the preceding five years, and 1326 less than the mean of those of the preceding ten years. It is the smallest number of deaths from tuberculosis, all forms included, registered in Scotland in any year since the institution of national registration, and that is since 1855. This is the third consecutive year in which these deaths have numbered less than 9000, while in all other previous years the number exceeded that figure. Deaths from tuberculous disease attained a maximum of 13,027 in 1870, and since then have shewn a fairly steady decrease. Since 1880 the annual number has been less than 12,000, since 1884 less than 11,000, since 1904 less than 10,000, and since 1910 less than 9000. The death-rate from this cause was 172 per 100,000, which is 5 less than that of the previous year, 24 less than the mean of those of the five preceding years, and 34 less than the mean of those of

the preceding ten years. It is the lowest Scottish death-rate from this cause. Previous to 1883 the death-rate from tubercle was more than 300 per 100,000, the maximum being 404, which occurred in 1870. From 1883 to 1908 this rate was between 200 and 300, in 1909 it fell to 198, in 1910 to 181, and in 1911 to 177. The tubercle death-rate of this year, 1912, is less than half of what it was in 1877 and in all years previous to that, 1856 and 1874 excepted. The collective death-rate from tuberculous disease in the larger burghs was 203; in the smaller burghs, 157; and in the county districts, 139. Compared with the figure of the previous year, the tubercle death-rate of the larger burghs is 5 less; of the smaller burghs, 11 less; and of the county districts, 1 less. The tubercle death-rate of the larger burghs considered individually ranged from 270 in Dundee, 246 in Greenock, and 227 in Glasgow, to 139 in Kirkcaldy, 141 in Aberdeen, and 149 in Ayr. In Govan the tubercle death-rate of the year was 216; in Clydebank, 206; in Coatbridge, 200; in Edinburgh, 184; in Partick, 181; in Perth, 178; in Hamilton, 173; in Kilmarnock, 173; in Paisley, 171; in Falkirk, 171; in Leith, 169; and in Motherwell, 161. The male Scottish death-rate of the year from tuberculosis was 179, and the female, 166; the former is 5, and the latter 2, less than in the previous year. (*Tables 32 to 40.*)

Of the 8149 deaths from tuberculous disease, 5124 were ascribed to phthisis, 182 to acute phthisis, 93 to miliary tuberculosis, 1018 to tuberculous meningitis, 875 to abdominal tubercle, 132 to tuberculosis of the spine, 57 to tuberculous disease of joints, and 665 to other or unspecified forms of tuberculous disease, this last

TABLE H.—Death-rate from Tuberculosis in 1912.

	Estimated Population	Death-rate per 100,000 from				
		All Tuberculosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,741,077	1·70	1·12	·21	·18	·20
Males . . .	2,299,224	1·79	1·16	·23	·18	·22
Females . . .	2,441,853	1·66	1·08	·20	·19	·19
Larger Burghs . . .	2,168,007	2·03	1·31	·28	·21	·23
Smaller Burghs . . .	968,835	1·57	1·03	·19	·18	·17
County Districts . . .	1,604,235	1·38	·91	·15	·15	·18
Glasgow	781,984	2·37	1·50	·31	·21	·25
Edinburgh	319,265	1·84	1·26	·21	·10	·27
Dundee	164,911	2·70	1·72	·37	·32	·29
Aberdeen	162,988	1·41	·97	·18	·14	·12
Govan	89,139	2·16	1·44	·33	·17	·22
Paisley	84,858	1·71	1·10	·16	·24	·21
Leith	80,214	1·69	1·05	·24	·25	·15
Greenock	76,337	2·46	1·44	·39	·30	·33
Partick	67,364	1·81	1·16	·19	·30	·16
Coatbridge	43,340	2·00	1·22	·21	·25	·32
Motherwell	40,772	1·61	1·03	·29	·22	·07
Kirkcaldy	39,817	1·39	·68	·23	·18	·30
Hamilton	38,627	1·73	·85	·31	·39	·18
Clydebank	40,461	2·06	1·09	·37	·35	·25
Perth	35,410	1·78	1·04	·37	·17	·20
Kilmarnock	34,609	1·73	0·98	·23	·23	·29
Falkirk	34,351	1·71	1·14	·20	·20	·17
Ayr	33,560	1·49	0·95	·30	·12	·12

including disseminated tuberculosis. Compared with the number of the previous year the deaths from phthisis of this year are 109 fewer; from acute phthisis, 36 fewer; from miliary tuberculosis, 18 fewer; from tuberculous meningitis, 30 fewer; from tuberculous disease of the spine, 14 fewer; from tuberculous disease of the joints, 4 fewer; and from "other, or unstated, forms of tuberculous disease," 63 fewer; but those from abdominal tuberculosis are 36 more. The death-rate from phthisis, acute included, was 112 per 100,000; from tuberculous meningitis, 21; and from abdominal tuberculosis, 18. The phthisis death-rate is 3 less than in the previous year, and the death-rate from tuberculous meningitis is 1 less, but the death-rate from abdominal tuberculosis is of the same amount as in that year.

The phthisis deaths of the year, acute as well as chronic, are 145 fewer than those of the previous year, 566 less than the mean of the numbers of the preceding five years, and 910 less than the mean of those of the preceding ten years. They are less than those registered in any previous year. Deaths registered as due to phthisis attained a maximum in Scotland in 1870, when they numbered 9148; subsequent to then they numbered less than 8000 for the first time in 1874; less than 7000 for the first time in 1892; and less than 6000 for the first time in 1910, below which figure they have remained since. The phthisis death-rate of the year is 3 per 100,000 less than that of the previous year, 14 less than the mean of those of the preceding five years, and 23 less than the mean of those of the preceding ten years. It is 171 less than the phthisis death-rate of 1870, which was 283 per 100,000. The Scottish death-rate from phthisis fell below 200 for the first time in 1887, below 180 for the first time in 1892, below 160 for the first time in 1901, below 140 for the first time in 1907, and below 120 for the first time in 1910. (*Tables 39 and 40.*)

The male phthisis death-rate of the year was 116, and the female, 108; the former is the same as in the previous year, but the latter is 5 less. (*Table 36.*)

The collective phthisis death-rate of the larger burghs was 131 per 100,000; of the smaller burghs, 103; and of the county districts, 91. Compared with the returns of the previous year the rate of the larger burghs is 3 less, of the smaller burghs 7 less, and of the county districts 1 less. In the larger burghs considered individually the phthisis death-rate of the year ranged from 172 in Dundee, 150 in Glasgow, and 144 in Govan and in Greenock, to 68 in Kirkcaldy, 85 in Hamilton, and 95 in Ayr. In Edinburgh this rate was 126; in Coatbridge, 122; in Partick, 116; in Falkirk, 114; in Paisley, 110; in Clydebank, 109; in Leith, 105; in Perth, 104; in Motherwell, 103; in Kilmarnock, 98; and in Aberdeen, 97. (*Tables 36 to 38.*)

Of the 5306 deaths from phthisis the largest numbers were of persons aged more than fifteen but less than fifty-five; for ages 15 to 25 these deaths numbered 1250; for ages 25 to 35, 1381; for ages 35 to 45, 1068; and for ages 45 to 55, 660. The phthisis deaths at ages under fifteen numbered in all 451, and at ages over fifty-five, 496. The phthisis death-rate for age period 15 to 25 was 142 per 100,000; for age period 25 to 35, 187; for age period 35 to 45, 179; and for age period 45 to 55, 148. For age period

55 to 65 this death-rate was 122; for age period 65 to 75, 69; and for age period over 75, 14. Comparison with the corresponding rates of the previous year shews slight increases of the phthisis death-rates in age periods 25 to 35, and 35 to 45, but decreases in age period 15 to 25, and in all age periods over 45. (*Tables 32 and 33.*)

The registered deaths from tuberculous meningitis, which numbered 1018, are equal to an annual death-rate of 21 per 100,000, which is 1 less than in the previous year. The collective death-rate in the larger burghs was 28; in the smaller burghs, 19; and in the county districts, 15. This death-rate in the larger burghs and in the county districts was slightly higher than in the previous year, but in the smaller burghs it was lower. In the larger burghs taken individually this death-rate ranged from 39 in Greenock, and 37 in Dundee, Clydebank, and Perth, to 16 in Paisley, 18 in Aberdeen, and 19 in Partick. Of these 1018 deaths, 670, or 66 per cent., were of children of less than five years old; 162, or 16 per cent., were of children of between five and ten years old; while 186, or 18 per cent., were of persons of over ten. The death-rate from this cause among children of less than one year old was 210 per 100,000; among children of more than one but less than five years old, 105; and among children of more than five but less than ten, 32. (*Tables 32 to 38.*)

The deaths from abdominal tuberculosis, which numbered 875, are equal to a death-rate of 18 per 100,000. This rate is the same as in the previous year. In the larger burghs taken collectively this rate was 21; in the smaller burghs, 18; and in the county districts, 15. In the larger burghs considered individually, this death-rate ranged from 39 per 100,000 in Hamilton, 35 in Clydebank, and 32 in Dundee, to 10 in Edinburgh, 12 in Ayr, and 14 in Aberdeen. Of these 875 deaths, 455, or 52 per cent., were of children of less than five years old; 184, or 21 per cent., were of children of more than five but less than fifteen; 145, or 17 per cent., were of persons of more than 15 but less than 35; while 91, or 10 per cent., were of persons of more than 35. (*Tables 32 to 38.*)

Malignant Disease.—Deaths from malignant disease numbered 5195. They are 247 more than were registered during the previous year, 444 more than the average number registered during the preceding five years, and 812 more than the average number registered during the preceding ten years. It is the largest number of cancer deaths registered in Scotland in any year since the institution of national registration. This is the first year in which these deaths have exceeded 5000. They numbered 1000 for the first time in 1859, 2000 for the first time in 1882, 3000 for the first time in 1896, and 4000 for the first time in 1905. Of these deaths 2075 were of males, and 3120 of females, the former being 29 more than in the previous year, and the latter 218 more. The death-rate from cancer for the year was 110 per 100,000, which is 6 more than that of the previous year, 9 more than the mean of those of the preceding five years, and 15 more than the mean of those of the preceding ten years. It is the highest Scottish death-rate from this cause yet reported. Previous to 1878 the cancer death-rate was less than 50 per 100,000; from 1878 to 1885 it was between 50 and 60; from 1886 to 1893, between 60 and 70; from

1894 to 1897, between 70 and 80; from 1898 to 1904, between 80 and 90; from 1905 to 1908, between 90 and 100; and since 1909 has been constantly over 100. The male cancer death-rate of the year was 90, and the female 128, the former being 1, and the latter 9, more than in the previous year. In the larger burghs the collective death-rate from this cause was 108, in the smaller burghs, 122, and in the county districts, 102; in the larger burghs this rate is 4 more than in the previous year, in the smaller burghs 8 more, and in the county districts 3 more. In the larger burghs considered individually this death-rate ranged from 152 in Perth, 140 in Leith, and 134 in Ayr, to 47 in Clydebank, 62 in Hamilton, and 66 in Motherwell. In Edinburgh this rate was 129, and in Glasgow, 108. (*Tables 32 to 40.*)

Of the 5195 deaths from malignant disease, 2974 were ascribed to carcinoma, 230 to sarcoma, and 1991 to other or unspecified form of cancer. The deaths from carcinoma are 227 more than in the previous year, but those from sarcoma are 1 fewer.

The observed age death-rates of the year from malignant disease increase with advancing years. For all age periods under 35 they are less than 20 per 100,000; for age period 35 to 45, 70; for age period 45 to 55, 218; for age period 55 to 65, 488; for age period 65 to 75, 788; and for age period of over 75, 1015. Comparison with the corresponding rates of the previous year shews that the larger actual increases occur in the older age periods—those over 55—but that the larger relative increases are in the rates of age periods of between 25 and 55. The actual increases of the rates of age periods of over 55 vary from 20 to 38, while those of age periods 25 to 55 vary from 2 to 14, the former being greater than the latter, but the relative increase of the rates of the three age periods of over 55 is 4 per cent., while those of the three age periods of 25 to 55 vary from 7 to 13 per cent. (*Table 33.*)

A tabulation of the deaths of the year from malignant disease according to the organ affected shews that the most frequent locations of the disease among males were the stomach (553 deaths), the intestines (299), the liver (230), and the rectum (158), while among females they were the stomach (613), the uterus (484), the breast (451), the intestines (401), the liver (362), and the rectum (150). (*Table 42.*)

Syphilis.—Deaths ascribed to syphilis numbered 218, which is 8 more than in the previous year, but is 4 less than the mean of the numbers of the five preceding years, and is the same as the mean of those of the ten preceding years. These deaths are equal to a death-rate of 5 per 100,000. Of the 218 deaths, 127 were of males, and 91 of females. Of these 169 were of children of less than one year old, and only 49 of children or adults of more than that age. These 218 deaths do not include deaths from parasymphilitic diseases, among which there occurred during the year 73 from locomotor ataxia, 236 from general paralysis of the insane, and 143 from aneurism. (*Tables 39 and 40.*)

Other General Diseases.—The foregoing causes of death are all of a general rather than a local distribution, and in addition to them the following general diseases were the ascribed causes of death in the stated number of instances, namely:—Tumours (non-malignant), 51 deaths; Rheumatic Fever, 223; Chronic

Rheumatism, including rheumatic arthritis and gout, 204; Diabetes, 504; Exophthalmic Goitre, 66; Leucocythæmia, 60; Lymphadenoma, 26; Anæmia and Chlorosis, 441; and Alcoholism, 176.

Diseases of the Nervous System.—Deaths from diseases of the nervous system, including those of the eye and ear, numbered 8884, and are 214 more than in the previous year. They, among others, include 68 from cerebro-spinal meningitis, 920 from other forms of meningitis (not tuberculous), 5058 from apoplexy and hemiplegia, 257 from epilepsy, 749 from convulsions, 148 from cerebral tumour, and 155 from diseases of the ear, including those of the mastoid. The increase in the number of deaths in this group is accounted for by there being 270 more deaths from apoplexy and hemiplegia in this than in the previous year.

Diseases of the Circulatory System.—Deaths from these numbered 7720, and are 469 more than in the previous year. They include 6524 from diseases of the heart, 1137 from diseases of the arteries, 34 from diseases of the veins, and 25 from other diseases of the circulatory system, including diseases of the lymphatics. The increased number of these deaths is largely accounted for by increased numbers of deaths from organic heart disease, and from cerebral embolism. Deaths from acute endocarditis numbered 162; from organic heart disease, 6078; from arterio-sclerosis, 428; from cerebral embolism and thrombosis, 466; and from embolism and thrombosis other than cerebral, 98.

Diseases of the Respiratory System.—Deaths from these numbered 12,079, and are 509 more than in the previous year, a difference ascribable to an increased number of deaths from bronchitis and pneumonia. Deaths from bronchitis numbered 4796; from broncho-pneumonia, 2603; from other or unspecified form of pneumonia, 3506; from pulmonary congestion, 446; from diseases of the larynx, 143; and from asthma, 76.

Bronchitis.—Deaths registered during the year from bronchitis numbered 4796. They are 250 more than registered in the previous year, but 184 less than the average number registered during the preceding five years, and 370 less than the average number registered during the preceding ten years. These deaths have markedly decreased in number during recent years. In 1891 they numbered 9309, and in 1895, 8202; but since 1902 they have numbered less than 6000, and since 1909 less than 5000. The annual death-rate from this cause was 101 per 100,000, which, though 5 more than in the previous year, is 5 less than the mean of the rates of the preceding five years, and 11 less than the mean of those of the preceding ten years. In the larger burghs the collective death-rate from bronchitis was 117; in the smaller burghs, 98; and in the county districts, 81. In the larger burghs this death-rate ranged from 135 in Glasgow, 134 in Coatbridge, and 129 in Dundee, to 44 in Falkirk, 54 in Ayr, and 60 in Kirkcaldy. The age period death-rates from bronchitis were, as usual, highest in the extremes of life; among children of less than one year old and among persons of over 65 it exceeded 600 per 100,000, but among children and adults of more than five but less than thirty-five it was less than 10. (*Tables 32 to 40.*)

Pneumonia.—Deaths ascribed to pneumonia numbered 6109.

They are 204 more than in the previous year, but 511 less than the average during the preceding five years, and 551 less than the average during the preceding ten years. The death-rate from this cause was 129 per 100,000, which is 5 more than in the previous year, but 12 less than the mean of the death-rates of the five preceding years, and 16 less than the mean of those of the ten preceding years. It is lower than the pneumonia death-rate of all years since 1896, that of 1911 excepted. In the larger burghs the collective death-rate from this cause was 160; in the smaller burghs, 110; and in the county districts, 99. In the larger burghs taken individually this death-rate ranged from 197 per 100,000 in Hamilton, 195 in Glasgow, and 188 in Govan, to 100 in Paisley, 102 in Perth, 107 in Ayr, and 108 in Kirkcaldy. The variations of the death-rate from pneumonia in the age periods is generally similar to those of the bronchitis death-rate, but with the differences less marked. Among children of less than five years old and among persons of over sixty-five this death-rate exceeds 300 per 100,000, being at a maximum of 1468 in age period under one, while in age periods between five and thirty-five it varies between 13 and 35. (*Tables 32 to 40.*)

Diseases of the Digestive System.—Deaths from these numbered 4671, and are 1100 fewer than in the previous year, a difference ascribable to there having been 1054 fewer deaths from diarrhœas registered in this than in that year. Deaths from gastric ulcer numbered 312; from other diseases of the stomach, 580; from appendicitis, 401; from hernia and intestinal obstruction, 471; from cirrhosis of the liver, 276; and from gall stones and other diseases of the liver, 265.

Deaths from diarrhœas, including those registered as due to enteritis, gastro-enteritis, dysentery, and cholera nostras, numbered 1851. This number is 1058 less than that of the previous year, 759 less than the mean of the numbers of the preceding five years, and 938 less than the mean of those of the preceding ten years. It is the smallest number of these deaths yet recorded, the previous smallest being that of the year 1909, which was 2171. Of these deaths 12 were ascribed to dysentery, 1 to cholera nostras, 1369 to diarrhœa or enteritis among children of less than two years old, and 469 to those diseases among children or persons of over that age. The death-rate from these causes was 39 per 100,000, which is 22 less than in the previous year, 17 less than the mean of the rates of the preceding five years, and 22 less than the mean of those of the preceding ten years. It is the lowest annual death-rate in Scotland from these diseases yet recorded, being 7 less than the previous lowest, that of the year 1909. The 1369 deaths from diarrhœa among children of less than two years old are equal to a death-rate of 6·50 per thousand of the population of that age. The total deaths from diarrhœa among children of less than one year old numbered 1138, and as the children whose births were registered during the year numbered 122,790, they are equal to a mortality of 9·3 per thousand registered births. This rate in the larger burghs was 11·0; in the smaller burghs, 8·2; and in the county districts, 7·5. In the larger burghs taken individually this infantile diarrhœa rate ranged from 25·0 per thousand registered births in Dundee, 20·6 in Kilmarnock, 17·2 in Coatbridge, 12·3 in Aberdeen,

11·4 in Glasgow, and 11·2 in Govan, to 2·6 in Perth, 3·3 in Ayr, 4·0 in Kirkcaldy, and 5·8 in Edinburgh. (*Tables 32 to 40.*)

Diseases of the Genito-Urinary System.—Deaths from these diseases numbered 2913, and are 9 fewer than in the previous year. They include 381 from acute nephritis, 1642 from Bright's disease, 110 from uræmia, and 103 from other diseases of the kidney. Deaths from diseases of the bladder and urethra numbered 293, and included 18 from calculus; those from diseases of the prostate numbered 191; from diseases of the uterus, 92; and from other diseases of the female genital organs, 82.

Diseases and Accidents of Pregnancy and Parturition.—These deaths, including those ascribed to puerperal sepsis, numbered 675, and as the registered births of the year numbered 122,790, they are equal to a death-rate of 5·5 per thousand births. These deaths are 24 less than registered in 1911, and 35 less than registered in 1910. This death-rate is 0·2 less than that of 1911, and the same amount less than that of 1910. In the larger burghs taken collectively this death-rate was 5·5; in the smaller burghs, 5·7; and in the county districts, 5·4. Compared with the corresponding rate of the previous year that of the larger burghs is 0·7 less; that of the smaller burghs, 0·1 less; but that of the county districts, 0·4 more. In the larger burghs taken individually this death-rate ranged from 9·3 in Perth, 8·1 in Kirkcaldy, and 8·0 in Clydebank, to 3·8 in Motherwell, 3·9 in Edinburgh, and 4·0 in Paisley. These deaths from diseases and accidents of pregnancy and parturition, among others include 193 from puerperal sepsis, 131 from the albuminuria of pregnancy and eclampsia, 100 from puerperal hæmorrhage, and 40 from abortion. (*Table 41.*)

Diseases of Skin and Cellular Tissues, including Senile Gangrene.—These deaths numbered 554, and are 33 more than in the previous year. They include 233 from senile gangrene, 5 from cancrum oris, and 45 from other forms of gangrene, 22 from carbuncle, 177 from abscess, and 72 from ulcer or other disease of the skin.

Diseases of Locomotor System.—These deaths numbered 133, which is 1 fewer than in the previous year, and included 116 from diseases of bones (other than disease of mastoid), 14 from diseases of joints, and 3 others.

Diseases peculiar to Early Infancy.—These numbered 4416, which is 86 less than in the previous year. They included 2404 from premature birth, and 2012 others.

Senility.—Deaths ascribed to this cause numbered 3809, and included 3762 classed as senile decay, and 47 classed as senile dementia. In the previous year these deaths numbered 3644, than which figure those of this year are 165 more.

Violence.—Deaths from violence numbered 2931, the equivalent death-rate being 63 per 100,000. They number 43 more than in the previous year, and 24 more than the mean of the numbers of the preceding five years, but 46 less than the mean of the numbers of the preceding ten years. They are more than in the years 1909, 1910, and 1911, but fewer than in other previous years since 1896. The death-rate from this cause is 2 more than that of the previous year, and 1 more than the mean of the rates of the preceding five years, but is 2 less than the mean of those of the preceding ten years. It is less than the death-rate from violence in all previous

years, with the exception of those of the years 1888, 1909, 1910, and 1911. In the larger burghs taken collectively the death-rate from violence was 62 per 100,000; in the smaller burghs, 56; and in the county districts, 64. In the larger burghs individually this death-rate ranged from 92 in Leith, 83 in Greenock, 73 in Govan, and 72 in Coatbridge and in Ayr, to 44 in Edinburgh, 44 in Motherwell, 48 in Kirkcaldy, and 49 in Paisley and in Kilmarnock. (*Tables 32 to 40.*)

Of these 2931 violent deaths, 2141 were of males, and 790 of females. The male death-rate from this cause was 93 per 100,000, and the female death-rate, 32.

Of the deaths from violence, 2638 were ascribed to accident, 282 to suicide, and 11 to homicide. Compared with the figures of the previous year deaths from accident are 14 more, and those from suicide 29 more, but those from homicide are the same in number. Of the deaths from accident, 493 were of children of less than five years old; 236 of children of more than five but less than 15; 259 of persons of more than 15 but less than 25; 296, of more than 25 but less than 35; 300, of more than 35 but less than 45; 356, of more than 45 but less than 55; 266, of more than 55 but less than 65; 212, of more than 65 but less than 75; 179, of more than 75; and 41, of unstated age. Of these deaths, 558 were due to drowning, 369 to burns and scalds, 146 to accidental falls, and 69 to poisons. Fatal accidents in coal and other mines numbered 123; on railways, 115; with horses, or horsed vehicles, 54; and with motor vehicles, 51. Deaths ascribed to weather agencies numbered 48. Overlaying was the stated cause of death in 97 instances, and other forms of suffocation in 110.

The 69 deaths from accidental poisoning include 14 by poisoning by food, 9 by opium, 7 by carbolic acid, 5 by potassium cyanide, 4 each by hydrochloric acid and ammonia, 3 each by carbon bisulphide and oxalic acid, 2 each by nicotine, coal gas, and strychnine, and 1 each by arsenic, barium chloride, cocaine, hydrocyanic acid, saltpetre, mercuric chloride, formalin, insect sting, alcohol, chloral, and phosphorus. One accidental poisoning was stated to be due to a narcotic, and in two instances the nature of the poison was unstated. (*Table 44.*)

In addition to the above noted accidental deaths from poisoning, 55 were attributable, partly or entirely, to the administration of anæsthetics for surgical purposes. These deaths are 13 more than in the previous year. In 43 instances chloroform was the anæsthetic used, in 9 a mixture of chloroform and ether, in 1 ether alone, while in 2 cases the nature of the anæsthetic was not specified. (*Table 44.*)

Deaths by suicide among males during the year numbered 201, and among females, 81. The male deaths by this means are 19 more than in the previous year, and the female, 10 more. Of the male deaths by suicide, 66 were by cutting or stabbing, 65 by hanging, 34 by drowning, 19 by poison, 12 by gunshot, 3 on railways, 1 by precipitation, and 1 by other means. Of the female deaths, 22 were by drowning, 21 by hanging, 16 by cutting or stabbing, 14 by poison, 5 by precipitation, 2 on railways, and 1 by other means. The suicidal deaths by poisoning include 14 by coal gas, 9 of which were in Dundee; 2 each by potassium cyanide, opium, and oxalic acid; and 1 each by carbolic acid, hydrochloric acid, phosphorus,

strychnine, formalin, arsenic, and A.B.C. liniment. In 6 instances the nature of the poison was not specified. (*Table 44.*)

Relative Frequency of Some Causes of Death.—The following list shows in order of frequency some of the more important causes of death, the figure stated being the percentage of the total deaths attributed to the cause specified:—Tuberculosis, all forms, 11·27; Organic Heart Disease, 9·02; Pneumonia, 8·45; Cancer, 7·18; Bronchitis, 6·63; Congenital Debility and Malformation, and Premature Birth, 6·44; Violence, 4·05; Nephritis and Bright's Disease, 2·95; Measles, 2·74; Whooping-cough, 1·97; Diarrhœas of Childhood, 1·89; Meningitis, not described as Tuberculous, 1·27; Diphtheria and Croup, 1·14; Diseases of the Liver, not Malignant, 0·75; Diseases of Pregnancy and Parturition, including Puerperal Sepsis, 0·94; Scarlet Fever, 0·61; Appendicitis, 0·55. Deaths from phthisis constituted 65·11 per cent. of all deaths from tuberculosis, and 7·34 per cent. of the total deaths for the year; those from tuberculous meningitis constituted 12·49 per cent. of the deaths from tuberculosis, and 1·41 per cent. of the total deaths for the year; and those from abdominal tuberculosis constituted 10·74 per cent. of the deaths from tuberculosis, and 1·21 per cent. of the total deaths for the year. (*Table 34.*)

Monthly Distribution of Deaths from Certain Causes.—On pages 68 to 71 there is a tabular statement showing the distribution of deaths by specified causes according to the month of registration. It shows the months in which particular causes were more prevalent or less prevalent. From this it may be seen that deaths from measles ranged from 343 in March to 30 in September; those from diphtheria and croup, from 108 in February to 44 in July; those from whooping-cough, from 178 in February to 51 in September; those from phthisis, from 499 in April to 347 in September; those from tuberculous meningitis, from 118 in May to 55 in August; those from abdominal tuberculosis, from 103 in April to 51 in September; those from bronchitis, from 781 in February to 189 in July; those from pneumonia, from 857 in December to 279 in August; from diarrhœas of childhood, from 186 in August

TABLE I.—Monthly Mortality and Mean Temperature in Scotland during 1912, compared with the mean of the Ten Years 1901-1910.

MONTHS.	YEAR 1912.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	36·9	6,940	1,151	1,177	38·0
February	38·8	7,332	1,216	1,079	37·7
March	42·4	6,426	1,066	1,149	39·9
April	46·2	6,319	1,048	1,096	43·2
May	49·5	6,063	1,006	1,036	48·7
June	53·6	5,311	881	916	54·0
July	56·9	5,428	900	873	56·8
August	52·3	5,047	837	863	55·8
September	50·0	4,753	789	830	53·1
October	45·6	5,507	914	889	47·6
November	41·3	5,955	988	976	41·2
December	40·3	7,259	1,204	1,116	38·5
YEAR	46·1	72,340	12,000	12,000	46·2

to 71 in January; from premature birth debility, from 236 in January to 131 in August; and from drowning, from 67 in July to 29 in September.

Causes of Infant Deaths.—Special tabulations of the causes of death among infants of less than one year old may be seen in Tables 45 and 46. These deaths in all number 12,949, 7274 being of male children, and 5675 of female. These deaths are 758 fewer than in the previous year. Of these children, the largest number, 5156, or 39·8 per cent., were less than one month old, a number which is 31 more than in the previous year. The deaths of children of more than one month but less than twelve months old are 789 fewer than in the previous year. Comparison with the figures of the previous year shews that the following causes of death were more prevalent among children in 1912 than in the previous year—measles, pneumonia, bronchitis, and premature birth, and that the following were less prevalent—whooping-cough, tuberculosis, meningitis, and diarrhoea. Of these 12,949 deaths, 4574, or 35·3 per cent., were due to premature birth, to congenital malformation, or to congenital debility; 1585, or 12·2 per cent., to pneumonia; 1138, or 8·8 per cent., to diarrhoea; 1026, or 7·9 per cent., to bronchitis; 646, or 5·0 per cent., to whooping-cough; 566, or 4·4 per cent., to measles; 551, or 4·3 per cent., to convulsions; 291, or 2·2 per cent., to meningitis, not described as tuberculous; 227, or 1·8 per cent., to tuberculous meningitis; and 169, or 1·3 per cent., to syphilis. The infantile death-rate per thousand registered births from congenital debility, premature birth, or malformation was 37·3; from pneumonia, 12·9; from diarrhoea, 9·3; from bronchitis, 8·4; from whooping-cough, 5·3; from measles, 4·6; from convulsions, 4·5; from meningitis not described as tuberculous, 2·4; from tuberculous meningitis, 1·8; and from syphilis, 1·4. (*Tables 45 and 46.*)

Month of Registration of Infant Deaths.—Deaths of children of less than one year old ranged from 1483 in December, 1299 in February, and 1290 in January, to 755 in September, 804 in August, and 849 in June. The infantile death-rate per thousand births (calculated on the assumption that the births were evenly distributed throughout the year) ranged from 142·6 in December, 133·5 in February, and 127·8 in November, to 75·0 in September, 77·3 in August, and 84·4 in June. In January it was 124·0; in April, 111·9; in March, 110·9; in May, 96·7; in October, 95·1; and in July, 87·4. The months with the highest death-rates were generally associated with an excess of deaths from pneumonia and bronchitis. Deaths from pneumonia ranged from 311 in December, and 271 in November, to 46 in August and 50 in June. These from bronchitis ranged from 205 in December, and 161 in January, to 24 in July, and 29 in August. Deaths from diarrhoea ranged from 150 in August, and 149 in July, to 61 in January, and 66 in April. (*Table 46.*)

APPENDIX I.

FORTY-EIGHTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN.

This Report deals with the vaccination statistics of children whose births were registered in Scotland during the year 1911, and who in ordinary course should have been vaccinated during that year or during 1912.

These children in all numbered 121,897, and of them 71,120, or 58·3 per cent., are reported to have been successfully vaccinated, 11,137, or 9·1 per cent., are reported as having died before the expiration of the time for statutory vaccination, and 39,640, or 32·6 per cent., are reported to have been unvaccinated at the end of 1912. (*Table 50.*)

The vaccinated children numbered in all 71,120, 70,472 being certified as having been successfully vaccinated, while 684 were certified as insusceptible to vaccination on account of having been previously vaccinated, the previous vaccination not having been registered. This number, 71,120, is 6243 less than that of the previous year, 31,040 less than the mean of the numbers of the ten preceding years, and 40,808 less than the figure for the year 1905, that year being the last unaffected by the Vaccination (Scotland) Act of 1907. (*Table 50.*)

The vaccinated children of the year with which we are dealing constitute 58·3 per cent. of the total children registered, and 64·2 per cent. of the children surviving at the age when the compulsory provisions of the Act become operative. The former rate is 3·5 less than that of the previous year, 19·6 less than the mean of the rates of the ten preceding years, and 24·8 less than the rate of the year 1905. The latter rate, the percentage of the vaccinated children among the surviving children, is 3·4 less than that of the previous year, 21·9 less than the mean of the rates of the ten preceding years, and 29·6 less than the rate of the year 1905. The rapid decline of the proportion of children successfully vaccinated since the passing of the 1907 Act has been commented on in previous reports, and this year's figures shew a further decline. In 1905 the ratio, excluding those dying before vaccination, of vaccinated to unvaccinated children was 15·2 to 1; in 1906 this ratio fell to 11·4 to 1; in 1907, to 5·1 to 1; in 1908, to 3·3 to 1; in 1909, to 2·5 to 1; in 1910, to 2·1 to 1; and in this year found to be 1·8 to 1. In 1905 approximately one child in 16 escaped vaccination, but in this year, 1911, more than one child in three did so.

Of the 39,640 unvaccinated children, 1143, or 2·9 per cent., are reported as having been constitutionally insusceptible of vaccination, 29,582, or 74·6 per cent., as unvaccinated by reason of the conscientious objections of their parents, 2775, or 7·0 per cent., on account of the vaccination having been postponed for medical reasons, and 6140, or 15·5 per cent., through removal from the district of birth or as being otherwise unaccounted for. (*Table 50.*)

Non-vaccinations on account of constitutional insusceptibility, which number 1143, are more numerous than previously reported in any year since the passing of the Vaccination (Scotland) Act of 1863. They are 404, or 54·7 per cent., more than in the previous year, and 489, or 74·8 per cent., more than the mean of the numbers of the preceding ten years. These children constitute 0·9 per cent. of all the children whose births were registered during the year, and 1·0 per cent. of those surviving at the time when they should have been vaccinated. This is the first year in which in Scotland one per cent. of the surviving children were reported as insusceptible, the highest previous being 0·8, which occurred in 1901. In 1880 and 1881 this proportion was as low as 0·1 per cent., but since then has tended upwards. From 1882 to 1891 it was constantly 0·2 per cent.; from 1892 to 1900 it varied between 0·3 and 0·5 per cent.; in 1901 it reached the exceptional amount of 0·8 per cent.; from 1902 to 1906 it again varied between 0·3 and 0·5 per cent.; in 1907, 1908, and 1909 it was 0·7 per cent.; and in 1910 it was 0·6 per cent. (*Table 53.*)

In the counties, burghs included, the percentage of the total children registered who were certified as insusceptible is found to vary from 3·4 per cent. in Peebles, 1·7 in Midlothian, 1·5 in Wigtown, and 1·4 in Linlithgow, to 0 in Kinross, 0·1 in Caithness, 0·2 in Kincardine, and 0·3 in Clackmannan. In the larger burghs this percentage varied from 2·2 in Edinburgh, 2·1 in Partick, and 2·0 in Clydebank, to 0·1 in Falkirk, 0·3 in Aberdeen and in Greenock, and 0·4 in Perth. In the following registration districts unusually large percentages were reported as insusceptible, namely:—Shotts Northern (12·9), Cockburnspath (11·5), Alloway (9·7), Monquhitter (7·8), Newburgh (7·3), and Mains and Strathmartine (7·1).

The number of children reported unvaccinated by reason of removal from the district of birth, or otherwise lost sight of, is 6140. This number, though smaller than those of 1907, 1908, and 1909, is relatively large; it is 150, or 2·5 per cent., more than that of the previous year, 1910; 931, or 17·9 per cent., more than the mean of those of the preceding ten years, 1901 to 1910; and 2126, or 53·0 per cent., more than the number of the year 1905, the last year prior to the passing of the 1907 Act. These 6140 children constitute 5·0 per cent. of the total children of the year, and 5·5 per cent. of those surviving at the time when the statutory period of compulsory vaccination was reached. The former percentage is 0·2 more than that of the previous year, 1·0 more than the mean of those of the preceding ten years, and 2·0 more than that of the year 1905. The latter percentage is 0·3 more than that of the previous year, 1·1 more than the mean of the percentages of the preceding ten years, and 2·2 more than the percentage of the year 1905. (*Tables 50 and 51.*)

The number of children reported to be unvaccinated by reason of the conscientious objection of their parents is 29,582, and is the largest number yet so reported since the 1907 Act, which first permitted non-vaccination on this ground, was passed. Of the children whose births were registered in 1906, 253 were not vaccinated for this reason, and the corresponding figures for children registered in 1907, 1908, 1909, and 1910 were 7258,

15,846, 22,746, and 26,954. These figures show that the number of children escaping compulsory vaccination in this way is an increasing quantity. The 1909 number was 6900 more than that of 1908, the 1910 number 4208 more than that of 1909, and the 1911 number is 2628 more than that of 1910. Of the children whose births were registered during the years 1906 to 1911, 102,639 were not vaccinated for this reason. The 29,582 children now reported as unvaccinated on account of conscientious objection on the part of their parents constitute 24·3 per cent. of the total children of the year, and 26·7 per cent. of those surviving at the time of compulsory vaccination. Both these rates are the highest yet recorded; the former is 2·5 more, and the latter 2·9 more, than the corresponding rate for 1910. (*Tables 50 and 51.*)

In the counties, burghs included, the proportion of children not vaccinated by reason of the conscientious objection of their parents varied from 71·6 per cent. in Shetland, 46·7 in Selkirk, 42·1 in Orkney, and 41·3 in Dumbarton, to 5·2 in Bute, 9·5 in Wigtown, 10·1 in Argyll, and 10·3 in Nairn. In 9 counties this rate exceeded 30 per cent.; in 8, it was more than 20 but less than 30; in 14, more than 10 but less than 20; and in 2, it was less than 10. In the larger burghs, this rate ranged from 58·2 per cent. in Falkirk, 46·8 in Hamilton, 46·7 in Clydebank, and 43·4 in Kilmarnock, to 10·1 in Edinburgh and Aberdeen, 13·3 in Ayr, and 15·3 in Leith. In 6 of these burghs this rate exceeded 40 per cent.; in 2 it was between 30 and 40; in 5, between 20 and 30; and in 5, between 10 and 20. In the registration districts of Nesting, Whiteness and Weisdale, Papa Stour, Firth, Papa Westray, and Kirkton Assynt, all the children whose births were registered during the year were unvaccinated for this reason.

Any expression of opinion as to whether the non-vaccination of children is or is not a menace to the health of the community would be quite out of place in a statistical report, but one clear conclusion may be drawn from the foregoing figures and be mentioned, viz., that the proportion of the younger population unprotected against small-pox by vaccination has enormously increased since the passing of the 1907 Act, for not only have the provisions of that Act been widely taken advantage of, but statistics shew that the compulsory clauses of the original Act are not being pressed to the same extent as formerly, the use of the certificate of insusceptibility is more widely spread, and the number of children unvaccinated by reason of "being lost sight of" is increasing.

APPENDIX II.

ADDITIONAL STATISTICS REGARDING THE MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1911.

A brief statement of the principal marriage statistics of the year 1911 was given in the Fifty-Seventh Annual Report, along with full information regarding the birth and death statistics of the year, but that statement was necessarily only brief and provisional because full information regarding the marriages of the year was not available in the Office of the Registrar-General at the time that report was prepared. In the provisional statement the number of marriages of the year was given as 31,811, and the marriage-rate of the year as 6·70 per thousand. A full examination and abstraction of the marriage registers of the year has shewn that the actual number of marriages registered was 31,844, and the difference between this figure and the provisional figure is so small—it is only 33—that the marriage-rates stated in the earlier report may be accepted as substantially correct. These rates may be found in Tables, 2, 3, and 7 of that report.

The marriage-rates of the year 1911 in the larger burghs were not available when the Fifty-Seventh Report was prepared, and were consequently omitted. They were as follows, namely :—Glasgow, 9·6 per thousand; Edinburgh, 8·9; Perth, 8·5; Aberdeen, 8·2; Greenock, 7·9; Ayr, 7·8; Clydebank, 7·7; Kilmarnock, 7·7; Paisley, 7·4; Dundee, 7·2; Falkirk, 7·1; Kirkcaldy, 6·8; Leith, 6·4; Govan, 6·0; Partick, 5·9; Hamilton, 5·8; Coatbridge, 5·8; and Motherwell, 5·2.

Details shewn by the marriage registers, which, so far as 1911 figures are concerned, were not dealt with in the Fifty-Seventh Report, include the regularity of the marriages and the church of celebration, the civil condition of those married, the education as shewn by the nature of the signature of the registration schedules, or registers, by those married, and their ages. These will here be taken up separately.

Of the 31,844 marriages registered, 29,237, or 91·8 per cent., were regular, *i.e.*, solemnised by a minister of some religious denomination after proclamation by banns or after statutory notice at a registrar's office, while 2607, or 8·2 per cent., were irregular. The regular marriages of the year are 515 more than in the previous year, but 444 fewer than the mean of the numbers of the five preceding years, and 553 less than the mean of those of the ten preceding years. The irregular marriages of the year are 427 more than in the previous year, 477 more than the mean of the numbers of the five preceding years, and 573 more than the mean of the numbers of the ten preceding years. It is the largest number of irregular marriages registered in Scotland in any year since the institution of national registration, and that is since 1855. Previous to 1871 these marriages numbered less than 100 annually; from 1871 to 1889 they numbered more than 100 but less than

1000; from 1890 to 1906, 1902 excepted, they numbered more than 1000 but less than 2000; but since 1907, and in the year 1902, they numbered more than 2000.

Of the regular marriages, 14,032 were celebrated according to the rites of the Established Church of Scotland, 8083 according to those of the United Free Church, 3404 according to those of the Roman Catholic Church, 984 according to those of the Episcopal Church, and 2734 according to those of other religious denominations. Compared with the returns of the previous year, marriages celebrated according to the rites of the Roman Catholic Church are 233 more; of the Established Church of Scotland, 161 more; of the Episcopal Church, 117 more; and of churches of other denominations, 31 more; but those celebrated according to the rites of the United Free Church are 27 fewer.

Of the total marriages registered, irregular as well as regular, those celebrated according to the rites of the Established Church of Scotland constituted 44·0 per cent.; of the United Free Church, 25·4 per cent.; of the Roman Catholic Church, 10·7 per cent.; of the Episcopal Church, 3·1 per cent.; and of churches of other denominations, 8·6 per cent. The remaining 8·2 per cent. were irregular marriages. Marriages celebrated according to the rites of one or other of the two principal Presbyterian churches numbered 22,115, and constituted 69·4 per cent. of the total.

In the counties, Established Church marriages were relatively most numerous in Kincardine, 72·8 per cent.; in Wigtown, 72·5 per cent.; in Haddington, 71·4 per cent.; and in Peebles, 70·3 per cent.; and relatively least numerous in Ross and Cromarty, 30·2 per cent.; in Sutherland, 32·0 per cent.; in Lanark, 32·3 per cent.; and in Renfrew, 38·8 per cent. United Free Church marriages were relatively most frequent in Orkney, 48·3 per cent.; in Sutherland, 38·0 per cent.; and in Shetland, 35·5 per cent.; and relatively least numerous in Haddington, 16·7 per cent.; in Wigtown, 18·0 per cent.; in Kincardine, 18·5 per cent.; and in Linlithgow, 19·9 per cent. Roman Catholic marriages were relatively most numerous in Dumbarton, 19·5 per cent.; in Renfrew, 18·3 per cent.; in Lanark, 16·3 per cent.; and in Linlithgow, 14·9 per cent.: Episcopal Church marriages were relatively most numerous in Forfar, 7·4 per cent.; in Midlothian, 5·9 per cent.; in Dumbarton,

TABLE J.—Regular and Irregular Marriages in 1911.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.						
Established Church.	14,032	6,197	7,835	44·0	34·8	55·8
United Free Church	8,083	4,567	3,516	25·4	25·7	24·9
Roman Catholic Ch.	3,404	2,145	1,259	10·7	12·0	9·0
Episcopal Church	984	697	287	3·1	3·9	2·1
Other Denominations	2,734	1,705	1,029	8·6	9·6	7·3
Irregular Marriages	2,607	2,486	121	8·2	14·0	0·9
Total Marriages	31,844	17,797	14,047	100·0	100·0	100·0

5·4 per cent.; and in Kincardine, 5·4 per cent. No Roman Catholic marriages were registered during the year in the counties of Caithness, Kinross, Orkney, Peebles, Ross and Cromarty, Shetland, and Sutherland, and no Episcopal Church marriages in the counties of Caithness, Kinross, Shetland, and Sutherland.

In the larger burghs Established Church marriages were relatively most numerous in Ayr, 56·2 per cent.; in Leith, 52·9 per cent.; and in Kirkcaldy, 49·6 per cent.; and least numerous in Coatbridge, 22·1 per cent.; in Glasgow, 27·0 per cent.; in Clydebank, 33·1 per cent.; and in Hamilton, 33·2 per cent. United Free Church marriages were relatively most numerous in Kilmarnock, 42·7 per cent.; in Falkirk, 31·7 per cent.; and in Paisley, 30·9 per cent.; and least numerous in Ayr, 17·1 per cent.; in Motherwell, 17·7 per cent.; and in Govan, 20·2 per cent. Roman Catholic marriages were relatively most numerous in Coatbridge, 36·0 per cent.; in Hamilton, 24·7 per cent.; in Partick, 20·9 per cent.; and in Clydebank, 20·0 per cent.; and relatively least numerous in Aberdeen, 2·6 per cent.; in Ayr, 4·3 per cent.; and in Kirkcaldy, 4·4 per cent. Episcopal Church marriages were relatively most numerous in Dundee, 10·3 per cent., and in Edinburgh, 7·1 per cent.; and relatively less numerous in Hamilton, 0·9 per cent., and in Partick, 1·0 per cent.

Of the regular marriages, 18,229, or 57·2 per cent. of the total marriages of the year, were celebrated after proclamation of banns; 10,312, or 32·4 per cent., after public notice; and 696, or 2·2 per cent., after banns in respect of one spouse and public notice in respect of the other. Compared with the returns of the previous year, marriages celebrated after proclamation of banns are 210 more, those after public notice are 277 more, and those after banns and public notice, 28 more.

As above stated, the irregular marriages registered during the year numbered 2607, and constituted 8·2 per cent. of the total. The great majority of these, 2486, were registered in larger burghs, only a small minority, 121, being registered elsewhere in Scotland. Among the marriages registered in the larger burghs these marriages constituted 14·0 per cent. of the total, while in the rest of Scotland they only constituted 0·9 per cent. Of the 2607 irregular marriages, all except two were registered by sheriff's warrant, one of the two exceptions being registered by extract decree of declarator, and the other by extract sentence of conviction. In Glasgow and in Edinburgh these marriages were both absolutely and relatively much more numerous than in the other large burghs. In Glasgow they numbered 1621 and constituted 21·7 per cent. of the total marriages registered during the year, while in Edinburgh they numbered 528, and constituted 18·6 per cent. of the total. In Dundee, Aberdeen, Govan, and Perth this proportion was between 6 and 8 per cent.; in the other large towns it was of less than that amount.

Of the 31,844 marriages registered during 1911, 28,325, or 88·9 per cent., were between bachelors and spinsters; 785, or 2·5 per cent., between bachelors and widows; 1944, or 6·1 per cent., between widowers and spinsters; and 772, or 2·4 per cent., between widowers and widows. In 18 instances the conjugal condition of one or both those marrying was not stated. The total number of

bachelors married was 29,110; of widowers, 2716; of spinsters, 30,269; and of widows, 1557. Compared with the returns of the previous year, marriages between bachelors and spinsters are 796, or 2·9 per cent., more; between bachelors and widows, 73, or 10·3 per cent., more; between widowers and spinsters, 34, or 1·8 per cent., more; and between widowers and widows, 29, or 3·9 per cent., more. The total number of bachelors marrying was 889, or 3·1 per cent., more than in the previous year; of spinsters, 830, or 2·8 per cent.; of widowers, 63, or 2·4 per cent.; and of widows, 102, or 7·0 per cent.

Looking at the county figures, it may be noted that marriages between bachelors and spinsters constituted more than 90 per cent. in 21 counties, the maxima being 96·9 in Peebles, 95·2 in Haddington, 94·5 in Selkirk, and 94·3 in Clackmannan, while the proportion was found to be smallest in Kinross, 86·1; in Wigtown, 86·8; in Nairn, 87·2; and in Lanark, 87·4. In the counties of Peebles, Selkirk, and Shetland no marriages of widows were registered during the year.

Of the 31,844 men married during the year, 31,606, or 99·3 per cent., signed the marriage schedules, or the marriage registers, by writing, and 238, or 0·7 per cent. by Mark. Of the 31,844 women married, 31,447, or 98·8 per cent., signed by writing, and 397, or 1·2 per cent., by Mark. The numbers both of men and of women signing by Mark are the lowest yet recorded. In the years 1855 to 1875 men signing by Mark annually numbered more than 2000, and women more than 4000, but since then the numbers have fallen steadily. Since 1891 men signing by Mark have numbered less than 1000 annually, since 1906 less than 500, and are now less than 300. Women so signing have numbered less than 1000 since 1898, and less than 500 since 1909. Of the men signing by Mark the majority, 126, had their marriages registered in Lanarkshire, while the marriages of comparatively large numbers, 23 and 19, were registered in Midlothian and Ayr. Women signing by Mark are found to have a similar distribution in the counties, for the marriages of 232 of them were registered in Lanark, 30 in Midlothian, and 22 in Ayr. In the following counties all persons married during the year signed by writing, namely:—Berwick, Bute, Dumfries, Kincardine, Kirkcudbright, Nairn, Orkney, Peebles, Roxburgh, Selkirk, and Shetland.

The average age of all persons married during the year—disregarding a few, 80 in all, whose age at marriage were unstated—was 28·0. The average age of the men married was 29·4, and of the women, 26·7. Compared with the corresponding figures of the previous year, all three averages are found to be identical.

The average age of men married in the larger burghs was 29·5, and of women, 26·9, the former being 0·1 less than in the previous year, while the latter was of the same amount as in that year. The average age of men married in the rest of Scotland was 29·3, and of women, 26·6, the former average being 0·2 less than in the large burghs, and the latter 0·3 less.

The average age of all bachelors marrying during the year was 28·0, which is the same as in the previous year; of those marrying spinsters, 27·9, which is 0·1 more than in the previous year; and those marrying widows, 34·4, which is 0·3 less than in the previous year.

The average age of widowers marrying during the year was 44·2, which is the same as in the previous year; of those marrying spinsters, 42·5, which is 0·2 less than in the previous year; and of those marrying widows, 48·5, which is 0·2 more than in the previous year.

The average age of all spinsters marrying during the year was 26·1, which is the same as in the previous year; of those marrying bachelors, 25·5, which also is the same as in the previous year; and of those marrying widowers, 34·0, which is 0·4 less than in the previous year.

The average age of all widows marrying during the year was 39·9, which is 0·1 more than in the previous year; of those marrying bachelors, 35·5, which is 0·5 less than in the previous year; and of those marrying widowers, 44·3, which is 0·9 more than in the previous year.

In the counties the average age of men marrying varied from 34·3 in Sutherland, 33·5 in Inverness, 33·2 in Ross and Cromarty, 31·9 in Argyll, 31·3 in Bute, and 31·1 in Nairn, to 27·7 in Clackmannan, 28·1 in Linlithgow, 28·4 in Fife, 28·4 in Haddington, and 28·5 in Stirling. In 6 counties the average age of the men marrying was more than 31; in 20 it was more than 29 but less than 31; and in 7 it was less than 29.

In the counties the average age of women marrying varied from 29·0 in Inverness and Sutherland, 28·5 in Ross and Cromarty, and 28·1 in Argyll, Bute, and Peebles, to 25·3 in Linlithgow, 25·7 in Stirling, 25·8 in Clackmannan, and 25·9 in Haddington. In 6 counties this average was more than 28 years; in 14 it was more than 27 but less than 28; and in 13 it was less than 27.

Contingency tables have been prepared to show the correlated ages of the bridegrooms and brides of the year, and may be seen on pages lxxxv to lxxxix of this report. These tables demonstrate the facts more clearly than any remarks here could do, but attention may be drawn to a general similarity of age in the vast majority of marriages, while a certain number of cases occur where there are great disparities. For instance, during the year a boy of 17 is found to have married a spinster of over 30, and three bachelors of under 25 married spinsters of over 45, while five spinsters of under 21 married bachelors of over 45. Two bachelors of under 25 married widows of over 40, and one bachelor of 18 married a widow of over 30. Eight widowers of over 40 married spinsters of under 20, and two spinsters of under 30 married widowers of over 70. The youngest marriage of the year was one between a boy of 16 and a girl of the same age, and the oldest marriage was one between a widower of over 80 and a spinster of between 50 and 55.

APPENDIX III.

WEATHER OF THE YEAR 1912.

The following remarks on the weather of the year are the Notes made by Mr. A. Watt, M.A., F.R.S.E., under the direction of the Council of the Scottish Meteorological Society, which appear in the Registrar-General's Quarterly Reports :—

January was characterised by a somewhat high mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a slightly low mean rainfall; and a large excess of winds from a northerly or easterly point.

The mean pressure was 29·885 ins., or 0·082 in. above the normal. From 1st to 3rd, and again towards the end of the month, high pressure conditions prevailed, but from about 5th to 20th the weather was of an extremely unsettled type and controlled by Atlantic low pressure systems. At Leith pressure at sea-level reached 30 ins. from 1st to 3rd, on 12th, from 17th to 20th, and from 26th to 31st, the extremes there being 30·321 ins. on 29th and 29·189 ins. on 9th.

The mean temperature was $36^{\circ}\cdot9$, or $0^{\circ}\cdot4$ below the normal, the days being $0^{\circ}\cdot6$ and the nights $0^{\circ}\cdot1$ below their respective averages. Some Eastern districts had a slight excess, but in general there was a temperature deficiency, the differences ranging from an excess of $0^{\circ}\cdot7$ at Wick to a deficiency of fully 2° at Poltalloch. The month embraced a wide variety of temperature conditions. With winds on the whole from a south-westerly point the first few days were very mild, with the highest reading for the month at most stations on 1st. During the second and third weeks there were moderate temperature fluctuations with incursions of cold about 7th and 8th, when the minimum for the month occurred in the extreme North, and again about 17th. Towards the end of the month, with light easterly winds, extremely cold weather set in, increasing in intensity during the opening days of February. On 29th some very low readings occurred, the thermometer in screen falling to 5° at Carrbridge, to 6° at Braemar, and to 7° at Balmoral. In general the last week of the month was fully 10° colder than the first. The highest temperature recorded was 57° at Fort-Augustus on 15th.

The mean rainfall was 3·52 ins., or 8 per cent. below the normal, but the general distribution was very irregular. Towards the North-East there was a decided excess, Braemar having fully twice the normal, whilst in North and North-West there was a well-marked shortage, Fort-Augustus having less than half the normal. Elsewhere many stations agreed closely with their normals, but Poltalloch and Pinmore had an excess of about 40 per cent. and Glasgow and Leith a shortage of about 30 per cent. The month's totals ranged from 11·70 ins. at Loan (Glenquoich), 8·89 ins. at Stronvar, and 7·95 ins. at Ardtornish, to less than 1 in. at Fortrose, Inverness, Drumnadrochit, and Gullane. Falls exceeding 1 in.

occurred at Glencarron on 1st and 2nd; at Crathes, Dundee, and elsewhere on 8th; at Crathes on 9th; at Ardtornish and Stronvar on 12th; at Poltalloch, Balmoral, Stronvar, and Greenock on both 15th and 16th; and in the South of Scotland on 16th. During the last two weeks of the month there were in most districts many rainless days. About 7th and 15th precipitation consisted largely of snow, and at Crathes the aggregate "rainfall equivalent" for 8th and 9th was nearly 3 ins., and at Stronvar that for 15th and 16th about $3\frac{1}{2}$ ins.

Severe snowstorms were general on 8th and again about 17th. The former was the accompaniment of an easterly, and the latter of a south-easterly gale, and on 17th serious shipping disasters occurred on the North-East coast of Scotland. Snowfalls of less importance occurred at other times also. The only station to report thunder was Wolfelee—on 23rd. Except in the North, sunshine aggregates were deficient, Marchmont having only half the normal. Fog was experienced at times towards S.E. and S.W.—very densely in the Firth of Forth from 28th to 30th. An earthquake shock in Argyllshire early on 28th. Aurora visible at Gordon Castle on 5th and 11th; at Dunrossness on 22nd; at Fort-William on 23rd; and at Baltasound on 23rd and 28th.

February was characterised by an extremely low mean pressure; a slightly high mean temperature, with a fractionally low mean daily range; a fractionally high mean rainfall; and a considerable excess of easterly and also of southerly winds.

The mean pressure was 29·559 ins., or 0·287 in. below the normal. Conditions were almost continuously unsettled, and the barometer seldom reached even a moderately high level. At Leith it exceeded 29·8 ins. only from 13th to 18th, the extremes there being 30·020 ins. on 14th and 29·005 ins. on 9th.

The mean temperature was 38°·8, or 0°·6 above the normal, the days being 0°·5 and the nights 0°·7 above their respective averages. At only a few stations were the means for the month below the normal. At first, with moderate winds from a northerly or easterly point, the cold weather which had set in towards the end of January increased in intensity, and on 4th or 5th the thermometer (in screen) fell below zero in several districts. The actually lowest readings were -5° at West Linton on 4th; and -8° at Carrbridge, -4° at Braemar, -2° at Balmoral, and -1° at Gordon Castle, all on 5th. This period of extreme cold was quickly followed by very mild conditions, and from about 8th temperature was almost continuously much above the normal, though about 11th and 18th there were temporary interruptions of cold with shifts of the wind from the prevailing southerly direction to a northerly or easterly point. The last few days were unusually mild, and at Leith the mean temperature for the week ending March 2nd was 47°·9, or as much as 8°·0 above the normal, in contrast with a mean of 32°·0, or 7°·1 below the normal, for the week ending February 3rd. The highest reading was 56°—at Edinburgh and Dumfries on 28th, and at Gordon Castle and Duns on 29th.

The mean rainfall was 3·18 ins., or 4 per cent. above the normal. Many stations differed little from their normals, but there was a well-defined shortage in the Western Highlands and some

Northern districts, and a moderate excess towards North-East and South-East. An excess of 30 per cent. or more was experienced at Stornoway, Helensburgh, Crieff, Lednathie, Montrose, and Aberdeen, and a deficiency of fully 30 per cent. at Fort-William, Fort-Augustus, and Dunrobin, and of fully 40 per cent. at Strathpeffer. The month's totals ranged from 11·00 ins. at Loan (Glenquoich) and 8·23 ins. at Stronvar, to less than $1\frac{1}{2}$ in. at Fortrose, Strathpeffer, Cawdor, and Carrbridge. Early in the month considerable amounts of snow fell in the North, but in many districts there was no measurable precipitation until 6th. Falls exceeding 1 in. occurred at Stronvar and Colmonell on 7th; at Glenquoich and Lochbuie on 18th; at Ardtornish, Stronvar, and Leadhills on 22nd; at Glencarron on 25th; and at Stronvar, Oban, Greenock, and elsewhere on 27th. The month's totals were largely accounted for about these dates, and though the number of "rain days" was large many of them had only trifling amounts and there were short spells of almost rainless weather. At Edinburgh there were only four days with falls exceeding one-tenth of an inch, and about half the month's total was registered on 18th and 19th.

Until 6th the weather was of an extremely wintry type, with heavy snow in the North. About 23rd and towards the end of the month gales or very high winds from S.W. occurred, but considering the generally low level of the barometer, wind force was as a rule remarkably moderate. Thunderstorms at Poltalloch on 15th, Baltasound on 25th, and Stornoway on 29th. Bright sunshine was deficient in the East, but somewhat above the normal towards N.W. and N. During the second and third weeks considerable amounts of fog were experienced. An aurora visible at Baltasound on 17th, 21st, and 24th.

March was characterised by an extremely low mean pressure; a very high mean temperature, with a low mean daily range; a high mean rainfall; and a large excess of south-westerly winds.

The mean pressure of 29·493 ins. was 0·316 in. below the normal, and lower means for March have been recorded during the last fifty years only in 1876 and 1897. Pressure conditions were throughout of an unstable character, and at Leith the barometer at sea-level reached 30 ins. only on 11th and 12th, and fell below 29 ins. on 3rd, 5th, 18th, and 19th, the extremes there being 30·075 ins. on 12th and 28·905 ins. on 19th.

The mean temperature was $42^{\circ}\cdot4$, or $2^{\circ}\cdot8$ above the normal, the days being $2^{\circ}\cdot3$ and the nights $3^{\circ}\cdot4$ above their respective averages. The temperature excess was everywhere well-marked, and, on the whole, a milder March has been experienced in Scotland during the last thirty years only in 1882 and 1893. Until about 28th the only important interruptions of cold occurred around 16th and from 20th to 24th, with shifts of the wind from the prevailing south-westerly direction to some easterly or northerly point, whilst the last three days of the month were decidedly cold with winds from W.N.W. Highest readings occurred very widely on 25th, but in the North-West on 1st and here and there about 13th, whilst lowest readings were recorded generally on 16th or 23rd, but in Orkney and Shetland on 31st. The extreme temperatures noted were 61° at

Leith on 25th and 21° at Balmoral on 16th. At several stations the maximum for 31st was the lowest for the month.

The mean rainfall was 3·97 ins., or 36 per cent. above the normal. In parts of Aberdeenshire and the Moray Firth area there was a slight shortage; and towards the North-West, in parts of Forfarshire and in the Border counties amounts differed little from the normal. In most districts, however, there was a well-marked excess which was relatively greatest in the Clyde area and in the South-West and South. Drumlanrig had more than twice, and Paisley nearly twice, the normal amount, whilst Rothesay had an excess of 80 per cent. and Glasgow and Dumfries of about 70 per cent. At Cargen, near Dumfries, a wetter March has been experienced during the last fifty years only in 1868, 1897, and 1903, though the aggregate of 5·64 ins. compared with as much as 10·15 ins. in 1903. The month's totals ranged from 16·10 ins. at Loan (Glenquoich) and from 10 to 12 ins. at neighbouring stations, to little more than 1 inch at Inverness and about 1½ in. at Fortrose, Nairn, and Kelso. The number of "rain days" was unusually large, but on many of them the amounts were trifling, and falls exceeding 1 inch in twenty-four hours occurred at only a few stations. The wettest periods were from 1st to 4th, on 12th and 13th, from 16th to 20th, and from 25th onwards, with falls of 1 inch or more at Glencarron and Lochbuie on 12th, at Ardtornish on 16th, at Stronvar on 17th, at Fort-William on 20th and 26th, and at Lochbuie and Oban on 30th. At Edinburgh no day had more than one-quarter of an inch.

The last few days of the month were somewhat stormy, with high winds or gales from West and W.N.W., and sleet or hail in many districts. Thunder here and there about 9th, and thunderstorms at Perth and elsewhere on 27th, and in the West and South-West on 29th and 30th. Sunshine aggregates were above the normal in the North, but slightly deficient elsewhere. But little fog occurred. Aurora visible at Baltasound on 15th, 21st, and 23rd; at Deerness on 15th; and at Fort-William on 22nd.

April was characterised by an extremely high mean pressure; a very high mean temperature, with a high mean daily range; a low mean rainfall; and a slight excess of westerly winds.

The mean pressure of 30·093 ins. was 0·210 in. above the normal and as much as six-tenths of an inch above the mean for March, and during the last fifty years higher means have been recorded for April only in 1862, 1865, and 1893. Until 10th, pressure was irregular, with a rapid fall from 7th to 8th—as low as 28·74 inches at Wick—but thereafter it was unusually high and steady. At Leith, at sea-level, the extremes were 30·585 inches on 23rd and 29·181 inches on 8th.

The mean temperature was 46°·2, or 2°·1 above the normal, the days being 3°·0 and the nights 1°·3 above the respective averages. The temperature excess was as a rule well-marked, but only 0°·2 at Wick, and 1°·1 at Deerness. Over a great part of the country an appreciably milder April has occurred during the last fifty years only in 1870, 1893, 1894, and 1896. The second week was decidedly cold, with a mean temperature at Wick more than 5° below the normal and lowest readings for the month very generally

on 12th. Otherwise temperature was as a rule much above the normal, with highest readings very generally between 22nd and 24th and nights about that time extremely mild. At Glencarron the mean temperature of the week ending 27th was $50^{\circ}\cdot6$, or $6^{\circ}\cdot9$ above the normal, in contrast with a mean of $37^{\circ}\cdot5$, or $4^{\circ}\cdot0$ below the normal for the week ending 13th. The highest reading in screen was 73° at Comlongon on 22nd, and the lowest 20° at Balmoral, Tillypronie, Leadhills, and West Linton on 12th and at Drumlanrig on 11th.

The mean rainfall was $1\cdot73$ in., or 23 per cent. below the normal, but there was an extraordinary contrast between different parts of the country. Thus Kirkwall had an excess of 50 per cent.; and towards the North-West, Fort-William and Fort-Augustus an excess of 80 per cent., Glencarron more than twice, and Glenquoich nearly two and a half times the normal; Kinlochquoich had an aggregate of 19 ins., Glendessary and Glenquoich fully 13 ins., and Glencarron about 11 ins. During the last forty years a wetter April has been experienced at Glenquoich only in 1904. On the other hand, to the East of a line running, roughly, from Nairn to Rothesay there was in general a very pronounced shortage, with less than 1 in. over large areas, less than half an inch along a wide strip down the East coast, quite nominal totals at a number of stations, and at Montrose no measurable amount. At Dundee the aggregate of $0\cdot10$ in., representing only 5 per cent. of the normal, was quite unprecedented, so also were the small totals for Aberdeen and Marchmont, whilst at Dumfries a drier April has been recorded during the last fifty years only in 1873. At Dundee and Colinsburgh there were measurable amounts on only four days, and at many stations the month was one of all but continuous drought. Within the area of excess the aggregates were largely accounted for during extremely heavy falls between 3rd and 7th. Thus Glenquoich registered 2 ins. on 3rd, and about 3 ins. on 4th, on 5th, and on 7th, whilst Kinlochquoich had as much as $4\frac{3}{4}$ ins. on 3rd, and an aggregate of about 12 ins. for three consecutive days. The most widespread rainstorm occurred on 4th, when amounts of 1 in. and upwards were recorded along the West coast from Kilmarnock northwards. From 10th onwards, but for slight interruptions towards North-West about 20th and on 30th, the weather in practically all districts was rainless or nearly so.

Early in the month conditions were very unsettled, and from about 6th to 9th extremely stormy weather prevailed. On 8th especially a gale from west and north-west caused considerable damage. Snow and hail were experienced towards the North, and in North and West destructive flooding occurred as a result of the heavy rains. A thunderstorm at Dunrobin on 8th, and at Ardornish and Colmonell on 9th; thunder at Glencarron on 25th, and at Dungavel and Leadhills on 26th. Sunshine aggregates were decidedly above the normal, except in Orkney and at Stornoway. Fog and haze occurred at times on the East coast on 18th and 19th, and rather widely on 24th. Auroras were not reported.

May was characterised by a slightly low mean pressure; a slightly high mean temperature, with a fractionally low mean daily range; a somewhat low mean rainfall; and a slight excess of north-easterly and also of south-westerly winds.

The mean pressure was 29·929 ins., or 0·015 in. below the normal. Somewhat deep depressions occurred on 11th and on 15th and 16th, but otherwise pressure fluctuations were moderate. At Leith at sea-level, readings above 30 ins. were noted on 4th and 5th, from 8th to 10th, on 13th, and from 24th to 27th, the extremes there being 30·338 ins. on 25th and 29·466 ins. on 16th.

The mean temperature was 49°·5, or 0°·5 above the normal, the days being 0°·4 and the nights 0°·7 above their respective averages. At many stations there was practical agreement with the normal—in the Edinburgh area an excess of fully 2°. The slight mean temperature excess was due mainly to mild south-westerly conditions experienced early in the month, whilst later the weather was decidedly cold with frequent winds from some easterly or northerly point. In all districts the mean temperature of the week ending 25th was several degrees lower than that ending 11th—at Nairn 45°·7, or 4°·3 below the normal, as compared with 52°·7, or 5°·4 above the normal. The lowest minimum in screen of 27° occurred at Balmoral on 4th and 13th, at Kingussie on 13th, at Braemar on 22nd, and at Wolfelee in Roxburghshire, on 24th and 25th; about these dates, ground frosts were very generally experienced. Highest readings occurred in North and East about 8th or 9th, but in West and South, as a rule, between 26th and 30th. The actual maximum was 70°—at Crathes on 9th and at Comlongon, near Ruthwell, on 30th.

The mean rainfall was 1·99 in., or 13 per cent. below the normal. In the extreme North there was a very decided excess, Kirkwall having fully twice, and Deerness and Wick nearly twice the average. Gordon Castle had an excess of 60 per cent., and along the fringe of the Moray Firth, in parts of Aberdeenshire, at Stornoway, and also at Rothesay, amounts were fully equal to the normal. Elsewhere there was a shortage of varying amount—more than 40 per cent. in South Ayrshire, at Drumlanrig, in the Glasgow area, in parts of Perthshire, and at Braemar; and more than 60 per cent. at Montrose. Conditions were very unsettled from 5th to 8th, with falls of 1 in. or more at Glenquoich, Buchlyvie, and Greenock on 8th; on 10th and 11th in the North; and in North and East on 15th, when heavy falls at many stations accounted for fully half the month's totals—as much as 1·80 in. at Deerness and more than 1½ in. at Wick and at Gordon Castle. At Lerwick more than 1 in. was registered on both 11th and 16th. From 17th onwards there were many rainless days, and falls were unimportant, except for considerable amounts in South-East and South on 20th.

Wind force was, as a rule, moderate, but high winds from North and North-East were experienced about 10th to 12th, with a gale in Shetland; and squally winds from W.N.W. on 16th and 17th, with a gale on the North-East coast. Thunder was heard, or fully developed thunderstorms occurred, in Aberdeenshire on 7th; at widely scattered places on 8th, such as Aberdeen, Crieff, Greenock, and Ruthwell; at Balmoral on 16th and 17th; at Leadhills on 24th; and at Rothesay and Colmonell on 30th. Sunshine aggregates were about the average in the North, except at Strathpeffer, but deficient towards the South. The total of 226 hours at Castlebay, Barra, was exceeded only in the Channel Islands and at some places in the South of England. A good deal of fog in North and West between 6th and 8th. Auroras were not reported.

June was characterised by an extremely low mean pressure; a low mean temperature, with an abnormally low mean daily range; a very high mean rainfall, with an abnormally large number of rain-days; and a considerable excess of easterly winds.

The mean pressure was 29·749 ins., or 0·197 in. below the normal, and a lower mean has been recorded in June during the last fifty years only in 1879 and 1907. The weather was controlled almost continuously by large but shallow low-pressure systems, and the barometer moved within narrow limits. At Leith, at sea-level, it failed to reach 30 ins., the extremes there being 29·963 ins. on 27th and 29·404 ins. on 4th.

The mean temperature was $53^{\circ}\cdot6$, or $1^{\circ}\cdot3$ below the normal, the days being $3^{\circ}\cdot3$ below and the nights $0^{\circ}\cdot6$ above their respective averages. The mean daily range was thus abnormally low. Except during the last week or so of the month, the prevailing easterly to north-easterly winds were associated with very cold days, whilst, throughout, cloudy skies were accompanied at night by temperatures fully equal to the normal. In nearly all districts the lowest reading of the month occurred on 17th, but at Balmoral, Braemar, and Gordon Castle on 4th, when the thermometer in screen at Balmoral fell to 32° with a reading on grass of 29° . The highest reading was 75° at Gordon Castle on 23rd, and, as a rule, maxima occurred on that day or on 26th.

The mean rainfall was 4·20 ins., or 67 per cent. above the normal. In Orkney, in the extreme North, and at Montrose, there was a decided shortage, the low aggregate of 0·90 in. at Wick representing only half the normal, whilst in Aberdeenshire and the extreme North-West there was an excess of quite moderate amount. Many stations, however, had twice or more than twice their normal June rainfalls—such as Nairn, Edinburgh, Marchmont, Rothesay, Colmonell, and Dumfries. The excess was most pronounced in the South-West and South. At Cargen, near Dumfries, the aggregate of about $7\frac{1}{2}$ ins. was nearly thrice the normal, and by nearly an inch the month there was the wettest June for at least fifty years. In parts of South Ayrshire also the month was the wettest June on record, and at Edinburgh it was the wettest June since 1879. In North and North-West there were many fine days, but in many districts there were only two or three days without rain. Extremely heavy daily falls seldom occurred, but amounts of 1 inch or more were recorded at Greenock on 2nd, at Cargen on 3rd, at Colmonell on 10th, at Eskdalemuir on 12th, at Rothesay on 21st, at Wolfelee on 26th, and at Nairn on 30th. Perhaps the generally wettest periods were from 1st to 5th, from 10th to 15th, from 17th to 22nd, and in some districts from 26th onwards.

About 4th and 17th north-easterly winds were of considerable strength. Much of the month's rain fell during thunderstorms, which were of widespread occurrence about the middle and towards the end of the month. The observer at Comlongon Castle, near Ruthwell, reported fully developed thunderstorms on as many as seven days and "thunder heard" on three additional days. The month was gloomy throughout, and sunshine aggregates were far below the normal, many places having a mean daily amount of little over two hours. At Aberdeen the aggregate of 82 hours was much less than half the normal, and much the smallest amount

ever recorded there in June. At Strathpeffer the total of 62 hours represented only 12 per cent. of "the possible," and only two-fifths of the normal. Fog occurred on the East coast about 5th and 11th, and round the North of Scotland somewhat densely from 26th onwards. Auroras were not observed.

July was characterised by a slightly high mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a rather low mean rainfall; and a large excess of winds from between north-east and south-east.

The mean pressure was 29.930 ins., or 0.038 in. above the normal. In Shetland the excess was more than 0.1 in. From about 4th to 6th and from 12th to 16th high-pressure conditions prevailed, whilst about 17th an extremely unsettled type of weather set in, with large shallow depressions at first, and towards the end of the month rather deep ones moving across the South of England. On 28th a rapid fall of the barometer of more than half an inch occurred, and at Leith, at sea-level, the extremes were 30.319 inches on 5th and 29.236 inches on 29th.

The mean temperature was $56^{\circ}.9$, or $0^{\circ}.4$ below the normal, this small deficiency being due to slightly low day readings. In some Western and Southern districts there was a moderate but well-marked excess, whilst at Wick the deficiency was as much as $2^{\circ}.4$. During the high-pressure periods referred to there was a fairly uniform though moderate excess, with highest readings for the month very generally between 12th and 15th. At other times the prevailing north-easterly and easterly winds were associated with rather cold weather except in sheltered western districts, with lowest readings for the month, as a rule, on 19th or 23rd. The extreme range of temperature was considerable, Balmoral recording a shade maximum of 87° on 15th—when readings of 80° or over occurred in the South of Scotland also—and a shade minimum of 31° on 23rd. At Lerwick the highest and lowest readings were 62° and 46° respectively.

The mean rainfall was 2.49 ins., or 20 per cent. below the normal. At one or two stations, such as Paisley and Wolfelee, amounts were about the normal, and in the Nith valley there was a moderate excess. As a rule, however, there was a well-defined shortage, with only about half the normal in the South of Ayrshire and parts of Berwickshire. In only one or two districts did any rain fall between 2nd and 6th, and in several only trifling amounts until 11th; and from 13th to 22nd a practically rainless spell was again general, hardly broken except by rather heavy falls at some scattered Western stations on 20th. On the other hand, rather heavy rains occurred from 10th to 12th, and from 24th onwards conditions were extremely unsettled, with some violent downpours in comparatively short intervals during thunderstorms. Amounts exceeding 1 inch were recorded at Braemar on 25th; at Ardtornish and Greenock on 28th; and at Kinlochquoich on both 29th and 30th.

Wind force was, as a rule, light, but a southerly gale was experienced in the extreme North on 10th, and rather squally weather during the last few days. As in June, thunderstorms were frequent, occurring at Cupar and elsewhere on 1st; at Crathes on

4th; at Dunrobin and Gordon Castle on 7th; at Gordon Castle, Marchmont, and some widely scattered stations on 12th; and very widely between 25th and 29th—at many stations on three or four consecutive days. In the West sunshine amounts were fully equal to the normal, whilst on the East coast the prevailing easterly winds were associated with very dull skies and considerable amounts of fog and mist. Turnberry had a sunshine aggregate of more than 200 hours, but Edinburgh only 122 hours, and Gordon Castle only 100 hours. Auroras were not reported.

August was characterised by an abnormally low mean pressure; an abnormally low mean temperature, with a very low mean daily range; a rather high mean rainfall; and an excess of winds from north-east and east.

The mean pressure of 29·671 ins., or 0·185 in. below the normal, was one of the lowest means for August on record. Throughout the month a high-pressure system was permanent over the Azores, and another over the Icelandic region, whilst across the British Isles there moved a practically continuous stream of depressions, many of them following a rather southerly track. Pressure was almost continuously low, and at Leith, at sea-level, reached 30 ins. on 11th, 12th, and 31st only, the extremes there being 30·090 ins. on 12th and 29·200 ins. on 29th.

The mean temperature was 52°·3, or 4°·3 below the normal, the month being much the coldest August for at least fifty years. The deficiency was general and more remarkable by day than by night, the days being 5°·3 and the nights 3°·2 below their respective averages. With frequent winds from a northerly or easterly point, the thermometer was throughout the month much below the normal, and at Nairn the mean temperature of the last week was deficient by as much as 6°·3. There was a notable absence of high temperatures, such as may be looked for in a summer month. The absolutely highest reading was 70° at Kettins on 7th and Ardtornish on 25th, and in no other August on record has the thermometer failed to reach some higher level than that. Lowest readings occurred in more Southerly districts on 3rd, but in more Northerly districts, as a rule, between 25th and 28th, the actual lowest being 29° at Logie Coldstone and Tillypronie on 25th.

The mean rainfall was 4·38 ins., or 19 per cent. above the normal. Fort-William had only half its normal amount, and in extreme Western districts there was in general a moderate shortage. In Eastern and Northern districts, on the other hand, there was a well-defined excess, which was relatively greatest in the extreme North, where Dunrobin (with an aggregate of 6·17 ins. as compared with 2·98 ins. at Fort-William) had nearly two and a half times the normal. At widely scattered stations, such as Wick, Nairn, Aberdeen, Kelso, and Cargen, the excess was 50 per cent. or over. During the first week the weather was extremely unsettled, though at some places no rain fell until 4th, when a severe rainstorm was general, with amounts exceeding 1½ in. at Crathes, Braemar, and Stronvar, and exceeding 1 in. at many places, as at Dunrobin, Perth, Glasgow, Edinburgh, Colmonell, and Duns. On 5th some heavy falls were experienced here and there in the West, about 1 in. at Oban and Helensburgh, and at

Greenock during a thunderstorm as much as 2·63 ins., of which a great part fell within one hour. In North and North-East some considerable falls occurred between 8th and 10th—as much as 1 in. at Dunrobin on 9th; on 18th a fall of $1\frac{3}{4}$ in. was registered at Lerwick; and, generally speaking, wet weather was experienced in many districts from 17th to 20th and from 28th onwards, with falls of 1 in. or more at Glencarron on 20th and at Lochbuie on 28th. The number of “rain days” was large, as many as 25 at Strathpeffer, but on many of them the amounts registered were inconsiderable. In the West but little rain fell between 7th and 15th, and but little anywhere from 22nd to 27th, except for moderate falls in some districts on 23rd.

The month was very generally characterised by cloudy and unsettled weather. At times wind force was considerable, especially about 5th, 13th, and towards the end of the month. Much of the rain of the month was associated with thunderstorms, and heavy downpours in short intervals frequently occasioned serious damage from flooding, as at Greenock on 5th. Thunderstorms occurred at Edinburgh on 3rd, 5th, and 18th, and somewhat widely on one or other of these days; at Deerness on 3rd, 8th, and 9th; and here and there between 10th and 12th. Hail fell at times. The sky was almost uniformly gloomy, and, even when clear, characterised by a watery appearance. Everywhere sunshine amounts were extremely meagre. Aberdeen, Edinburgh, and other stations had much less than half the normal, and Edinburgh and Marchmont a daily average of less than two hours. Fog was rather dense on our northern coasts between 13th and 18th. Auroras were not reported.

September was characterised by an abnormally high mean pressure; an abnormally low mean temperature, with a normal mean daily range; a somewhat low mean rainfall, with an abnormally small number of rain days; and a large excess of winds from some northerly or easterly direction.

The mean pressure of 30·154 ins. was 0·288 in. above the normal, and nearly half an inch above the mean for August, and during the last fifty years the only other years in which so high a mean has been recorded in September have been 1906 and 1910. Considerable falls of the barometer took place on 3rd and at the very end of the month, but from 7th to 28th high-pressure conditions prevailed, with readings at Leith, at sea-level, above 30 ins. throughout that period, the extremes there being 30·519 ins. on 19th and 29·309 ins. on 30th.

The mean temperature was 50°·0, or 2°·8 below the normal. The defect was everywhere pronounced, equally well-marked by day and by night, and the month decidedly the coldest September experienced in Scotland since 1863. Except during the third week, when temperature differed but slightly from the normal, the thermometer remained persistently at a low level, with lowest readings on 3rd, from 9th to 11th, or between 24th and 27th. At Balmoral on 24th and 25th the thermometer in screen fell to 27°, and frequently throughout the month ground frost occurred in various districts—at West Linton on as many as 10 days, the lowest reading there from a thermometer exposed on grass being 23° on

27th. Highest readings occurred very widely on 16th, the actual highest being 73° at Perth on that day.

The mean rainfall was 2·82 ins., or 20 per cent. below the normal. The unsettled conditions of August persisted until 7th, with a wide-spread rainstorm of great severity from the south-west on 3rd, and rather heavy falls in some districts on 4th and 7th. On 3rd Kinlochquoich registered as much as 3·80 ins.; several stations, such as Fort-William, Poltalloch, and Oban, more than 2 ins.; and very considerable areas in the West—as far inland as Stronvar—and in the South more than 1 in. On 4th Kinlochquoich had 3·26 ins., making a total there for two days of fully 7 ins.; and on 7th Ardtornish, Lochbuie, and Poltalloch more than 1 in. On 8th an abrupt change took place, and a spell of rainless weather set in, lasting everywhere until 28th, and in some Western districts until the end of the month. Thus, after 7th, there was no rain at Turnberry, and at Fort-William only one nominal fall. On the East coast, on the other hand, there was a complete breakdown in the weather on 29th, and on 30th an easterly rainstorm of great severity was experienced—as much as 2 ins. at Colinsburgh and Smeaton, and more than $1\frac{1}{2}$ in. at many stations, as at Braemar, Edinburgh, and Marchmont. Such heavy falls brought the month's aggregates somewhat above the normal towards the South-East, whilst in the extreme North and in some Western and Southern districts there was a considerable shortage, exceeding 50 per cent. at Dunrobin, Nairn, in Mull, and at Colmonell.

Early in the month, and especially from 3rd to 5th, the weather was of an extremely stormy south-westerly type; and on 29th and 30th easterly gales or strong winds prevailed. The only occurrences of thunder reported were at Baltasound on one day, and at Deerness on 14th. Sunshine amounts in many districts differed little from the normal—here and there there was a slight excess—but Aberdeen had not much more than two-thirds of the normal, with a total of 86 hours as compared with 137 hours in Dumfries. Very little fog was experienced. Auroras were not reported.

October was characterised by a slightly low mean pressure; a rather low mean temperature, with a slightly high mean daily range; a slightly high mean rainfall; and a considerable excess of south-westerly winds.

The mean pressure was 29·797 ins., or 0·017 in. below the normal. After a rapid rise at the beginning of the month the barometer, except for a sharp fall on 14th, remained at a fairly high level until 19th. Thereafter fluctuations were considerable, with low readings on 20th, 24th, and 29th. At Leith, at sea-level, pressure was above 30 ins. from 3rd to 13th and on 15th and 18th, the extremes there being 30·059 ins. on 4th and 29·021 ins. on 29th.

The mean temperature was $45^{\circ}\cdot6$, or $1^{\circ}\cdot0$ below the normal, the days being $0^{\circ}\cdot7$ and the nights $1^{\circ}\cdot3$ below their respective averages. A few places, such as Stornoway, Glasgow, and Edinburgh, had mean temperatures fully equal to the normal, but in general there was a moderate though well-defined deficiency. The cold weather of September was prolonged throughout the first few days of the month, but during the second and third weeks temperature was very generally above the normal. Thereafter cold weather was

again experienced, and in many districts the mean temperature of the fourth week was 8° or 9° below that of the third. Ground frosts were of frequent occurrence—at Braemar on 20 days, with a minimum on grass of 17° on 21st, and at West Linton on 18 days. Highest readings for the month occurred very generally between 7th and 10th, but here and there on 13th, and lowest on 3rd or 4th, or on 21st or 22nd. The actual extremes in screen were 67° at Perth on 13th and 20° at Lednathie and Eskdalemuir on 4th.

The mean rainfall was 4.39 ins., or 9 per cent. above the normal. In the North there was a decided shortage and towards South-East and South-West a more moderate one. Elsewhere there was in general an excess—at Montrose and Helensburgh of 50 per cent., but, as a rule, of trifling amount. In many districts there were only quite nominal amounts until 13th, and at Edinburgh no day until 20th had as much as one-tenth of an inch; but on 1st there were moderate falls in North-East and South-East, and on 6th extremely heavy falls in the North-West—as much as 3.90 ins. at Kinlochquoich. On 13th unsettled conditions set in very generally, with falls exceeding 1 in. at Fort-William, Crieff, Stronvar, and Cally (Gatehouse) on that day, and at Glencarron, Poltalloch, and elsewhere on 15th, when Greenock had more than 2 ins. During the last two weeks some wet days occurred, with more than 1 in. at Cally on 21st, at Kingussie on 29th, and at Dundee, Aberdeen, and elsewhere in the North-East on 30th.

The weather was stormy in many districts at the beginning of the month, around 14th, and on various days after 21st. At Lerwick an easterly gale was continuous from 3 a.m. on 22nd to 2 p.m. on 25th. A little snow fell in the North at the beginning and end of the month, and hail at these times and about 20th. Thunderstorms occurred in South-West and South on 20th; at Dunrobin on 25th; and in Orkney and at some outlying Western stations on 27th. Sunshine amounts were, as a rule, somewhat below the normal. Fog occurred at various places between 8th and 13th, but at many points around the Scottish coasts none was reported throughout the month. Auroras were visible at Fort-Augustus on 13th, and at Deerness, Aberdeen, Fort-William, and Eskdalemuir on 14th.

November was characterised by a mean pressure practically equal to the normal; a slightly high mean temperature, with a fractionally low mean daily range; a slightly high mean rainfall; and a large excess of winds from South-West and West.

The mean pressure was 29.837 ins., or 0.003 in. above the normal. The type of pressure distribution was very irregular, though the barometer, except between 10th and 12th, was fairly high until 23rd. Thereafter fluctuations were considerable, and on 25th a very rapid fall took place to a minimum of 28.4 ins. at sea-level at Leith on the afternoon of 26th and to 27.93 ins. at Wick on the evening of that day; very generally the fall amounted to at least 1 inch in 12 hours. At Leith the highest reading was 30.310 ins. on 3rd.

The mean temperature was $41^{\circ}.3$, or $0^{\circ}.4$ above the normal, the days being $0^{\circ}.2$ and the nights $0^{\circ}.5$ above their respective averages. Many stations closely agreed with their normals, a few had an excess of fully 1° , and towards the North a few a deficiency of that

amount. After rather low temperatures at the opening of the month, much mild weather was experienced, with some interruptions during the second week. Highest readings occurred very generally between 5th and 8th, but here and there about 22nd. Following the passage across the North of Scotland of the very deep depression of 26th, the wind veered to the north, with extremely cold weather until December 3rd and very low readings on 29th and 30th. For two or three days in many districts, temperature remained continuously below the freezing point; on 29th the maximum at Braemar was only 12° ; and on that day the thermometer in screen at Braemar and Carrbridge fell to zero, the lowest reading ever recorded in Scotland during the month of November. Thermometers exposed on grass registered frost on 20 days at Braemar, and on 18 days at West Linton, and fell to 4° below zero at Braemar on 29th and 30th and to 5° below zero at Carrbridge on 29th and at West Linton on 30th. The highest reading was 60° at Wolfelee on 6th.

The mean rainfall was 3.99 ins., or 5 per cent. above the normal. In East, South, and South-West there was a well-defined shortage, but elsewhere, as a rule, an excess which was considerable in extreme North-West and North, fully 60 per cent. at Glencarron, Strathpeffer, and Wick. Within the wettest area, Kinlochquoich, with an aggregate of 20.60 ins., had falls of 1 inch or more on 6th, 7th, 10th, and 11th, and on each day from 21st to 27th. Moderately heavy falls occurred in some districts on 4th, with 1 inch at Cally (Gatehouse), and very generally in West and South between 7th and 10th. Thereafter in many districts no falls of importance occurred until 24th, though wet weather was experienced in North-East on 11th and 12th and in extreme North-West on these and later days. From 24th to 26th very heavy falls were more or less general, about $1\frac{1}{2}$ in. at Glasgow and Paisley on 24th, more than 1 inch at Ardtornish and several stations towards North-West on each of three consecutive days, and $2\frac{1}{2}$ ins. at Kinlochquoich on 25th. During the last four days of the month no precipitation occurred in many districts, but on 27th Balmoral had 1 inch, and on 30th melted snow at Aberdeen yielded as much as 0.56 in.

Stormy weather was experienced between 10th and 14th, and in the North about 20th, whilst very unsettled conditions thereafter culminated in a south-westerly gale of great severity on 26th. Much damage was done on that date, and in some Western districts high tides resulted in destructive flooding, whilst in others flooding had already occurred as a result of the heavy rains of 24th. After 26th snow fell heavily in some Northern districts, as much as 7 ins. at Aberdeen on 30th, and on the Southern Uplands. At many points, however, no snow occurred. Thunderstorms in Orkney on 18th and 19th, and at Inverness and Start Point on 26th. Sunshine amounts were deficient, Edinburgh having little more than half the normal amount. Coastal fog was very general about 5th, and somewhat dense in the Firth of Forth from 14th to 16th and on 18th. Auroras were not reported.

December was characterised by a very low mean pressure; a very high mean temperature, with a high mean daily range; a very high mean rainfall; and a very large excess of winds from south and south-west.

The mean pressure was 29·558 ins., or 0·222 in. below the normal. Under the influence of frequent depressions from the Atlantic the barometer remained almost continuously at a low level, and at Leith reached 30 ins. only on 3rd, the extremes there being 30·204 ins. on 3rd and 29·112 ins. on 28th. The deepest depressions occurred on 11th, 19th, 24th, and 27th.

The mean temperature was 40°·3, or 2°·2 above the normal, the days being 2°·8 and the nights 1°·6 above their respective averages. The excess was everywhere well-marked, and at Edinburgh and Glasgow was as much as 3°·7. The extremely cold weather which had characterised the last few days of November persisted until December 3rd, when mild weather set in with winds almost continuously from between south and west. From 4th onwards, except from about 15th to 18th, temperature was, as a rule, much above the normal, with highest readings very generally on 11th, 13th, or 14th, but at Ardtornish and Stronvar on 4th. The actual highest reading was 58° at Gordon Castle on 11th. The lowest temperature in screen was 2° at Balmoral on 2nd, whilst exposed thermometers fell to zero at Balmoral on that day and to 5° below zero at Carrbridge. Ground frost was registered on 26 days at Carrbridge and on 22 days at Braemar.

The mean rainfall was 6·36 ins., or 54 per cent. above the normal. Some extraordinary contrasts occurred. Towards the North-East there was a decided shortage, and at Aberdeen, where the total was 1·19 in., there have been drier Decembers only in 1879 and 1905. In the South-East there was a slight deficiency. Elsewhere there was, as a rule, an excess, unimportant in the North but abnormally large in Central and Western districts, a very considerable area having much more than twice the normal. Within this very wet area, which appears to have included nearly all districts lying to the westward of a line embracing Fort-Augustus, Kingussie, Crieff, and Paisley, the month was, as a rule, slightly less wet than the December of 1898 or 1900, but at Stronvar, Poltalloch, and Greenock it was the wettest December on record. Stronvar had an aggregate of 25 ins., Glenquoich, Glendessary, and Ardgour 29 ins., and Glen Etive more than 30 ins. The generally wettest period was from 11th to 20th, but from 2nd to 30th there were very few days on which falls exceeding 1 inch did not occur in one or more districts. On 12th Kinlochquoich had fully 4 ins., with 3 ins. on 4th and 2½ ins. on 21st and 29th; and on 19th Stronvar had 4·35 ins., with more than 2 ins. on 13th and 24th, and at least 1 inch on five other days. On the other hand, at Aberdeen there were only four days with as much as one-tenth of an inch, and the wettest day had only 0·27 in.

A great deal of stormy weather was experienced, with destructive gales from between south and west about 11th, 13th to 15th, 20th, and 24th. Between 16th and 18th snowstorms were more or less general. From 14th onwards much damage was caused by flooding in many districts. Thunderstorms at Glasgow on 16th and 17th and somewhat widely in the West on one or other of these days, or on 11th; in Orkney on 15th and 17th. Sunshine amounts were very meagre, several stations having aggregates of only 5 hours or less and Glasgow only 2 hours. Hardly any coast fog occurred, but a little in the Firth of Forth during the first few days. An aurora visible at Gordon Castle on 2nd.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1912.

YEAR	Estimated Population.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twins.	Triplets.		Males.	Fem.	Total.		
1855	2,978,065	47804	45545	93349	7357	19680	30626	31378	62004	31345	1855
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35350	71481	37860	1863
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886
1887	3,914,318	63842	60576	124418	10380	1385	18	24876	36805	37741	74546	49872	1887
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52644	1898
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Popula- tion.	BIRTHS.							MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twins.	Trip- lets.	Males.		Fem.	Total.			
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901	
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902	
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903	
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904	
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905	
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906	
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907	
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908	
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909	
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910	
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911	
1912	4,741,077	62931	59859	122790	8989	1524	13	32516	36072	36268	72340	50450	1912	

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1912.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1855	31.346	6.608	20.820	21.62	20.03	7.88	104.9	...	125.2	1855
1856	33.988	6.923	19.537	20.65	18.50	8.54	105.3	1.27	118.4	1856
1857	34.331	7.094	20.551	21.61	19.58	8.58	105.7	1.29	117.9	1857
1858	34.356	6.492	20.986	22.02	20.05	8.99	106.6	1.25	121.3	1858
1859	35.026	6.969	20.288	21.20	19.40	9.12	105.2	1.28	108.2	1859
1860	35.578	6.948	22.316	23.21	21.50	9.22	106.2	1.22	127.0	1860
1861	34.863	6.808	20.310	21.25	19.46	9.28	104.2	1.20	110.9	1861
1862	34.561	6.648	21.690	22.60	20.87	9.69	106.6	1.23	117.3	1862
1863	34.968	7.160	22.860	24.02	21.81	10.01	105.8	1.18	120.0	1863
1864	35.594	7.200	23.579	24.70	22.56	9.97	104.4	1.21	126.2	1864
1865	35.496	7.412	22.255	23.25	21.35	9.96	106.1	1.23	124.7	1865
1866	35.354	7.367	22.191	23.13	21.34	10.27	105.5	1.23	122.4	1866
1867	35.063	6.970	21.284	22.26	20.40	9.78	105.4	1.22	118.6	1867
1868	35.267	6.673	21.193	22.22	20.25	9.83	105.2	1.28	117.7	1868
1869	34.288	6.698	22.951	24.04	21.96	9.76	105.9	1.27	129.3	1869
1870	34.582	7.149	22.227	23.17	21.37	9.63	104.4	1.22	122.8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18·954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29·977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16·621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	121·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·702	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911
1912	25·899	6·858	15·258	15·69	14·85	7·32	105·1	1·27	105·5	1912

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1902 to 1912 inclusive.

	1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.	No.	Per 1000 Pop.
FIRST QUARTER.																						
Births,	31801	28.6	32109	28.7	32894	28.9	32004	28.3	32876	29.0	31508	27.5	32503	27.9	32373	27.9	30422	26.1	30710	26.1	30272	25.6
Deaths,	22218	20.0	20931	18.7	22240	19.6	20820	18.4	20488	18.0	22535	19.8	23997	20.6	21469	18.5	20605	17.7	19794	16.9	20671	17.5
Marriages,	7043	6.3	7727	6.9	7619	6.7	6867	6.1	7302	6.4	7268	6.3	7591	6.5	7111	6.1	7317	6.3	6768	5.8	6894	5.9
Mean Temp.	37°.9		39° 9		37° 9		40° 2		37° 9		39° 0		38° 8		37° 9		38° 7		39° 4		38° 4	
SECOND QUARTER.																						
Births,	34697	30.9	36377	32.2	35082	30.9	35476	31.0	34960	30.4	34511	29.8	35611	30.5	34671	29.6	33812	28.6	32935	27.7	32921	27.3
Deaths,	20771	18.5	19020	16.8	8347	7.3	18763	16.4	19806	16.8	20119	17.4	19439	16.7	18478	15.8	18593	15.8	18029	15.2	17728	15.0
Marriages,	8575	7.6	8515	7.5	8347	7.3	8153	7.1	8699	7.6	8864	7.7	8813	7.6	8171	7.0	7928	7.2	8567	7.2	8209	7.0
Mean Temp.	47° 4		47° 9		49° 3		49° 2		48° 7		47° 4		48° 9		48° 6		48° 7		50° 3		49° 8	
THIRD QUARTER.																						
Births,	33263	29.3	32928	28.8	32967	28.7	33044	28.6	32109	27.6	31427	26.8	32612	27.7	31186	26.3	30061	25.2	29653	24.7	30166	25.3
Deaths,	16922	14.1	16809	14.5	16882	14.7	16412	14.2	16439	14.1	15721	13.4	16325	13.9	14964	12.6	15331	12.8	16149	13.4	15219	12.8
Marriages,	8021	7.1	8235	7.2	8118	7.1	8178	7.1	8576	7.4	8994	7.7	8044	6.8	7777	6.6	7375	6.7	8434	7.0	8778	7.4
Mean Temp.	53° 8		54° 2		55° 4		55° 6		56° 0		54° 2		55° 2		54° 5		55° 1		57° 1		56° 1	
FOURTH QUARTER.																						
Births,	32489	28.6	32085	28.1	31627	27.5	30857	26.7	31875	27.4	31343	26.8	30611	26.0	30852	25.6	29705	24.9	28513	23.7	30057	25.2
Deaths,	18935	16.7	19413	17.0	19820	16.8	18631	16.0	19352	16.6	18792	16.0	18018	15.3	19683	16.6	17716	14.8	17760	14.8	18719	15.7
Marriages,	8239	7.3	7843	6.9	8169	7.1	8045	7.0	8546	7.3	8134	6.9	7135	6.1	7033	5.9	7646	6.4	8052	6.7	8529	7.1
Mean Temp.	43° 3		41° 7		42° 5		41° 9		43° 2		42° 5		45° 3		40° 7		42° 3		42° 3		43° 6	
YEAR.																						
Population,	4507220		4535513		4563985		4592636		4621463		4650478		4679671		4703048		4738611		4751182		4741077	
Births,	132250	29.3	133499	29.4	132570	29.0	131381	28.6	131920	28.5	128789	27.7	131337	28.1	128582	27.3	124000	26.2	121811	25.6	122716	25.9
Deaths,	77946	17.3	75973	16.8	77961	17.1	74526	16.2	75585	16.4	77267	16.6	77839	16.6	74594	15.8	72245	15.3	71732	15.1	72337	15.3
Marriages,	31878	7.1	32320	7.1	32253	7.1	31243	6.8	33123	7.2	33260	7.2	31633	6.8	30092	6.4	30866	6.5	31811	6.7	32516	6.9

Figures in this Table are mainly compiled from the Quarterly Returns, and totals do not exactly correspond with those given elsewhere in this Report.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1912.

	Estimated Popula- tion.	RATES PER 1000 OF POPULATION.					Illegiti- mate Births per cent. of Total Births.	Infantile Morti- ality.
		Births.	Marriages.	Deaths.				
				Uncor- rected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distribution		
SCOTLAND . .	4,741,077	25·90	6·86	15·26	15·26	15·26	7·32	105·5
LARGER BURGHS* .	2,168,007	26·73	8·51	16·22	16·24	17·34	7·05	118·8
SMALLER BURGHS*	968,835	24·86	6·81	14·91	15·48	15·08	7·37	104·3
COUNTY DISTRICTS	1,604,235	25·40	4·66	14·17	13·80	12·91	7·67	87·1
Glasgow . . .	781,984	27·9	9·9	17·6	17·3	19·0	7·3	123
Edinburgh . .	319,265	20·1	8·9	15·8	14·8	15·4	8·0	109
Dundee . . .	164,911	25·0	7·5	18·9	18·8	19·4	9·3	161
Aberdeen . . .	162,988	25·4	8·3	15·4	15·7	15·9	10·4	127
Govan	89,139	31·0	7·2	13·7	15·8	17·6	5·1	113
Paisley	84,858	26·8	8·4	14·4	14·4	15·9	6·3	93
Leith	80,214	27·1	6·8	15·0	16·4	17·1	6·3	107
Greenock . . .	76,337	31·3	7·8	19·3	18·7	19·0	5·3	119
Partick	67,364	28·7	7·2	11·5	15·1	16·6	4·7	113
Coatbridge . .	43,340	32·2	5·6	16·2	16·7	18·1	4·4	132
Motherwell . .	40,772	32·5	5·3	11·7	12·9	14·6	3·6	104
Kirkcaldy . . .	39,817	24·9	7·3	12·5	14·0	14·3	5·6	90
Hamilton . . .	38,627	34·5	5·8	14·5	14·8	16·0	5·3	113
Clydebank . . .	40,461	33·8	6·3	10·6	12·9	14·9	3·2	97
Perth	35,410	21·3	8·2	17·0	15·9	15·6	9·0	95
Kilmarnock . .	34,609	25·2	8·3	15·7	15·4	16·7	6·5	125
Falkirk	34,351	26·8	6·6	13·2	12·6	13·8	5·1	92
Ayr	33,560	27·0	7·2	16·3	14·7	14·9	9·5	94

* The term "Larger Burghs" in this and other Tables means Burghs with censal populations exceeding 30,000, and "Smaller Burghs" means Burghs with censal populations of less than that amount.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1912.

BURGHs.	Population.	RATES PER 1000 OF POPULATION.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distribution.		
Aberchirder	1,021	37·2	7·8	21·5	24·5	18·8	26·3	53
Aberfeldy	1,578	23·4	5·1	16·5	15·8	13·7	2·7	54
Aberlour (<i>vide</i> Charles-town of Aberlour)								
Abernethy	580	17·2	13·8	13·8	15·5	11·8	0·0	0
Airdrie	24,271	30·9	6·3	13·8	14·6	16·1	5·1	119
Alloa	11,751	25·0	6·8	14·7	15·5	16·7	6·1	99
Alva	4,230	16·8	5·9	16·5	18·0	16·6	5·6	127
Alyth	1,818	20·4	8·8	16·5	21·5	17·7	13·5	54
Annan	4,143	25·3	7·7	13·8	15·7	15·1	16·2	57
Anstruther-Easter . .	1,124	17·8	8·0	13·3	13·3	12·5	10·0	50
Anstruther-Wester . .	549	20·0	7·3	3·6	3·6	3·0	0·0	0
Arbroath	20,113	21·7	6·7	17·4	18·3	16·7	6·9	101
Ardrossan	5,632	22·9	7·5	14·2	14·9	15·7	3·1	116
Armadaie	4,766	36·9	5·2	13·4	14·1	15·3	10·2	119
Auchterarder	2,258	11·1	5·3	20·8	20·8	17·3	8·0	80
Auchtermuchty	1,375	13·1	2·2	15·3	12·4	8·8	5·6	56
Ballater	1,220	18·0	3·3	10·7	13·1	11·7	22·7	136
Banchory	1,628	14·7	3·7	12·9	12·9	11·6	16·7	42
Banff	3,773	22·0	8·5	15·6	12·7	11·0	12·0	72
Barrhead	11,400	31·1	6·3	13·2	14·7	16·5	4·5	121
Bathgate	8,276	31·1	6·4	12·6	14·3	15·5	2·3	132
Biggar	1,301	10·8	1·5	17·7	20·0	16·1	0·0	214
Blairgowrie	3,183	13·8	9·4	17·0	17·0	13·8	11·4	91
Bonnyrigg	2,913	18·2	1·0	12·0	12·4	12·2	5·7	19
Borrowstounness . . .	10,887	33·9	7·8	14·1	15·8	17·4	2·2	119
Brechin	8,247	18·4	7·0	15·9	17·0	15·1	8·6	118
Bridge-of-Allan	3,058	7·8	2·6	12·4	13·1	11·7	8·3	42
Broughty-Ferry	10,957	20·0	5·0	13·4	14·4	14·0	2·7	96
Buckhaven, Methil, and Innerleven	15,719	31·5	5·2	12·3	12·1	13·4	4·8	141
Buckie	8,933	29·4	5·8	15·6	16·6	16·4	8·4	160
Burghhead	1,570	27·4	5·7	17·8	19·7	17·9	4·7	186
Burntisland	4,619	21·2	6·1	11·0	12·6	12·5	6·1	82
Callander	1,487	16·1	4·0	10·8	12·8	11·3	4·2	42
Campbeltown	7,426	21·9	4·7	15·9	16·3	15·0	17·8	153
Carnoustie	5,294	14·4	4·3	16·4	16·6	14·2	7·9	53
Castle-Douglas	2,970	21·9	5·7	17·2	18·2	16·6	15·4	77
Charlestown of Aberlour	1,264	14·2	0·8	15·0	14·2	15·3	16·7	111
Cockenzie and Port-Seton	2,451	33·9	9·4	14·7	16·3	16·0	3·6	145
Coldstream	1,340	21·6	5·2	18·7	19·4	15·8	13·8	69
Coupar-Angus	2,067	21·8	4·8	12·6	15·5	12·4	13·3	111
Cove and Kilcreggan . .	838	22·7	0·0	10·7	13·1	10·6	10·5	0
Cowdenbeath	14,514	34·7	4·7	10·3	11·9	13·3	3·0	99
Crail	1,042	18·2	5·8	7·7	8·6	6·8	0·0	53
Crieff	5,529	17·9	5·4	14·3	15·6	13·8	18·2	81
Cromarty	1,882	12·2	2·7	15·4	16·5	19·2	8·7	261
Cullen	1,968	26·9	6·6	21·3	23·4	19·7	9·4	151
Culross	463	30·2	8·6	6·5	10·8	7·4	7·1	71
Cumnock and Holmhead	3,405	28·5	9·7	13·2	15·0	13·8	8·2	72
Cupar	4,297	16·5	5·6	13·7	16·3	12·8	9·9	56
Dalbeattie	3,291	20·1	4·9	16·1	17·6	16·0	13·6	91
Dalkeith	6,938	29·8	7·4	13·1	14·3	13·7	5·8	63
Darvel	3,599	22·0	8·9	7·5	8·6	9·6	5·1	0
Denny and Dunipace . .	5,070	30·8	5·1	13·8	14·0	15·2	6·4	58
Dingwall	2,613	18·4	9·6	18·4	14·5	13·0	10·4	21

TABLE 5—continued.

BURGHS.	Population.	RATES PER 1000 OF POPULATION.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distribution.		
Dollar	1,459	13 0	4 1	22 6	24 0	21 0	15 8	53
Dornoch	744	14 8	8 1	17 5	18 8	17 1	9 1	91
Doune	874	17 2	4 6	10 3	11 4	10 5	6 7	67
Dufftown	1,576	17 8	8 9	17 1	17 8	13 1	17 9	71
Dumbarton	21,897	30 2	5 8	17 0	15 5	16 6	5 1	124
Dumfries	15,825	22 8	9 4	18 7	16 5	17 0	14 1	133
Dunbar	3,266	25 1	8 3	11 9	12 6	11 9	13 4	49
Dunblane	2,989	20 4	4 0	11 4	12 4	11 5	9 8	33
Dunfermline	29,150	22 6	8 7	17 9	15 8	16 2	4 4	105
Dunipace (<i>vide</i> Denny and Dunipace)								
Dunoon	6,763	12 9	4 6	15 8	14 0	11 5	9 2	69
Duns	2,020	13 4	5 9	21 3	21 3	17 3	18 5	148
Dysart	4,211	29 7	11 4	11 2	13 8	13 5	3 2	88
Earlsferry	318	9 4	6 3	12 6	12 6	10 8	0 0	0
East Linton	859	16 3	7 0	25 6	19 8	14 9	14 3	71
Elgin	8,553	22 7	11 2	19 8	18 8	16 4	19 1	139
Elie, Liberty, and Williamsburgh	682	4 4	1 5	17 6	16 1	13 2	33 3	333
Ellon	1,260	24 6	19 8	15 9	19 0	15 6	19 4	32
Eyemouth	2,424	29 7	8 3	13 6	14 4	14 1	1 4	97
Falkland	820	12 2	7 3	6 1	12 2	9 2	0 0	100
Forfar	10,614	19 2	7 4	15 2	15 3	14 3	8 8	73
Forres	4,323	23 4	6 2	20 8	20 6	17 2	10 9	99
Fortrose	943	20 1	3 2	18 0	12 7	9 1	5 3	53
Fort-William	1,960	20 9	3 1	13 3	14 3	13 0	9 8	24
Fraserburgh	10,592	32 5	6 9	15 4	15 7	16 3	9 0	122
Galashiels	14,419	17 9	6 8	12 6	12 8	13 1	7 8	70
Galston	5,266	27 2	8 2	13 1	13 7	15 1	3 5	119
Gatehouse	1,019	24 5	5 9	18 6	19 6	13 9	16 0	120
Girvan	4,459	19 1	5 8	14 4	13 5	11 8	8 2	82
Gourock	7,596	21 6	3 7	13 4	13 7	13 9	1 2	110
Grangemouth	10,212	29 0	5 4	12 3	13 6	15 2	5 4	84
Grantown-on-Spey	1,414	22 6	5 7	15 6	14 1	12 8	9 4	94
Greenholm (<i>vide</i> Newmilns and Greenholm)								
Haddington	4,095	17 6	3 9	17 6	14 7	13 6	5 6	111
Hawick	16,565	18 5	7 4	17 3	18 2	18 3	9 8	150
Helensburgh	8,394	20 5	6 0	12 5	13 1	12 1	5 8	64
Holmhead (<i>vide</i> Cumnock and Holmhead)								
Huntly	4,175	28 3	10 1	14 9	16 0	13 7	21 2	68
Innerleithen	2,552	14 5	8 2	12 9	14 5	14 0	8 1	103
Innerleven (<i>vide</i> Buchhaven, Methil, and Innerleven)								
Inveraray	506	13 8	2 0	13 8	11 9	8 4	0 0	0
Inverbervie	1,151	22 6	7 8	16 5	15 6	13 7	30 8	38
Invergordon	1,035	19 3	4 8	17 4	21 3	17 5	0 0	50
Inverkeithing	3,404	36 1	3 2	9 7	10 9	10 9	4 1	114
Inverness	21,768	22 4	10 2	18 3	17 6	16 3	9 2	125
Inverurie	4,010	20 0	10 7	16 2	17 5	15 7	17 5	62
Irvine	10,091	30 7	7 7	13 1	14 5	14 7	8 7	81
Jedburgh	2,663	16 1	3 8	13 9	15 0	14 2	16 3	0
Johnstone	11,969	30 1	7 6	12 5	15 0	16 6	7 2	103

TABLE 5—continued.

BURGHS.	Population.	RATES PER 1000 OF POPULATION.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distribution.		
Keith	4,399	23·0	8·6	19·5	19·5	16·5	12·9	228
Kelso	3,917	19·7	4·6	16·1	17·1	14·9	14·3	182
Kilcreggan and Cove (<i>vide</i> Cove and Kilcreggan)								
Kilrenny	2,520	18·3	3·6	11·5	11·9	10·8	8·7	87
Kilsyth	8,081	35·1	5·2	13·7	14·2	15·0	7·4	123
Kilwinning	4,915	32·6	9·2	12·8	13·8	14·3	4·4	69
Kinghorn	1,525	32·1	3·9	16·4	17·0	16·3	6·1	61
Kingussie	1,176	17·0	5·1	14·5	13·6	13·5	10·0	150
Kinross	2,632	23·6	5·7	11·4	12·9	11·4	4·8	48
Kintore	809	14·8	4·9	18·5	19·8	16·3	16·7	83
Kirkcudbright	2,149	21·9	6·0	13·0	14·0	11·7	17·0	64
Kirkintilloch	11,924	31·3	7·0	18·7	17·1	17·6	7·0	131
Kirkwall	3,763	16·5	7·7	18·1	16·5	13·3	11·3	97
Kirriemuir	3,678	16·3	8·4	11·1	13·1	11·1	8·3	17
Ladybank and Monkston	1,238	24·2	2·4	25·8	25·8	21·3	3·3	67
Lanark	5,876	23·7	6·5	13·8	14·1	13·8	6·5	58
Langholm	2,859	16·1	3·8	15·7	16·1	14·0	13·0	65
Largs	3,713	11·9	5·1	14·3	15·6	13·5	6·8	23
Lasswade	867	24·2	0·0	15·0	17·3	17·8	4·8	48
Lauder	640	18·7	6·2	12·5	15·6	12·4	0·0	0
Laurencekirk	1,407	27·7	10·0	13·5	17·8	11·8	10·3	103
Lerwick	4,639	18·8	16·4	14·4	14·4	11·8	10·3	103
Leslie	2,119	23·6	9·4	14·2	14·6	12·6	4·0	100
Leven	6,579	29·0	6·7	12·0	13·2	14·0	5·8	73
Liberty (<i>vide</i> Elie, Liberty, and Williamsburgh)								
Linlithgow	3,906	22·8	8·2	14·8	16·9	16·6	9·0	45
Loanhead	3,487	30·4	8·3	14·6	15·5	16·6	3·8	160
Lochgelly	9,461	37·1	8·0	14·7	16·2	17·6	2·6	108
Lochgilthead	859	16·3	3·5	21·0	22·1	16·5	0·0	143
Lochmaben	1,041	23·1	6·7	23·1	24·0	19·4	12·5	83
Lockerbie	2,429	20·6	4·5	14·8	15·2	13·5	6·0	100
Lossiemouth	4,180	28·9	7·2	16·7	17·0	16·3	8·3	165
Macduff	3,356	30·1	5·1	16·4	19·4	15·6	21·8	69
Markinch	1,633	23·9	6·7	15·9	22·0	19·0	2·6	103
Maybole	4,691	26·6	3·4	19·4	19·8	19·2	14·4	88
Maxwelltown	6,154	18·8	4·2	10·6	12·8	13·1	6·9	121
Melrose	2,129	11·3	3·3	25·8	16·0	13·5	0·0	83
Methil (<i>vide</i> Buckhaven, Methil, and Innerleven)								
Millport	1,582	12·0	1·3	16·4	16·4	13·5	10·5	0
Milngavie	4,565	25·4	4·6	9·9	12·3	13·0	3·4	52
Moffat	2,037	11·8	6·4	13·3	13·7	11·6	4·2	0
Monifieth	3,168	19·3	2·8	10·7	13·3	12·5	4·9	98
Monkston (<i>vide</i> Ladybank and Monkston)								
Montrose	10,627	15·4	6·7	20·2	19·4	16·2	5·5	116
Musselburgh	16,194	30·1	7·7	16·4	18·0	19·1	5·1	150
Nairn	4,611	22·3	4·3	16·9	16·9	15·3	5·8	126
Newburgh	1,955	26·6	3·1	16·9	17·4	13·3	9·6	38
New Galloway	344	11·6	2·9	8·7	8·7	7·2	25·0	0
Newmilns and Greenholm	4,773	17·6	9·2	10·9	11·9	12·6	4·8	83

TABLE 5—continued.

BURGHS.	Population.	RATES PER 1000 OF POPULATION.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages	Deaths.				
				Uncorrected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distribution.		
Newport	3,561	16·0	3·9	12·9	13·8	11·8	0·0	53
Newton-Stewart	2,013	22·4	4·5	17·9	20·4	18·0	11·1	44
North Berwick	3,238	17·3	3·7	9·6	9·9	10·2	5·4	71
Oban	5,487	19·3	9·1	16·2	15·3	14·8	5·7	85
Old Meldrum	1,082	26·8	12·9	25·0	25·9	18·9	24·1	69
Peebles	5,504	17·4	7·1	14·5	14·2	13·9	10·4	62
Penicuik	2,685	18·6	13·0	18·6	21·6	21·4	4·0	140
Peterhead	13,627	32·0	6·7	13·6	14·8	14·7	10·1	151
Pittenweem	1,863	27·9	5·9	15·6	16·6	14·9	9·6	231
Pollokshaws	12,948	27·6	7·0	13·4	16·0	17·0	7·6	95
Port-Glasgow	17,585	36·1	8·2	16·1	18·3	20·0	3·9	109
Port-Seton (<i>vide</i> Cockenzie and Port-Seton)								
Portsoy	1,930	24·9	6·2	21·8	22·3	17·8	20·8	125
Prestonpans	1,918	32·3	7·8	7·8	9·9	9·6	3·2	65
Prestwick	5,010	18·0	5·0	12·8	12·8	12·2	4·4	100
Queensferry	3,475	19·0	5·2	8·9	10·1	14·9	6·1	136
Rattray	1,668	20·4	1·8	24·0	28·2	23·3	26·5	176
Renfrew	12,774	30·8	4·9	9·3	11·8	13·3	3·3	76
Rosehearty	1,303	26·9	6·1	11·5	13·0	10·9	14·3	114
Rothies	1,296	25·5	3·9	17·7	18·5	14·7	12·1	0
Rothsay	9,146	18·2	5·0	13·8	12·7	11·4	6·0	78
Rutherglen	24,649	26·9	8·0	11·0	13·6	15·0	3·6	76
St. Andrews	7,759	16·6	6·2	11·3	10·8	10·9	7·0	85
Saltscoats	8,511	28·1	7·4	15·0	17·2	16·9	5·4	88
Sanquhar	1,501	23·0	10·7	16·0	17·3	16·9	4·8	95
Selkirk	5,824	15·8	8·8	13·4	15·1	14·7	2·2	65
Stewarton	2,787	25·5	9·0	16·5	18·7	17·8	18·3	113
Stirling	21,218	26·3	9·4	17·3	15·8	16·0	7·2	113
Stonehaven	4,162	19·7	7·2	18·0	14·9	11·1	13·4	85
Stornoway	3,738	15·2	4·0	13·6	14·2	13·3	5·3	123
Stranraer	6,395	23·0	5·6	23·1	20·0	17·9	16·3	129
Stromness	1,609	14·3	5·6	15·5	14·9	12·0	4·3	0
Tain	1,568	15·9	17·9	21·7	22·3	17·8	8·0	40
Tayport	3,216	23·0	4·0	16·5	16·8	14·6	8·1	108
Thurso	3,235	24·1	11·7	25·0	27·2	21·4	17·9	167
Tillicoultry	3,029	16·8	9·2	15·8	16·2	14·6	7·8	98
Tobermory	949	20·0	1·1	15·8	17·9	13·3	21·1	53
Tranent	4,499	35·8	6·2	12·7	12·9	13·5	6·2	106
Troon	6,755	23·4	6·5	10·2	12·1	13·1	4·4	146
Turriff	2,319	30·6	9·9	14·2	16·0	12·3	19·7	42
Whitburn	1,901	34·2	14·2	10·0	13·2	14·2	4·6	108
Whithorn	1,150	20·9	12·2	9·6	9·6	7·2	12·5	83
Wick	9,055	28·7	6·4	19·7	20·7	18·9	10·8	142
Wigtown	1,346	22·3	3·7	19·3	22·3	18·7	16·7	233
Williamsburgh (<i>vide</i> Elie, Liberty, and Williamsburgh)								
Wishaw	25,414	34·2	5·7	12·6	14·0	15·2	6·9	105

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1912.

COUNTY DISTRICTS.	Popula- tion.	RATES PER 1000 OF POPULATION.					Illegiti- mate Births per cent. of Total Births.	Infantile Mor- tality.
		Birth.	Marriage.	Death.				
				Uncor- rected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distri- bution.		
ABERDEEN COUNTY—								
Aberdeen	22,666	21·0	3·1	20·6	12·5	11·0	11·8	88
Alford	9,251	22·6	4·1	10·6	11·6	10·1	21·5	81
Deer	27,827	26·9	5·0	12·8	13·0	11·1	16·8	79
Deeside	11,972	19·6	4·5	13·1	14·4	12·2	17·9	55
Ellon	13,579	26·4	3·6	16·9	17·5	15·3	19·6	87
Garioch	13,675	24·4	4·7	12·3	12·9	11·3	18·9	54
Huntly	6,763	26·6	3·4	12·7	14·0	11·8	23·3	94
Turriff	11,044	27·3	3·0	12·9	13·8	11·9	21·5	86
ARGYLL COUNTY—								
Ardnamurchan . .	2,728	16·5	2·6	16·5	17·6	12·9	4·4	0
Cowal	7,206	16·5	3·2	14·4	15·0	12·7	4·2	39
Islay	6,936	15·9	1·4	17·9	18·7	14·9	16·4	55
Kintyre	6,498	17·5	3·1	10·0	11·5	10·2	8·8	35
Lorn	9,905	19·2	3·2	12·8	14·1	11·8	4·7	37
Mid-Argyll . . .	6,947	16·7	3·0	22·9	19·1	15·5	10·3	52
Mull	5,221	17·2	1·7	20·1	21·5	15·4	4·4	44
AYR COUNTY—								
Ayr	41,947	31·3	5·5	12·6	12·8	13·2	8·5	93
Carrick	12,849	26·1	5·0	11·4	12·7	12·1	9·6	51
Kilmarnock . . .	23,558	25·8	5·4	12·2	13·2	13·5	4·9	105
Northern	46,679	25·7	6·3	14·2	13·9	14·0	7·4	92
BANFF COUNTY—								
Banff	20,122	26·5	5·4	11·9	11·5	10·4	11·3	83
Keith	12,103	22·8	3·7	14·0	14·8	12·4	15·6	116
BERWICK COUNTY—								
East	8,835	20·1	6·0	13·7	13·8	12·1	9·0	112
Middle	8,202	19·1	5·5	12·9	14·1	12·6	13·4	38
West	5,579	19·2	5·0	10·9	11·7	10·7	13·1	65
BUTE COUNTY—								
Arran	4,531	12·8	2·9	13·0	12·6	9·9	3·4	69
Bute	2,482	18·5	2·0	10·1	13·7	11·9	6·5	43
Cumbræ*	92	—	—	—	—	—	—	—
CAITHNESS COUNTY—								
Caithness	18,997	23·0	3·6	13·0	17·6	12·4	10·8	80
CLACKMANNAN COUNTY—								
Clackmannan . . .	10,061	24·2	4·9	14·7	15·3	15·4	4·9	74
DUMBARTON COUNTY—								
Eastern	26,435	26·7	2·9	15·3	12·3	12·8	5·2	98
Western	27,801	23·9	6·7	12·0	13·2	13·9	6·3	74
DUMFRIES COUNTY—								
Annan	10,316	24·1	5·7	15·0	15·4	14·1	15·3	120
Dumfries	8,460	20·0	5·7	19·9	13·9	11·7	14·2	59
Langholm	3,168	20·8	5·7	14·8	16·1	13·7	13·6	106
Lockerbie	8,370	25·7	4·9	14·0	15·1	13·7	9·3	47
Thornhill	11,585	24·5	5·9	12·9	13·1	11·9	13·4	63
EDINBURGH COUNTY—								
Calder	18,707	28·0	6·9	11·3	12·8	13·3	8·0	92
Gala-Water	6,788	23·6	6·6	11·0	12·8	12·2	6·2	87
Lasswade	24,205	29·0	4·2	14·9	14·7	14·8	3·3	118
Suburban	24,023	21·7	3·7	18·1	12·2	12·1	8·0	69

* The population of this District is too small for the calculation of significant rates.

TABLE 6—continued.

COUNTY DISTRICTS.	Popula- tion.	RATES PER 1000 OF POPULATION.					Illegiti- mate Births per cent. of Total Births.	Infantile Mor- tality.
		Birth.	Marriage.	Death.				
				Uncor- rected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distri- bution.		
ELGIN COUNTY— Elgin	21,252	24·7	3·1	14·2	14·2	12·2	15·8	95
FIFE COUNTY— Cupar	15,348	18·2	5·2	16·4	13·9	11·3	10·4	54
Dunfermline	30,618	31·0	7·1	12·9	14·6	15·2	4·6	103
Kirkcaldy	43,067	33·7	4·7	14·1	13·3	13·8	5·7	111
St. Andrews	15,221	19·6	4·9	10·1	10·9	10·3	9·0	54
FORFAR COUNTY— Arbroath	8,243	22·8	4·7	13·6	14·6	12·9	10·6	96
Brechin	12,557	22·4	4·5	14·2	9·6	8·5	8·2	64
Dundee	9,642	25·6	4·6	18·5	12·2	11·3	9·7	89
Forfar	10,897	22·1	4·0	12·0	12·5	10·2	7·9	41
HADDINGTON COUNTY— Eastern	6,060	20·6	4·3	10·4	12·0	11·7	7·2	48
Western	16,767	25·7	4·5	10·3	12·4	12·8	6·0	88
INVERNESS COUNTY— Inverness	8,985	19·5	1·8	17·8	13·4	11·8	6·3	86
Aird	8,607	17·5	1·6	13·9	15·2	11·9	8·6	40
Badenoch	6,394	18·0	3·1	17·4	18·1	14·4	12·2	43
Lochaber	6,881	14·7	1·9	12·6	13·2	10·6	2·0	30
Skye	12,953	19·3	3·2	17·2	17·4	12·2	6·4	44
Harris	5,387	23·4	2·3	14·1	14·3	11·2	5·6	79
North Uist	3,595	16·4	3·6	14·2	14·5	10·6	5·1	68
South Uist	7,873	19·3	3·0	12·3	12·3	9·8	7·9	86
KINCARDINE COUNTY— Laurencekirk	4,567	26·1	3·1	11·4	12·9	11·0	8·4	67
Lower Deeside	3,840	22·7	5·5	10·2	12·5	11·8	20·7	92
St. Cyrus	4,653	26·4	5·8	13·3	15·3	13·2	18·7	57
Stonehaven	4,424	21·2	3·6	13·6	13·1	11·4	16·0	85
Upper Deeside	3,052	21·0	2·3	14·7	14·7	12·8	20·3	125
KINROSS COUNTY— Kinross	4,847	21·2	5·0	13·0	14·2	12·2	10·7	58
KIRKCUDBRIGHT CNTY. Eastern	7,379	17·8	5·7	11·0	12·1	10·6	11·5	38
Northern	2,757	17·4	5·4	11·6	12·7	10·8	18·7	83
Southern	8,116	22·8	4·3	13·3	13·2	12·2	17·3	65
Western	3,473	17·9	4·0	10·7	11·2	10·6	12·9	97
LANARK COUNTY— Upper Ward	42,664	26·3	5·0	11·1	11·7	11·8	7·6	73
Middle Ward	202,497	34·7	5·8	14·3	14·9	15·9	4·2	115
Lower Ward	58,293	27·9	4·8	20·1	12·7	13·5	3·2	106
LINLITHGOW COUNTY— Bathgate	32,038	35·2	5·0	12·0	13·4	14·2	3·9	90
Linlithgow	15,264	29·5	3·7	20·8	14·3	14·7	6·0	107
NAIRN COUNTY— Nairn	4,568	22·5	2·6	11·6	11·6	10·1	17·5	29
ORKNEY COUNTY— Mainland	9,057	16·3	6·0	16·8	17·7	13·0	6·8	88
North Isles	6,893	21·5	5·8	14·5	14·9	10·5	6·1	27
South Ronaldshay	2,320	25·9	7·8	22·8	22·8	15·2	5·0	133
Walls	1,590	19·5	6·9	14·5	14·5	9·9	0·0	32

TABLE 6—continued.

COUNTY DISTRICTS.	Popula- tion.	RATES PER 1000 OF POPULATION.					Illegiti- mate Births per cent. of Total Births.	Infantile Mor- tality.
		Birth.	Marriage.	Death.				
				Uncor- rected.	Corrected for Transfers.	Adjusted for Transfers and Age and Sex Distri- bution.		
PEEBLES COUNTY— Peebles	6,990	23·2	3·4	13·6	14·6	14·0	8·6	93
PERTH COUNTY— Blairgowrie	9,663	19·4	4·0	10·9	11·8	10·4	8·6	27
Central	10,173	20·2	4·2	13·6	14·6	12·5	13·2	44
Highland	12,641	17·1	3·8	18·4	15·3	12·7	8·8	83
Perth	20,551	21·0	5·3	11·9	14·2	12·4	10·7	56
Western	9,968	20·6	4·0	10·8	12·3	11·7	6·8	73
RENFREW COUNTY— Upper Ward	58,881	22·7	4·4	14·6	12·0	12·9	3·6	81
Lower Ward	23,594	20·0	3·6	11·8	11·7	12·3	4·9	57
ROSS & CROMARTY C'NTY. Black Isle	8,713	12·7	2·1	8·5	8·3	9·2	4·5	81
Easter Ross	10,127	22·0	2·4	18·0	18·8	14·3	7·2	72
Lews	25,489	23·7	4·4	13·7	14·0	11·8	2·7	50
Mid-Ross	11,572	16·7	2·7	17·8	19·6	14·2	11·9	52
South-Western	3,507	14·3	2·3	16·3	17·4	11·4	10·0	100
Western	4,605	15·2	2·2	15·0	16·5	10·4	1·4	43
ROXBURGH COUNTY— Hawick	3,207	15·6	5·6	9·4	9·7	9·5	8·0	40
Jedburgh	4,731	20·1	4·2	12·3	12·3	12·0	6·3	53
Kelso	6,183	22·8	6·3	11·5	12·3	12·0	19·1	64
Liddesdale	1,912	23·5	5·2	11·5	12·0	9·6	8·9	89
Melrose	4,960	19·6	4·8	12·7	13·7	11·9	4·1	82
SELKIRK COUNTY— Selkirk	4,131	18·4	2·4	11·4	11·9	11·9	2·6	66
SHETLAND COUNTY— Mainland	18,188	17·3	2·0	16·1	16·5	11·4	5·4	67
North Isles	4,623	16·9	1·5	14·1	14·3	10·6	6·4	38
STIRLING COUNTY— Central	26,660	30·1	5·0	12·2	13·3	13·5	5·1	96
Eastern	41,381	28·2	5·1	13·7	12·6	13·4	6·1	87
Western	11,548	18·0	4·2	12·2	13·2	12·1	9·6	53
SUTHERLAND COUNTY— Sutherland	18,969	17·8	2·4	17·4	18·1	12·9	6·8	77
WIGTOWN COUNTY— Machars	8,676	25·7	5·0	12·2	13·3	11·6	16·6	36
Rhins	11,840	22·5	6·5	13·2	14·4	13·1	22·6	117

TABLE 7.—Births, Deaths, and Marriages in the Counties* in 1912.

COUNTIES.	Estimated Population.	Births.		Marriages.	Deaths.	Rates per 1000 of Population.					Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Total.	Illegitimate.			Birth.	Marriage.	Death.				
								Uncor- rected.	Corrected for Transfers.	Corrected for Transfers and Age and Sex Distribution.		
SCOTLAND . . .	4,741,077	122,790	8,989	32,516	72,340	25·90	6·86	15·26	15·26	15·26	7·32	105·5
Aberdeen . . .	308,631	7,795	1,072	2,111	4,661	25·26	6·84	15·24	15·10	14·17	13·75	107·4
Argyll . . .	67,431	1,180	107	242	1,088	17·50	3·59	16·06	16·14	13·67	9·07	63·6
Ayr . . .	266,809	7,047	529	1,776	3,753	26·41	6·66	13·87	14·07	14·34	7·51	94·9
Banff . . .	60,445	1,542	203	341	917	25·49	5·64	14·87	15·17	13·40	13·16	112·8
Berwick . . .	29,040	582	61	169	417	20·04	5·82	13·67	14·36	12·73	10·48	79·0
Bute . . .	17,833	291	17	66	234	16·32	3·70	13·23	13·12	11·20	5·84	65·3
Caitness . . .	31,287	774	89	164	609	24·74	5·24	19·21	19·46	14·85	11·50	109·8
Clackmannan . . .	30,530	678	41	188	496	22·21	6·16	15·46	16·25	16·24	6·05	91·4
Dumbarton . . .	142,315	4,080	199	801	1,937	28·67	5·63	13·49	13·61	14·49	4·88	97·8
Dumfries . . .	71,734	1,635	212	472	1,094	22·79	6·58	15·96	15·25	14·12	12·97	87·5
Edinburgh (Midlothian)	506,286	11,434	816	4,011	7,570	22·58	7·92	15·49	14·95	15·44	7·14	107·6
Elgin . . .	42,588	1,049	150	241	697	24·63	5·66	16·51	16·37	14·24	14·30	112·5
Fife . . .	269,787	7,263	389	1,677	3,724	26·92	6·22	13·48	13·80	13·69	5·36	98·7
Forfar . . .	278,948	6,456	558	1,886	4,809	23·14	6·76	17·49	17·24	16·71	8·64	133·5
Haddington . . .	43,153	1,086	70	228	548	25·17	5·28	11·77	12·70	12·63	6·45	86·6
Inverness . . .	85,579	1,677	129	391	1,338	19·60	4·57	15·96	15·63	12·77	7·69	78·7
Kincairdine . . .	40,415	1,026	128	182	529	25·39	4·50	12·47	13·09	11·83	12·48	96·5
Kinross . . .	7,479	165	14	39	103	22·06	5·21	12·43	13·77	11·93	8·48	54·5
Kirkcudbright . . .	37,652	749	104	185	514	19·89	4·91	12·67	13·65	12·38	13·89	77·4
Lanark . . .	1,446,155	42,812	2,555	11,748	23,161	29·60	8·12	15·97	16·02	17·44	5·97	116·7
Linlithgow . . .	80,513	2,600	118	457	1,130	32·29	5·68	14·07	14·04	15·06	4·54	103·5
Nairn . . .	9,179	206	24	32	131	22·44	3·49	14·27	14·27	12·66	11·65	77·7
Orkney . . .	25,232	472	30	161	425	18·71	6·38	16·69	16·84	12·28	6·36	67·8
Peebles . . .	15,046	295	27	84	217	19·61	5·58	13·82	14·42	13·93	9·15	84·7
Perth . . .	122,437	2,431	244	707	1,840	19·86	5·77	14·71	15·03	13·50	10·04	72·4
Renfrew . . .	317,978	8,738	450	2,142	4,764	27·48	6·74	15·13	14·98	16·02	5·15	98·6
Ross and Cromarty . . .	75,792	1,442	79	283	1,174	19·03	3·73	14·96	15·49	12·60	5·48	62·4
Roxburgh . . .	46,267	879	93	268	688	19·00	5·79	14·83	14·87	14·08	10·58	102·4
Selkirk . . .	24,374	426	24	159	322	17·48	6·52	12·60	13·21	13·30	5·63	68·1
Shetland . . .	27,450	480	31	119	434	17·49	4·34	15·45	15·81	11·32	6·46	68·8
Stirling . . .	161,579	4,416	268	950	2,163	27·33	5·88	13·60	13·39	13·97	6·07	92·2
Sutherland . . .	19,713	349	24	52	358	17·70	2·64	17·40	18·16	13·01	6·88	77·4
Wigtown . . .	31,420	735	134	184	495	23·39	5·86	15·37	15·75	13·94	18·23	93·9

* Burghs included.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1912.

	Estimated Number of Married Women aged 15-45.	Number of Legitimate Children born.	Legitimate Births per 1000 Married Women aged 15-45.	Estimated Number of Unmarried Women and of Widows aged 15-45.	Number of Illegitimate Children born.	Illegitimate Births per 1000 Unmarried Women and Widows aged 15-45.
SCOTLAND . . .	486,006	113,801	234·2	654,968	8,989	13·7
LARGER BURGHS . . .	237,501	53,866	226·8	316,417	4,088	12·9
SMALLER BURGHS . . .	97,367	22,312	229·2	139,192	1,774	12·7
COUNTY DISTRICTS . . .	151,138	37,623	248·9	199,359	3,127	15·7
Counties.						
Aberdeen	29,635	6,723	226·9	43,169	1,072	24·8
Argyll	4,954	1,073	216·6	9,902	107	10·8
Ayr	27,051	6,518	241·0	36,008	529	14·7
Banff	5,369	1,339	249·4	7,509	203	27·0
Berwick	2,669	521	195·2	4,387	61	13·9
Bute	1,492	274	183·6	3,026	17	5·6
Caithness	2,391	685	286·5	4,202	89	21·2
Clackmannan	2,974	637	214·2	4,778	41	8·6
Dumbarton	15,442	3,881	251·3	18,535	199	10·7
Dumfries	6,356	1,423	223·9	10,499	212	20·2
Edinburgh (Midlothian)	52,923	10,618	200·6	81,665	816	10·0
Elgin	3,584	899	250·8	5,963	150	25·2
Fife	29,589	6,874	232·3	32,850	389	11·8
Forfar	27,878	5,898	211·6	44,447	558	12·6
Haddington	4,355	1,016	233·3	5,663	70	12·4
Inverness	6,093	1,548	254·1	12,280	129	10·5
Kincardine	3,983	898	225·5	4,953	128	25·8
Kinross	699	151	216·0	999	14	14·0
Kirkcudbright	3,271	645	197·2	5,670	104	18·3
Lanark	162,348	40,257	248·0	185,929	2,555	13·7
Linlithgow	9,002	2,482	275·7	7,155	118	16·5
Nairn	731	182	249·0	1,486	24	16·2
Orkney	1,964	442	225·1	3,460	30	8·7
Peebles	1,402	268	191·2	2,655	27	10·2
Perth	10,831	2,187	201·9	19,147	244	12·7
Renfrew	34,109	8,288	243·0	46,358	450	9·7
Ross and Cromarty	5,080	1,363	268·3	10,387	79	7·6
Roxburgh	4,196	786	187·3	8,097	93	11·5
Selkirk	2,263	402	177·6	4,395	24	5·5
Shetland	2,017	449	222·6	4,103	31	7·6
Stirling	17,338	4,148	239·2	18,138	263	14·8
Sutherland	1,267	325	256·5	2,614	24	9·2
Wigtown	2,750	601	218·5	4,539	134	29·5
Larger Burghs.						
Glasgow	86,685	20,263	233·8	113,552	1,585	14·0
Edinburgh	32,369	5,914	182·7	57,879	516	8·9
Dundee	17,639	3,744	212·3	27,082	382	14·1
Aberdeen	17,266	3,713	215·0	24,386	432	17·7
Govan	10,416	2,625	252·0	10,362	140	13·5
Paisley	8,802	2,129	241·9	13,615	143	10·5
Leith	9,351	2,036	217·7	10,366	136	13·1
Greenock	8,378	2,263	270·1	9,642	127	13·2
Partick	7,836	1,845	235·5	9,576	90	9·4
Coatbridge	4,865	1,336	274·6	4,008	61	15·2
Motherwell	5,024	1,278	254·4	3,520	48	13·6
Kirkcaldy	4,467	935	209·3	5,493	55	10·0
Hamilton	4,590	1,261	274·7	3,625	71	19·6
Clydebank	5,153	1,324	256·9	3,806	44	11·6
Perth	3,545	688	194·1	5,990	68	11·4
Kilmarnock	3,703	815	220·1	4,859	57	11·7
Falkirk	3,943	875	221·9	3,391	47	13·9
Ayr	3,469	821	236·7	5,265	86	16·3

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855-1911. Numbers.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	19680	6·608	8879	4665	2952	1826	350	923	76	9
1856	20740	6·923	9863	4645	2875	1953	360	984	24	36
1857	21369	7·094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6·492	9104	4650	2707	1697	379	1034	57	27
1859	21201	6·969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6·948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6·808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6·651	9307	4930	2846	1778	371	990	348	27
1863	22234	7·160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7·200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7·412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7·367	10392	5570	3335	2259	516	1483	41	42
1867	22618	6·970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6·673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6·698	9761	5095	3277	2043	450	1393	56	69
1870	23854	7·149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7·130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7·531	11794	5661	3312	2461	579	1681	5	148
1873	26748	7·773	12187	5806	3596	2451	648	1853	10	197
1874	26390	7·588	11820	5922	3586	2267	643	1923	13	216
1875	25974	7·390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7·482	11996	5944	3603	2279	719	1703	37	298
1877	26817	7·191	11773	5833	3313	2368	651	1477	47	355
1878	24368	6·713	11380	5431	3013	2181	653	1350	12	388
1879	23519	6·416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6·612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6·948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7·053	12356	5481	3128	2697	746	1678	59	451
1883	26869	7·073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6·821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6·562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6·310	11507	5036	2821	2241	723	1597	0	590
1887	24876	6·355	11689	4866	2928	2422	635	1655	2	629
1888	25305	6·417	11647	5052	2876	2464	783	1724	0	759
1889	26344	6·630	11846	5263	3004	2653	791	1943	3	841
1890	27469	6·862	12408	5347	3097	2791	768	2025	0	1033
1891	27969	6·929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7·029	12865	5677	3284	2850	809	1981	0	1204
1893	27145	6·585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6·627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6·752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7·115	13694	5552	3316	2991	931	2268	0	1468
1897	31050	7·222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7·391	14567	6033	3486	3091	949	2418	0	1568
1899	32978	7·511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7·312	14600	{ 4705 Un. Free Ch. * 1768 }		3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE 9—continued.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1901	31387	7·000	14167	Un. Free Ch.*		3184	942	2473	0	1952
1902	31913	7·043	14267	8669		3337	969	2446	0	2091
1903	32351	7·065	14692	8803		3487	876	2592	0	1926
1904	32271	6·974	14803	8778		3328	925	2577	0	1862
1905	31270	6·686	14245	8776		3376	946	2601	0	1862
				8240						
1906	33142	7·013	14983	8634		3644	983	2913	0	1985
1907	33298	6·972	15116	8667		3536	1005	2750	0	2224
1908	31606	6·548	14238	8271		3272	934	2645	0	2246
1909	30108	6·395	13753	7821		2975	908	2636	0	2015
1910	30902	6·523	13871	8110		3171	867	2703	0	2180
1911	31844	6·702	14032	8083		3404	984	2734	0	2607

*See Note on previous page.

TABLE 10.—Method of Celebration, etc., of Marriages in Scotland, 1855–1911. Percentages.

YEAR.	PERCENTAGE of REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE 10—continued.

YEAR.	PERCENTAGE OF REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45.73	22.50	13.85	8.69	2.29	6.24	0.26	0.44
1872	46.00	22.08	12.92	9.60	2.26	6.55	0.02	0.57
1873	45.56	21.71	13.44	9.16	2.42	6.93	0.04	0.74
1874	44.79	22.44	13.59	8.59	2.44	7.29	0.05	0.81
1875	44.61	22.67	13.26	8.68	2.53	7.31	0.03	0.91
1876	45.13	22.36	13.56	8.57	2.71	6.41	0.14	1.12
1877	45.60	22.59	12.83	9.17	2.53	5.72	0.18	1.33
1878	46.51	22.30	12.37	8.96	2.68	5.54	0.05	1.59
1879	45.68	22.59	12.24	9.23	2.73	6.02	0.08	1.38
1880	46.02	21.58	12.17	9.53	2.85	6.24	0.13	1.48
1881	46.83	20.77	11.88	9.76	2.67	6.30	0.18	1.61
1882	46.46	20.61	11.76	10.14	2.80	6.31	0.22	1.70
1883	46.09	20.39	12.10	10.15	2.71	6.32	0.04	2.20
1884	45.97	21.06	11.50	9.98	2.70	6.43	0.00	2.36
1885	46.21	21.12	11.52	9.65	2.77	6.49	0.00	2.24
1886	46.94	20.54	11.51	9.14	2.95	6.51	0.00	2.41
1887	46.99	19.56	11.77	9.74	2.75	6.65	0.01	2.53
1888	46.03	19.96	11.37	9.74	3.09	6.81	0.00	3.00
1889	44.97	19.98	11.40	10.07	3.00	7.38	0.01	3.19
1890	45.17	19.47	11.27	10.16	2.80	7.37	0.00	3.76
1891	45.40	19.36	11.47	9.62	2.82	7.33	0.00	4.00
1892	44.87	19.80	11.46	9.94	2.82	6.91	0.00	4.20
1893	45.57	19.38	11.23	9.17	2.99	7.07	0.00	4.59
1894	45.82	19.25	11.14	9.45	2.90	7.22	0.00	4.22
1895	45.15	19.34	10.73	10.05	3.06	7.30	0.00	4.37
1896	45.24	18.34	10.96	9.88	3.24	7.49	0.00	4.85
1897	45.09	18.45	11.16	9.75	3.16	7.46	0.00	4.93
1898	45.36	18.79	10.86	9.63	2.95	7.53	0.00	4.83
1899	44.53	18.44	10.82	10.37	3.13	7.19	0.00	5.52
1900	45.00	{ 14.50 8.54 United Free Ch.* 5.45 }		10.24	2.97	7.40	0.00	5.90
1901	45.14	27.62		10.14	3.00	7.88	0.00	6.22
1902	44.71	27.58		10.46	3.04	7.66	0.00	6.55
1903	45.42	27.13		10.78	2.71	8.01	0.00	5.95
1904	45.87	27.19		10.31	2.87	7.99	0.00	5.77
1905	45.55	26.35		10.80	3.03	8.32	0.00	5.95
1906	45.21	26.05		10.99	2.97	8.79	0.00	5.99
1907	45.39	26.03		10.62	3.02	8.26	0.00	6.68
1908	45.05	26.17		10.35	2.95	8.37	0.00	7.11
1909	45.68	25.98		9.88	3.02	8.75	0.00	6.69
1910	44.89	26.24		10.26	2.81	8.75	0.00	7.05
1911	44.06	25.38		10.69	3.09	8.59	0.00	8.19

* See Note on page lxix.

TABLE 11.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1911. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	812	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2033	725
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22981	684	2134	791
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758
1887	1661	5063	9555	14137	15321	10739	23758	22836	1118	2040	21271	677	2166	758
1888	1664	5168	9708	14536	15597	10769	24305	23437	1000	1868	21807	672	2078	741
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780
1896	1866	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785
1898	1917	5916	11832	17810	20280	14302	31528	31146	584	966	28371	761	2153	819
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814
1900	2006	6039	12040	17633	20404	14681	31744	31547	700	897	28665	908	2044	801

TABLE 11.—continued.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1901	1927	5788	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772
1904	1937	5922	11828	17191	20943	15080	31717	31529	554	742	28949	794	2055	752
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761
1906	2022	6107	11425	17643	21717	15497	32661	32489	481	653	29557	807	1986	773
1907	1902	5905	11396	17460	21899	15335	32360	32716	438	582	29684	805	2042	735
1908	1872	5604	10915	16475	20691	15131	31284	31099	322	507	28233	752	1962	638
1909	1693	5168	10097	15399	20011	14709	29761	29662	347	446	29846	722	1884	632
1910	1690	5267	10164	15443	20738	15459	30600	30489	302	413	27529	712	1910	743
1911	1723	5489	10388	15824	21456	16020	31606	31447	238	397	28325	785	1944	772

TABLE 12.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1911. Percentages.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	39·25	56·50	60·75	43·50	86·60	77·10	11·40	22·90	83·38	3·05	10·19	3·38
1856	?	?	40·66	58·02	59·34	41·98	88·16	76·05	11·84	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·00	58·28	58·00	41·72	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·19	58·47	58·81	41·53	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·16	58·61	58·84	41·39	89·11	77·80	10·89	22·20	85·25	2·76	9·06	2·93
1860	7·37	21·78	40·83	58·70	59·17	41·30	89·69	78·29	10·31	21·71	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·92	58·55	59·08	41·45	89·39	77·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·06	59·26	57·94	40·74	89·99	79·65	10·81	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·06	43·77	59·84	56·23	40·16	89·14	77·90	10·86	22·10	87·29	1·59	8·46	2·66
1864	7·47	22·00	42·52	59·61	57·48	40·39	88·54	76·13	11·46	23·87	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·76	58·72	58·24	41·28	88·58	77·78	11·42	22·22	85·97	2·53	0·77	2·73
1866	7·20	20·69	41·89	58·44	58·11	41·56	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·59	57·44	59·41	42·56	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·66	56·92	60·34	43·08	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·35	60·30	42·65	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·48	57·53	59·52	42·47	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

TABLE 12.—continued.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1871	7.58	22.15	41.20	58.06	58.80	41.94	90.95	80.42	9.95	19.58	85.10	2.54	8.74	3.24
1872	7.71	22.10	41.78	58.32	58.22	41.68	89.56	79.48	10.44	20.52	84.38	3.11	8.85	3.44
1873	8.33	22.91	43.26	59.58	56.74	40.42	90.38	81.33	9.62	18.67	84.89	3.05	8.88	3.18
1874	8.25	22.73	43.29	59.40	56.71	40.60	90.90	82.01	9.10	17.99	84.47	3.18	8.83	3.24
1875	8.10	22.44	42.58	58.72	57.42	41.28	91.40	83.09	8.60	16.91	84.23	3.31	9.06	3.22
1876	8.18	22.63	43.16	59.26	56.84	40.74	92.50	83.87	7.50	16.13	84.42	2.99	9.15	3.37
1877	7.98	22.34	43.06	59.46	56.94	40.54	92.44	84.59	7.56	15.41	85.00	3.08	8.89	3.01
1878	7.71	22.32	42.77	59.75	57.23	40.25	93.13	85.55	6.87	14.45	85.43	2.84	8.55	3.09
1879	7.64	22.06	42.11	59.00	57.89	41.00	92.37	84.69	7.63	15.31	84.68	3.32	8.86	3.08
1880	7.22	22.01	41.71	59.69	58.29	40.31	92.62	84.79	7.38	15.21	85.07	3.12	8.66	3.06
1881	6.98	22.27	41.60	59.69	58.40	40.31	92.94	86.06	7.06	13.94	85.83	2.69	8.27	3.18
1882	7.75	22.54	41.85	60.11	58.15	39.89	93.15	86.84	6.85	13.16	86.42	2.57	8.02	2.97
1883	7.54	22.09	41.45	59.59	58.55	40.41	93.64	87.90	6.36	12.10	86.02	2.82	8.28	2.85
1884	7.37	22.30	40.72	58.90	59.28	41.10	93.84	88.67	6.16	11.33	85.63	2.85	8.37	3.10
1885	7.21	21.46	40.24	58.42	59.76	41.58	94.59	90.32	5.41	9.68	86.08	2.69	8.15	3.14
1886	6.88	20.55	38.77	57.85	61.21	42.12	95.35	91.72	4.65	8.28	85.32	2.69	8.88	3.09
1887	6.68	20.35	38.41	56.83	61.59	43.17	95.91	91.80	4.49	8.20	85.51	2.72	8.71	3.06
1888	6.58	20.42	38.36	57.44	61.64	42.56	96.05	92.62	3.95	7.38	86.18	2.66	8.21	2.93
1889	6.19	19.56	34.20	56.44	65.80	43.56	95.70	92.62	4.30	7.38	85.87	2.75	8.26	3.06
1890	6.24	19.76	38.30	56.94	61.70	43.06	96.08	93.58	3.92	6.42	86.33	2.72	7.93	2.97
1891	6.19	19.49	37.77	56.07	62.23	43.93	96.59	94.34	3.41	5.66	86.46	2.65	9.94	2.80
1892	6.23	19.68	37.53	55.93	62.47	44.07	96.77	95.03	3.23	4.97	86.76	2.68	7.79	2.76
1893	6.27	19.24	36.92	55.07	63.08	44.93	97.30	95.56	2.70	4.44	86.85	2.60	7.61	2.94
1894	6.09	18.78	36.31	54.15	63.23	45.19	97.23	95.49	2.77	4.51	86.81	2.61	7.67	2.88
1895	5.88	18.62	39.54	55.31	63.46	44.69	97.37	95.74	2.63	4.26	87.06	2.71	7.45	2.74
1896	6.23	18.72	36.44	54.48	63.56	45.52	97.74	96.22	2.26	3.78	87.41	2.56	7.22	2.77
1897	6.17	18.68	37.13	53.11	62.87	44.33	97.84	96.73	2.16	3.27	88.01	2.72	6.72	2.53
1898	5.97	18.42	36.85	55.46	63.15	44.54	98.18	96.99	1.82	3.01	88.35	2.37	6.70	2.55
1899	6.09	18.25	37.04	55.26	62.96	44.74	98.09	97.17	1.91	2.83	88.54	2.62	6.36	2.47
1900	6.18	18.61	37.11	54.75	62.89	45.25	97.84	97.24	2.16	2.76	88.41	2.80	6.30	2.47
1901	6.14	18.44	36.41	53.66	63.59	46.34	98.03	97.33	1.97	2.67	88.26	2.84	6.37	2.53
1902	6.01	17.57	35.72	52.65	64.28	47.35	98.20	97.45	1.80	2.55	88.36	2.89	6.23	2.52
1903	6.13	18.24	36.31	53.60	63.69	46.40	98.26	97.70	1.74	2.30	88.46	2.84	6.31	2.39
1904	6.00	18.35	35.10	53.27	64.90	46.73	98.28	97.70	1.72	2.30	88.84	2.46	6.37	2.33
1905	6.06	18.70	34.86	53.13	65.14	48.87	98.39	97.83	1.61	2.17	88.55	2.62	6.39	2.44
1906	6.10	18.43	34.47	53.24	65.53	46.76	98.55	98.03	1.45	1.97	89.23	2.44	6.00	2.33
1907	5.71	17.73	34.23	52.44	65.77	47.57	98.68	98.25	1.32	1.75	89.23	2.42	6.14	2.21
1908	5.92	17.73	34.53	52.13	65.47	47.87	98.98	98.40	1.02	1.60	89.39	2.38	6.21	2.02
1909	5.62	17.16	33.54	51.15	66.46	48.85	98.85	98.52	1.15	1.48	89.24	2.40	6.26	2.10
1910	5.47	17.04	32.89	49.97	67.11	50.03	99.02	98.66	0.98	1.34	89.11	2.30	6.18	2.41
1911	5.42	17.26	32.66	49.75	67.34	50.25	99.25	98.75	0.75	1.25	89.00	2.47	6.11	2.42

TABLE 13.—Regular and Irregular Marriages in Scotland, 1911.

	Total Marriages.	NUMBERS.						PERCENTAGE OF TOTAL MARRIAGES.					
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.			REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	
SCOTLAND	31,844	18,229	10,312	696	2,605	2	57·2	32·4	2·2	8·2	0·0		
LARGER BURGHS	17,797	7,434	7,531	346	2,484	2	41·8	42·3	1·9	14·0	—		
OTHER DISTRICTS	14,047	10,795	2,781	350	121	—	76·8	19·8	2·5	0·9	—		
Counties.													
Aberdeen	2,019	1,250	615	49	105	—	61·9	30·5	2·4	5·2	—		
Argyll	251	227	10	5	9	—	90·4	4·0	2·0	3·6	—		
Ayr	1,713	1,285	364	44	20	—	75·0	21·2	2·6	1·2	—		
Banff	292	263	14	8	7	—	90·1	4·8	2·7	2·4	—		
Berwick	187	186	1	—	—	—	99·5	0·5	—	—	—		
Bute	75	68	2	4	1	—	90·7	2·7	5·3	1·8	—		
Caithness	158	147	11	—	—	—	93·0	7·0	—	—	—		
Clackmannan	212	177	29	5	1	—	83·5	13·7	2·3	0·5	—		
Dumbarton	816	422	374	19	1	—	51·7	45·9	2·3	0·1	—		
Dumfries	478	429	29	9	11	—	89·7	6·1	1·9	2·3	—		
Edinburgh (Midlothian)	3,946	1,962	1,337	109	537	*1	49·7	33·9	2·8	13·6	0·0		
Elgin	251	211	20	4	16	—	84·0	8·0	1·6	6·4	—		
Fife	1,686	1,266	359	44	17	—	75·1	21·3	2·6	1·0	—		
Forfar	1,866	1,020	710	54	82	—	54·7	38·0	2·9	4·4	—		
Haddington	227	208	18	1	—	—	91·6	7·9	0·5	—	—		
Inverness	398	305	65	13	15	—	76·6	16·3	3·3	3·8	—		
Kincardine	184	149	20	13	2	—	81·0	10·9	7·0	1·1	—		
Kinross	36	32	3	—	1	—	88·9	8·3	—	2·8	—		
Kirkcudbright	202	199	1	—	2	—	98·5	0·5	—	1·0	—		
Lanark	11,419	4,600	4,910	211	1,697	†1	40·3	43·0	1·8	14·9	0·0		
Linlithgow	457	389	57	9	2	—	85·1	12·5	2·0	0·4	—		
Nairn	47	40	2	4	1	—	85·1	4·3	8·5	2·1	—		
Orkney	147	127	13	—	7	—	86·4	8·8	—	4·8	—		
Peebles	64	61	3	—	—	—	95·3	4·7	—	—	—		
Perth	693	541	112	19	21	—	78·1	16·2	2·7	3·0	—		
Renfrew	2,020	1,048	915	27	30	—	51·9	45·3	1·3	1·5	—		
Ross and Cromarty	262	151	100	8	3	—	57·6	38·2	3·1	1·1	—		
Roxburgh	282	249	26	6	1	—	88·3	9·2	2·1	0·4	—		
Selkirk	146	125	17	4	—	—	85·6	11·7	2·7	—	—		
Shetland	110	108	1	—	1	—	98·2	0·9	—	0·9	—		
Stirling	961	761	166	20	14	—	79·2	17·3	2·1	1·4	—		
Sutherland	50	41	6	3	—	—	82·0	12·0	6·0	—	—		
Wigtown	189	182	2	4	1	—	96·3	1·1	2·1	0·5	—		
Larger Burghs.													
Glasgow	7,471	2,422	3,305	123	1,621	—	32·4	44·2	1·7	21·7	—		
Edinburgh	2,846	1,250	997	71	527	*1	43·9	35·0	2·5	18·5	0·1		
Dundee	1,180	470	603	26	76	—	39·8	51·5	2·2	6·5	—		
Aberdeen	1,335	589	602	39	105	—	44·1	45·1	2·9	7·9	—		
Govan	534	314	176	7	37	—	58·8	33·0	1·3	6·9	—		
Paisley	624	238	370	5	11	—	38·1	59·3	0·8	1·8	—		
Leith	510	235	246	19	10	—	46·1	48·2	3·7	2·0	—		
Greenock	590	334	235	4	17	—	56·6	39·8	0·7	2·9	—		
Partick	397	232	141	9	15	—	58·4	35·5	2·3	3·8	—		
Coatbridge	253	99	152	2	—	—	39·1	60·1	0·8	—	—		
Motherwell	209	116	84	1	7	†1	55·5	40·2	0·5	3·3	0·5		
Kirkcaldy	270	214	49	6	1	—	79·3	18·1	2·2	0·4	—		
Hamilton	223	127	83	5	8	—	57·0	37·2	2·2	3·6	—		
Clydebank	290	131	155	4	—	—	45·2	53·4	1·4	—	—		
Perth	303	173	97	12	21	—	57·1	32·0	4·0	6·9	—		
Kilmarnock	267	118	136	8	5	—	44·2	50·9	3·0	1·9	—		
Falkirk	237	180	44	3	10	—	75·9	18·6	1·3	4·2	—		
Ayr	258	192	51	2	13	—	74·4	19·8	0·8	5·0	—		

* Extract Decree of Declarator.

† Extract Sentence of Conviction.

TABLE 14.—Church of Celebration of Regular Marriages in Scotland, 1911.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.					PERCENTAGE TO TOTAL MARRIAGES.				
		Established Church.	United Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.
SCOTLAND . . .	31,844	14,032	8,083	3,404	984	2,734	44.0	25.4	10.7	3.1	8.6
LARGER BURGHS . .	17,797	6,197	4,567	2,145	697	1,705	34.8	25.7	12.0	3.9	9.6
OTHER DISTRICTS . .	14,047	7,835	3,516	1,259	287	1,029	55.8	24.9	9.0	2.1	7.3
Counties.											
Aberdeen	2,019	1,144	518	39	83	130	56.7	25.7	1.9	4.1	6.4
Argyll	251	154	51	9	7	21	61.4	20.3	3.6	2.8	8.3
Ayr	1,713	983	456	101	31	122	57.4	26.6	5.9	1.8	7.1
Banff	292	173	75	14	4	19	59.2	25.7	4.8	1.4	6.5
Berwick	187	122	49	2	4	10	65.2	26.2	1.1	2.1	5.4
Bute	75	37	23	5	2	7	49.3	30.7	6.7	2.7	9.3
Caithness	158	86	47	—	—	25	54.4	29.8	—	—	15.8
Clackmannan	212	113	73	12	7	6	53.3	34.4	5.7	3.3	2.8
Dumbarton	816	339	200	159	44	73	41.5	24.5	19.5	5.4	9.0
Dumfries	478	286	115	24	12	30	59.8	24.1	5.0	2.5	6.3
Edinburgh (Midlothian)	3,946	1,713	1,000	273	231	191	43.4	25.4	6.9	5.9	4.8
Elgin	251	146	68	3	2	16	58.1	27.1	1.2	0.8	6.4
Fife	1,686	954	484	71	48	112	56.6	28.7	4.2	2.9	6.6
Forfar	1,866	853	443	178	137	173	45.7	23.7	9.5	7.4	9.3
Haddington	227	162	38	19	5	3	71.4	16.7	8.4	2.2	1.3
Inverness	398	155	106	49	6	67	39.0	26.6	12.3	1.5	16.8
Kincardine	184	134	34	1	10	3	72.8	18.5	0.6	5.4	1.6
Kinross	36	24	11	—	—	—	66.7	30.5	—	—	—
Kirkcudbright	202	144	46	5	1	4	71.3	22.7	2.5	0.5	2.0
Lanark	11,419	3,685	2,750	1,865	214	1,207	32.3	24.1	16.3	1.9	10.6
Linlithgow	457	279	91	68	5	12	61.1	19.9	14.9	1.1	2.6
Nairn	47	19	16	2	1	8	40.4	34.1	4.3	2.1	17.0
Orkney	147	62	71	—	1	6	42.2	48.3	—	0.7	4.1
Peebles	64	45	16	—	1	2	70.3	25.0	—	1.6	3.1
Perth	693	400	183	31	22	36	57.7	26.4	4.5	3.2	5.2
Renfrew	2020	784	538	369	77	222	38.8	26.6	18.3	3.8	11.0
Ross and Cromarty	262	79	82	—	1	97	30.2	31.3	—	0.4	37.0
Roxburgh	282	165	92	5	8	11	58.5	32.6	1.8	2.8	3.9
Selkirk	146	70	44	5	7	20	48.0	30.1	3.4	4.8	13.7
Shetland	110	59	39	—	—	11	53.6	35.5	—	—	10.0
Stirling	961	510	271	87	11	68	53.1	28.2	9.0	1.1	7.1
Sutherland	50	16	19	—	—	15	32.0	38.0	—	—	30.0
Wigtown	189	137	34	8	2	7	72.5	18.0	4.2	1.1	3.7
Larger Burghs.											
Glasgow	7471	2,019	1,842	1,014	158	817	27.0	24.7	13.6	2.1	10.9
Edinburgh	2846	1,066	741	164	201	146	37.5	26.0	5.8	7.1	5.1
Dundee	1180	412	256	167	121	148	34.9	21.7	14.2	10.3	12.5
Aberdeen	1335	642	395	35	62	96	48.1	29.6	2.6	4.6	7.2
Govan	534	231	103	101	11	46	43.3	20.2	18.9	2.1	8.6
Paisley	624	210	193	120	12	78	33.7	30.9	19.2	1.9	12.5
Leith	510	270	153	38	16	23	52.9	30.0	7.5	3.1	4.5
Greenock	590	246	126	106	27	68	41.7	21.3	18.0	4.6	11.5
Partick	397	146	100	83	4	49	36.8	25.2	20.9	1.0	12.3
Coatbridge	253	56	78	91	4	24	22.1	30.8	36.0	1.6	9.5
Motherwell	209	99	37	33	10	22	47.4	17.7	15.8	4.8	10.5
Kirkcaldy	270	134	80	12	12	31	49.6	29.7	4.4	4.4	11.5
Hamilton	223	74	63	55	2	21	33.2	28.2	24.7	0.9	9.4
Clydebank	290	96	71	58	16	49	33.1	24.5	20.0	5.5	16.9
Perth	303	133	91	20	16	22	43.9	30.0	6.6	5.3	7.3
Kilmarnock	267	104	114	22	6	16	39.0	42.7	8.2	2.2	6.0
Falkirk	237	114	75	15	3	20	48.1	31.7	6.3	1.3	8.4
Ayr	258	145	44	11	16	29	56.2	17.1	4.3	6.2	11.2

TABLE 15.—Civil Condition of Persons Marrying in Scotland, 1911.

	TOTAL.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND . . .	31,844	28,325	785	1,944	772	18	88·9	2·5	6·1	2·4	0·1
LARGER BURGHES . .	17,797	15,554	555	1,146	526	16	87·4	3·1	6·4	3·0	0·1
OTHER DISTRICTS . .	14,047	12,771	230	798	246	2	90·9	1·6	5·7	1·8	—
Counties.											
Aberdeen	2,019	1,822	35	137	24	1	90·2	1·7	6·8	1·2	0·1
Argyll	251	232	1	12	6	—	92·4	0·4	4·8	2·4	—
Ayr	1,713	1,524	28	118	43	—	89·0	1·6	6·9	2·5	—
Banff	292	258	5	26	3	—	88·4	1·7	8·9	1·0	—
Berwick	187	169	5	11	2	—	90·4	2·7	5·9	1·0	—
Bute	75	70	1	2	2	—	93·3	1·3	2·7	2·7	—
Caithness	158	148	3	5	2	—	93·7	1·9	3·1	1·3	—
Clackmannan	212	200	—	10	2	—	94·3	—	4·7	1·0	—
Dumbarton	816	740	17	45	14	—	90·7	2·1	5·5	1·7	—
Dumfries	478	434	5	30	9	—	90·8	1·0	6·3	1·9	—
Edinburgh	3,946	3,498	118	233	87	10	88·6	3·0	5·9	2·2	0·3
(Midlothian)											
Elgin	251	233	1	14	3	—	92·8	0·4	5·6	1·2	—
Fife	1,686	1,506	38	106	36	—	89·3	2·3	6·3	2·1	—
Forfar	1,866	1,649	42	125	50	—	88·4	2·2	6·7	2·7	—
Haddington	227	216	3	5	3	—	95·2	1·3	2·2	1·3	—
Inverness	398	349	10	33	6	—	87·7	2·5	8·3	1·5	—
Kincardine	184	169	3	10	2	—	91·9	1·6	5·4	1·1	—
Kinross	36	31	2	3	—	—	86·1	5·6	8·3	—	—
Kirkeudbright	202	186	1	13	2	—	92·1	0·5	6·4	1·0	—
Lanark	11,419	9,981	358	695	380	5	87·4	3·1	6·1	3·3	0·1
Linlithgow	457	412	22	17	6	—	90·2	4·8	3·7	1·3	—
Nairn	47	41	1	5	—	—	87·2	2·1	10·7	—	—
Orkney	147	129	3	10	5	—	87·8	2·0	6·8	3·4	—
Peebles	64	62	—	2	—	—	96·9	—	3·1	—	—
Perth	693	631	5	49	8	—	91·0	0·7	7·1	1·2	—
Renfrew	2,020	1,827	36	104	51	2	90·4	1·8	5·2	2·5	0·1
Ross and Cromarty . .	262	236	3	20	3	—	90·0	1·2	7·6	1·2	—
Roxburgh	282	261	5	16	—	—	92·5	1·8	5·7	—	—
Selkirk	146	133	—	8	—	—	94·5	—	5·5	—	—
Shetland	110	100	—	10	—	—	90·9	—	9·1	—	—
Stirling	961	863	27	51	20	—	89·8	2·8	5·3	2·1	—
Sutherland	50	46	1	1	2	—	92·0	2·0	2·0	4·0	—
Wigtown	189	164	6	18	1	—	86·8	3·2	9·5	0·5	—

TABLE 16.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1911.

	TOTAL.	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND	31,844	31,606	238	31,447	397	99·3	0·7	98·8	1·2
LARGER BURGHES	17,797	17,659	138	17,538	259	99·2	0·8	98·5	1·5
OTHER DISTRICTS	14,047	13,947	100	13,909	138	99·3	0·7	99·0	1·0
Counties.									
Aberdeen	2,019	2,016	3	2,010	9	99·9	0·1	99·6	0·4
Argyll	251	247	4	248	3	98·4	1·6	98·8	1·2
Ayr	1,713	1,694	19	1,691	22	98·9	1·1	98·7	1·3
Banff	292	291	1	290	2	99·7	0·3	99·3	0·7
Berwick	187	187	—	187	—	100·0	0·0	100·0	0·0
Bute	75	75	—	75	—	100·0	0·0	100·0	0·0
Caithness	158	157	1	156	2	99·4	0·6	98·7	1·3
Clackmannan	212	212	—	211	1	100·0	0·0	99·5	0·5
Dumbarton	816	812	4	808	8	99·5	0·5	99·0	1·0
Dumfries	478	478	—	478	—	100·0	0·0	100·0	0·0
Edinburgh (Midlothian)	3,946	3,923	23	3,916	30	99·4	0·6	99·2	0·8
Elgin	251	250	1	250	1	99·6	0·4	99·6	0·4
Fife	1,686	1,683	3	1,679	7	99·8	0·2	99·6	0·4
Forfar	1,866	1,855	11	1,849	17	99·4	0·6	99·1	0·9
Haddington	227	225	2	226	1	99·1	0·9	99·6	0·4
Inverness	398	388	10	385	13	97·5	2·5	96·7	3·3
Kincardine	184	184	—	184	—	100·0	0·0	100·0	0·0
Kinross	36	35	1	36	—	97·2	2·8	100·0	0·0
Kirkcudbright	202	202	—	202	—	100·0	0·0	100·0	0·0
Lanark	11,419	11,293	126	11,187	232	98·9	1·1	98·0	2·0
Linlithgow	457	449	8	448	9	98·2	1·8	98·0	2·0
Nairn	47	47	—	47	—	100·0	0·0	100·0	0·0
Orkney	147	147	—	147	—	100·0	0·0	100·0	0·0
Peebles	64	64	—	64	—	100·0	0·0	100·0	0·0
Perth	693	693	—	690	3	100·0	0·0	99·6	0·4
Renfrew	2,020	2,011	9	2,004	16	99·6	0·4	99·2	0·8
Ross and Cromarty	262	259	3	256	6	98·9	1·1	97·7	2·3
Roxburgh	282	282	—	282	—	100·0	0·0	100·0	0·0
Selkirk	146	146	—	146	—	100·0	0·0	100·0	0·0
Shetland	110	110	—	110	—	100·0	0·0	100·0	0·0
Stirling	961	954	7	951	10	99·3	0·7	99·0	1·0
Sutherland	50	49	1	49	1	98·0	2·0	98·0	2·0
Wigtown	189	188	1	185	4	99·5	0·5	97·9	2·1
Larger Burghs.									
Glasgow	7,471	7,389	82	7,308	163	98·9	1·1	97·8	2·2
Edinburgh	2,846	2,834	12	2,825	21	99·6	0·4	99·3	0·7
Dundee	1,180	1,169	11	1,165	15	99·1	0·9	98·7	1·3
Aberdeen	1,335	1,332	3	1,329	6	99·8	0·2	99·6	0·4
Govan	534	531	3	527	7	99·4	0·6	98·7	1·3
Paisley	624	622	2	619	5	99·7	0·3	99·2	0·8
Leith	510	510	0	507	3	100·0	0·0	99·4	0·6
Greenock	590	589	1	584	6	99·8	0·2	99·0	1·0
Partick	397	392	5	396	1	98·7	1·3	99·7	0·3
Coatbridge	253	250	3	244	9	98·8	1·2	96·4	3·6
Motherwell	209	206	3	207	2	98·6	1·4	99·0	1·0
Kirkcaldy	270	270	0	269	1	100·0	0·0	99·6	0·4
Hamilton	223	218	5	214	9	97·8	2·2	96·0	4·0
Clydebank	290	288	2	288	2	99·3	0·7	99·3	0·7
Perth	303	303	0	303	0	100·0	0·0	100·0	0·0
Kilmarnock	267	264	3	262	5	98·9	1·1	98·1	1·9
Falkirk	237	237	0	234	3	100·0	0·0	98·7	1·3
Ayr	258	255	3	257	1	98·8	1·2	99·6	0·4

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1911.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1911.

	All Ages.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and over.	Not stated.
SCOTLAND	31,844	-	-	4	18	152	535	1,014	8,665	10,678	5,394	2,434	1,225	732	405	267	159	91	23	8	40
Larger Burghs.	17,797	-	-	4	15	91	325	565	4,816	5,895	2,978	1,355	714	429	243	150	99	57	19	2	40
Other Districts.	14,047	-	-	-	3	61	210	449	3,849	4,783	2,416	1,079	511	303	162	117	60	34	4	6	-
<i>Countries.</i>																					
Aberdeen.	2,019	-	-	-	1	7	26	66	548	655	351	150	94	53	28	17	13	7	3	-	-
Argyll	251	-	-	-	-	-	1	-	50	73	59	34	16	9	3	3	-	2	1	-	-
Ayr.	1,713	-	-	-	2	8	37	74	547	542	250	97	53	49	25	13	15	1	-	-	-
Banff	292	-	-	-	-	1	3	6	65	121	51	23	11	5	4	-	1	1	-	-	-
Berwick	187	-	-	-	-	3	2	4	32	68	42	19	10	4	1	-	2	-	-	-	-
Bute	75	-	-	-	-	-	1	1	15	22	17	11	4	2	-	-	2	-	-	-	-
Caithness.	158	-	-	-	-	-	4	7	39	51	18	16	8	5	5	1	3	1	-	-	-
Clackmannan	212	-	-	-	-	1	3	7	60	93	28	12	5	1	2	-	-	-	-	-	-
Dumbarton	816	-	-	-	-	3	7	29	231	287	129	62	34	17	10	3	3	1	-	-	-
Dumfries.	478	-	-	-	-	2	2	8	114	155	96	54	23	10	7	4	2	-	-	1	-
Edinburgh (Midlothian)	3,946	-	-	1	4	21	51	103	931	1,390	729	337	159	79	62	37	27	11	4	-	-
Elgin	251	-	-	-	-	1	3	7	50	87	46	27	14	8	5	2	1	-	-	-	-

AGES of MEN at Marriage in Scotland, 1911.

Fife	1,686	-	-	-	2	15	34	63	552	573	223	109	42	23	15	21	9	2	3	-	1	-
Forfar	1,866	-	-	-	3	10	39	74	466	642	313	139	72	45	25	21	8	6	2	-	-	-
Haddington	227	-	-	-	-	1	3	5	59	95	41	12	5	3	2	1	-	-	-	-	-	-
Inverness	398	-	-	-	-	-	2	4	38	125	102	55	27	19	15	3	4	4	-	-	-	-
Kincardine	184	-	-	-	-	3	3	9	45	65	26	15	6	7	1	2	-	2	-	-	-	-
Kinross	36	-	-	-	-	-	-	1	6	17	8	2	1	-	-	-	-	1	-	-	-	-
Kirkcudbright	202	-	-	-	-	-	1	5	43	66	47	19	12	3	4	1	1	-	8	-	4	40
Lanark	11,419	-	-	-	3	4	59	382	3,333	3,706	1,804	832	423	272	126	104	49	38	1	-	-	-
Linlithgow	457	-	-	-	-	1	9	23	142	153	79	22	16	7	3	1	-	1	-	-	-	-
Nairn	47	-	-	-	-	-	1	1	8	14	12	7	-	3	-	1	-	-	-	-	-	-
Orkney	147	-	-	-	-	-	3	6	33	37	35	11	11	5	2	3	1	-	-	-	-	-
Peebles	64	-	-	-	-	-	-	3	10	26	16	2	4	1	-	-	-	2	-	-	-	-
Perth	693	-	-	-	-	3	10	12	153	246	129	70	32	19	7	3	6	2	1	-	1	-
Renfrew	2,020	-	-	-	2	7	28	64	605	667	370	128	64	38	25	13	4	4	1	-	-	-
Ross and Cromarty	262	-	-	-	-	-	4	1	22	83	76	32	20	10	6	4	2	2	-	-	-	-
Roxburgh	282	-	-	-	-	1	2	4	63	110	60	21	15	2	3	1	-	-	-	-	1	-
Selkirk	146	-	-	-	-	-	2	5	41	41	27	18	5	2	4	1	-	-	-	-	-	-
Shetland	110	-	-	-	-	-	1	3	22	40	20	15	3	2	1	1	1	-	-	-	-	-
Stirling	961	-	-	-	-	4	19	30	285	352	146	61	26	20	10	3	2	2	1	-	-	-
Sutherland	50	-	-	-	-	-	1	-	3	17	10	6	7	4	1	-	-	1	-	-	-	-
Wigtown	189	-	-	-	-	1	1	7	54	59	34	16	3	5	3	3	3	-	-	-	-	-

TABLE 18.—Ages of WOMEN at Marriage in Scotland, 1911.

	All Ages.	Under 15	15- 16	16- 17	17- 18	18- 19	19- 20	21- 25	25- 30	30- 35	35- 40	40- 45	45- 50	50- 55	55- 60	60- 65	65- 70	75 and over.	Not stated.
SCOTLAND	31,844	—	7	53	349	987	1,807	2,286	10,335	3,729	1,610	776	435	200	102	40	23	8	40
Larger Burghs.	17,797	—	3	34	202	560	992	1,270	5,742	4,971	2,100	452	262	125	65	27	15	4	40
Other Districts.	14,047	—	4	19	147	427	815	1,016	4,593	4,086	1,629	324	173	75	37	13	8	4	—
<i>Counties.</i>																			
Aberdeen.	2,019	—	1	5	23	64	109	132	664	572	255	101	22	13	7	—	3	1	—
Argyll.	251	—	—	—	1	7	4	9	71	88	40	19	2	1	1	—	1	—	—
Ayr.	1,713	—	—	2	16	51	122	136	563	468	184	83	31	11	5	2	1	—	—
Banff	292	—	—	—	2	6	14	12	105	102	29	13	1	1	—	—	—	—	—
Berwick.	187	—	—	—	2	1	6	3	66	60	32	8	4	—	1	—	—	—	—
Bute.	75	—	—	—	—	3	3	3	20	22	14	6	3	—	1	—	—	—	—
Caithness.	158	—	—	—	2	6	7	13	52	50	12	8	2	2	—	—	—	—	—
Clackmannan.	212	—	—	—	4	3	12	19	67	73	24	8	1	1	—	—	—	—	—
Dumbarton.	816	—	—	3	10	23	50	53	276	244	92	34	20	7	1	1	—	—	—
Dumfries.	478	—	—	—	2	15	16	14	163	151	61	30	9	3	—	2	—	—	—
Edinburgh.	3,946	—	2	8	30	108	199	245	1,192	1,184	535	234	106	60	27	10	4	2	—
(Midlothian)																			
Elgin.	251	—	—	—	2	4	11	18	66	84	37	14	8	3	2	—	—	—	—

AGES of WOMEN at Marriage in Scotland, 1911.

Fife	1,686	6	27	67	120	149	581	409	165	74	36	25	15	6	5	—	1	—	—
Forfar	1,866	3	14	38	93	105	561	586	250	97	71	23	12	9	2	—	—	—	—
Haddington	227	—	—	5	13	11	92	62	24	13	3	1	—	—	—	—	—	—	—
Inverness	398	—	1	5	13	22	97	128	67	29	13	14	8	—	—	—	1	—	—
Kincaidine	184	—	—	3	14	11	63	49	28	8	3	5	—	—	—	—	—	—	—
Kinross	36	—	—	1	2	3	11	11	6	1	—	—	—	—	—	—	—	—	—
Kirkcudbright	202	—	—	1	6	14	63	66	32	14	1	3	2	—	—	—	3	—	40
Lanark	11,419	1	18	150	711	935	3,806	3,022	1,177	542	270	164	70	49	20	—	—	—	—
Linlithgow	457	—	—	23	40	46	162	105	38	16	11	3	1	2	—	—	—	—	—
Nairn	47	1	—	1	1	—	16	12	11	4	—	1	—	—	—	—	—	—	—
Orkney	147	—	2	5	4	11	40	44	21	8	7	3	1	—	—	—	—	—	—
Peebles	64	—	—	—	1	1	23	24	8	3	1	1	2	—	—	—	—	—	—
Perth	693	—	1	12	22	38	199	246	89	39	22	13	2	1	—	—	1	—	—
Renfrew	2,020	—	4	56	116	147	692	586	226	89	39	22	14	3	1	—	—	—	—
Ross and Cromarty	262	—	—	2	2	10	60	106	56	15	6	3	1	—	—	—	—	—	—
Roxburgh	282	—	1	1	8	8	84	102	45	24	8	—	—	1	—	—	—	—	—
Selkirk	146	—	1	1	3	11	44	46	17	12	8	3	—	—	—	—	—	—	—
Shetland	110	—	—	2	4	7	32	35	17	10	—	1	1	—	—	—	—	—	—
Stirling	961	2	13	35	68	83	341	250	98	41	14	4	7	2	1	—	—	—	—
Sutherland	50	—	—	1	3	—	7	23	7	6	3	—	—	—	—	—	—	—	—
Wigtown	189	—	1	7	10	17	56	47	32	7	3	5	1	—	—	—	—	—	—

TABLE 19.—Age Distribution of Persons at Marriage in Scotland, 1911.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·23	2·45	1·95	10·06	10·06	10·05
20—24	30·39	30·24	30·60	39·63	39·40	39·93
25—29	33·53	33·12	34·05	28·44	27·93	29·09
30—34	16·94	16·73	17·20	11·71	11·80	11·60
35—39	7·64	7·61	7·68	5·05	5·24	4·82
40—44	3·85	4·01	3·64	2·44	2·54	2·31
45—49	2·30	2·41	2·16	1·37	1·47	1·23
50 and above	2·99	3·20	2·72	1·17	1·33	0·97
Not stated	0·13	0·23	—	0·13	0·23	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 20.—Age Distribution of Persons at Marriage in Scotland, 1855–1911.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	41,197	2·73	179,244	11·87
20—24	544,724	36·08	672,671	44·55
25—29	481,487	31·89	383,300	25·39
30—34	205,989	13·65	139,531	9·24
35—39	100,905	6·68	68,271	4·52
40—44	55,411	3·67	34,508	2·29
45—49	34,172	2·26	18,073	1·20
50 and above	45,124	2·99	12,898	0·85
Not stated	777	0·05	1,290	0·09
TOTAL	1,509,786	100·00	1,509,786	100·00

TABLE 22.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1911.

AGES OF SPINSTERS.														Total Bachelors.	AGES OF BACHELORS.														Total Bachelors and Spinners.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
14	15	16	17	18	19	20	21	25	30	35	40	45	50		55	60	65	70	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
16-17-18	-	-	-	1	2	6	1	5	25	1	4	51	2	2	24	142	127	4	3	2	2	18	-	-	-	-	-	-	-	-	-	-	-	4	18	151	534	1,008	8,565	10,327	4,768	1,819	671	269	104	36	11	11	-	1	28	28,325																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
19-20-21	-	-	-	1	3	10	3	50	54	160	23	145	252	955	1,227	102	291	101	39	7	106	100	25	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24.—AGES in Combination of the WIDOWERS and SPINSTERS at Marriage in Scotland, 1911.

AGES OF SPINSTERS.													Total Widow- ers.	AGES OF WIDOWERS.										Total Widowers and Spinsters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	Not stated	18- 19- 20- 21- 25- 30- 35- 40- 45- 50- 55- 60- 65- 70- 75- 80- Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 25.—AGES in Combination of the WIDOWS and WIDOWERS at Marriage in Scotland, 1911.

AGES OF WIDOWS.													Total Widow- ers.	AGES OF WIDOWERS.							TotalWidowers and Widows.	
19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		Not stated	18- 19- 20-	21- 25- 30-	35- 40- 45-	50- 55- 60-	65- 70- 75-	80-		Not stated
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	772

Note.—31,826 Marriages are accounted for in Tables 22 to 25, the condition of one or both of the contracting parties in the remaining 18 cases not having been specified in the Marriage Registers.

TABLE 26.—Ages at Death in 1912.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both sexes.
0- - - -	12,949	7,274	5,675	6,887	2,512	3,550
1- - - -	7,368	3,785	3,583	4,201	1,315	1,852
5- - - -	1,828	907	921	932	330	566
10- - - -	1,167	577	590	599	241	327
15- - - -	3,447	1,717	1,730	1,623	715	1,109
25- - - -	4,011	1,947	2,064	2,040	813	1,158
35- - - -	5,060	2,527	2,533	2,752	979	1,329
45- - - -	6,287	3,359	2,928	3,487	1,157	1,643
55- - - -	8,588	4,539	4,049	4,371	1,769	2,448
65- - - -	10,917	5,223	5,694	4,753	2,594	3,570
75- - - -	10,674	4,174	6,500	3,558	2,574	4,542
Not stated - -	44	43	1	3	1	40
ALL AGES -	72,340	36,072	36,268	35,206	15,000	22,134

TABLE 27.—Death-rate per 1000 in each Age-group in 1912.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0- - - -	120·0	133·6	106·1	137·2	119·7	96·6
1- - - -	17·4	17·8	17·1	21·9	15·8	12·5
5- - - -	3·6	3·5	3·6	4·1	3·2	3·1
10- - - -	2·4	2·3	2·4	2·8	2·4	1·9
15- - - -	3·9	4·0	3·9	3·9	4·2	3·8
25- - - -	5·4	5·6	5·3	5·8	5·2	5·0
35- - - -	8·5	8·7	8·2	9·7	8·1	6·9
45- - - -	14·1	15·8	12·6	17·0	12·6	11·1
55- - - -	29·1	32·8	25·9	34·1	27·8	23·8
65- - - -	59·3	67·0	53·6	66·9	62·0	50·0
75- - - -	148·0	156·0	143·2	162·8	148·4	138·0
Not stated - -	—	—	—	—	—	—
ALL AGES -	15·26	15·69	14·85	16·24	15·48	13·80

TABLE 28.—Percentage of Deaths in each Age-group in 1912.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
0- - - -	17·90	20·17	15·65	19·56	16·75	16·04
1- - - -	10·19	10·49	9·88	11·93	8·77	8·37
5- - - -	2·53	2·51	2·54	2·65	2·20	2·56
10- - - -	1·61	1·60	1·63	1·70	1·61	1·48
15- - - -	4·77	4·76	4·77	4·61	4·77	5·01
25- - - -	5·54	5·40	5·69	5·79	5·42	5·23
35- - - -	6·99	7·01	6·99	7·82	6·53	6·00
45- - - -	8·69	9·31	8·07	9·90	7·71	7·42
55- - - -	11·87	12·58	11·16	12·42	11·79	11·06
65- - - -	15·09	14·48	15·70	13·50	17·29	16·13
75- - - -	14·76	11·57	17·92	10·11	17·16	20·52
Not stated - -	0·06	0·12	0·00	0·01	0·00	0·18
ALL AGES -	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 29.—DEATHS, MALE AND FEMALE, AT EACH YEAR OF
AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOT-
LAND, 1912.

TABLE 29.—Deaths, Male and Female, at each year of Age,

M A L E S.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	7274	7274	-	-	-	52 ...	351	61	242	46	2
1 ...	2111	2111	-	-	-	53 ...	371	55	264	51	1
2 ...	845	845	-	-	-	54 ...	376	64	235	74	3
3 ...	504	504	-	-	-	55 ...	368	70	237	54	7
4 ...	325	325	-	-	-	56 ...	448	75	291	81	1
5 ...	257	257	-	-	-	57 ...	410	66	278	63	3
6 ...	194	194	-	-	-	58 ...	393	68	261	63	1
7 ...	168	168	-	-	-	59 ...	471	62	317	90	2
8 ...	153	153	-	-	-	60 ...	492	88	314	82	8
9 ...	135	135	-	-	-	61 ...	456	55	283	117	1
10 ...	124	124	-	-	-	62 ...	500	78	298	124	-
11 ...	123	123	-	-	-	63 ...	500	83	311	106	-
12 ...	110	110	-	-	-	64 ...	501	57	315	126	3
13 ...	103	103	-	-	-	65 ...	468	60	265	138	5
14 ...	117	117	-	-	-	66 ...	476	67	278	131	-
15 ...	134	134	-	-	-	67 ...	458	70	254	134	-
16 ...	162	162	-	-	-	68 ...	527	77	289	160	1
17 ...	154	154	-	-	-	69 ...	510	73	270	166	1
18 ...	171	168	1	-	2	70 ...	505	65	255	179	6
19 ...	173	172	1	-	-	71 ...	544	63	292	187	2
20 ...	190	184	2	-	4	72 ...	606	64	293	248	1
21 ...	210	203	7	-	-	73 ...	581	64	283	234	-
22 ...	190	166	22	-	2	74 ...	548	68	260	220	-
23 ...	166	150	16	-	-	75 ...	502	52	224	224	2
24 ...	167	144	23	-	-	76 ...	455	48	211	195	1
25 ...	173	127	41	1	4	77 ...	401	39	173	189	-
26 ...	195	147	47	-	1	78 ...	359	43	145	170	1
27 ...	180	120	55	3	2	79 ...	319	32	136	150	1
28 ...	196	134	58	2	2	80 ...	331	40	121	170	-
29 ...	183	110	69	3	1	81 ...	250	30	91	128	1
30 ...	195	100	92	1	2	82 ...	276	27	98	151	-
31 ...	180	92	79	7	2	83 ...	230	20	68	142	-
32 ...	212	106	94	9	3	84 ...	187	20	51	116	-
33 ...	230	93	129	8	-	85 ...	191	23	54	114	-
34 ...	203	88	113	2	-	86 ...	162	20	54	87	1
35 ...	200	81	110	5	4	87 ...	113	16	25	72	-
36 ...	239	92	142	5	-	88 ...	83	7	27	49	-
37 ...	226	95	116	12	3	89 ...	79	4	22	53	-
38 ...	288	101	177	9	1	90 ...	75	10	12	53	-
39 ...	239	77	149	13	-	91 ...	46	7	10	29	-
40 ...	266	79	175	5	7	92 ...	45	3	7	35	-
41 ...	260	82	168	9	1	93 ...	21	2	4	15	-
42 ...	273	81	170	21	1	94 ...	19	5	2	12	-
43 ...	275	66	188	19	2	95 ...	16	2	3	11	-
44 ...	260	69	167	23	2	96 ...	4	1	-	3	-
45 ...	290	76	172	34	8	97 ...	3	1	-	2	-
46 ...	307	81	198	26	2	98 ...	6	-	1	5	-
47 ...	300	70	197	29	4	99 ...	1	-	-	1	-
48 ...	338	87	217	32	2	100 and over	-	-	-	-	-
49 ...	330	69	224	37	-	Not Stated	44	-	-	-	43
50 ...	364	72	245	37	10	Total ..	36,072	18,650	11,820	5,431	171
51 ...	332	70	232	29	1						

and by Condition as to Marriage, in Scotland, 1912.

FEMALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	5675	5675	-	-	-	52 ...	351	73	204	73	1
1 ...	1948	1948	-	-	-	53 ...	303	58	186	59	-
2 ...	776	776	-	-	-	54 ...	369	69	214	86	-
3 ...	507	507	-	-	-	55 ...	329	78	176	75	-
4 ...	352	352	-	-	-	56 ...	404	78	221	104	1
5 ...	250	250	-	-	-	57 ...	339	60	186	93	-
6 ...	206	206	-	-	-	58 ...	407	85	197	123	2
7 ...	171	171	-	-	-	59 ...	384	51	215	118	-
8 ...	145	145	-	-	-	60 ...	384	73	180	131	-
9 ...	149	149	-	-	-	61 ...	440	68	209	163	-
10 ...	126	126	-	-	-	62 ...	456	83	193	180	-
11 ...	140	140	-	-	-	63 ...	460	80	172	207	1
12 ...	104	104	-	-	-	64 ...	446	73	186	187	-
13 ...	102	102	-	-	-	65 ...	475	86	197	191	1
14 ...	118	118	-	-	-	66 ...	435	85	151	199	-
15 ...	142	142	-	-	-	67 ...	439	77	167	194	1
16 ...	148	148	-	-	-	68 ...	464	83	160	221	-
17 ...	183	179	4	-	-	69 ...	444	98	123	222	1
18 ...	161	155	6	-	-	70 ...	578	105	157	315	1
19 ...	179	165	13	1	-	71 ...	635	118	149	368	-
20 ...	172	151	21	-	-	72 ...	737	155	154	428	-
21 ...	181	149	32	-	-	73 ...	788	119	185	484	-
22 ...	155	112	41	2	-	74 ...	699	128	138	433	-
23 ...	206	124	81	1	-	75 ...	675	121	121	432	1
24 ...	203	111	92	-	-	76 ...	636	130	115	391	-
25 ...	186	88	98	-	-	77 ...	558	106	71	381	-
26 ...	199	93	102	4	-	78 ...	565	124	67	374	-
27 ...	214	97	115	2	-	79 ...	476	94	54	328	-
28 ...	216	89	122	5	-	80 ...	442	118	40	284	-
29 ...	184	71	112	1	-	81 ...	392	89	34	269	-
30 ...	194	65	127	2	-	82 ...	424	92	27	305	-
31 ...	184	52	129	3	-	83 ...	375	75	25	275	-
32 ...	246	72	167	7	-	84 ...	325	70	24	231	-
33 ...	220	58	156	6	-	85 ...	291	59	27	205	-
34 ...	221	61	154	6	-	86 ...	270	61	15	194	-
35 ...	225	53	164	8	-	87 ...	214	43	6	165	-
36 ...	232	56	169	7	-	88 ...	187	42	12	133	-
37 ...	241	50	176	15	-	89 ...	137	26	6	105	-
38 ...	293	68	211	14	-	90 ...	122	29	5	88	-
39 ...	303	58	225	20	-	91 ...	97	21	4	72	-
40 ...	257	48	190	18	1	92 ...	100	27	4	69	-
41 ...	223	45	162	15	1	93 ...	84	12	3	69	-
42 ...	294	64	207	23	-	94 ...	40	11	-	29	-
43 ...	222	47	159	16	-	95 ...	21	4	1	16	-
44 ...	243	46	172	25	-	96 ...	24	8	1	15	-
45 ...	258	47	175	36	-	97 ...	18	5	-	13	-
46 ...	233	61	142	30	-	98 ...	9	3	-	6	-
47 ...	263	55	170	37	1	99 ...	5	2	-	3	-
48 ...	275	65	174	36	-	100 and over	13	3	-	10	-
49 ...	310	69	198	43	-	Not stated	1	-	-	-	1
50 ...	288	66	180	42	-	Total ...	36,268	17,268	9,397	9,588	15
51 ...	278	61	169	47	1						

TABLE 30.—Deaths at various Age-periods in the Larger Burghs in 1912.

Age.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	2686	704	665	526	313	211	233	285	218	185	138	89	150	133	72	109	85	85
1—	1797	341	400	236	147	162	146	203	149	133	79	43	99	67	42	56	49	52
5—	379	83	87	58	40	32	25	42	30	29	20	11	19	19	13	16	10	19
10—	227	56	55	47	33	17	26	30	15	10	11	7	13	18	12	7	9	6
15—	628	184	168	109	73	66	50	75	44	27	23	29	24	29	23	34	23	24
25—	811	281	131	124	97	75	95	83	59	42	37	26	30	40	28	20	34	27
35—	1167	368	210	162	111	95	93	105	73	50	33	49	41	58	32	31	39	30
45—	1453	466	298	220	162	120	121	117	101	49	48	56	49	55	54	46	36	36
55—	1684	689	379	299	187	164	173	159	104	67	60	65	46	40	84	61	49	61
65—	1679	800	402	370	164	161	211	200	117	91	45	87	62	41	104	79	62	78
75 and over	990	756	318	404	82	116	141	129	103	42	31	95	40	22	100	75	38	76
Not stated	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
All Ages	13503	4728	3103	2555	1410	1219	1314	1428	1018	725	525	557	578	522	564	534	434	494

TABLE 31.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods in 1912.

Age.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	146.0	121.7	179.3	144.5	135.1	112.7	117.8	136.7	136.5	149.7	115.7	98.8	127.7	110.3	101.8	148.9	101.9	106.6
1—	25.9	14.7	29.3	16.0	17.0	21.9	19.6	28.5	24.4	29.1	17.2	12.1	23.0	14.6	15.8	18.3	14.3	17.0
5—	4.7	2.9	5.2	3.2	3.9	3.6	2.8	5.2	4.2	5.5	4.0	2.6	3.8	3.8	4.0	4.2	2.5	5.2
10—	3.0	2.0	3.3	2.6	3.5	2.0	3.1	3.9	2.3	2.1	2.4	1.7	3.1	4.2	3.6	1.8	2.4	1.8
15—	4.2	3.0	5.1	3.5	4.4	3.8	3.5	5.3	3.6	3.5	3.0	3.9	3.4	3.2	3.4	5.0	3.8	3.7
25—	6.0	5.1	5.1	5.2	6.6	5.4	7.3	6.5	4.9	5.9	5.3	4.1	4.8	5.6	4.9	3.9	6.1	5.2
35—	11.3	8.3	9.7	8.1	9.5	9.2	9.0	10.9	8.4	9.2	6.5	9.6	8.6	10.8	6.7	7.2	8.8	7.3
45—	19.7	14.0	17.9	14.8	20.4	15.0	16.0	17.2	16.6	13.2	15.0	14.9	17.0	17.7	14.8	14.1	11.6	11.9
55—	37.6	31.2	35.0	29.7	40.9	33.4	36.0	35.8	28.4	32.4	36.3	25.5	26.8	27.2	33.5	29.2	26.7	29.4
65—	72.2	62.4	63.1	59.1	69.8	59.8	75.7	73.1	62.2	81.5	55.8	58.7	66.9	59.1	67.4	71.4	65.3	62.6
75 and over	158.3	164.1	162.2	166.2	158.3	160.2	176.9	159.7	174.6	148.9	155.0	181.3	150.4	141.0	162.9	203.8	140.2	163.1
All Ages	17.3	14.8	18.8	15.7	15.8	14.4	16.4	18.7	15.1	16.7	12.9	14.0	14.8	12.9	15.9	15.4	12.6	14.7

TABLE 32.—Deaths in each Age-group from various Diseases in Scotland in 1912.
(Both Sexes.)

Causes of Death.	All Ages.	AGE											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	196	2	4	11	20	48	54	34	14	5	4	-	
Typhus Fever - - - - -	14	-	-	-	-	1	4	7	2	-	-	-	
Small-pox - - - - -	17	1	-	1	-	2	2	2	6	2	-	1	
Measles - - - - -	1983	566	1293	96	6	8	1	5	3	2	2	1	
Scarlet Fever - - - - -	439	16	235	102	41	22	10	10	1	-	1	1	
Whooping-cough - - - - -	1427	646	736	39	2	1	2	-	-	-	1	-	
Diphtheria and Croup - - - - -	824	79	484	198	33	13	6	5	-	2	3	1	
Influenza - - - - -	234	22	7	2	-	3	6	13	13	30	61	77	
Erysipelas - - - - -	158	34	2	3	2	7	6	22	17	21	25	19	
Phthisis, Pulmonary Tuberculosis - - - - -	5306	38	113	98	202	1250	1381	1068	660	359	127	10	
Tuberculous Meningitis - - - - -	1018	227	443	162	68	60	26	16	12	2	1	1	
Abdominal Tuberculosis - - - - -	875	136	319	121	63	103	42	47	19	13	10	2	
Other Tuberculous Diseases - - - - -	950	70	175	116	89	147	124	86	76	37	23	7	
Cancer, Malignant Disease - - - - -	5195	4	11	7	6	33	126	417	968	1439	1452	732	
Rheumatic Fever - - - - -	223	-	6	28	35	56	28	31	18	14	4	3	
Meningitis - - - - -	920	291	337	92	35	38	39	39	22	13	13	1	
Organic Heart Disease - - - - -	6524	37	18	58	91	240	273	453	764	1325	1834	1431	
Bronchitis - - - - -	4796	1026	300	26	11	35	67	131	326	661	1129	1084	
Pneumonia (all forms) - - - - -	6109	1585	1356	126	62	205	259	456	482	556	589	433	
Other Diseases of Respiratory Organs - - - - -	1174	184	126	30	14	39	44	82	102	153	210	190	
Diarrhœa and Enteritis (under 2 years) - - - - -	1369	1138	231	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	401	2	13	49	60	106	46	43	25	37	16	4	
All Liver Diseases (not Malignant) - - - - -	541	15	8	5	1	11	15	65	105	128	135	53	
Other Diseases of Digestive System (under 2 years) - - - - -	446	378	68	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2133	28	44	36	31	90	162	267	379	499	388	209	
Puerperal Sepsis - - - - -	193	-	-	-	-	42	91	58	2	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	482	-	-	-	-	98	211	162	11	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4662	4574	64	13	6	-	3	-	2	-	-	-	
Violent Deaths, excluding Suicide - - - - -	*2649	189	309	151	87	259	297	302	356	266	213	179	
Suicide - - - - -	282	-	-	-	2	26	33	60	52	68	33	3	
Other Defined Diseases - - - - -	†18793	1405	548	236	183	478	591	1078	1652	2613	4199	5810	
Diseases Ill-defined or Unknown - - - - -	2007	256	118	22	17	26	57	101	198	343	444	422	
Total - - - - -	†72340	12949	7368	1828	1167	3447	4011	5060	6287	8588	10917	10674	

* Including 41 of unspecified age.

† Including 3 of unspecified age.

‡ Including 44 of unspecified age.

TABLE 33.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1912.

Causes of Death.	All Ages	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
Enteric Fever - - - - -	4	2	1	2	4	5	7	6	3	2	2	0
Typhus Fever - - - - -	0	-	-	-	-	0	1	1	0	-	-	-
Small-pox - - - - -	0	1	-	0	-	0	0	0	1	1	-	1
Measles - - - - -	42	524	306	19	1	0	1	1	1	1	1	1
Scarlet Fever - - - - -	9	15	56	20	8	3	1	2	0	-	1	1
Whooping-cough - - - - -	30	598	174	8	0	0	0	-	-	-	-	-
Diphtheria and Croup - - - - -	17	73	115	39	7	1	1	1	-	1	2	1
Influenza - - - - -	5	20	2	0	-	0	1	2	3	10	33	107
Erysipelas - - - - -	3	31	0	1	0	1	1	4	4	7	14	26
Phthisis, Pulmonary Tuberculosis -	112	35	27	19	41	142	187	179	148	122	69	14
Tuberculous Meningitis - - - - -	21	210	105	32	14	7	4	3	3	1	1	1
Abdominal Tuberculosis - - - - -	18	126	75	24	13	12	6	8	4	4	5	3
Other Tuberculous Diseases - - - - -	21	65	41	23	18	17	17	13	17	13	12	10
Cancer, Malignant Disease - - - - -	110	4	3	1	1	4	17	70	218	488	788	1015
Rheumatic Fever - - - - -	5	-	1	5	7	6	4	5	4	5	2	4
Meningitis - - - - -	19	270	80	18	7	4	5	7	5	4	7	1
Organic Heart Disease - - - - -	138	34	4	11	19	27	37	76	172	450	995	1984
Bronchitis - - - - -	101	951	71	5	2	4	9	22	73	224	613	1503
Pneumonia (all forms) - - - - -	129	1468	321	25	13	23	35	76	108	189	320	600
Other Diseases of Respiratory Organs	25	170	30	6	3	4	6	14	23	52	114	263
Diarrhoea and Enteritis (under 2 years)	29	1054	55	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	8	2	3	10	12	12	6	7	6	13	9	6
All Liver Diseases (not Malignant) -	11	14	2	1	0	1	2	11	24	43	73	73
Other Diseases of Digestive System (under 2 years)	9	350	16	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	45	26	10	7	6	10	22	45	85	169	211	290
Puerperal Sepsis - - - - -	4	-	-	-	-	5	12	10	0	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	10	-	-	-	-	11	29	27	2	-	-	-
Congenital Debility and Malformation, including Premature Birth	98	4238	15	3	1	-	0	-	0	-	-	-
Violent Deaths, excluding Suicide -	57	175	73	30	18	29	40	51	80	90	116	248
Suicide - - - - -	6	-	-	-	0	3	5	10	12	23	18	4
Other Defined Diseases - - - - -	396	1302	130	46	37	54	80	180	371	887	2279	8054
Diseases Ill-defined or Unknown -	42	237	28	4	3	3	8	17	45	116	241	585
Total - - - - -	1526	11997	1743	357	239	392	543	846	1413	2915	5926	14796

TABLE 34.—Percentage of Deaths from various Causes in 1912.

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	0.27	0.02	0.05	0.60	1.71	1.39	1.35	0.67	0.22	0.06	0.04	—
Typhus Fever - - - - -	0.02	—	—	—	—	0.03	0.10	0.14	0.10	—	—	—
Small-pox - - - - -	0.02	0.01	—	0.06	—	0.06	0.05	0.04	0.10	0.02	—	0.01
Measles - - - - -	2.74	4.37	17.55	5.25	0.51	0.23	0.02	0.10	0.05	0.02	0.02	0.01
Scarlet Fever - - - - -	0.61	3.19	3.51	5.58	3.51	0.64	0.25	0.20	0.05	—	0.01	0.01
Whooping-cough - - - -	1.97	9.99	2.14	1.97	0.17	0.03	0.05	—	—	—	0.01	—
Diphtheria and Croup - -	1.14	6.57	10.83	2.83	2.83	0.38	0.15	0.10	—	0.02	0.03	0.01
Influenza - - - - -	0.32	0.17	0.10	0.11	—	0.09	0.15	0.26	0.21	0.35	0.56	0.72
Erysipelas - - - - -	0.22	0.26	0.03	0.17	0.17	0.20	0.15	0.43	0.27	0.25	0.23	0.18
Phthisis, Pulmonary Tuberculosis	7.34	0.29	1.63	5.36	17.31	36.26	34.43	21.11	10.50	4.18	1.16	0.09
Tuberculous Meningitis - -	1.41	1.75	6.01	8.86	5.83	1.74	0.65	0.32	0.19	0.02	0.01	0.01
Abdominal Tuberculosis - -	1.21	1.05	4.33	6.62	5.40	2.98	1.05	0.93	0.30	0.15	0.09	0.02
Other Tuberculous Diseases	1.31	0.54	2.38	6.35	7.63	4.27	3.09	1.70	1.21	0.43	0.21	0.06
Cancer, Malignant Disease	7.18	0.03	0.15	0.38	0.51	0.96	3.14	8.24	15.40	16.76	13.30	6.86
Rheumatic Fever - - - -	0.31	—	0.08	1.53	3.00	1.63	0.70	0.61	0.29	0.16	0.04	0.03
Meningitis - - - - -	1.27	2.25	4.57	5.03	3.00	1.10	0.97	0.77	0.35	0.15	0.12	0.01
Organic Heart Disease - -	9.02	0.29	0.24	3.17	7.80	6.96	6.81	8.95	12.15	15.43	16.80	13.41
Bronchitis - - - - -	6.63	7.91	4.07	1.42	0.94	1.02	1.67	2.59	5.18	7.70	10.34	10.15
Pneumonia (all forms) - -	8.45	12.24	18.40	6.89	5.31	5.95	6.46	9.01	7.66	6.48	5.39	4.06
Other Diseases of Respiratory Organs	1.62	1.42	1.71	1.64	1.20	1.13	1.10	1.62	1.62	1.78	1.92	1.78
Diarrhoea and Enteritis (under 2 years)	1.89	8.79	3.14	—	—	—	—	—	—	—	—	—
Appendicitis and Typhitis -	0.55	0.02	0.18	2.68	5.14	3.08	1.15	0.85	0.40	0.43	0.15	0.04
All Liver Diseases (not Malignant)	0.75	0.12	0.11	0.27	0.09	0.32	0.37	1.29	1.67	1.49	1.24	0.50
Other Diseases of Digestive System (under 2 years)	0.62	2.92	0.92	—	—	—	—	—	—	—	—	—
Nephritis and Bright's Disease -	2.95	0.22	0.60	1.97	2.66	2.61	4.04	5.28	6.03	5.81	3.55	1.96
Puerperal Sepsis - - - -	0.27	—	—	—	—	1.22	2.25	1.14	0.03	—	—	—
Other Diseases and Accidents of Pregnancy and Parturition	0.67	—	—	—	—	2.84	5.26	3.20	0.17	—	—	—
Congenital Debility and Malformation, including Premature Birth	6.44	35.32	0.87	0.71	0.51	—	0.07	—	0.03	—	—	—
Violent Deaths, excluding Suicide	3.66	1.46	4.19	8.26	7.46	7.51	7.41	5.95	5.66	3.10	1.95	1.68
Suicide - - - - -	0.39	—	—	—	0.17	0.75	0.95	1.19	0.83	0.79	0.30	0.03
Other Defined Diseases - -	25.98	10.85	7.44	12.91	15.68	13.87	14.74	21.31	26.28	30.43	38.46	54.42
Diseases Ill-defined or Unknown	2.77	1.98	1.60	1.21	1.46	0.75	1.42	2.00	3.15	3.99	4.07	3.95
Total - - - - -	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

TABLE 35.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1912.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	196	119	77	92	40	64
Typhus Fever - - - - -	14	8	6	10	1	3
Small-pox - - - - -	17	10	7	13	4	-
Measles - - - - -	1,983	1,059	924	1,228	307	448
Scarlet Fever - - - - -	439	207	232	220	89	130
Whooping-cough - - - - -	1,427	615	812	698	325	404
Diphtheria and Croup - - - - -	824	414	410	429	156	239
Influenza - - - - -	234	102	132	64	62	108
Erysipelas - - - - -	158	82	76	88	29	41
Phthisis, Pulmonary Tuberculosis -	5,306	2,675	2,631	2,849	1,001	1,456
Tuberculous Meningitis - - - -	1,018	518	500	597	184	237
Abdominal Tuberculosis - - - -	875	414	461	454	175	246
Other Tuberculous Diseases - - -	950	498	452	509	160	281
Cancer, Malignant Disease - - -	5,195	2,075	3,120	2,369	1,182	1,644
Rheumatic Fever - - - - -	223	100	123	96	43	79
Meningitis - - - - -	920	488	432	441	222	257
Organic Heart Disease - - - - -	6,524	3,156	3,368	2,877	1,525	2,122
Bronchitis - - - - -	4,796	2,240	2,556	2,538	951	1,307
Pneumonia (all forms) - - - -	6,109	3,473	2,636	3,459	1,061	1,589
Other Diseases of Respiratory Organs	1,174	614	560	564	246	364
Diarrhoea and Enteritis (under 2 years)	1,369	742	627	771	235	363
Appendicitis and Typhlitis - - -	401	241	160	194	95	112
All Liver Diseases (not Malignant) -	541	271	270	266	107	168
Other Diseases of Digestive System (under 2 years)	446	264	182	225	89	132
Nephritis and Bright's Disease - -	2,133	1,155	978	1,108	432	593
Puerperal Sepsis - - - - -	193	-	193	105	33	55
Other Diseases and Accidents of Pregnancy and Parturition	482	-	482	214	104	164
Congenital Debility and Malformation, including Premature Birth	4,662	2,638	2,024	2,303	974	1,380
Violent Deaths, excluding Suicide -	2,649	1,940	709	1,208	487	954
Suicide - - - - -	282	201	81	140	54	88
Other Defined Diseases - - - - -	18,793	8,692	10,101	8,308	4,167	6,318
Diseases Ill-defined or Unknown -	2,007	1,061	946	764	455	788
Total - - - - -	72,340	36,072	36,268	35,206	15,006	22,134

TABLE 36.—Death-rate from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1912.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	4	5	3	4	4	4
Typhus Fever - - - - -	0	0	0	0	0	0
Small-pox - - - - -	0	0	0	1	0	-
Measles - - - - -	42	46	38	57	32	28
Scarlet Fever - - - - -	9	9	10	10	9	8
Whooping-cough - - - - -	30	27	33	32	34	25
Diphtheria and Croup - - - - -	17	18	17	20	16	15
Influenza - - - - -	5	4	5	3	6	7
Erysipelas - - - - -	3	4	3	4	3	3
Phthisis, Pulmonary Tuberculosis - -	112	116	108	131	103	91
Tuberculous Meningitis - - - - -	21	23	20	28	19	15
Abdominal Tuberculosis - - - - -	18	18	19	21	18	15
Other Tuberculous Diseases - - - - -	21	22	19	23	17	18
Cancer, Malignant Disease - - - - -	110	90	123	108	122	102
Rheumatic Fever - - - - -	5	4	5	4	5	5
Meningitis - - - - -	19	21	18	20	23	16
Organic Heart Disease - - - - -	138	137	137	133	157	132
Bronchitis - - - - -	101	97	104	117	98	81
Pneumonia (all forms) - - - - -	129	151	107	160	110	99
Other Diseases of Respiratory Organs -	25	27	23	26	25	23
Diarrhoea and Enteritis (under 2 years)	29	32	26	36	24	23
Appendicitis and Typhlitis - - - - -	8	10	7	9	10	7
All Liver Diseases (not Malignant) -	11	12	11	12	11	10
Other Diseases of Digestive System (under 2 years)	9	11	7	10	9	8
Nephritis and Bright's Disease - -	45	50	40	51	45	37
Puerperal Sepsis - - - - -	4	-	8	5	3	3
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	10	-	20	10	11	10
Congenital Debility and Malformation, including Premature Birth -	98	115	83	106	101	86
Violent Deaths, excluding Suicide -	57	84	29	56	50	59
Suicide - - - - -	6	9	3	6	6	5
Other Defined Diseases - - - - -	396	378	414	383	430	394
Diseases Ill-defined or Unknown - -	42	46	39	35	47	49
Total - - - - -	1526	1569	1485	1624	1548	1380

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1912.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Palkirk.	Ayr.
Enteric Fever - - - - -	40	5	2	15	4	1	1	2	2	3	4	4	1	3	3	-	3	-
Typhus Fever - - - - -	2	-	-	-	3	1	-	-	1	-	3	-	-	-	-	-	-	-
Small-pox - - - - -	521	129	123	35	18	50	51	52	59	58	36	13	35	17	2	29	4	8
Measles - - - - -	80	11	16	31	5	3	5	26	7	6	3	8	3	3	1	2	3	2
Scarlet Fever - - - - -	241	80	64	65	18	28	19	28	21	26	16	9	18	8	14	11	6	26
Whooping-cough - - - -	192	31	45	37	19	9	20	10	18	8	8	-	7	4	7	2	5	7
Diphtheria and Croup - -	16	8	1	13	2	8	1	4	2	2	2	-	-	3	2	-	-	-
Influenza - - - - -	48	8	5	1	6	2	1	5	2	1	1	1	2	3	1	1	1	2
Erysipelas - - - - -	1,171	402	284	158	128	93	84	110	78	53	42	27	33	44	37	34	39	32
Phthisis, Pulmonary Tuberculosis - - - - -	240	66	61	30	29	14	19	30	13	9	12	9	12	15	13	8	7	10
Tuberculous Meningitis - - - - -	168	31	53	23	15	20	20	23	13	11	9	7	15	14	6	8	4	4
Abdominal Tuberculosis - - - - -	197	86	48	19	20	18	12	25	11	14	3	12	7	10	7	10	6	4
Other Tuberculous Diseases - - - - -	844	412	217	181	65	74	112	87	60	36	27	42	24	19	54	39	31	45
Cancer, Malignant Disease - - - - -	33	14	3	7	2	4	6	8	1	2	1	1	4	-	2	5	2	-
Rheumatic Fever - - - - -	192	41	24	17	21	34	10	19	10	1	10	11	2	11	8	5	6	9
Meningitis - - - - -	926	523	258	284	89	108	135	124	76	53	20	63	37	34	61	30	35	41
Organic Heart Disease - - - - -	1,053	320	213	157	111	109	91	86	81	58	49	24	39	37	40	37	15	18
Bronchitis - - - - -	1,525	367	295	229	168	85	135	135	92	54	49	43	76	53	36	43	38	36
Pneumonia (all forms) - - - - -	217	83	50	37	33	16	18	13	21	5	5	9	13	14	10	6	8	6
Other Diseases of Respiratory Organs - - - - -	317	38	125	61	35	29	25	23	16	31	10	10	13	10	2	18	8	6
Diarrhoea and Enteritis (under 2 years) - - - - -	68	25	22	12	5	13	8	8	8	1	3	2	2	1	1	4	3	8
Appendicitis and Typhitis - - - - -	96	39	16	27	17	9	14	13	6	7	2	2	3	4	3	2	4	1
All Liver Diseases (not Malignant) - - - - -	90	20	18	14	14	11	3	11	7	7	7	5	5	5	4	3	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	475	154	64	64	58	44	30	22	34	18	25	18	15	15	18	18	8	28
Nephritis and Bright's Disease - - - - -	51	3	8	6	10	3	2	4	2	2	1	4	1	2	2	1	1	2
Puerperal Sepsis - - - - -	71	22	21	12	7	6	9	12	6	7	4	4	6	9	5	4	6	3
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	870	257	220	178	98	65	75	101	83	60	44	39	52	47	24	31	40	24
Congenital Debility and Malformation, including Premature Birth - - - - -	457	122	95	96	59	38	66	61	39	29	18	17	21	23	12	15	18	22
Violent Deaths, excluding Suicide - - - - -	55	19	16	11	6	3	8	2	1	1	2	2	-	3	6	2	2	2
Self-Suicide - - - - -	2,949	1,368	653	709	304	302	304	330	219	131	97	163	111	101	167	147	119	134
Other Defined Diseases - - - - -	298	44	83	46	41	19	20	44	22	20	16	15	16	12	17	19	8	14
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	13,503	4,728	3,103	2,555	1,410	1,219	1,314	1,428	1,018	725	525	557	573	522	564	534	434	494

TABLE 33.—Death-rate per 100,000 from various Causes in the Larger Burghs in 1912.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Govan.	Paisley.	Leith.	Greenock.	Partick.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever - - - - -	5	2	1	9	4	1	1	3	3	7	10	10	3	7	6	-	9	-
Typhus Fever - - - - -	0	-	-	-	3	1	-	-	1	-	7	33	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	67	40	75	21	20	59	64	68	88	134	88	3	91	42	6	84	12	24
Scarlet Fever - - - - -	10	3	10	19	6	4	6	47	10	14	7	8	8	7	3	6	9	6
Whooping-cough - - - - -	31	25	39	40	20	33	24	37	31	60	39	23	47	20	40	32	17	77
Diphtheria and Croup - - - - -	25	10	27	23	21	11	25	13	27	18	20	5	18	10	20	6	15	21
Influenza - - - - -	2	3	1	8	2	9	1	5	3	5	2	9	-	7	6	-	-	-
Erysipelas - - - - -	6	3	3	1	7	2	1	7	3	2	2	5	5	2	3	3	3	6
Pneumonia, Pulmonary Tuberculosis - - - - -	150	126	172	97	144	110	105	144	116	122	103	68	85	109	104	98	114	95
Tuberculous Meningitis - - - - -	31	21	37	18	33	16	24	39	19	21	29	23	31	37	23	20	30	30
Abdominal Tuberculosis - - - - -	21	10	32	14	17	24	25	30	30	25	22	18	39	35	17	23	20	12
Other Tuberculous Diseases - - - - -	25	27	29	12	22	21	15	33	16	32	7	30	18	25	20	29	17	12
Cancer, Malignant Disease - - - - -	108	129	132	111	73	87	140	114	89	83	66	105	62	47	152	113	90	134
Rheumatic Fever - - - - -	4	4	2	4	2	5	7	10	1	5	2	5	5	-	6	14	6	-
Meningitis - - - - -	25	13	15	10	24	40	12	25	15	25	25	28	5	27	23	14	17	27
Organic Heart Disease - - - - -	118	164	156	162	100	127	168	162	113	122	49	158	96	84	172	137	102	122
Bronchitis - - - - -	135	100	129	96	125	128	113	113	120	134	120	60	101	91	113	107	102	54
Pneumonia (all forms) - - - - -	195	115	179	141	188	100	168	177	137	125	120	108	131	102	124	124	111	107
Other Diseases of Respiratory Organs - - - - -	28	26	30	23	37	19	22	17	31	12	12	23	34	35	28	17	23	18
Diarrhoea and Enteritis (under 2 years) - - - - -	41	12	76	37	39	34	31	30	24	70	25	10	34	25	6	52	23	18
Appendicitis and Typhlitis - - - - -	9	8	12	7	6	15	10	10	12	9	7	5	5	2	3	12	9	24
All Liver Diseases (not Malignant) - - - - -	12	12	10	17	19	11	17	17	9	16	5	8	8	10	8	6	12	3
Other Diseases of Digestive System (under 2 years) - - - - -	12	6	11	9	16	13	4	14	10	16	17	13	13	12	11	9	3	-
Nephritis and Bright's Disease - - - - -	61	48	39	39	65	52	37	29	50	42	61	45	39	37	51	52	23	33
Puerperal Sepsis - - - - -	7	1	5	4	11	4	2	5	3	5	2	10	3	5	6	3	3	6
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	9	7	13	7	8	8	11	16	9	16	10	16	16	22	14	12	17	9
Congenital Debility and Malformation, including Premature Birth - - - - -	111	80	133	109	110	77	94	132	123	138	108	100	135	116	68	90	116	72
Violent Deaths, excluding Suicide - - - - -	58	38	58	59	66	45	82	80	58	67	44	43	54	57	34	43	52	66
Suicide - - - - -	7	6	10	7	7	4	10	3	1	5	-	5	-	7	17	6	6	6
Other Defined Diseases - - - - -	377	428	396	435	341	356	379	432	325	301	238	409	287	250	472	425	346	399
Diseases Ill-defined or Unknown - - - - -	38	14	50	28	46	22	37	58	33	46	39	38	41	30	48	55	23	42
Total - - - - -	1727	1431	1882	1568	1582	1437	1638	1871	1511	1673	1288	1399	1483	1290	1593	1543	1263	1472

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1912.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419	79	871	10,007	7129	2094	3036	1913	
1856	1306	1033	3011	1020	2331	2425	2363	81	908	9,077	6247	1970	2762	2003	
1857	845	1028	2235	1148	1539	4132	3087	90	960	10,326	7184	1890	2867	2068	
1858	332	1538	2671	1494	1963	3169	2790	86	963	10,265	7264	2355	3935	1980	
1859	682	972	3614	1336	2660	2736	2436	90	1004	9,951	7172	1900	3228	2054	
1860	1495	1587	2927	1485	1812	2379	2344	96	1014	11,212	8165	2416	5400	2186	
1861	766	971	1764	1571	2204	2416	2579	122	1165	10,582	7571	1974	5017	2089	
1862	426	1404	1281	2393	2799	2350	3021	126	1152	11,429	8211	1932	5764	2057	
1863	1646	2212	3413	3615	1649	2493	3441	139	1162	10,981	7614	2212	5484	2260	
1864	1741	1102	3411	3156	1993	2581	4804	125	1300	11,445	8083	2268	6383	2291	
1865	383	1195	2244	2010	2318	3180	3272 1048	158	1257	11,417	8089	1969	6194	2382	
1866	200	1038	2706	1588	1860	3954	2172 1404	156	1327	11,653	8283	2207	6629	2245	
1867	100	1341	2253	1535	1728	2811	1745 1378	156	1288	11,668	8248	2070	6777	2196	
1868	15	1149	3141	1688	2490	3267	1561 1404	185	1327	11,487	8154	2098	6261	2247	
1869	64	1670	4680	1639	2461	2880	2059 1335	215	1426	12,079	8525	2630	8030	2313	
1870	114	834	4356	1487	1783	3150	1460 1207	186	1373	13,027	9148	2415	7777	2363	
1871	1442	2057	2586	1850	1504	2839	1129 1234	227	1432	13,011	9102	2655	8663	2361	
1872	2448	925	2101	2190	2850	2732	795 1223	193	1559	12,596	8715	2570	7897	2571	
1873	1126	1450	2227	2335	1598	3491	628 1495	180	1537	11,952	8286	3012	8308	2839	
1874	1246	1103	6321	2234	1690	3343	726 1455	193	1646	11,303	7873	3440	8667	3103	
1875	76	1022	4720	1842	2431	3604	615 1625	212	1672	12,450	8699	3685	9864	2908	
1876	39	1241	2364	1672	2250	3321	471 1448	210	1695	12,219	8491	3296	8194	2990	
1877	38	1019	1874	1871	1571	2665	265 1427	222	1732	12,193	8342	3144	9182	2906	
1878	4	1372	1870	1892	2788	3576	263 1477	207	1829	12,567	8445	2964	8689	2595	
1879	8	769	1592	1590	2483	2374	210 1013	225	1830	12,098	8336	3067	9185	2400	
1880	10	1427	2165	1639	2641	3367	170 1338	228	1873	11,989	8074	3203	8562	2537	
1881	19	1012	1573	1615	1620	2552	229 1004	225	1914	11,275	7739	3237	8765	2955	
1882	3	1289	1583	1867	2108	3119	180 1204	244	2056	11,608	8012	3342	7715	2566	
1883	11	1629	1336	1699	2968	2528	152 998	240	2037	11,092	8401	4824	7983	2882	
1884	14	1440	1266	1775	2511	3147	138 1050	276	2110	10,795	7915	4539	7220	2743	
1885	39	1426	944	1445	2157	2485	111 889	243	2173	10,724	7922	4432	7899	2477	
1886	24	681	1058	1251	1882	2846	80 755	248	2313	10,942	7959	4040	7908	2444	
1887	17	1593	1179	1605	3212	2863	126 835	244	2373	10,275	7418	4220	7409	2587	
1888	3	1406	732	1614	1722	2190	102 665	229	2450	9,725	7044	4171	7140	2455	
1889	8	1948	701	1882	2268	3028	69 795	226	2643	9,722	7098	3994	7033	2794	
1890	-	2509	739	1762	3039	2743	77 777	196	2428	10,294	7660	4923	8057	2859	
1891	-	1775	736	1450	2437	2989	107 799	214	2703	10,141	7361	5642	9309	2940	
1892	11	2280	871	1347	1792	2504	59 644	204	2715	9,318	6765	4901	7260	2776	
1893	68	3639	832	1679	2026	4312	51 932	181	2316	9,801	6921	5446	7119	2756	
1894	129	791	834	1828	2552	2272	36 702	164	2928	9,729	7108	4551	6111	2775	
1895	47	2063	782	1260	1948	4000	34 730	208	2993	10,688	7688	5606	8202	2963	
1896	2	1515	669	1126	1970	2854	38 662	217	3013	9,685	6893	4745	5579	2811	
1897	10	2056	716	812	2877	3849	29 655	200	3212	10,085	7200	5942	6768	3019	
1898	2	2290	909	850	2476	4351	63 814	229	3453	10,140	7090	5613	5789	3186	
1899	1	1599	831	856	1894	4771	29 803	202	3572	10,497	7275	5712	6140	3204	
1900	53	1825	654	961	1812	3301	35 644	215	3503	10,336	7299	6270	6914	3422	

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2435	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	-	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5807	2730
1910	-	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931

TABLE 40.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1912.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855-1860	35	43	98	44	72	106	91		3	34	360	255	75	126	72
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	-	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	263	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	63	70	95	165	42	5	42	379	263	71	210	73

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	-	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	-	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	-	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	-	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	-	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	-	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	-	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	-	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	-	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	-	39	29	43	61	72	3	23	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	-	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	-	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	-	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	-	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	-	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891-1900	1	47	19	29	52	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	-	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	-	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	-	9	4	87	224	151	154	126	65
1905	-	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	-	31	5	19	30	73	-	9	5	98	218	141	139	103	67
1907	-	25	5	16	54	47	-	8	5	99	218	139	150	112	68
1908	-	54	8	16	46	66	-	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	58	-	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	-	9	5	93	211	139	145	116	66
1911	-	19	9	20	49	61	-	6	4	104	177	115	124	96	61
1912	-	42	9	17	30	39	-	4	5	110	172	112	129	101	63

TABLE 41.—Deaths and Death-rate from Puerperal Conditions, 1912.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	122,790	675	5.5
LARGER BURGHS .	57,954	319	5.5
SMALLER BURGHS .	24,086	137	5.7
COUNTY DISTRICTS .	40,750	219	5.4
Glasgow . . .	21,850	122	5.6
Edinburgh . . .	6,430	25	3.9
Dundee . . .	4,126	29	7.0
Aberdeen . . .	4,145	18	4.3
Govan . . .	2,765	17	6.1
Paisley . . .	2,272	9	4.0
Leith . . .	2,172	11	5.1
Greenock . . .	2,390	16	6.7
Partick . . .	1,935	8	4.1
Coatbridge . . .	1,397	9	6.4
Motherwell . . .	1,326	5	3.8
Kirkcaldy . . .	990	8	8.1
Hamilton . . .	1,332	7	5.3
Clydebank . . .	1,368	11	8.0
Perth . . .	756	7	9.3
Kilmarnock . . .	872	5	5.7
Falkirk . . .	921	7	7.6
Ayr . . .	907	5	5.5

TABLE 42.—Deaths from Malignant Disease in 1912.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over
Lip	27	-	-	-	2	5	9	11	7	-	-	-	3	-	1	3
Mouth	21	-	-	1	3	9	5	3	8	-	-	1	3	2	2	-
Tongue	96	-	-	9	19	30	29	9	22	-	-	1	4	4	6	7
Jaw	44	-	-	6	8	10	14	6	17	2	-	1	2	1	7	4
Pharynx, Throat	42	2	1	3	11	7	15	3	13	-	-	-	-	5	4	4
Esophagus	95	-	1	8	16	32	29	9	52	-	-	3	13	10	14	12
Stomach	553	-	6	42	116	189	145	55	613	1	8	25	84	163	218	114
Intestine	299	2	6	16	45	85	100	45	401	2	3	23	55	106	126	88
Rectum	158	1	9	10	19	52	47	20	150	5	6	12	25	39	41	22
Salivary Glands	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver	230	3	3	11	37	78	63	35	362	2	2	17	57	106	119	59
Pancreas	36	1	-	5	8	6	15	1	37	-	2	2	4	11	12	6
Peritoneum	10	1	-	2	-	2	4	1	31	-	1	4	5	7	7	7
Abdomen	44	-	3	7	5	13	9	7	81	-	2	6	10	24	25	14
Larynx	32	-	-	4	7	9	11	1	17	-	-	3	4	5	5	-
Lung	39	5	2	5	8	13	5	1	23	2	-	2	2	14	3	-
Pleura	4	-	-	-	2	1	1	-	3	-	-	-	2	-	-	1
Heart	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-
Mediastinum	15	1	2	2	5	3	2	-	23	1	2	2	3	4	11	-
Thorax	11	3	-	-	2	4	1	1	6	-	-	-	2	1	3	-
Kidney	21	3	1	-	3	4	10	-	22	1	-	2	4	5	5	5
Bladder, Urethra	44	1	1	1	6	11	17	7	31	-	-	-	8	6	10	7
Testis, Penis, Scrotum	18	1	-	2	4	8	3	-	-	-	-	-	-	-	-	-
Prostate	34	-	-	-	2	6	20	6	-	-	-	-	-	-	-	-
Breast	11	-	-	-	3	2	5	1	451	-	9	56	122	105	99	60
Ovary	-	-	-	-	-	-	-	-	48	-	4	11	16	8	8	1
Uterus	-	-	-	-	-	-	-	-	484	2	32	75	155	136	59	25
Vagina	-	-	-	-	-	-	-	-	25	-	1	2	2	9	6	5
Pelvis	6	-	-	1	1	1	3	-	23	1	1	3	8	5	4	1
Brain	2	-	-	-	2	-	-	-	8	-	1	2	2	2	-	1
Spinal Cord	1	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-
Eye and Orbit	7	2	1	1	-	2	-	1	9	-	1	-	1	2	1	4
Ear	10	1	-	-	-	1	3	5	1	-	-	-	-	1	-	-
Nose	6	-	-	-	-	3	2	1	4	-	-	-	-	1	2	1
Skull and Spinal Column	10	2	-	3	1	3	1	-	7	-	1	-	-	4	2	-
Spleen	5	-	1	1	1	2	-	-	3	-	-	-	1	1	-	1
Thyroid	4	-	-	-	2	-	1	1	7	-	1	1	-	3	2	-
Lymphatic Glands	65	2	2	7	10	22	18	4	34	-	3	4	5	5	13	4
Ribs and Sternum	3	-	1	-	-	1	1	-	1	-	-	-	-	-	-	1
Arm and Leg	32	5	1	-	4	8	9	5	37	2	4	4	2	8	8	9
Scalp and Face	26	-	-	1	3	1	10	11	38	1	-	-	5	6	11	15
Skin	4	-	-	1	-	-	2	1	2	-	1	-	-	-	1	-
Other Locations	2	-	-	1	1	-	-	-	2	1	-	-	-	-	1	-
Not stated	8	-	-	1	-	3	3	1	13	1	-	4	1	3	3	1
TOTAL	2075	37	41	151	356	626	612	252	3120	24	85	266	612	813	840	480

TABLE 43.—DEATHS FROM SUICIDE IN 1912.

TABLE 43.—Deaths from

	TOTAL.		Cut ; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND - - - - -	201	81	66	16	34	22
COUNTIES.						
Aberdeen	13	8	3	-	6	3
Argyll	3	1	2	-	1	-
Ayr	14	4	7	3	-	1
Banff	4	1	2	-	-	1
Berwick	1	-	-	-	-	-
Bute	-	-	-	-	-	-
Caithness	-	2	-	1	-	-
Clackmannan	-	2	-	-	-	1
Dumbarton	4	1	1	1	-	-
Dumfries	3	1	-	-	1	-
Edinburgh (Midlothian)	19	13	8	3	1	2
Elgin	-	-	-	-	-	-
Fife	13	6	2	2	4	-
Forfar	25	9	6	1	6	2
Haddington	1	-	1	-	-	-
Inverness	2	1	1	-	-	1
Kincardine	6	3	-	-	2	2
Kinross	-	-	-	-	-	-
Kirkcudbright	1	-	-	-	-	-
Lanark	57	13	22	3	8	2
Linlithgow	1	1	1	-	-	-
Nairn	-	1	-	1	-	-
Orkney	-	1	-	-	-	-
Peebles	-	1	-	-	-	-
Perth	12	6	2	-	5	4
Renfrew	9	4	3	1	-	2
Ross and Cromarty	4	-	1	-	-	-
Roxburgh	3	-	2	-	-	-
Selkirk	-	-	-	-	-	-
Shetland	-	2	-	-	-	1
Stirling	5	-	2	-	-	-
Sutherland	-	-	-	-	-	-
Wigtown	1	-	-	-	-	-
LARGER BURGHS.						
Glasgow	46	9	18	2	6	3
Edinburgh	9	10	4	2	1	-
Dundee	10	6	2	-	1	1
Aberdeen	7	3	2	-	3	1
Govan	5	1	1	-	1	-
Paisley	2	1	-	-	-	-
Leith	6	2	3	1	-	1
Greenock	1	1	-	-	-	1
Coatbridge	2	-	1	-	-	-
Partick	1	-	1	-	-	-
Motherwell	-	-	-	-	-	-
Kirkcaldy	2	-	-	-	1	-
Hamilton	-	-	-	-	-	-
Clydebank	3	-	-	-	-	-
Perth	5	1	1	-	2	-
Kilmarnock	2	-	2	-	-	-
Falkirk	2	-	1	-	-	-
Ayr	1	1	-	-	-	1

SUICIDE in 1912.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
12	-	65	21	19	14	1	5	3	2	1	1
-	-	1	2	2	1	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1
2	-	2	-	3	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	1	-	-	-
1	-	7	4	2	3	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
3	-	7	3	-	1	-	-	-	-	-	-
-	-	4	1	6	5	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
-	-	2	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
1	-	20	6	5	-	1	1	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
1	-	3	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	5	-	1	-	-	1	-	-	-	-
1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
1	-	15	4	5	-	1	1	-	-	-	-
1	-	1	3	2	3	-	1	-	-	-	-
-	-	2	1	5	4	-	-	-	-	-	-
-	-	1	-	-	1	-	1	1	-	-	-
-	-	3	-	-	-	-	-	-	1	-	-
-	-	2	-	-	-	-	1	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
1	-	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-

TABLE 44.—Deaths from Poison in Scotland in 1912.

ACCIDENTAL POISONING.					
			Males.	Females.	TOTAL
Opium, - - - - -	-	-	7	2	9
Carbolic Acid, - - - - -	-	-	4	3	7
Potassium Cyanide, - - - - -	-	-	4	1	5
Hydrochloric Acid, - - - - -	-	-	2	2	4
Ammonia, - - - - -	-	-	-	4	4
Carbon Bisulphide, - - - - -	-	-	3	-	3
Oxalic Acid, - - - - -	-	-	-	3	3
Coal Gas, - - - - -	-	-	1	1	2
Strychnine, - - - - -	-	-	1	1	2
Nicotine, - - - - -	-	-	2	-	2
Alcohol, - - - - -	-	-	1	-	1
Chloral, - - - - -	-	-	1	-	1
Narcotic, - - - - -	-	-	1	-	1
Phosphorus, - - - - -	-	-	1	-	1
Arsenic, - - - - -	-	-	1	-	1
Barium Chloride, - - - - -	-	-	1	-	1
Cocaine, - - - - -	-	-	1	-	1
Hydrocyanic Acid, - - - - -	-	-	1	-	1
Saltpetre, - - - - -	-	-	1	-	1
Mercuric Perchloride - - - - -	-	-	-	1	1
Formalin, - - - - -	-	-	-	1	1
Insect or Reptile Sting, - - - - -	-	-	-	1	1
Not stated, - - - - -	-	-	2	-	2
Total, - - - - -	-	-	35	20	55

SUICIDAL POISONING.					
Coal Gas, - - - - -	-	-	8	6	14
Oxalic Acid, - - - - -	-	-	-	2	2
Potassium Cyanide, - - - - -	-	-	2	-	2
Opium - - - - -	-	-	2	-	2
Carbolic Acid, - - - - -	-	-	-	1	1
Hydrochloric Acid, - - - - -	-	-	1	-	1
Phosphorus, - - - - -	-	-	-	1	1
Strychnine, - - - - -	-	-	1	-	1
Arsenic, - - - - -	-	-	1	-	1
Formalin, - - - - -	-	-	1	-	1
A.B.C. Liniment, - - - - -	-	-	-	1	1
Not stated, - - - - -	-	-	3	3	6
Total, - - - - -	-	-	19	14	33

DEATHS UNDER ANÆSTHETICS (Secondary Cause).					
Chloroform, - - - - -	-	-	22	21	43
Chloroform and Ether, - - - - -	-	-	5	4	9
Ether, - - - - -	-	-	-	1	1
Not stated, - - - - -	-	-	1	1	2
Total, - - - - -	-	-	28	27	55

TABLE 45.—Age in Completed Months of Children aged under One Year Dying from Selected Causes in Scotland in 1912.

CAUSES OF DEATH.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.										
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles - - - - -	319	247	1	6	2	3	15	17	40	48	78	109	120	127
Whooping-cough - - - -	294	352	35	79	62	55	44	44	61	46	52	53	64	51
Diphtheria - - - - -	43	36	5	1	3	3	2	4	2	4	13	16	14	12
Tuberculous Meningitis -	129	98	5	11	10	15	18	23	23	28	23	24	24	23
Abdominal Tuberculosis -	87	49	3	6	9	13	16	18	9	13	10	14	11	14
Other Tuberculous Diseases -	66	42	3	8	3	8	11	13	10	9	11	9	12	11
Syphilis - - - - -	102	67	49	34	29	18	13	6	5	2	5	5	1	2
Cerebro-spinal Meningitis -	4	7	-	-	1	-	3	1	2	1	2	1	-	-
Basal Meningitis - - - -	158	133	26	20	15	21	25	31	27	27	28	29	16	26
Convulsions - - - - -	318	233	183	65	54	42	51	32	21	16	24	20	19	24
Bronchitis - - - - -	562	464	182	166	113	124	79	72	48	57	51	52	40	42
Broncho-pneumonia - - -	641	488	97	83	82	104	80	91	107	85	108	102	107	83
Pneumonia - - - - -	278	178	37	36	36	39	32	45	29	44	39	42	40	37
Pulmonary Congestion - -	62	46	28	13	9	13	5	10	4	4	3	8	4	7
Other Diseases of Stomach, Gastritis	132	94	34	34	27	27	17	29	10	12	14	7	7	8
Diarrhoea, - - - - -	630	508	128	156	147	132	123	105	78	70	57	45	49	48
Congenital Malformations -	279	253	387	55	16	13	11	11	11	8	6	5	4	5
Premature Birth - - - -	1343	1061	2286	83	25	3	-	2	-	1	2	1	1	-
Congenital Debility, Icterus, Sclerema	963	675	951	236	140	110	51	40	27	18	18	16	16	15
Other Infantile Diseases - -	214	156	356	9	3	-	1	-	-	-	-	-	1	-
Overlying - - - - -	53	43	26	23	19	12	6	6	1	2	1	-	-	-
Suffocation (otherwise) - -	25	31	21	9	4	7	5	4	3	1	-	1	1	-
All Other Causes - - - -	572	414	313	117	79	81	66	58	59	52	45	37	40	39
Total - - - - -	7274	5675	5156	1250	888	843	674	662	577	548	590	596	591	574
Males - - - - -	7274	-	2931	718	518	452	395	379	330	291	326	307	327	300
Females - - - - -	-	5675	2225	532	370	391	279	283	247	257	264	289	264	274

TABLE 46.—Month of Registration of Deaths of Children aged under One Year from Selected Causes in Scotland in 1912.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	566	67	93	95	95	65	57	29	20	6	13	15	11
Whooping-cough - - - -	646	80	72	57	66	54	46	44	46	21	30	53	77
Diphtheria - - - - -	79	8	14	9	5	4	3	8	7	3	8	6	4
Tuberculous Meningitis -	227	16	18	19	28	24	16	20	8	20	18	22	18
Abdominal Tuberculosis -	136	12	9	15	12	15	9	16	10	11	13	7	7
Other Tuberculous Diseases -	108	9	8	12	11	11	10	9	6	4	10	7	11
Syphilis - - - - -	169	19	14	15	6	16	15	13	13	7	16	18	17
Cerebro-spinal Meningitis -	11	-	-	-	-	1	1	1	4	1	-	2	1
Basal Meningitis - - - -	291	20	26	33	25	22	10	18	32	17	28	33	27
Convulsions - - - - -	551	46	50	59	65	41	35	31	29	37	36	59	63
Bronchitis - - - - -	1026	161	147	73	73	45	37	24	29	33	63	136	205
Broncho-pneumonia - - -	1129	136	109	80	67	63	32	48	28	43	85	201	237
Pneumonia - - - - -	456	57	63	34	34	16	18	22	18	23	37	70	74
Pulmonary Congestion - -	108	7	9	8	6	9	6	3	4	4	11	17	24
Other Diseases of Stomach	226	23	20	20	16	17	17	19	22	21	15	15	21
Diarrhoea, Enteritis - - -	1138	61	71	71	66	80	79	149	150	104	114	93	100
Congenital Malformations -	532	56	51	47	55	41	35	33	44	37	35	45	53
Premature Birth - - - -	2404	236	221	211	204	222	206	194	131	162	196	196	225
Congenital Debility, Icterus, Sclerema	1638	133	167	162	140	136	109	121	119	116	127	150	153
Other Infantile Diseases - -	370	38	33	28	38	24	30	21	30	23	30	36	39
Overlying - - - - -	96	4	9	10	10	12	4	12	1	5	16	6	7
Suffocation (otherwise) - -	56	8	5	3	11	4	5	5	-	2	3	1	1
All Other Causes - - - -	986	88	100	92	93	84	69	69	53	55	85	98	100
Total - - - - -	12949	1290	1299	1153	1126	1006	849	909	804	755	989	1286	1453

TABLE 47.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1912.

	TOTAL DEATHS (UNCOR- RECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTI- FIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1912.	1911.	Mean of Five Years 1907-1911.
SCOTLAND,	72,340	70,978	1,362	1·9	1·6	2·0
NORTHERN DIVISION, . . .	1,789	1,573	216	12·1	11·9	11·3
NORTH-WESTERN Do. . . .	2,500	2,040	460	18·4	17·8	19·9
NORTH-EASTERN Do. . . .	6,942	6,881	61	0·9	0·5	0·7
EAST-MIDLAND Do.	10,881	10,828	53	0·5	0·4	0·6
WEST-MIDLAND Do.	5,437	5,330	107	2·0	1·3	2·1
SOUTH-WESTERN Do.	31,605	31,360	245	0·8	0·7	0·9
SOUTH-EASTERN Do.	10,395	10,185	210	2·0	1·4	1·9
SOUTHERN Do.	2,791	2,781	10	0·4	0·1	0·7
<i>Countries.</i>						
Aberdeen,	4,705	4,680	25	0·5	0·5	0·5
Argyll,	1,083	1,011	72	6·6	5·5	7·8
Ayr,	3,700	3,685	15	0·4	0·2	0·3
Banff,	899	886	13	1·4	0·2	1·7
Berwick,	397	397	0	0·0	0·3	0·5
Bute,	236	232	4	1·7	1·3	2·5
Caithness,	601	568	33	5·5	4·2	5·7
Clackmannan,	472	470	2	0·4	0·2	0·4
Dumbarton,	1,920	1,902	18	0·9	0·4	0·7
Dumfries,	1,145	1,139	6	0·5	0·0	1·1
Edinburgh (Midlothian), . .	7,842	7,653	189	2·4	1·8	2·4
Elgin,	703	694	9	1·3	0·4	0·9
Fife,	3,637	3,609	28	0·8	0·5	0·6
Forfar,	4,878	4,860	18	0·4	0·2	0·4
Haddington,	508	492	16	3·1	0·4	1·6
Inverness,	1,366	1,162	204	14·9	14·5	17·1
Kincardine,	504	494	10	2·0	0·6	0·4
Kinross,	93	93	0	0·0	0·0	2·1
Kirkcudbright,	477	475	2	4·2	0·4	0·4
Lanark,	23,094	22,937	157	0·7	0·6	0·8
Linlithgow,	1,133	1,123	5	0·4	0·2	0·3
Nairn,	131	127	4	3·1	4·5	3·2
Orkney,	421	380	41	9·7	12·3	11·1
Peebles,	208	208	0	0·0	0·0	0·2
Perth,	1,801	1,796	5	0·3	0·9	1·0
Renfrew,	4,811	4,738	73	1·5	1·4	1·7
Ross and Cromarty,	1,134	878	256	22·6	21·7	23·3
Roxburgh,	686	685	1	0·1	0·0	0·2
Seikirk,	307	307	0	0·0	0·0	0·0
Shetland,	424	348	76	17·9	14·7	20·7
Stirling,	2,198	2,185	13	0·6	0·1	0·4
Sutherland,	343	277	66	19·2	19·5	23·5
Wigtown,	483	482	1	0·2	0·4	0·7
<i>Larger Burghs.</i>						
Glasgow,	13,784	13,673	111	0·8	0·9	1·1
Edinburgh,	5,051	4,889	162	3·2	2·5	3·0
Dundee,	3,113	3,097	14	0·4	0·1	0·4
Aberdeen,	2,512	2,501	11	0·4	0·2	0·2
Govan,	1,223	1,213	10	0·8	1·1	1·1
Paisley,	1,225	1,186	39	3·2	3·5	3·5
Leith,	1,202	1,188	14	1·2	0·7	1·1
Greenock,	1,471	1,459	12	0·8	0·4	1·1
Partick,	774	762	12	1·6	0·0	0·7
Coatbridge,	700	700	0	0·0	0·0	0·1
Motherwell,	477	475	2	0·4	0·0	0·1
Kirkcaldy,	498	496	2	0·4	1·0	0·3
Hamilton,	562	557	5	0·9	0·5	0·6
Clydebank,	429	416	13	3·0	0·9	—
Perth,	603	603	0	0·0	0·0	0·1
Kilmarnock,	542	540	2	0·4	0·2	0·2
Falkirk,	455	453	2	0·4	0·2	—
AYR,	547	545	2	0·4	0·0	—

TABLE 43.—Meteorology of Scotland for 1912; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1912.

1912.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	29.885	29.559	29.403	30.093	29.929	29.749	29.930	29.671	30.154	29.797	29.837	29.558	29.805
Mean of Max. Temp.	41°·8	43°·8	47°·9	54°·3	57°·1	59°·5	64°·1	58°·5	57°·0	51°·9	46°·3	45°·6	52°·3
" " Min. "	32°·6	33°·8	36°·9	38°·1	41°·9	47°·6	49°·7	46°·1	43°·0	39°·2	36°·2	34°·9	40°·0
Mean Temperature.	36°·9	38°·8	42°·4	46°·2	49°·5	53°·6	56°·9	52°·3	50°·0	45°·6	41°·3	40°·3	46°·1
Absolute Maximum.	57°·0	56°·0	61°·0	73°·0	70°·0	75°·0	87°·0	70°·0	73°·0	67°·0	60°·0	58°·0	87°·0
Absolute Minimum.	6°·0	-5°·0	21°·0	20°·0	27°·0	32°·0	31°·0	29°·0	27°·0	20°·0	°·0	2°·0	-5°·0
Number of Rainy Days	19	18	24	9	14	23	13	20	9	20	19	25	213
Amount of Rain (inch)	3.52	3.18	3.97	1.73	1.99	4.20	2.49	4.38	2.82	4.39	3.99	6.36	43.02
Births	10170	9574	10528	11271	10981	9969	10903	9795	9467	10412	9493	10152	122790
Deaths	6921	7350	6400	6320	6079	5329	5437	5024	4753	5487	5965	7267	72340
Marriages	3673	1731	1590	2903	937	4369	4248	2014	2516	2168	2053	4308	32516
Daily Births	328	330	340	376	354	332	352	316	316	336	316	327	336
Daily Deaths	223	253	206	211	196	178	175	162	159	177	199	234	198
Daily Marriages . . .	118	60	51	97	30	146	137	65	84	70	68	139	89

The numbers of Births and Marriages for individual months have been taken from the Registrar-General's Quarterly Reports, and the totals do not quite correspond with the corrected totals shewn.

TABLE 49.—Deaths, Temperature, and Fall of Rain in Eight of the Larger Burghs of Scotland during each Week of 1912.

No. of Week.	Week ending	DEATHS.	Death-rate per 1000 of Population	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS	Death-rate per 1000 of Population	TEMPERATURE.			RAIN, in inches		
				Maxi- mum.	Mini- mum.	Mean.						Maxi- mum.	Mini- mum.	Mean.			
1	January	6	572	17.4	55.8	26.5	42.4	0.53	27	July	6	478	14.5	72.8	45.0	56.5	0.13
2		13	644	19.6	53.1	19.0	38.4	1.28	28		13	460	14.0	75.0	44.0	59.0	0.60
3		20	604	18.4	50.0	28.5	38.1	0.90	29		20	473	14.4	79.0	43.5	59.3	0.00
4		27	608	18.5	42.9	21.0	34.8	0.28	30		27	465	14.2	71.1	42.5	57.4	1.01
5	February	3	657	20.0	44.9	13.8	30.3	0.16	31	August	3	483	14.7	65.0	36.4	54.2	1.04
6		10	812	24.7	53.3	10.0	35.0	0.86	32		10	476	14.5	67.1	42.5	54.3	2.05
7		17	758	23.1	53.8	27.5	40.0	0.45	33		17	454	13.8	68.0	40.5	55.2	0.32
8		24	649	19.3	55.0	29.7	42.8	1.10	34		24	413	12.6	68.2	39.0	53.2	0.74
9	March	2	638	19.4	55.4	33.0	46.2	0.81	35		31	460	14.0	66.0	34.5	52.5	0.95
10		9	629	19.1	54.0	30.5	42.6	0.50	36	September	7	438	13.3	66.4	37.0	52.1	1.57
11		16	530	16.1	60.5	26.5	43.6	0.65	37		14	423	12.9	68.0	33.0	50.0	0.02
12		23	598	18.2	55.1	26.5	41.1	0.77	38		21	481	14.6	73.0	39.4	53.8	0.02
13		30	571	17.4	61.0	30.6	45.2	1.07	39		28	456	13.9	64.2	33.0	49.0	0.00
14	April	6	560	17.0	64.0	31.0	46.0	0.75	40	October	5	415	12.6	55.0	27.9	46.5	1.06
15		13	558	17.0	62.0	25.5	41.8	0.30	41		12	480	14.0	64.4	30.5	50.1	0.07
16		20	553	16.8	66.2	33.0	49.7	0.00	42		19	482	14.7	67.0	32.0	49.3	1.28
17		27	568	17.2	71.0	33.0	50.1	0.01	43		26	513	15.6	53.0	27.8	41.4	1.27
18	May	4	542	16.5	63.0	27.5	47.5	0.15	44	November	2	569	17.3	59.3	28.9	44.1	1.28
19		11	550	16.7	68.5	37.8	54.4	0.84	45		9	527	16.0	58.5	28.0	47.1	0.68
20		18	544	16.6	66.0	34.5	50.4	0.55	46		16	561	17.1	56.5	30.9	42.0	0.46
21		25	529	16.1	68.0	31.5	48.7	0.13	47		23	620	18.9	56.0	28.5	45.0	0.34
22	June	1	513	15.6	68.7	32.5	51.4	0.21	48		30	603	18.4	53.2	12.5	35.9	1.56
23		8	550	16.7	68.8	42.5	51.8	0.71	49	December	7	773	23.5	54.0	9.0	37.1	0.47
24		15	498	15.2	66.1	44.0	53.5	1.18	50		14	713	21.7	58.0	32.0	45.1	1.75
25		22	511	15.6	70.0	36.5	54.5	1.06	51		21	657	20.0	55.2	28.5	41.1	1.90
26		29	479	14.6	72.0	44.0	57.7	0.82	52		28	591	18.0	51.9	25.7	41.0	0.95

This Table is compiled from Weekly Returns for 1912. Deaths and Death-rates have not been corrected by allocation to place of usual residence.

TABLE 50.—VACCINATIONS in SCOTLAND, 1901-1911.

Years		Success-fully Vaccinated.	Insusceptible of Vaccination.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
			From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox.					
1901	Numbers	110,664	496	997	1	13,436	—	2,834	3,852	132,280
1902	Numbers	112,321	545	512	0	12,239	—	2,858	3,976	132,360
1903	Numbers	113,599	547	375	10	12,699	—	2,557	3,806	133,593
1904	Numbers	111,575	808	550	2	12,951	—	2,842	3,925	132,663
1905	Numbers	111,164	764	511	1	12,168	—	2,831	4,014	131,453
1906	Numbers	109,246	563	531	0	12,592	253	3,105	5,766	132,056
1907	Numbers	96,842	611	744	1	12,137	7,258	3,864	7,384	128,891
1908	Numbers	90,374	820	796	0	12,689	15,846	3,722	7,159	131,406
1909	Numbers	83,289	746	784	0	11,594	22,746	3,354	6,207	128,710
1910	Numbers	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
<i>10 Years</i>	<i>Average</i>	<i>101,514</i>	<i>646</i>	<i>654</i>	<i>1</i>	<i>12,322</i>	<i>—</i>	<i>3,102</i>	<i>5,209</i>	<i>130,753</i>
1911	Numbers	70,472	643	1,143	0	11,137	29,582	2,775	6,140	121,897
1901	Percentage	83·659	0·375	0·754	0·001	10·157	—	2·142	2·912	100·000
1902	Percentage	84·860	0·343	0·387	0·000	9·247	—	2·159	3·004	100·000
1903	Percentage	85·034	0·409	0·281	0·007	9·506	—	1·914	2·849	100·000
1904	Percentage	84·104	0·609	0·415	0·002	9·762	—	2·142	2·966	100·000
1905	Percentage	84·566	0·581	0·389	0·001	9·256	—	2·154	3·053	100·000
1906	Percentage	82·727	0·426	0·402	0·000	9·536	0·192	2·351	4·366	100·000
1907	Percentage	75·135	0·474	0·577	0·001	0·455	5·631	2·998	5·729	100·000
1908	Percentage	68·775	0·624	8·605	0·000	9·656	12·059	2·832	5·448	100·000
1909	Percentage	64·706	0·579	0·609	0·000	9·007	17·671	2·606	4·822	100·000
1910	Percentage	61·289	0·521	0·595	0·000	8·591	21·717	2·461	4·826	100·000
<i>10 Years</i>	<i>Percentage</i>	<i>77·485</i>	<i>0·434</i>	<i>0·501</i>	<i>0·001</i>	<i>9·417</i>	<i>—</i>	<i>2·376</i>	<i>3·997</i>	<i>100·000</i>
1911	Percentage	57·813	0·531	0·938	0·000	9·136	24·268	2·277	5·037	100·000

TABLE 51.—VACCINATIONS in SCOTLAND, 1901-1911, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Statutory Declaration of Conscientious Objection.	Vaccination Postponed	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
			From Previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
1901	Numbers .	110,664	496	997	1	—	2,834	3,852	118,844
1902	Numbers .	112,321	454	512	0	—	2,858	3,976	120,121
1903	Numbers .	113,599	547	375	10	—	2,557	3,806	120,894
1904	Numbers .	111,575	808	550	2	—	2,842	3,935	119,712
1905	Numbers .	111,164	764	511	1	—	2,831	4,014	119,285
1906	Numbers .	109,246	563	531	0	253	3,015	5,766	119,464
1907	Numbers .	96,842	611	744	1	7,258	3,864	7,384	116,704
1908	Numbers .	90,374	820	796	0	15,846	3,722	7,159	118,717
1909	Numbers .	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers .	76,068	647	739	0	26,954	3,054	5,990	113,452
<i>10 Years</i>	<i>Average .</i>	<i>101,514</i>	<i>646</i>	<i>654</i>	<i>1</i>	<i>—</i>	<i>3,102</i>	<i>5,209</i>	<i>118,451</i>
1911	Numbers	70,472	643	1,143	0	29,582	2,775	6,140	110,760
1901	Percentage	93·117	0·417	0·839	0·001	—	2·385	3·241	100·000
1902	Percentage	93·507	0·378	0·426	0·000	—	2·379	3·310	100·000
1903	Percentage	93·966	0·453	0·310	0·008	—	2·115	3·148	100·000
1904	Percentage	93·203	0·675	0·459	0·002	—	2·374	3·287	100·000
1905	Percentage	93·192	0·641	0·428	0·001	—	2·373	3·365	100·000
1906	Percentage	91·447	0·471	0·444	0·000	0·212	2·599	4·827	100·000
1907	Percentage	82·951	0·524	0·637	0·001	6·219	3·311	6·327	100·000
1908	Percentage	76·126	0·691	0·670	0·000	13·348	3·135	6·030	100·000
1909	Percentage	71·111	0·637	0·669	0·000	19·420	2·364	5·299	100·000
1910	Percentage	67·049	0·570	0·651	0·000	23·758	2·092	5·280	100·000
<i>10 Years</i>	<i>Percentage</i>	<i>85·570</i>	<i>0·516</i>	<i>0·553</i>	<i>0·001</i>	<i>—</i>	<i>2·563</i>	<i>4·411</i>	<i>100·000</i>
1911	Percentage	63·626	0·585	1·032	0·000	26·708	2·505	5·544	100·000

TABLE 52.—Deaths from Small-pox in Scotland, 1855-1911, with Vaccination Particulars, 1864-1911.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1911: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1911.					Deaths from Cow-pox and Effects of Vaccination, 1853-1911.
Year.	Successfully Vaccinated.*	Vaccination Postponed†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0-5 Years..	5-24 Years.	25-64 Years.	65 Years and upwards.	
1855						11,309	983	224	99	2	
1856						11,306	982	218	99	5	
1857						845	657	123	65	..	
1858						332	249	53	28	2	
1859						682	473	130	78	1	
1860						11,495	991	301	194	6	
1861						1,766	535	139	89	2	
1862						426	305	79	41	1	
1863						11,646	1,036	377	227	5	
1864	95·8	0·7	0·8		2·7	11,741	983	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2·4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	12,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	11,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	11,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	13	1	
1877	96·7	1·1	0·2		2·0	58	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·2	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	3	..	
1883	96·0	1·6	0·2		2·2	11	2	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	1
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	3
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	6
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	2
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	3
1890	94·6	2·5	0·2		2·7	4
1891	94·8	2·3	0·2		2·7	5
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	3
1893	94·8	2·2	0·4		2·6	68	11	13	43	1	1
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	3
1895	64·9	2·3	0·4		2·4	47	4	8	35	..	1
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	..	5	1	3
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	1
1899	93·6	2·5	0·5		3·4	1	1	..	1
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	92·5	2·4	0·8		3·2	273	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	123	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4·8	1	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	1
1908	76·8	3·1	0·7	13·4	6·0	6	..	1	5
1909	71·7	2·9	0·7	19·4	5·3	1
1910	67·6	2·7	0·6	23·8	5·3	2
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

‡ Including 1 of unstated age.

§ Including 2 of unstated age.

|| Including 3 of unstated age.

TABLE 53.—Deaths from SMALL-POX in SCOTLAND, 1855-1911.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1,309	1874	1,246	1893	68
1856	1,306	1875	76	1894	129
1857	845	1876	39	1895	47
1858	332	1877	33	1896	2
1859	682	1878	4	1897	10
1860	1,495	1879	8	1898	2
1861	766	1880	10	1899	1
1862	426	1881	19	1900	53
1863	1,646	1882	3	1901	278
1864	1,741	1883	11	1902	80
1865	333	1884	14	1903	41
1866	200	1885	39	1904	185
1867	100	1886	24	1905	4
1868	15	1887	17	1906	1
1869	64	1888	3	1907	1
1870	114	1889	8	1908	6
1871	1,442	1890	—	1909	—
1872	2,440	1891	—	1910	—
1873	1,126	1892	11	1911	5

TABLE 54.—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1905-1911.		SMALL-POX DEATHS, 1895-1904.		SMALL-POX DEATHS, 1885-1894.		SMALL-POX DEATHS, 1875-1884.		SMALL-POX DEATHS, 1865-1874.		SMALL-POX DEATHS, 1855-1864.	
	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.	Number.	Percent- age at each age.
0-5	2	11·8	106	15·2	41	13·7	38	17·1	1893	26·5	7194	68·3
5-24	3	17·6	85	12·1	77	25·8	96	43·3	2935	41·1	2079	19·7
25-64	12	70·6	494	70·7	175	58·5	82	36·9	2246	31·5	1233	11·7
65 and above	14	2·0	6	2·0	6	2·7	61	0·9	33	0·3
Total	17	100·0	699	100·0	299	100·0	222	100·0	*7138	100·0	†10548	100·0

* Including 3 of unstated age.

† Including 9 of unstated age.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1912. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1911.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1912.				VACCINATIONS, 1911.							
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.
				Total.	Illegit- imate.				On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the children having already had Small-pox.				
1	1. SHETLAND.	686	641	12	-	6	0	5	0	0	1	5	3	0	14
2	Bressay,	1389	1338	22	-	16	8	4	0	0	1	26	1	0	32
3	Delting,														
	Dunrossness, etc.—														
	(1) Dunrossness,	1375	1381	19	-	23	0	5	0	0	2	18	1	0	26
	(2) Sandwick and Cunnings- burgh,	2116	2241	36	2	35	4	6	0	0	1	29	1	0	37
	(3) Fair Isle,	147	139	2	-	0	0	1	0	0	0	4	0	0	5
4	Fetlar,	347	279	1	-	4	0	0	0	0	0	2	0	0	4
5	Lerwick—(1) Lerwick,	5661	6402	122	11	103	80	16	2	0	9	106	0	3	136
	(2) Burra Isles,	858	894	24	-	13	2	8	0	0	2	13	2	0	25
6	Yell—(1) Mid and South Yell, (2) North Yell,	1792	1690	30	3	24	2	9	0	0	0	18	2	3	32
	(1) Nesting,	691	658	10	2	6	1	0	0	0	2	15	0	0	17
7	Nesting, etc.—(1) Nesting, (2) Lunnasting,	726	605	6	-	9	1	0	0	0	0	7	0	0	7
	(3) Whalsay,	655	559	15	-	8	0	1	0	0	0	4	0	0	5
	(4) Whalsay Skerries, (5) Northmaine,	975	1042	17	-	15	2	2	0	0	0	19	0	0	21
8	Sandsting and Aithsting,	124	144	1	-	6	0	0	0	0	0	0	0	0	0
9	Tingwall, etc.—(1) Tingwall, (2) Whiteness and Weisdale, (3) Unst,	2014	1866	32	-	29	3	3	0	0	1	18	1	1	24
10	Walls, etc.—(1) Walls, (2) Sandness,	2396	2100	35	4	34	10	6	0	0	1	19	0	7	33
	(3) Papa-Stour,	1502	1406	17	1	19	0	0	0	0	1	17	0	4	22
11	(4) Foula,	771	704	13	1	12	1	0	0	0	0	9	0	0	9
12	Total,	1946	2077	37	2	31	4	3	0	1	1	19	0	8	32
		990	852	11	0	19	0	3	0	0	0	4	0	0	7
		503	497	13	0	6	1	6	0	0	0	4	0	0	10
		272	212	2	1	4	0	0	0	0	0	3	0	0	3
		230	184	1	1	2	0	0	0	0	0	1	0	1	2
		28166	27911	478	28	424	119	78	0	3	22	360	11	9	503

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1912.				VACCINATIONS, 1911.											
			Births.		Deaths.	Marr- riages.	In susceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.				
			Total.	Illegit- imate.			On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the Children having already had Small-pox.									
2. ORKNEY.																		
13	Birsay,	1329	1164	13	0	21	4	9	38	1	2	0	0	14				
14	Deerness,	742	642	6	0	9	4	4	0	1	2	3	0	11				
15	Eday and Pharay,	643	559	14	1	8	1	0	0	0	5	0	0	11				
16	Evie and Rendall,	1084	955	13	1	13	3	0	0	1	11	0	0	16				
17	Firth and Stennes—(1) Firth,	700	693	18	1	10	7	0	0	0	5	0	0	5				
	(2) Stennes,	570	517	7	0	5	3	0	0	0	2	0	0	8				
18	Harray,	675	608	11	0	9	3	0	0	1	8	0	0	9				
19	Holm and Paplay,	818	763	15	2	18	5	4	0	0	17	0	0	20				
20	Hoy and Graemsey,	485	393	7	0	7	4	0	0	0	2	0	0	7				
21	Kirkwall and St. Ola,	4522	4595	79	7	78	34	0	0	11	46	9	3	107				
22	North Ronaldshay,	442	436	4	1	5	0	0	0	0	3	0	0	7				
23	Orphir,	877	798	11	3	19	7	0	0	3	5	1	0	14				
24	Rousay and Egilshay,	829	710	13	0	8	5	0	0	0	3	0	0	12				
25	St. Andrews,	737	698	10	0	17	4	0	0	0	3	0	0	6				
26	Sanday,	1727	1529	29	1	24	5	0	0	3	16	0	0	30				
27	Sandwick,	1071	986	16	0	12	4	0	0	1	3	2	0	10				
28	Shapinsay,	769	718	16	1	7	4	0	0	0	7	0	0	14				
29	South Ronaldshay and Burray,	2707	2395	69	3	53	18	0	0	2	5	0	0	45				
30	Stromness,	3180	2348	39	2	34	14	0	0	2	22	2	0	51				
31	Stronsay,	1184	1217	34	3	13	10	0	0	3	6	0	0	19				
32	Walls, etc.—(1) Walls,	926	843	14	0	8	6	0	0	2	12	0	0	16				
	(2) Flotta,	431	404	6	0	8	1	0	0	1	0	0	0	8				
33	Westray, etc.—(1) Westray,	1956	1668	35	2	33	10	0	0	1	14	1	0	39				
	(2) Papa-Westray,	295	258	1	0	2	5	0	0	0	5	0	0	5				
Total,							471	28	421	161	211	4	0	33	204	24	8	484

3. CAITHNESS.																	
34	Bower,	1453	1393	27	1	21	7	17	0	0	0	2	8	4	0	0	31
35	Canisbay,	2006	1866	44	3	30	9	21	0	0	0	1	0	2	0	0	24
36	Dunnet,	1232	1147	32	4	22	4	26	0	0	0	0	9	5	0	0	40
37a	Halkirk,	2355	2158	53	4	29	7	25	0	0	1	2	11	3	6	0	45
37b	Keiss,	1110	1001	13	2	14	3	11	0	0	0	1	2	0	0	0	17
38	Latheron,	5223	4514	94	8	92	19	41	0	0	0	2	39	0	5	0	87
39	Oirig,	1555	1450	26	7	26	2	21	0	0	0	2	5	4	0	0	32
40	Reay,	974	920	20	3	20	5	11	0	0	0	1	6	1	0	0	19
41	Thurso,	5406	4709	104	16	103	41	69	0	0	0	9	33	3	0	0	114
42	Watten,	1230	1079	20	2	21	3	16	0	0	0	4	4	5	2	0	31
43	Wick,	11326	11771	338	34	223	64	114	3	0	0	46	73	0	103	2	339
Total,		33870	32010	771	84	601	164	372	3	1	0	70	190	27	116	779	
4. SUTHERLAND.																	
44	Assynt—(1) Kirkton,	338	306	8	0	2	0	0	0	0	0	0	2	0	0	0	2
	(2) Stoer,	2048	1805	22	0	23	3	22	0	0	0	1	8	0	1	1	32
45	Clyne,	1724	1749	41	2	36	3	17	0	0	2	2	0	0	5	0	26
46	Greich—(1) Benar,	1355	1282	25	2	32	2	8	0	1	0	1	8	0	3	0	21
	(2) Rosehall,	481	431	9	1	5	2	2	0	0	0	1	2	0	0	0	5
47	Dornoch,	2794	2670	47	6	57	9	52	0	0	0	8	1	1	1	1	63
48	Durness,	830	830	16	0	9	1	15	0	0	0	0	0	0	0	0	15
49	Eddrachillis—(1) Scourie,	541	441	7	0	7	0	1	0	0	0	0	5	1	1	0	7
	(2) Kinlochbervie,	877	809	14	1	7	3	5	0	0	0	0	6	4	1	1	16
50	Farr—(1) Kirkton,	1025	1062	23	0	17	2	1	0	0	0	3	20	0	0	0	24
	(2) Strath,	1532	1406	20	1	25	2	2	0	0	0	0	16	2	0	0	20
51	Golspie,	1665	1685	25	2	27	5	22	0	0	0	2	0	1	0	0	25
52	Kildonan,	1772	1786	36	3	26	9	14	0	0	0	0	4	0	0	1	29
53	Lairg,	1081	995	15	0	14	2	10	0	0	0	0	2	0	0	0	13
54	Loth,	449	367	6	1	6	1	4	0	0	0	0	1	0	0	0	5
55	Rogart,	1105	946	10	1	17	2	9	0	0	0	0	0	1	0	0	10
56	Tongue,	1783	1609	22	2	33	6	11	0	0	0	1	6	2	0	0	20
Total,		21440	20179	346	22	343	52	195	0	3	0	19	81	12	23	333	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1912.				VACCINATIONS, 1911.					
		1901	1911	Births.		Deaths.		Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.
				Total.	Illegitimate.			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	
57	Alness, . . .	956	898	23	5	16	3	10	0	0	1	6	20
58	Applecross—(1) Applecross, . . .	813	703	11	0	4	1	4	0	0	2	2	8
59a	Applecross—(2) Shieldaig, . . .	864	801	10	1	13	3	6	0	0	1	2	12
59b	Avoch, . . .	1852	1782	45	3	16	7	25	0	0	4	8	42
60	Carnoch, . . .	235	224	6	0	6	1	1	0	0	0	2	4
61	Contin—(1) Contin, . . .	516	445	4	0	7	0	6	0	0	0	1	12
62	Contin—(2) Kinlochluichart, . . .	589	512	6	0	4	0	10	0	0	0	4	13
63	Cromarty, . . .	1848	5637	30	2	36	6	5	0	0	3	2	30
64	Dingwall, . . .	2758	2898	56	8	54	25	24	0	0	0	21	60
65	Edderton, . . .	577	545	13	0	11	1	5	0	0	0	0	6
66	Fearn, . . .	1761	1785	55	3	15	2	30	0	0	4	1	36
67	Fodderty, . . .	1787	1692	27	1	30	6	13	0	0	0	6	26
68	Gairloch—(1) Northern, . . .	1118	944	14	0	13	3	1	0	0	1	14	18
69	Gairloch—(2) Southern, . . .	2617	2310	35	0	39	3	4	2	0	0	3	19
70	Glenshiel, . . .	343	339	5	0	5	1	3	0	0	0	1	4
71	Killearnan, . . .	933	782	20	0	13	4	7	0	0	0	1	2
72	Kilmuir-Easter, . . .	985	887	16	1	13	1	8	0	0	1	11	18
73	Kiltarn, . . .	1258	1138	27	2	24	6	21	0	0	2	3	27
74	Kincardine—(1) Kincardine, . . .	1005	971	13	1	14	2	8	0	0	1	2	11
75	Kincardine—(2) Strathoykel, . . .	260	227	2	0	1	1	2	0	0	0	0	2
76	Kintail, . . .	491	414	7	1	11	1	6	0	0	0	5	13
77	Knockbairn, . . .	1504	1356	23	0	22	4	13	0	0	0	1	21
78	Lochalsh, . . .	1830	1761	23	1	20	5	12	0	0	0	1	27
79	Lochbroom—(1) Lochbroom, . . .	2922	2042	25	1	34	3	17	0	0	0	14	28
80	Lochbroom—(2) Coigach, . . .	885	752	10	0	13	0	4	0	0	1	5	11
81	Lochcarron, . . .	1442	1108	13	2	21	1	0	0	0	0	4	14
82	Logie-Easter, . . .	819	700	16	0	8	1	5	0	0	0	3	9

1115	Sleat,	1665	1373	24	2	16	2	12	0	0	0	0	1	0	1	0	14
1116	Small Isles,	495	396	4	0	4	0	0	0	0	0	0	0	0	4	0	4
1117	Snizort—(1) North,	614	634	10	0	11	0	5	0	0	0	0	0	4	0	2	11
	(2) South,	1035	1060	12	0	13	4	0	0	0	0	0	0	9	0	7	16
1118	South Uist—(1) Benbecula,	1497	1384	19	2	18	5	10	0	1	11	0	1	11	0	24	24
	(2) Howmore,	1726	1639	27	3	15	6	18	0	0	0	1	0	0	0	7	26
	(3) Boisdale,	2293	2360	48	3	32	7	40	0	0	0	9	0	0	0	12	61
1119	Strath,	2152	1959	36	1	31	7	23	0	0	0	0	8	0	4	35	35
	Total,	90104	87272	1668	123	1366	391	972	3	8	0	131	329	49	244	1736	1736
7. NAIRN.																	
120	Ardclach,	772	759	15	2	11	4	15	0	0	0	2	2	0	0	0	19
121	Auldearn,	1292	1248	27	3	15	5	32	0	0	0	2	3	0	0	0	37
122	Cawdor,	925	847	22	0	6	0	12	0	0	0	1	1	1	0	0	15
123	Nairn,	5732	5906	135	21	94	22	69	0	1	0	9	12	18	5	114	114
94	Croy and Dalcross— <i>Nairn por- tion</i> ,	570	559	10	1	5	1	6	0	0	0	0	2	2	0	10	10
	Total,	9291	9319	209	27	131	32	134	0	1	0	14	20	21	5	195	195
8. ELGIN (or MORAY). (124 <i>Abernethy and Kincardine</i> . — <i>Now 90a supra</i> .)																	
125	Alves,	1025	1109	34	3	9	2	25	0	0	0	5	7	1	1	39	39
126	Bellie,	1801	1749	36	6	17	5	25	0	0	0	1	5	0	1	32	32
127	Birnie,	356	363	11	0	3	0	5	0	1	0	0	1	0	0	7	7
128	Cromdale, etc.— (1) Cromdale & Advie (2) Inverallan,	1048	898	10	1	14	1	10	0	0	0	0	1	0	0	11	11
		2181	1989	38	4	35	11	29	0	0	0	1	2	1	0	33	33
129	Dallas,	738	656	11	1	6	2	13	0	0	0	1	0	0	0	14	14
130	Drainie,	4380	4700	130	11	73	33	58	0	0	0	10	35	0	25	128	128
131	Duffus—(1) Burghhead,	2125	2056	56	4	34	10	19	0	0	0	1	33	0	0	53	53
	(2) Duffus,	1940	1949	43	1	25	16	51	0	0	0	3	3	7	1	65	65
	(132 <i>Duthil, etc.</i> — <i>Now 96b supra</i> .)																
133	Dyke,	1049	1020	24	1	9	1	21	0	0	0	2	2	0	0	25	25
134	Edinkillie,	869	832	16	0	10	5	13	0	0	0	4	1	2	0	20	20
135	Elgin,	11560	11692	267	50	212	99	174	1	3	0	32	18	0	50	278	278

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.								
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1911.
				Total.	Illegit- imate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
136	ELGIN (or MORAY)—continued.	661	612	34	20	21	3		13	0	0					
137	New Spynie,	5241	4932	117	14	104	28	71	0	9	7	0	8	95	95	
138	Forres,	929	851	24	0	12	4	13	0	4	4	2	0	23	23	
139	Kinloss,	1756	1488	35	8	20	2	25	0	2	0	1	0	28	28	
140	Rnockando,	934	895	21	3	13	3	15	0	2	1	0	1	19	19	
141	Rafford,	2361	2016	58	9	33	9	42	0	2	3	0	1	49	49	
142	Rothies,	1209	1155	27	3	17	5	15	0	1	1	0	1	18	18	
143	St. Andrews-Lhanbryde,	619	595	16	1	10	0	11	0	0	1	0	2	14	14	
144	Speymouth,	977	899	8	1	10	1	15	0	0	0	0	0	15	15	
	Urquhart—(1) Urquhart,	740	690	19	4	14	0	6	0	0	0	1	0	8	8	
	(2) Garmouth,	301	281	8	2	2	1	4	0	1	2	0	0	7	7	
152	Enzie—Elgin portion,	44800	43427	1043	147	703	241	673	1	5	129	16	95	1001	1001	
Total,																
145	9. BANFF.	2538	2569	48	4	31	8	26	0	1	20	1	0	48	48	
146	Aberlour,	1281	1200	32	2	14	3	24	0	1	3	1	0	30	30	
147a	Alvah,	4546	4570	104	14	65	33	74	0	3	18	1	1	109	109	
147b	Banff,	1128	990	16	2	10	3	19	0	0	1	1	0	22	22	
148	Boharn,	754	732	17	1	11	2	9	0	2	2	0	0	13	13	
149a	Botriphnie,	2005	2178	45	5	34	7	47	0	4	9	0	1	61	61	
149b	Boyndie,	581	534	12	1	6	1	9	0	1	0	0	0	10	10	
150	Cabrach,	1936	1992	50	2	42	13	17	0	4	15	0	0	37	37	
151	Cullen,	714	695	11	1	14	2	10	0	1	1	0	0	12	12	
152	Deskford,	1976	2154	67	10	20	16	19	0	3	36	0	0	58	58	
153	Enzie—Banff portion,	1850	1808	48	8	26	9	25	0	1	5	5	3	42	42	
	Fordyce—(1) Fordyce,	2091	2172	54	13	43	12	16	0	6	22	6	0	50	50	
	(2) Portsoy,	653	620	15	0	11	1	8	0	0	1	2	0	11	11	
154	Forglen,															

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.					
	1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.	
			Total.	Illegitimate.								
ABERDEEN—continued.												
180	425	434	10	2	4	1	6	0	0	0	8	
181	1207	1132	21	3	11	0	20	0	0	0	25	
182	684	606	11	3	10	2	5	0	0	0	21	
183	846	780	11	3	12	5	8	0	0	0	11	
	606	621	7	0	6	1	7	0	0	0	8	
	719	673	15	2	6	2	10	0	0	0	11	
	3060	2860	59	6	91	14	57	0	0	0	76	
	683	607	15	3	6	2	15	0	0	0	15	
	568	581	8	1	6	0	5	0	0	0	7	
	948	883	21	3	9	2	13	0	0	0	13	
	865	843	15	2	13	2	11	0	0	0	13	
	1482	1319	26	1	20	2	31	0	0	0	31	
	1249	1222	31	3	13	9	25	0	0	0	26	
	3395	3088	79	13	42	30	72	0	0	0	80	
	866	872	13	0	8	1	20	0	0	0	20	
	1107	1079	29	10	12	7	28	0	0	0	33	
	1793	1649	48	4	22	5	20	0	0	0	35	
	9715	11151	358	34	172	75	154	0	0	0	347	
	2774	2786	58	14	33	2	58	0	0	0	64	
	862	758	22	6	16	2	13	0	0	0	14	
	809	703	14	2	6	2	12	0	0	0	16	
	403	340	8	2	3	1	4	0	0	0	6	
	2347	2210	37	7	29	10	32	0	0	0	43	
	4899	4937	136	32	74	43	95	0	0	0	127	
	1408	1340	29	5	20	10	39	0	0	0	48	
	3491	4425	90	19	69	43	56	0	0	0	98	
	626	574	7	3	8	3	11	0	0	0	14	
	803	760	23	6	5	2	12	0	0	0	16	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.									
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.	
				Total.	Illegitimate.			On the ground of previous Successful Vaccination	On the ground of Constitutional Insusceptibility.	On the ground of of already had Small-pox.						
237c	ABERDEEN—continued.															
238	St. Fergus,	1194	970	31	8	13	3	19	0	0	0	1	1	0	0	21
239	Skene,	1546	1437	32	5	20	4	33	0	0	0	2	3	0	2	40
240	Slains,	936	846	25	4	15	4	15	0	0	0	1	3	0	1	21
241	Strathdon,	1096	1014	16	5	12	2	7	0	0	0	0	16	0	0	23
242	Strichen,	2083	2085	62	12	34	7	37	0	0	0	4	7	2	1	51
243	Tarland,	733	741	17	4	6	14	10	0	0	0	1	8	0	0	19
244	Tarves,	2101	1946	52	14	30	3	57	0	0	0	2	1	0	0	60
245	Tough,	675	613	11	2	4	1	8	0	0	0	0	0	0	1	9
246	Towie,	938	728	20	6	3	3	8	0	0	0	1	6	2	0	17
247	Tullynessle and Forbes,	903	872	18	2	7	7	18	0	0	0	1	1	0	0	21
248	Turriff,	4139	4128	106	17	45	29	85	0	1	0	9	5	3	4	107
249a	Tyrie,	747	719	28	1	5	3	13	0	1	0	1	1	0	0	16
249b	Udny,	1564	1469	34	7	18	8	37	0	1	0	3	9	0	0	49
249b	Ythan Wells,	1005	895	24	5	3	0	17	0	0	0	1	0	5	0	23
	Total,	304439	312177	7812	1074	4705	2111	5200	89	36	0	759	1072	274	282	7712
250	IL KINCARDINE.															
251	Arbuthnot,	698	674	14	2	7	2	16	0	0	0	1	4	0	0	21
252	Banchory-Devenick— (1) Banchory-Devenick,	508	504	16	3	7	2	12	0	0	0	1	0	0	0	13
253	(2) Portlethen,	1218	996	21	6	11	1	15	0	0	0	0	0	2	0	17
254	Banchory-Ternan,	3449	3377	50	7	52	10	58	0	0	0	7	2	0	0	67
255	Bentholm,	1426	1276	30	5	14	3	14	0	0	0	2	7	2	0	25
256	Bervie,	2391	2391	58	16	34	21	15	0	0	0	10	34	0	0	59
257	Dunnottar,	2253	2255	46	7	26	13	37	0	1	0	2	12	5	0	57
258	Durris,	884	872	18	1	5	1	16	0	0	0	2	1	0	0	19
259	Fettercairn,	1390	1301	36	3	17	4	25	0	1	0	2	5	1	1	35

	67	8	73	23	42	7	2	0	93	132	50	21	1006
Fetteresso—(1) Fetteresso, (2) Cookney,	3683	67	8	73	23	42	0	0	0	0	3	0	59
Fordoun, .	3930	25	5	15	5	14	0	0	2	0	0	0	16
Garcock, .	1479	38	4	16	6	36	0	0	2	0	0	0	39
Glenbervie, .	1809	10	2	7	0	11	0	0	0	1	0	0	12
Kinnell and Catterline, .	368	17	1	9	4	14	2	0	0	0	0	0	16
Laurencekirk, .	870	17	1	9	4	14	0	0	1	4	1	1	26
Maryculter, .	899	17	1	12	1	19	0	0	0	0	0	3	39
Marykirk, .	2011	54	4	25	14	0	0	0	4	0	0	0	18
Nigg, .	951	12	0	7	0	17	0	0	0	1	0	0	29
St. Cyrus, .	1209	28	2	13	4	25	0	0	3	49	36	16	399
Strachan, .	10914	400	28	126	56	247	5	0	46	1	0	0	31
	1228	39	6	19	10	29	0	0	1	2	0	0	9
	527	11	2	9	2	7	0	0	0	0	0	0	
Total,	40923	1007	114	504	182	701	7	2	0	132	50	21	1006
12. FORFAR.													
Aberlemno, .	804	26	2	8	2	20	0	0	2	4	0	0	26
Airlie, .	698	21	2	9	5	12	0	0	0	0	0	2	14
Arbirlot, .	800	24	0	13	3	20	0	0	4	0	1	0	25
Arbroath, etc.—(1) Arbroath, (2) St. Vigean, .	22369	441	31	351	135	175	0	6	43	209	4	4	441
Auchterhouse, .	2108	46	10	26	6	28	0	0	3	13	1	2	47
Barry, .	547	18	1	8	6	13	0	0	1	3	0	0	17
Brechin, .	4652	79	5	75	24	40	0	0	5	38	0	1	84
Carmyle, .	10444	181	14	141	63	87	0	2	33	63	5	3	193
Careston, .	1063	13	0	13	4	26	0	0	1	0	0	0	27
Cortachy and Clova, .	221	6	1	1	0	4	0	0	0	1	1	0	6
(29) Coupar-Angus, — <i>Now 341b</i> <i>infra.</i>)	569	10	1	8	2	5	0	0	0	2	0	0	7
Craig, .	2019	48	2	23	15	23	0	0	2	16	0	0	41
Dun, .	526	12	0	5	2	15	0	0	0	0	0	1	16
Dundee—(1) St. Peter, .	29343	695	50	432	168	293	36	8	91	300	7	75	720
(2) St. Mary, .	29222	913	150	809	365	191	91	2	154	416	5	138	997
(3) St. Clement, .	28077	717	58	435	225	180	26	4	52	369	0	62	693
(4) St. Andrew, .	60403	1468	119	1113	312	478	74	12	159	605	9	160	1497
(5) Lochee, .	14790	312	27	294	143	69	20	3	64	135	0	94	385
Dunnichen, .	1132	20	2	15	1	20	0	0	2	3	0	0	25
Essie and Nevay, .	474	14	0	1	2	13	0	2	0	0	1	0	16
Edzell, .	822	22	1	10	6	12	0	0	2	0	0	0	14
Farnell, .	536	8	0	1	3	9	0	0	1	4	0	0	14
Fern, .	322	8	1	2	1	5	0	0	0	0	0	0	5

No. of District.	REGISTRATION DISTRICTS.		POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.										
			1911		Total.	Births.	Deaths.	Marr- riages.	Successfully Vaccinated.	On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.	
			1901	1911														
FORFAR—continued.																		
288a	Forfar,		12879	12254	229	19	183	81	224	0	1	0	25	16	0	0	5	271
288b	Fowls-Easter,		254	249	12	0	13	1	7	0	1	0	0	0	0	0	0	9
289	Glamis,		1351	1159	25	2	4	1	16	0	1	0	3	0	0	0	1	22
290	Glenisla,		409	344	7	0	4	1	4	0	0	0	0	0	0	0	0	4
291	Guthrie,		264	257	4	0	7	2	2	0	0	0	0	0	0	0	0	2
292	Inverarity,		823	861	19	1	5	2	14	0	1	0	0	2	0	0	0	17
293	Inverkeillor,		1397	1377	33	3	15	4	32	0	0	0	1	7	0	0	1	41
294a	Kettins,		704	689	16	2	14	4	5	0	0	0	0	0	0	0	0	8
294b	Kilry,		324	278	7	0	3	0	7	0	0	0	0	0	0	0	0	7
295	Kingoldrum,		355	349	11	2	7	1	8	0	0	0	1	0	0	0	0	9
296	Kinnell,		574	589	18	1	2	2	17	0	1	0	0	6	0	0	0	24
297	Kinnettles,		323	310	9	0	2	1	8	0	0	0	0	0	0	0	0	9
298	Kirkden,		1491	1337	23	3	18	10	24	0	0	0	2	1	0	0	1	27
299	Kirriemuir,		5902	5391	92	8	59	37	81	0	1	0	9	3	0	0	1	97
300	Kirriemuir and Navar,		238	205	4	0	2	0	1	0	0	0	0	0	0	0	0	8
301	Liff, Benvie, and Invergowrie,		1834	1923	30	4	82	6	17	0	0	0	2	7	0	0	1	27
302	Lintrathen,		495	507	7	2	3	3	11	0	0	0	0	0	0	0	0	11
303	Lochee,		326	295	5	0	5	1	3	0	0	0	0	0	0	0	0	3
304	Logie-Pert,		982	1002	24	3	13	5	16	0	0	0	0	2	0	0	2	22
305	Lunan,		302	312	12	1	4	2	6	0	0	0	1	0	0	0	2	6
306	Lundie,		268	256	10	1	5	1	4	0	0	0	0	0	0	0	0	4
307	Mains and Strathmartine,		5443	6631	139	4	87	42	4	0	0	0	0	0	0	0	0	126
308	Marytown,		278	262	10	2	2	2	3	0	0	0	11	4	0	0	2	7
309	Menmuir,		704	627	17	1	3	3	8	0	0	0	0	4	0	0	0	13
310	Monifieth—(1) East,* (2) West,*		2614	3546	80	4	41	10	168	0	1	0	17	70	6	1	1	263
311	Monikie,		9058	9599	202	6	127	51	17	0	0	0	4	4	0	0	0	25
312	Montrose,		1299	1184	28	9	11	2	137	9	0	0	0	54	0	0	16	224
313	Murroes,		14027	12669	172	8	286	71	12	0	2	0	15	0	0	0	0	19
			1041	898	27	1	4	8		0	0	0	1		2			

	818	840	20	0	4878	1886	2667	247	58	0	725	2408	48	576	6729
314 Newtyle,	818	840	20	0	4878	1886	2667	247	58	0	725	2408	48	576	6729
315 Oathlaw,	365	324	5	1	4	2	8	0	0	0	1	0	0	1	14
316 Panbride,	1885	1806	25	2	27	7	23	0	0	0	3	5	0	0	10
317 Rescobie,	594	526	14	1	7	0	13	0	0	0	0	0	0	0	31
318 Ruthven,	169	172	2	0	2	2	4	0	0	0	2	0	0	0	13
(319 St. Vigeans—Now 272 (2) supra.)															6
320 Stracathro,	430	398	10	0	5	2	4	0	0	0	0	0	0	0	4
321 Tannadice,	1106	1013	15	2	10	6	14	0	0	0	0	2	0	0	16
322 Tealing,	615	588	18	0	9	4	14	0	1	0	2	3	0	0	20
Total,	284082	281417	6483	570	4878	1886	2667	247	58	0	725	2408	48	576	6729
13. PERTH.															
323 Aberdalgie,	278	278	6	0	0	1	2	0	0	0	0	0	0	0	2
324 Aberfeldy,	2198	2248	43	1	33	8	39	0	0	0	2	0	0	1	42
325 Aberfoyle,	1082	1147	30	1	15	2	20	0	0	0	1	0	1	1	23
326 Abernethy,	1276	1267	24	1	11	9	18	0	1	0	1	4	0	0	23
327 Abernethy,	241	209	4	0	3	1	4	0	0	0	0	0	0	0	4
328 Altyth,	2943	2858	51	4	47	18	50	0	1	0	2	3	0	1	57
328½ Ardoch,	916	863	10	0	12	2	11	0	0	0	0	1	0	1	13
328¾ Arngask,	593	652	11	0	6	3	7	0	0	0	0	4	0	0	11
329 Auchtermarder,	3159	3175	48	5	70	18	35	0	2	0	10	10	3	0	60
330 Auchtergaven,	1288	1299	26	4	20	3	19	0	0	0	2	2	1	0	24
331 Balquhither,	709	734	10	1	11	3	7	0	0	0	0	1	0	0	8
332 Bendochy,	473	542	12	2	6	4	11	0	0	0	2	0	0	1	14
333 Blackford,	1539	1374	21	1	14	9	28	0	0	0	4	0	1	2	35
334 Blair-Athol,	1501	1342	24	1	13	5	20	0	0	0	0	1	0	2	23
335 Blairgowrie,	4282	4122	57	6	67	35	65	0	1	0	5	9	2	3	85
336 Callander,	2171	2215	34	2	20	7	22	0	0	0	1	1	0	2	26
337 Caputh,	1005	986	14	0	7	3	16	0	0	0	1	1	0	0	18
338 Cargill,	1411	1411	28	1	21	2	22	0	0	0	1	4	3	0	30
339 Clunie,	561	508	12	1	7	3	6	0	0	0	0	2	0	2	10
340 Collice,	440	366	4	0	5	2	9	0	0	0	0	0	0	0	11
341 Comrie,	1964	1675	25	1	26	3	25	0	0	0	1	2	2	1	31
341½ Coupar-Angus,	2468	2523	55	7	28	10	39	0	1	0	2	14	0	1	57
342 Crief,	5706	6089	109	19	84	34	62	0	1	0	11	23	3	1	101
(343 Cultross—Now 418b infra.)															
344 Dowally,	304	283	3	1	0	0	4	0	0	0	0	1	0	0	5
345 Dron,	232	256	6	1	3	0	5	0	0	0	0	0	1	1	7

* The Parish of Monifeth was divided into two Registration Districts as from January 1, 1912.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.							
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccini- cation, or otherwise.	Total Births for 1911.	
				Total.	Illegiti- mate.									
346	PERTH—continued.													
347	Dull,	355	287	3	0	4	3	0	0	0	0	0	2	5
348	Dunbarney,	909	862	16	1	8	6	0	0	0	0	0	0	14
349	Dunblane and Leacroft,	3812	4591	95	5	46	20	0	0	0	2	3	1	71
350	Dunkeld,	897	798	15	0	16	5	0	0	0	0	0	0	17
351	Dunning,	1141	1145	23	4	21	7	0	1	0	2	1	0	26
352	Errol,	2070	2083	46	2	27	13	0	0	0	3	0	0	62
353	Findo-Gask,	323	357	10	0	2	0	1	0	0	1	0	0	8
354	Fogandenney,	527	540	16	2	6	3	0	0	0	0	1	0	10
355a	Forteviot,	562	549	14	1	3	2	0	0	0	1	0	0	10
	Fortingall—													
	(1) Innerwick in Glenlyon,	312	272	4	0	3	0	0	0	0	1	0	0	8
	(2) Fortingall,	465	465	6	1	11	2	0	0	0	1	0	0	7
	(3) Kinloch-Rannoch,	807	787	18	1	12	3	0	0	0	1	9	0	13
355b	Foss,	197	161	2	0	2	1	0	0	0	0	0	0	1
	(356 Fowlis-Easter.—Now 288b supra.)													
357	Fowlis-Wester,	1000	1007	18	2	9	3	0	0	0	1	0	0	14
358	Glendevon,	147	148	3	0	3	1	0	0	0	0	0	0	3
359	Inchture,	552	545	11	1	5	2	0	0	0	1	1	0	11
360	Kenmore,	971	826	20	3	10	2	0	0	0	3	0	0	15
361	Killin,	1269	1192	18	2	15	3	0	0	0	1	1	0	16
362	Kilmadock,	2705	2428	56	4	23	10	0	1	0	2	4	1	48
363	Kilspindie,	568	498	16	0	7	2	0	0	0	2	1	0	12
364	Kincaidine,	1309	1150	16	2	15	8	0	0	0	2	1	0	25
365	Kinclaven,	562	468	16	3	6	0	0	0	0	1	1	0	11
366	Kinfauns,	611	571	12	2	8	7	0	0	0	0	0	0	10
	(367 Kinloch-Rannoch.—Now 355a (3) supra.)													
368	Kinnaird,	217	172	3	0	2	0	0	0	0	0	1	0	5

	369	370	372	373	375	376	377	378	379	380	381	383	384	385	386a	386b	387	388	389	390	391	392	393a	393b	394a	394b	395	396	398	Total,		
Kinnoull, Kirkmichael—(1) Kirkmichael, Kirkmichael—(2) Glenshee, (371 <i>Leovpt.</i> — <i>Merged in 348.</i>) Lethendy and Kinloch, Little Dunkeld, (374 <i>Logie.</i> — <i>Now 485b infra.</i>) Logiealmond, Logierait, Longforgan, Madderty, Meikle, Methven, Moneydie, (382 <i>Monzie.</i> — <i>Merged in 342,</i> <i>380, and 383.</i>) Monzievaard and Strowan, Moulin—(1) Moulin, (2) Strathloch, Muckart, Muthill, Persie, Perth, Port of Menteith, Rattray, Redgorton, Rhynod, St. Madoes, St. Martins, Stanley, Scene, Strathfillan, Tenandry, Tibbermore, Trinity-Gask, (397 <i>Tulliallan.</i> — <i>Now 458b</i> <i>infra.</i>) Weem,	320	508	163	351	2072	619	1374	1886	443	959	1638	251	588	2192	158	475	1401	513	34176	1088	2462	1077	183	336	850	1220	2362	443	355	1035	381	406
	258	421	159	340	2079	530	1312	1997	438	1036	1789	237	508	2299	205	535	1269	512	36009	17	2160	1086	205	359	820	1388	2341	490	385	1017	360	439
	9	6	2	6	34	11	13	36	14	28	32	1	12	39	7	20	8	779	17	42	25	6	7	18	25	37	12	37	7	15	11	3
	0	0	0	1	4	2	2	3	1	1	5	0	0	1	0	4	0	79	1	12	1	1	1	2	2	4	0	0	0	2	1	2410
	0	0	0	2	80	6	28	24	2	8	26	3	5	29	3	17	3	606	10	42	14	3	4	4	15	38	3	3	6	4	6	226
	1	5	3	2	4	0	3	7	1	3	2	0	5	3	0	5	2	289	5	6	8	2	2	5	20	14	3	3	7	5	0	1801
	0	2	2	1	4	0	0	0	0	0	0	0	2	17	0	2	2	2	289	1	14	13	0	0	0	38	3	6	6	2	0	700
	5	4	0	5	34	5	18	24	10	15	32	6	6	42	6	8	471	11	29	29	0	0	0	11	37	32	7	19	2	5	1800	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0																												

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.							
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.	
				Total.	Illegit- imate.									
	14. FIFE. (399 <i>Abbotshall</i> .— <i>Merged in</i> 442.)													
400	Abdie,	664	647	11	2	9	1	0	0	0	2	1	1	13
401	Aberdour,	1997	2147	65	4	25	11	0	0	4	14	0	0	53
402	Anstruther-Easter,	1190	1147	19	1	15	9	0	0	0	4	1	1	17
403	Anstruther-Wester,	558	613	12	0	2	4	0	0	1	3	1	0	15
404	(404 <i>Arngask</i> .— <i>Now 328c supra.</i>)													
405	Auchterderran— (1) Auchterderran, (2) Lochgelly,	3068	7351	278	13	89	42	0	3	22	105	1	22	277
406	Auchtermuchty,	5558	10196	422	13	159	59	0	0	43	114	1	8	368
407	Auchertool,	1884	1893	28	2	28	5	0	0	1	1	0	0	24
408	Ballingry—(1) Lochore, (2) Lumphmians,	742	781	32	2	9	2	0	2	2	11	0	0	19
409	Balmerino,	1218	5106	222	10	65	27	0	0	26	48	0	28	224
410	Beath—(1) Cowdenbeath, (2) Kelty,	2938	4108	134	10	47	26	0	0	11	59	3	9	161
411	Burntisland,	576	568	13	1	8	8	0	0	0	1	0	1	11
412	Cameron,	9904	15509	559	14	166	132	0	10	34	283	19	22	544
413	Carnbee,	5908	8842	335	9	108	31	0	4	24	108	14	9	325
414	Carnock,	5599	5305	102	3	57	31	0	4	4	28	0	0	99
415	Ceres,	738	785	13	1	6	3	0	1	4	0	0	0	18
416	Collessie,	910	843	14	2	9	1	0	0	4	0	0	0	22
417	Craik,	1349	1315	48	2	18	7	0	0	4	1	0	0	29
418a	Creich,	1545	1467	25	1	20	6	0	0	2	5	0	1	32
418b	Culross,	2161	2215	49	4	41	6	0	2	9	5	1	0	57
419	Cupar,	1534	1547	29	1	8	8	0	0	2	3	0	0	34
420	Cupar,	297	309	5	0	5	0	0	0	0	1	0	0	7
		1120	1499	53	3	23	11	0	0	1	5	0	0	38
		628	617	13	1	10	4	0	0	1	1	0	0	12
		6768	6736	112	8	144	31	1	0	3	29	1	2	109

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.							
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.	
				Total.	Illegitimate.									
459	Fife—continued. Wemyss—(1) Wemyss, . . . (2) Buckhaven, . . . Total,	4587 10444 218840	6213 16891 267739	191 542 7197	10 26 350	70 223 3637	23 85 1677							
460	15. KINROSS.													
461	Cleish, . . .	631	546	18	2	6	4							
462	Fossway and Tulliebole, . . .	1046	1059	21	1	14	8							
463	Kinross, . . .	2655	3094	71	4	33	16							
464	Orwell, . . .	1822	1983	32	4	26	8							
464a	Portmoak, . . .	827	845	19	1	14	3							
	Total,	6981	7527	161	12	93	39							
465a	16. CLACKMANNAN.													
465b	Alloa, . . .	16858	17130	410	23	256	106							
466	Alva, . . .	5641	5265	96	4	82	32							
467	Clackmannan, . . .	2501	2203	47	2	26	13							
467a	Dollar, . . .	2042	1874	25	1	36	7							
468	Tillicoultry, . . .	4987	4649	94	5	72	30							
	Total,	32029	31121	672	35	472	188							

17. STIRLING.									
469	Airth, (470 <i>Alva</i> .— <i>Nov</i> 465 <i>b supra</i> .)	1360	1515	38	1	16	7	34	0
471	Baldernock,	582	747	9	1	4	2	13	0
472	Balfour,	1155	1092	10	1	15	2	18	0
473	Bonnybridge,	4264	5611	166	8	77	23	92	0
474	Buchanan—(1) Buchanan, (2) Inversnaid,	365	371	6	0	2	1	4	0
475	Campsie,	122	424	3	0	2	0	3	0
476	Denny—(1) Denny,	5424	5304	118	8	75	30	70	0
477	Denny—(2) Haggis,	4710	4591	129	7	61	21	93	0
478	Drymen,	2147	2882	80	3	34	22	39	0
479	Dunipace,	1390	1269	15	1	19	3	17	0
480	Falkirk,	2010	1870	60	4	23	7	40	0
481 ^a	Finty,	33815	38571	1060	55	508	245	340	0
481 ^b	Gargunnoch,	314	280	5	1	4	0	2	0
482	Grangemouth—(1) Bothkennar, (2) Grangemouth,	633	573	14	0	6	0	7	0
483	(3) Polmont,	1964	1869	43	4	23	5	35	0
484	Killearn,	9146	10244	300	16	128	55	142	0
485	Kilsyth,	6353	7357	218	12	89	48	110	0
486	Kippen,	929	1085	23	3	11	6	12	0
487	Larbert,	9840	11052	386	30	141	56	157	0
488	Logie,	1456	1365	17	0	11	10	21	0
489	Murray,	11684	12984	314	9	243	70	151	1
490	Murray,	4432	4373	41	4	55	15	51	0
491	Murray,	5332	5706	187	16	56	32	115	0
492	St. Ninians—(1) St. Ninians,	6611	12275	432	20	167	66	255	5
493	(2) Cambusbarron,	1541	1593	39	2	17	2	13	0
494	Slamannan,	5286	3440	96	6	29	17	45	0
495	Stirling,	18609	21461	564	38	373	200	339	8
496	Strathblane,	880	1024	16	0	9	5	5	0
497	Total,	142291	160991	4409	250	2198	950	2240	14
498	Arrochar,	605	537	7	0	4	2	5	0
499	Bonhill,	14581	15969	395	18	176	114	162	0
500	Cardross—(1) Cardross,	1372	1520	21	1	16	3	25	0
501	(2) Renton,	5114	4977	153	14	73	43	56	0
502	Total,	4534	4534	104	104	1682	94	104	33
503	Arrochar,	7	7	0	0	2	0	0	0
504	Bonhill,	396	396	18	18	173	10	173	0
505	Cardross—(1) Cardross,	31	31	0	0	4	0	4	0
506	(2) Renton,	144	144	11	11	49	9	49	0

18. DUMBARTON.

[illegible]

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.						
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccini- nation, or otherwise.	Total Births for 1911.		
				Total.	Illegit- imate.									
													In respect of the Children having already had Small-pox.	On the ground of Constitutional Insusceptibility.
534	ARGYLL—continued. Stralachlan, etc.— (1) Stralachlan, (2) Strachur,	238 496 2128	217 483 1983	2 7 30	0 1 3	4 12 23	0 1 11	0 0 0	0 0 4	0 0 0	0 0 7	7 5 31		
535	Tarbert,	249	272	5	0	3	0	0	0	0	0	2		
986	Kilmallie—Argyll portion, Insular.	1813 374	1765 326	25 6	7 1	32 5	1 1	0 0	0 0	0 0	0 1	31 6		
536	Bowmore (or Kilarrow),	562	509	4	0	12	0	0	0	0	0	9		
537	Gigha,	313	273	4	1	7	0	0	0	0	0	3		
539	Jura, etc.—(1) Jura, (538) Iona—Merged in 542.)	1632	1459	29	2	22	6	0	0	2	0	31		
540	Kilchoman,	1872	1648	28	4	33	1	0	0	1	0	38		
541	Kildalton and Oa,	1529	1403	24	0	27	3	0	1	0	1	24		
542	Kilfinichen and Kilviekeon,	822	787	8	0	12	2	0	0	0	0	16		
543	Kilmenny,	193	193	6	1	3	0	0	0	0	0	4		
544	Kilmanian and Kilmore— (1) Ulva, (2) Kilmanian and Kilmore,	624 259	539 258	8 1	0 0	7 2	0 0	0 0	0 0	0 0	0 0	8 2		
545	Kinlochspelve, (546) Oa—Merged in 541.)	728	628	10	1	6	0	0	0	1	0	14		
547	Portnahaven,	441	419	9	0	6	2	0	0	0	0	6		
548	Salen,	1301	1079	20	4	23	1	0	1	0	2	18		
549	Tobermory,	316	282	5	0	6	0	0	0	0	1	4		
550	Torossay,	2195	1825	23	2	39	3	0	0	0	3	21		
551	Tyre, etc.—(1) Tyree, (2) Coll,	432	389	10	0	7	1	0	0	0	1	6		
	Total,	73642	70902	1162	96	1083	242	1	6	0	82	1241		

552	Cumbræ,	1769	1707	22	2	26	2	16	0	0	0	0	1	2	0	1	20
553	Kilbride—(1) Brodie,	1048	992	15	0	7	2	10	0	0	0	0	0	0	0	1	11
	(2) Kilbride,	1335	1323	14	0	18	1	12	0	1	0	0	1	1	0	0	15
554	Kilmory—(1) Kilmory,	978	954	9	0	14	4	3	0	0	0	0	1	0	0	1	5
	(2) Shiskine,	831	764	11	1	12	4	7	0	0	0	0	1	0	0	1	9
555	Kingarth,	1056	967	19	1	11	2	11	0	0	0	0	0	0	0	0	12
556	Lochranza,	645	595	9	0	8	2	3	0	0	0	0	0	1	0	0	4
557	North Bute,	1747	1585	24	1	14	3	20	0	0	0	0	2	1	0	0	23
558	Rothessay,	9378	9299	173	10	126	46	110	0	2	0	0	12	8	5	14	151
Total,		18787	18186	296	15	236	66	192	0	4	0	18	13	5	18	250	
21. RENFREW.																	
(559a Abbey—Merged in 572																	
(2) and 573, infra.)																	
559b	Bridge of Weir,	2316	2716	51	1	34	5	43	0	3	0	0	4	14	1	2	65
560	Cathcart—Renfrew portion,	7375	15205	352	7	161	62	228	1	0	0	14	79	8	6	339	
561	Eaglesham,	1075	1138	23	2	22	6	25	0	0	0	1	4	0	1	31	
562	Eastwood—Renfrew portion,	15366	18505	441	22	238	120	261	0	2	0	46	161	7	14	491	
563	Erskine,	1519	1712	46	1	20	2	28	0	0	0	4	4	1	0	37	
564	Greenock—(1) East,	34599	38027	1352	62	567	203	625	0	4	0	100	477	10	26	1242	
	(2) West,	33618	36267	1014	53	720	393	458	1	2	0	97	455	7	17	1037	
565	Houston and Killellan,	1402	1345	28	3	14	10	30	0	1	0	1	7	1	1	41	
566	Inchinnan,	573	592	17	0	2	8	10	0	0	0	1	0	0	0	11	
567	Inverkip—(1) Inverkip,	1151	1168	19	0	10	5	14	0	0	0	1	1	0	2	18	
	(2) Gourcock,	6112	8458	186	17	288	28	83	0	4	0	26	58	1	9	181	
568	Kilbarchan—(1) Kilbarchan,	3450	3462	68	3	42	19	35	0	1	0	4	21	0	1	62	
	(2) Linwood,	2099	2055	50	2	46	6	40	0	0	0	7	18	1	1	67	
569	Kilmacolm,	4869	6242	95	4	58	14	65	1	0	0	12	19	2	3	102	
570	Lochwinnoch,	4402	4254	95	9	51	16	76	0	3	0	5	6	1	3	94	
571	Mearns—(1) Busby,	1297	1058	22	1	10	3	14	0	0	0	2	15	0	2	33	
	(2) Newton-Mearns,	2112	2143	41	4	17	10	31	0	0	0	1	4	2	0	38	
572	Neilston—(1) Neilston,	4459	4616	94	0	48	33	66	0	0	0	17	24	14	5	126	
	(2) Barrhead and Levern,	12051	14210	448	31	255	76	233	0	3	0	33	99	4	20	394	
573	Paisley—(1) Paisley,	83492	91038	2383	142	1392	746	488	2	7	0	200	809	81	155	2271	
	(2) Johnstone & Elderslie,	13613	15132	435	29	196	111	182	6	1	0	41	115	22	16	383	
574	Port-Glasgow,	16888	17775	629	23	283	144	301	10	1	0	52	121	11	24	520	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1912.			VACCINATIONS, 1911.								
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.
				Total.	Illegit- imate.					On the ground of previous Successful Vaccination.	Constitutional Insusceptibility.	On the ground of Small-pox.			
575	Renfrew— <i>continued</i> . (1) Renfrew, (2) Scotstoun and Yoker, Total,	9616 5526 268980	12902 14532 314552	388 405 8682	11 14 441	121 216 4811	62 60 2142	132 123 2766	21 23 713	9 7 190	3 28 339	348 388 8319			
576	22. AYR. Ardrossan—(1) Old Ardrossan, (2) New Ardrossan,	5834 6054 2828 3777 28697 1219 2011 1124 581 7523 993 961 1875 667 509 1108 1673	6124 5627 3616 3808 32985 1438 2221 1080 521 6699 996 936 2112 931 538 1040 1940	166 124 114 118 911 59 42 17 4 133 23 19 62 49 9 20 68	7 4 10 7 84 6 6 0 0 4 5 4 5 3 3 5 3 5 11 1 2 6	94 79 48 36 547 10 60 14 2 79 15 9 16 11 7 10 29	53 42 25 17 240 14 4 2 38 3 8 9 4 4 6 5 4 4 3 4								

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.								
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.					
				Total.	Illegit- imate.											
												On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In: respect of the Children having already had Small-pox.	Died before Vaccination.	
621	23. LANARK.	5773	5033	96	5	75	29	74	0	1	0	4	15	14	0	108
622	Avondale, Barony— (1) Maryhill.—(Now 644 (14) <i>in vac.</i>)	21955	32046	1008	23	391	180	595	0	9	0	83	211	33	31	962
623	Biggar,	1897	1931	26	1	24	3	35	0	1	0	5	2	1	1	45
624	Blantyre,	14145	16821	631	32	225	91	316	37	4	0	66	209	10	28	670
625	Bothwell—(1) Bothwell,	16260	18956	594	14	278	101	374	6	0	0	44	115	31	9	579
	(2) Holytown,	14660	17297	688	24	255	102	302	12	6	0	56	244	18	24	662
	(3) Bellshill,	14985	18638	777	22	283	124	275	7	4	0	91	350	29	29	785
626a	Cadder—(1) Western,	4743	5585	150	8	79	22	87	1	5	0	21	36	5	14	169
	(2) Eastern,	5825	9143	240	7	190	28	123	2	2	0	27	58	31	4	247
626b	Calderhead,	6641	8671	352	12	150	48	171	0	1	0	24	112	9	9	326
627	Cambuslang,	20211	24864	830	38	283	159	423	0	3	0	66	232	8	43	775
628	Cambusnethan,	25878	30921	964	43	371	163	589	0	5	0	93	239	31	23	980
629	Carluke,	8966	9619	253	17	104	60	156	0	0	0	19	91	1	2	269
630	Carmichael,	1198	1471	31	1	8	5	27	0	0	0	1	12	0	0	40
631	Carmunnock,	682	747	10	0	6	4	8	0	0	0	0	4	0	0	12
632	Carnwath—(1) Carnwath,	3032	3741	114	2	40	26	101	0	3	0	14	10	0	4	132
	(2) Forth,	1790	2031	60	4	21	10	12	0	0	0	5	39	7	1	64
	(3) Haywood,	995	674	27	1	6	3	8	0	0	0	3	12	1	0	24
633	Carstairs,	1893	1878	38	4	17	13	31	0	0	0	3	8	4	0	46
634	Covington and Thankerton,	314	385	5	0	4	1	2	0	0	0	0	2	0	0	4
635	Crawford—(1) Crawford,	719	681	19	4	8	3	10	0	0	0	1	2	0	0	13
	(2) Leadhills,	895	839	14	0	21	4	12	0	0	0	0	0	0	0	12
636	Crawfordjohn,	707	617	20	2	6	5	11	0	0	0	0	2	0	1	14
637	Culter,	392	372	3	0	6	1	1	0	0	0	1	1	0	0	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.								
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.
				Total.	Illegiti- mate.				On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the Children having already had Small-pox.					
655	LANARK.—continued. Shotts—(1) Middle District, (2) Eastern do., (3) Western do., (4) Northern do.,	2823 3593 3757 1263	3270 3690 4559 1234	96 136 149 33	6 4 8 0	112 34 107 11	6 21 32 14	46 46 88 18	0 0 0 0	0 0 0 4	0 0 0 0	8 8 12 4	27 64 53 3	2 4 5 1	1 8 4 1	84 130 162 31
656	Stonehouse,	3665	3688	105	6	55	20	44	2	2	0	7	39	22	3	117
657	Symington,	388	420	7	1	3	1	12	0	0	0	0	0	0	0	12
658	Walston,	283	255	3	0	1	2	5	0	0	0	0	0	0	1	6
659	Wandell and Lamington, Wiston and Robertson, Cathcart— <i>Lanark portion</i> , Eastwood— <i>Lanark portion</i> , .	362 412 20983 3534	271 400 31483 6010	10 10 620 100	2 4 13 0	6 3 618 68	1 1 146 17	5 5 402 76	0 0 2 0	1 0 11 0	0 0 2 0	1 34 12	131 22	0 15 3	0 12 3	11 607 116
	Total,	1339327	1447034	42871	2641	23094	11748	24072	142	401	0	4270	10006	872	2590	42353
661	24. LINLITHGOW. Abercorn,	866	933	20	1	19	3	15	0	0	0	1	4	0	1	21
662	Bathgate—(1) Bathgate, . (2) Armadale,	9371 4633	11812 5847	385 216	10 18	156 73	66 35	259 60	2 0	5 4	0 0	29 23	106 87	4 12	28 5	433 191
663	Borrowstounness, etc.— (1) Borrowstounness, . (2) Carriden, (664 <i>Carriden</i> .—Now 663 (2) <i>supra</i> .)	7921 3552	9260 4774	305 172	7 4	138 52	60 32	202 129	0 0	2 0	0 0	30 20	33 16	11 7	4 9	282 181
665	Dalmeny—(1) Dalmeny, . . (2) Queensferry,	1523 2557	1629 3510	42 66	2 4	20 31	12 18	35 39	0 0	0 2	0 0	7 11	2 8	2 0	2 6	48 18
666	Ecclesmachan,	681	1449	16	1	109	1	15	0	0	0	1	2	0	0	18
667	Kirkhston— <i>Linlithgow portion</i> , <i>supra</i> .	3169	4467	153	10	52	17	116	0	1	0	10	1	2	4	143

	Linlithgow, Livingstone—(1) Livingstone, Livingstone—(2) Blackburn, (670 <i>Queensferry</i> .—Now 665 (2) <i>supra</i> .)	8076 906 1858	7567 1641 2073	191 57 88	12 1 5	140 18 22	49 10 11	160 47 54	0 0 0	0 1 1	0 0 0	0 0 0	15 6 5	34 14 18	1 0 1	10 3 5	220 71 84
668																	
669																	
670																	
671	Torphichen—(1) Torphichen, <i>supra</i> .)	1377	1562	46	2	27	13	8	0	0	0	0	10	23	0	1	42
672	Uphall, .	1848	2486	106	5	24	8	26	0	1	0	7	30	30	4	6	74
673	Whitburn—(1) Whitburn, (2) Fauldhouse,	10535 3318 3517	12766 4456 3923	433 158 128	21 2 4	158 50 44	72 28 22	247 85 91	0 0 0	16 0 2	0 0 0	34 14 8	58 48 24	8 5 7	1 1 2	1 1 2	364 160 134
	Total,	65708	80155	2582	109	1133	457	1588	2	35	0	231	517	64	95	2532	
674	25. EDINBURGH.																
675	Borthwick, .	1237	1304	33	3	17	8	22	0	0	0	1	12	1	2	38	
676	Carrington, .	460	480	10	0	7	4	7	0	0	0	1	3	0	0	11	
677	Cockpen, .	3720	3812	90	5	50	8	67	0	1	0	13	7	14	3	105	
678	Colinton, .	5499	6100	141	35	229	25	97	0	1	0	20	4	0	5	127	
679	Corstorphine, .	2725	3870	73	3	53	16	46	0	0	0	4	7	0	1	59	
680	Cramond, .	2727	3763	66	1	34	11	57	0	2	0	3	3	0	0	65	
681	Cranston, .	846	805	18	0	10	4	15	0	0	0	0	0	0	0	15	
682	Crichton, .	810	733	12	0	11	5	7	0	0	0	0	0	3	1	11	
683	Currie, .	2513	2519	46	1	22	21	32	0	0	0	5	5	0	0	42	
684	Dalketh, .	7297	7502	214	11	96	51	121	0	1	0	20	44	17	5	208	
685	(684 <i>Duddingston</i> .—Merged in 685 (7).)																
686	Edinburgh—(1) St. George, (2) St. Andrew,	53004 47103	53165 45349	968 807	38 52	638 419	291 474	784 602	4	21	0	75	88	3	43	1018	
687	(3) Canongate,	49365	47494	1073	44	491	339	602	0	12	0	55	43	2	51	765	
688	(4) St. Giles,	53077	49051	1620	416	1489	1050	834	0	26	0	108	130	20	30	1148	
689	(5) Newington,	45445	42824	810	45	830	240	998	3	34	0	228	164	24	136	1587	
690	(6) Morningside,	56682	66124	1054	56	969	343	629	0	23	0	68	98	11	28	857	
691	(7) Portobello,	12659	16762	367	26	215	120	800	2	30	0	71	98	18	37	1056	
692	Fala and Soutra,	319	276	4	0	1	1	259	0	1	0	37	65	14	13	389	
693	Glencorse,	1347	1387	32	1	16	8	9	0	0	0	0	0	0	1	10	
694	Heriot, .	417	414	9	1	3	2	14	0	0	0	0	0	0	1	26	
695	Inveresk, .	14094	19791	608	26	339	133	328	0	7	0	39	176	15	8	578	
696	Kirknewton and East Calder,	3221	2873	88	7	31	22	74	0	0	0	9	2	9	3	97	
697	Lasswade, .	9196	10504	276	10	176	62	200	0	1	0	26	15	10	10	262	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.			VACCINATIONS, 1911.									
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.			Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccini- cation, or otherwise.	Total Births for 1911.		
				Total.	Illegit- imate.			On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	Died before Vaccination.						
692	EDINBURGH—continued.															
	Leith—(1) North Leith,	29952	30211	772	29	409	136	536	2	8	0	61	121	12	31	771
	(2) South Leith,	47611	50390	1336	73	793	410	908	3	19	0	109	195	18	48	1300
693	Liberton,	5801	6017	133	6	84	27	112	0	6	0	11	5	6	7	147
694	Mid-Calder,	3132	3249	84	4	34	84	69	0	1	0	5	2	10	1	88
695a	Newbattle,	3754	5282	179	3	54	28	130	0	2	0	20	28	10	5	195
695b	New Craighall,	2414	2913	107	2	33	8	51	0	1	0	5	24	2	8	91
696	Newton,	1028	1156	19	1	8	3	27	0	1	0	3	2	2	0	35
697	Penicuik,	5609	5205	102	4	78	44	105	0	1	0	18	6	0	0	129
698a	Ratho,	1946	1883	37	1	23	11	34	0	1	0	2	3	0	0	40
698b	Stobhill,	3514	4231	148	9	64	15	92	0	0	0	19	32	4	5	152
699	Stow,	1560	1317	19	1	12	12	17	0	0	0	1	0	0	0	18
700	Temple,	385	363	9	0	3	4	6	0	0	0	0	1	0	1	8
701	West Calder,	8092	7716	238	19	95	56	196	1	0	0	17	27	4	6	251
667	Kirkliston—Edinburgh portion,	735	829	22	0	6	2	18	0	2	0	0	2	0	0	22
	Total,	488796	507666	11624	933	7842	4011	8327	21	201	0	1054	1413	229	491	11736
702	26. HADDINGTON.															
	Aberlady,	950	963	16	1	15	0	10	0	0	0	1	1	0	1	13
703	Athelstaneford,	635	666	16	0	8	4	12	0	0	0	2	1	0	1	16
704	Bolton,	298	256	5	0	1	1	11	0	0	0	0	0	0	0	11
705	Dirleton,	1810	2062	34	1	17	9	31	0	1	0	2	1	1	2	38
706	Dunbar,	5031	4830	108	14	52	27	64	0	0	0	13	4	0	5	86
707	Garvald,	628	511	13	0	11	2	10	0	0	0	0	0	0	0	10
708	Gladsmuir,	1481	1433	42	1	12	13	32	0	0	0	3	5	1	0	41
709	Haddington,	5126	5424	102	9	90	20	70	0	1	0	8	13	0	10	102
710	Humble,	720	679	17	1	7	3	9	0	0	0	4	0	0	0	13
711	Innerwick,	782	676	10	1	7	8	10	0	0	0	2	0	0	0	12
712	Morham,	201	199	8	1	4	1	8	0	0	0	0	0	0	0	8

	713	North Berwick,	3649	3998	71	5	38	15	50	0	0	0	0	2	146	17	28	1069
714	Oldhamstocks, .	429	404	9	1	5	21	14	0	0	0	0	0	0	0	1	0	58
715	Ormiston, .	1190	1598	39	3	0	10	2	0	0	3	0	0	0	2	0	1	13
716	Pencaitland, .	1112	1273	35	0	0	28	13	19	0	0	0	0	5	9	1	0	50
717	Prestonkirk, .	1673	1631	29	9	2	28	33	29	0	0	0	0	0	0	0	0	34
718	Prestonpans, .	3382	4722	167	9	33	33	116	116	0	0	0	0	23	28	5	6	29
719	Salton, .	431	386	5	0	4	1	5	5	0	0	0	0	0	0	0	0	178
720	Spott, .	423	386	8	1	3	1	9	0	0	0	0	0	0	1	0	0	5
721	Stenton, .	511	461	13	0	6	2	7	7	0	0	0	0	0	0	0	0	10
722	Tranent, .	6117	8677	294	15	109	51	196	196	0	0	0	0	20	76	6	2	302
723	Whitekirk and Tynninghame,	835	776	10	7	4	4	6	6	0	0	0	0	0	0	0	0	6
724	Whittinghame, .	521	523	16	1	9	1	11	11	0	0	0	0	1	1	0	0	13
725	Yester, .	730	747	18	1	11	3	13	13	0	0	0	0	1	0	0	0	14
	Total,	38665	43254	1085	67	508	228	782	2	5	0	89	146	17	28			
	27. BERWICK.																	
726	Abbey St. Bathans, .	213	229	5	0	4	0	4	4	0	0	0	0	2	0	0	0	6
727	Ayton, .	1629	1577	34	3	23	10	19	19	0	0	0	0	3	2	0	1	25
728	Bunkle and Preston, .	629	562	13	2	7	6	12	12	0	0	0	0	1	0	0	0	13
729	Chanelkirk, .	568	478	11	0	3	2	15	15	0	0	0	0	0	0	1	0	16
730	Chirnside, .	1580	1508	31	2	24	8	22	22	0	0	0	0	4	6	1	0	29
731	Cockburnspath, .	982	997	16	0	14	5	17	17	0	0	0	0	0	1	1	0	26
732	Coldingham—(1) Coldingham, (2) Grantshouse, .	2315	2313	42	6	28	11	46	46	0	0	0	0	0	0	0	1	47
733	Coldstream, .	498	436	8	1	9	4	3	3	0	0	0	0	0	0	0	0	3
734	Cranshaws, .	2281	2192	46	8	32	13	31	31	0	0	0	0	0	2	2	0	35
735	Duns, .	159	125	3	0	1	0	1	1	0	0	0	0	0	7	1	0	1
736	Earlston, .	3199	3042	50	6	51	16	32	32	0	0	0	0	3	7	3	0	44
737	Eccles, .	1677	1749	32	5	20	11	21	21	0	0	0	0	0	6	3	0	30
738	Edrom, .	1433	1449	24	1	22	5	26	26	0	0	0	0	5	1	0	1	33
739	Eyemouth, .	1290	1269	21	2	14	9	21	21	0	0	0	0	0	0	0	0	21
740	Fogo, .	2487	2561	70	1	33	20	24	24	0	0	0	0	4	37	9	2	76
741	Foulden, .	445	389	1	0	1	3	5	5	0	0	0	0	0	1	0	0	6
742	Gordon, .	386	313	5	1	2	2	4	4	0	0	0	0	0	0	1	0	5
743	Greenlaw, .	791	711	18	3	9	2	13	13	0	0	0	0	0	1	0	0	14
744	Hume, .	1015	941	21	2	21	7	7	7	0	0	0	0	2	2	0	0	13
745	Hutton, .	311	298	6	0	8	3	11	11	0	0	0	0	0	1	0	0	2
746	Ladykirk, .	750	682	14	1	3	2	3	3	0	0	0	0	0	1	1	0	13
747	Langton, .	316	315	8	1	5	0	3	3	0	0	0	0	0	0	1	0	4
		398	408	1	0	7	2	6	6	0	0	0	0	0	0	0	0	6

No. of District.	REGISTRATION DISTRICTS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS, 1911.										
	POPULATION AT CENSUS.		Births.		Deaths.	Marr- iages.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1911.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Insusceptible of Vaccine Disease.	In respect of the Children having already had Small-pox.	On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	Successfully Vaccinated.	
	1901	1911	Total.	Illegit- imate.													

BERWICK—continued.

28. PEEBLES.

(758 Broughton.—Merged in 763.)

(761 Glenholm.—Merged in 763.)

Innerleithen—(1) Innerleithen, (2) Walkerburn, and

Kilbucho, Broughton, and

Glenholm,

Kirkurd,

Lyne,

Manor,

Newlands,

Peebles,

Skirling,

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1912.				VACCINATIONS, 1911.					
		1901	1911	Births.		Deaths.		Marr- riages.	Total.	Insusceptible of Vaccine Disease.			Total Births for 1911.
				Illegit- imate.	Births.	Illegit- imate.	Deaths.			On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the children having already had Small-pox.	
795	ROXBURGH—continued.												
796	Lilliesleaf,	592	547	19	0	13	1	1	11	0	0	0	17
797	Linton,	405	407	11	1	4	1	1	4	0	0	0	4
798	Makerston,	337	295	6	1	2	5	3	2	0	0	0	5
799	Maxton,	411	380	5	0	3	3	3	5	0	0	0	5
800	Melrose — (1) Melrose — Rox- burgh portion	4148	4150	65	3	79	12	12	48	0	0	0	62
801	Melrose — (2) Langshaw,	559	500	8	1	5	5	1	7	0	0	0	12
802a	Minto,	427	348	5	—	5	2	2	8	0	0	0	8
802b	Morebattle,	779	740	18	4	13	5	5	7	0	0	0	7
803	Oxnam,	624	566	14	1	5	3	3	13	0	0	0	13
804	Roberton,	397	436	9	0	4	3	3	10	0	0	0	11
805	Roxburgh,	835	793	24	3	6	3	3	8	0	0	0	15
806	St. Boswells,	940	977	18	1	8	6	6	15	0	0	0	17
807	Smallholm,	341	292	8	1	4	1	1	2	0	0	0	4
808	Southdean,	530	507	11	0	5	6	7	7	0	0	0	11
809	Sprouston,	911	876	14	2	10	8	8	13	0	0	0	16
810	Stitchel,	304	275	5	0	3	2	2	5	0	0	0	5
811	Teviothead, (810 Wilton.—Merged in 789.)	419	381	9	0	4	3	3	5	0	0	0	8
812	Yetholm,	802	755	16	6	8	3	3	11	0	0	0	12
813	Total,	48804	47192	886	91	686	268	268	619	0	4	0	893
814	31. DUMFRIES.												
815a	Annan,	6378	6261	162	28	79	45	45	86	0	0	0	134
816a	Applegarth,	807	821	23	2	8	2	2	11	0	0	0	13
817a	Brydekirk,	832	751	21	2	12	3	3	22	0	0	0	24
818a	Canonbie,	1959	1838	36	6	28	10	10	37	0	0	0	40

No. of District.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1912.				VACCINATIONS 1911.					
	1901	1911	Births.		Deaths.	Mar- riages.	In- susc- eptible of Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1911.
			Total.	Illegit- imate.								
DUMFRIES—continued.												
852 Tynron,	334	309	7	0	3	0	0	0	4	0	0	7
853a Wamphray,	396	369	10	0	4	4	0	0	0	0	0	7
853b Wanlockhead,	624	618	10	1	4	2	0	0	2	0	0	13
854 Westerkirk	415	393	11	1	7	3	0	0	0	0	0	15
Total,	72571	72825	1627	211	1145	472	10	1	280	42	42	1567
32. KIRKCUDBRIGHT.												
855 Anwoth,	651	688	13	1	9	1	0	0	2	0	0	13
856 Balmacellan,	546	494	6	2	5	5	0	0	0	0	0	5
857a Balmaghie,	802	770	18	1	6	3	0	0	0	0	0	15
857b Bargrennan—Kirkcudbright portion,	195	180	1	0	1	1	0	0	0	0	1	5
858 Borge,	1045	1023	29	5	11	3	0	0	0	0	0	23
859 Buttle,	879	825	17	1	11	3	0	0	4	0	0	15
860 Carsphairn,	351	360	6	1	3	1	0	0	0	0	0	8
861 Colvend—(1) Colvend, (2) Southwick,	695	696	7	0	8	3	0	0	3	1	0	15
862 Corsock Bridge,	476	447	9	0	3	2	0	0	0	0	1	9
863 Crossmichael,	406	356	5	0	3	3	0	0	0	0	0	13
864 Dalbeattie,	1231	1196	23	4	10	7	0	0	1	0	0	24
865 Dalry,	3670	3553	68	9	57	18	0	0	24	3	1	88
866 Girthon,	826	807	15	3	9	2	0	0	0	0	0	20
867 Irongray,	1209	1174	23	4	16	8	0	0	3	1	0	19
868 Kells,	701	594	11	1	3	2	0	0	1	0	0	13
869 Kelton,	878	847	12	1	13	6	0	0	0	0	0	16
870 Kirkbean,	3734	3746	84	10	64	24	0	0	14	1	3	68
871 Kirkcudbright,	685	711	14	2	5	1	0	0	1	0	0	20
	3309	3116	69	17	49	16	0	0	1	0	0	56

[illegible]

CAUSES OF DEATH IN SCOTLAND IN 1912—BOTH SEXES.

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
All Causes - - - - -	72,340	12,949	7368	1828	1167	3447	4011	5060	6287	8588	10,917	10,674	44
I. GENERAL DISEASES.													
1 Enteric Fever - - - - -	196	2	4	11	20	48	54	34	14	5	4	-	-
2 Typhus Fever - - - - -	14	-	-	-	-	1	4	7	2	-	-	-	-
4 Malaria - - - - -	6	-	-	-	-	1	-	2	1	1	1	-	-
5 (a) - - - - -	7	1	-	-	-	1	1	1	3	-	-	-	-
(b) Smallpox { Vaccinated - - - - -	8	-	-	1	-	1	1	1	1	2	-	1	-
(c) { Unvaccinated - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-
(c) { Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles - - - - -	1983	566	1293	96	6	8	1	5	3	2	2	1	-
7 Scarlet Fever - - - - -	439	16	235	102	41	22	19	10	1	-	1	1	-
8 Whooping-cough - - - - -	1427	646	736	39	2	1	2	-	-	-	1	-	-
9 (a) Diphtheria - - - - -	783	69	458	194	32	13	6	5	-	2	3	1	-
(c) Croup, Membr. Laryngitis (b)	41	10	26	4	1	-	-	-	-	-	-	-	-
10 Influenza - - - - -	234	22	7	2	-	3	6	13	13	30	61	77	-
13 Cholera Nostras - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
14 Dysentery - - - - -	12	1	2	1	-	1	1	1	1	1	2	1	-
18 Erysipelas - - - - -	158	34	2	3	2	7	6	22	17	21	25	19	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	24	11	4	2	-	-	1	-	3	1	-	2	-
20 (a) Pyæmia, Septicæmia (not Puer-peral) (b)	117	15	5	7	10	13	3	12	17	14	14	7	-
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus - - - - -	25	4	-	1	-	5	2	4	6	2	1	-	-
25 Pulmonary Tuberculosis, Phthisis	5124	36	102	90	189	1190	1341	1043	643	353	127	10	-
29 (a) Acute Phthisis - - - - -	182	2	11	8	13	60	40	25	17	6	-	-	-
(b) Acute Miliary Tuberculosis - - - - -	93	10	23	13	6	13	12	7	5	3	1	-	-
30 Tuberculous Meningitis - - - - -	1018	227	443	162	68	60	26	16	12	2	1	1	-
31 Abdominal Tuberculosis - - - - -	875	136	319	121	63	103	42	47	19	13	10	2	-
32 Tuberculosis of Spine - - - - -	135	-	10	15	21	32	25	10	12	8	2	-	-
33 Tuberculosis of Joints - - - - -	57	1	6	11	9	14	4	1	5	-	3	3	-
35 Tuberculosis of other Organs, Dis-seminated Tuberculosis (34)	665	59	136	77	53	88	83	68	54	26	17	4	-
36 Rickets, Osteomalacia - - - - -	45	15	27	1	-	1	-	1	-	-	-	-	-
37 Syphilis - - - - -	218	169	15	1	2	2	3	7	10	6	3	-	-
38 Other Venereal Diseases - - - - -	6	2	-	-	-	3	1	-	-	-	-	-	-
45 (a) Carcinoma - - - - -	2974	1	-	-	-	5	73	255	621	818	808	393	-
(b) Sarcoma - - - - -	230	2	9	6	5	16	23	30	34	58	32	15	-
(c) Malignant Disease, other or not defined	1991	1	2	1	1	12	30	132	313	563	612	324	-
46 Other Tumours (Situation un-defined)	51	1	3	-	-	1	4	2	12	14	12	2	-
47 Rheumatic Fever - - - - -	223	-	6	28	35	56	28	31	18	14	4	3	-
48 (a) Chronic Rheumatism - - - - -	100	-	-	-	-	-	-	1	10	17	38	34	-
(b) Osteo-arthritis - - - - -	99	-	1	2	1	-	-	3	13	23	36	20	-
(c) Gout - - - - -	5	-	-	-	-	-	-	-	-	-	3	2	-
49 Scurvy - - - - -	4	3	-	1	-	-	-	-	-	-	-	-	-
50 Diabetes - - - - -	504	-	3	3	9	37	49	59	65	118	115	46	-
51 Exophthalmic Goitre - - - - -	66	-	-	-	1	4	12	16	15	11	3	4	-
52 Addison's Disease - - - - -	20	-	-	-	-	4	4	1	5	2	3	1	-
53 (a) Leucocythæmia - - - - -	60	2	4	5	6	5	2	5	15	11	4	1	-
(b) Lymphadenoma - - - - -	26	-	-	2	2	6	4	4	3	3	1	1	-
54 Anæmia, Chlorosis - - - - -	441	8	10	4	3	20	32	50	88	122	90	14	-
55 (b) Purpura - - - - -	37	12	4	1	2	4	2	2	2	1	3	4	-
(c) Hemophilia - - - - -	16	10	2	-	1	2	-	1	-	-	-	-	-
(d) Other General Diseases (a)	4	-	-	-	-	-	1	-	-	-	3	-	-
56 Alcoholism - - - - -	176	-	1	-	-	1	23	41	60	35	13	2	-
57 Chronic Lead Poisoning - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings - - - - -	3	-	-	-	-	-	-	1	1	-	1	-	-

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

	All Ages.	Age											Age not stated.
		-1	1-	5+	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - -	48	5	2	-	2	5	5	10	6	4	5	4	-
61 (a) Cerebro-spinal Meningitis -	68	11	20	9	6	13	5	4	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	920	291	337	92	35	38	39	39	22	13	13	1	-
62 Locomotor Ataxy - - -	73	-	-	-	-	-	-	7	34	19	11	2	-
63 Other Diseases of Spinal Cord -	312	7	11	7	3	21	25	26	45	67	61	39	-
64 Cerebral Hæmorrhage, Apoplexy	4514	32	4	4	4	15	44	180	487	1062	1466	1216	-
65 Softening of Brain - - -	355	1	-	2	1	2	5	15	27	58	132	112	-
66 (a) Hemiplegia - - -	544	2	2	1	1	3	9	13	39	100	206	168	-
(c) Paralysis, Cause or Nature unspecified (b)	117	-	-	2	2	2	2	7	13	36	33	20	-
67 General Paralysis of Insane -	236	-	-	-	-	1	27	87	83	32	4	2	-
68 Other Insanity - - -	215	-	-	-	2	8	23	35	45	48	36	18	-
69 Epilepsy - - -	257	8	10	7	17	55	38	35	28	27	18	14	-
71 Convulsions (not Puerperal) (70)	749	551	171	10	1	2	6	2	2	1	1	2	-
72 Chorea - - -	20	-	-	-	3	2	-	3	1	7	3	1	-
73 Neuralgia, Neuritis - - -	54	-	1	-	-	2	4	14	10	10	7	6	-
74 (c) Cerebral Tumour - - -	148	1	1	8	9	17	19	24	30	27	8	4	-
(d) Other Diseases of Nervous System (a, b)	95	8	7	5	5	3	5	7	10	8	22	15	-
75 Diseases of Eye and Annexa -	4	2	1	-	-	-	1	-	-	-	-	-	-
76 (a) Mastoid Disease - - -	42	9	15	2	8	5	-	-	1	2	-	-	-
(b) Diseases of Ear - - -	113	29	26	12	5	16	8	4	10	1	-	2	-
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - -	48	-	4	8	5	6	3	3	3	10	5	1	-
78 Acute Endocarditis - - -	162	2	2	9	11	41	25	20	20	22	5	5	-
79 (a) Valvular Disease - - -	2656	11	6	28	52	127	154	236	341	513	688	500	-
(b) Fatty Degeneration of Heart -	349	1	-	-	-	1	4	7	45	109	118	64	-
(c) Other Organic Diseases of Heart	3073	23	6	13	23	65	83	176	326	610	945	803	-
80 Angina Pectoris - - -	236	-	-	-	-	-	4	11	29	61	73	58	-
81 (a) Aneurysm - - -	143	-	-	-	-	1	6	34	36	41	20	5	-
(b) Arterio-sclerosis - - -	428	-	-	-	1	-	3	4	15	68	157	180	-
(c) Other Diseases of Arteries -	2	-	-	-	-	-	-	-	-	-	2	-	-
82 (a) Cerebral Embolism, Thrombosis	466	-	-	-	1	7	8	19	36	78	150	167	-
(b) Embolism and Thrombosis, not Cerebral	98	-	1	-	2	9	7	15	14	18	21	11	-
83 Diseases of Veins - - -	34	-	-	-	-	2	4	4	9	4	8	3	-
84 (a) Lymphatism, Status Lymphaticus	6	3	2	-	-	1	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	6	2	1	1	-	-	-	1	1	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	13	2	1	1	-	-	1	1	1	3	-	3	-
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose - - -	9	4	3	-	-	-	-	1	1	-	-	-	-
87 (b) Laryngitis - - -	86	22	41	11	1	-	-	2	2	2	2	3	-
(c) Other Diseases of Larynx (a) -	57	32	17	2	-	-	1	-	1	2	2	-	-
88 Diseases of Thyroid - - -	30	1	-	-	-	-	1	-	8	9	8	3	-
90 Bronchitis (89) - - -	4796	1026	300	26	11	35	67	131	326	661	1129	1084	-
91 Broncho-pneumonia - - -	2603	1129	902	57	16	24	27	50	72	99	129	98	-
92 Pneumonia - - -	3506	456	454	69	46	181	232	406	410	457	460	335	-
93 Pleurisy - - -	314	11	25	8	5	26	26	38	35	44	64	22	-
94 (a) Pulmonary Apoplexy - - -	17	1	-	1	-	-	-	7	4	1	2	1	-
(b) Pulmonary Congestion (c, d) -	446	108	33	7	4	9	3	15	18	36	80	128	-
95 Gangrene of Lung - - -	20	-	1	-	1	-	1	3	5	5	4	-	-
96 Asthma - - -	76	1	-	-	-	3	1	2	11	21	23	14	-
97 Pulmonary Emphysema - - -	28	-	2	-	-	-	1	-	6	8	8	3	-
98 (a) Fibroid Diseases of Lung -	60	-	-	-	-	1	3	11	8	20	14	3	-
(b) Other Diseases of Respiratory System	31	4	4	1	3	-	2	3	3	5	3	3	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	18	7	1	1	1	1	2	-	-	1	-	4	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	86	19	19	8	5	10	5	7	3	4	3	3	-
102 Gastric Ulcer - - - -	312	1	2	-	2	33	47	51	53	60	35	23	-
103 Other Dis. of Stomach. Gastritis	580	226	48	15	6	13	6	24	39	64	79	60	-
104 Diarrhoea, Enteritis (under 2 years)	1389	1138	231	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	469	-	102	38	13	11	18	36	39	46	93	73	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - - -	401	2	13	49	60	106	46	43	25	37	16	4	-
109 (a) Hernia - - - - -	162	13	4	-	1	5	2	10	20	44	44	19	-
(b) Intestinal Obstruction - -	309	75	17	15	7	12	11	18	28	37	45	44	-
110 Other Diseases of Intestine - -	235	20	7	2	2	15	20	33	33	46	32	25	-
111 Acute Yellow Atrophy of Liver -	4	-	-	-	-	2	-	2	-	-	-	-	-
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - - -	276	-	3	1	-	6	5	46	63	72	66	14	-
114 Gallstones - - - - -	85	-	-	-	-	-	1	2	24	19	25	14	-
115 Other Diseases of Liver - - -	176	15	5	4	1	3	9	15	18	37	44	25	-
116 Diseases of Spleen - - - -	8	3	-	-	-	1	-	2	1	-	-	1	-
117 Peritonitis, cause not specified -	165	14	13	19	10	20	13	21	16	16	16	7	-
118 Other Diseases of Digestive System	16	-	-	1	-	-	3	4	1	2	5	-	-
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - - -	381	25	38	22	20	42	37	55	55	48	27	12	-
120 (a) Bright's Disease - - - -	1642	3	4	12	11	43	117	197	307	431	338	179	-
(b) Uremia - - - - -	110	-	2	2	-	5	8	15	17	20	23	18	-
122 Other Dis. of Kidney, Chyluria (121)	103	6	1	-	4	7	17	21	23	12	12	12	-
123 Urinary Calculus - - - -	18	-	-	-	-	-	2	2	2	2	9	3	-
124 Diseases of Bladder - - - -	251	-	1	-	4	5	11	12	23	82	108	-	-
125 Dis. of Urethra, Urinary Abscess	24	-	-	-	-	4	3	6	4	6	1	-	-
126 Diseases of Prostate - - - -	191	-	-	-	-	2	-	5	20	80	84	-	-
127 Diseases of Male Genital Organs (not Venereal)	7	4	-	-	-	-	1	-	1	1	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	-	-	-	2	-	2	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	48	-	-	-	-	2	10	14	13	8	1	-	-
130 Other Diseases of Uterus - -	40	-	-	-	4	9	9	5	4	5	4	-	-
131 Cysts, and Other Tumours of Ovary	41	-	-	-	2	3	8	7	12	6	3	-	-
132 Other Dis. of Female Genit. Organs	41	-	-	1	8	12	12	5	3	-	-	-	-
133 Non-Puerperal Diseases of Breast	12	3	-	-	2	2	1	1	1	1	1	1	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	40	-	-	-	5	20	15	-	-	-	-	-	-
(c) Uncontrollable Vomiting - -	12	-	-	-	2	4	6	-	-	-	-	-	-
(d) Ectopic Gestation - - - -	3	-	-	-	-	1	2	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	16	-	-	-	4	7	4	1	-	-	-	-	-
135 Puerperal Hæmorrhage - - -	100	-	-	-	11	43	44	2	-	-	-	-	-
136 Other Accidents of Childbirth -	89	-	-	-	19	42	24	4	-	-	-	-	-
137 Puerperal Sepsis - - - - -	193	-	-	-	42	91	58	2	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	131	-	-	-	40	45	43	3	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	38	-	-	-	9	21	8	-	-	-	-	-	-
140 (a) Puerperal Insanity - - -	7	-	-	-	-	5	2	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	46	-	-	-	8	23	14	1	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - - -	233	-	-	-	-	-	1	-	16	88	128	-	-
(b) Noma, Cancrum Oris - - -	5	-	2	-	-	1	1	-	1	-	-	-	-
(c) Other Gangrene (c) - - - -	45	5	1	2	-	2	1	7	16	7	4	-	-
143 Carbuncle, Boil - - - - -	22	5	-	-	1	2	-	5	1	4	4	-	-
144 Phlegmon, Acute Abscess - - -	177	48	15	3	4	11	9	146	11	29	16	7	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	72	26	8	-	-	1	1	3	3	7	16	16	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	116	6	17	28	22	14	3	8	3	7	5	3	-
147 Diseases of Joints - - -	14	3	-	1	-	2	1	1	2	1	2	1	-
149 Other Dis. of Locomotor Syst.(148)	3	-	-	-	-	-	-	1	-	-	2	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	620	532	64	13	6	-	3	-	2	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (a) Premature Birth - - -	2404	2404	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1638	1638	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	370	370	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	4	3	1	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (a) Senile Dementia - - -	47	-	-	-	-	-	-	-	-	-	15	32	-
(b) Senile Decay - - - -	3762	-	-	-	-	-	-	-	-	-	773	2989	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	282	-	-	-	2	26	38	60	52	68	33	3	-
164 Poisoning by Food - - -	14	-	4	-	2	3	-	-	3	1	1	-	-
165 Other Accidental Poisonings -	55	1	2	2	-	6	8	9	17	6	3	1	-
167 Burns and Scalds (166) - -	369	23	171	52	6	18	16	13	18	13	20	19	-
168 Exposure to Poisonous Vapours -	16	-	1	-	-	-	2	6	4	3	-	-	-
169 Drowning - - - -	558	4	46	30	23	76	91	75	87	53	25	9	39
170 Accidents with Fire Arms -	25	-	-	2	2	3	5	7	2	2	2	-	-
171 Accidents with Instruments and Weapons	2	-	-	-	-	-	2	-	-	-	-	-	-
172 Accidental Falls - - -	146	1	7	4	1	14	18	25	22	24	14	16	-
173 (a) Accidents in Coal Mines -	119	-	-	-	4	33	29	24	17	5	6	1	-
(b) Accidents in Other Mines -	4	-	-	-	-	-	2	2	-	-	-	-	-
(c) Accidents in Quarries - -	1	-	-	-	-	-	-	-	1	-	-	-	-
174 Accidents with Machinery - -	33	-	-	-	1	12	9	2	5	4	-	-	-
175 (a) Accidents on Railways - -	115	-	2	4	2	20	24	14	23	15	9	2	-
(b) Acc. with Horses and Vehicles	54	-	8	3	4	4	3	7	11	4	8	2	-
(c) Accidents with Motor Vehicles	51	-	8	9	5	3	4	4	6	7	3	2	-
(d) Accidents with Tramways -	8	-	1	1	-	-	-	-	2	2	1	1	-
(e) Other Crushing Accidents -	45	-	4	4	5	5	9	3	10	3	2	-	-
177 Hunger - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
180 Weather Agencies (178, 179) -	48	-	-	1	1	2	1	6	11	13	8	4	1
186 (a) Overlying - - - -	97	96	1	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	110	56	7	2	1	5	2	7	14	11	3	1	1
(c) Other Accidents (176, 181, 185)	767	7	43	36	29	55	71	96	103	100	106	121	-
184 Homicide (182, 183) - - -	11	1	4	1	1	-	1	2	-	-	1	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - -	25	-	-	-	-	1	-	2	4	5	8	5	-
188 (a) Syncope - - - -	322	25	5	1	6	5	7	23	42	51	89	68	-
(b) Sudden Death (not otherwise defined)	34	5	2	1	-	-	-	1	5	6	8	6	-
189 (a) Heart Failure - - - -	881	30	10	5	1	10	26	46	92	153	261	247	-
(c) Teething - - - -	12	6	6	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	138	1	63	4	1	3	3	1	6	51	4	1	-
(f) Dis. not Specified, Nat. Causes	595	189	32	11	9	7	21	28	49	77	74	95	3

	All Ages.	Age											75 and over	Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis - - - -	20	1	1	-	1	3	2	4	3	1	2	2	-	
61 (a) Cerebro-Spinal Meningitis -	38	4	15	3	3	9	2	2	-	-	-	-	-	
(c) Meningitis, Basal, Nature un- specified (b)	488	158	176	49	21	20	20	16	15	7	6	-	-	
62 Locomotor Ataxy - - - -	64	-	-	-	-	-	-	7	30	16	10	1	-	
63 Other Diseases of Spinal Cord -	162	4	7	-	2	12	10	11	24	35	33	24	-	
64 Cerebral Hemorrhage, Apoplexy	1,976	17	3	1	2	11	22	74	207	491	650	498	-	
65 Softening of Brain - - - -	168	-	-	-	-	-	2	7	12	32	71	44	-	
66 (a) Hemiplegia - - - -	232	-	1	-	1	-	6	7	15	45	97	60	-	
(c) Paralysis, Cause or Nature unspecified (b)	51	-	-	2	1	-	1	1	7	13	16	10	-	
67 General Paralysis of Insane -	188	-	-	-	-	1	21	70	68	24	2	2	-	
68 Other Insanity - - - -	93	-	-	-	1	4	12	13	18	23	14	8	-	
69 Epilepsy - - - -	144	5	8	5	11	25	23	15	17	20	8	7	-	
71 Convulsions (not Puerperal) (70)	425	318	94	5	-	-	2	1	2	-	1	2	-	
72 Chorea - - - -	5	-	-	-	1	2	-	-	-	1	-	1	-	
73 Neuralgia, Neuritis - - - -	17	-	1	-	-	-	3	3	2	4	3	1	-	
74 (c) Cerebral Tumour - - - -	75	1	-	4	6	8	9	12	16	14	3	2	-	
(d) Other Diseases of Nervous System (a, b)	44	3	3	1	4	3	2	3	9	5	7	4	-	
75 Diseases of Eye and Annexa -	3	1	1	-	-	-	1	-	-	-	-	-	-	
76 (a) Mastoid Disease - - - -	21	6	4	1	4	4	-	-	1	1	-	-	-	
(b) Diseases of Ear - - - -	71	18	18	7	2	9	5	3	8	-	-	1	-	
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis - - - -	28	-	2	4	1	4	2	3	2	8	2	-	-	
78 Acute Endocarditis - - - -	76	1	1	4	5	17	9	11	9	14	4	1	-	
79 (a) Valvular Disease - - - -	1,265	6	4	14	28	59	69	97	169	278	333	208	-	
(b) Fatty Degeneration of Heart	152	-	-	-	-	-	3	2	18	45	57	27	-	
(c) Other Organic Diseases of Heart	1,485	12	5	6	12	31	36	78	161	322	465	357	-	
80 Angina Pectoris - - - -	150	-	-	-	-	-	3	8	19	45	43	32	-	
81 (a) Aneurysm - - - -	114	-	-	-	-	-	5	32	30	32	13	2	-	
(b) Arterio-sclerosis - - - -	238	-	-	-	-	-	3	3	12	46	92	82	-	
(c) Other Diseases of Arteries -	1	-	-	-	-	-	-	-	-	-	1	-	-	
82 (a) Cerebral Embolism, Thrombosis	187	-	-	-	1	1	-	11	19	30	61	64	-	
(b) Embolism and Thrombosis, not Cerebral	38	-	-	-	-	2	2	3	5	8	15	3	-	
83 Diseases of Veins - - - -	9	-	-	-	-	-	-	-	5	1	2	1	-	
84 (a) Lymphatism, Status Lym- phaticus	4	3	1	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	3	1	1	1	-	-	-	-	-	-	-	-	-	
85 Hemorrhage, Other Diseases of Circulatory System	7	2	-	-	-	-	1	-	-	1	-	3	-	
IV. DISEASES OF RESPIRATORY SYSTEM.														
86 Diseases of Nose - - - -	6	3	2	-	-	-	-	-	1	-	-	-	-	
87 (b) Laryngitis - - - -	42	12	19	4	1	-	-	2	1	1	1	1	-	
(c) Other Diseases of Larynx (a)	40	23	13	-	-	-	-	-	1	2	1	-	-	
88 Diseases of Thyroid - - - -	3	-	-	-	-	-	-	-	2	-	1	-	-	
90 Bronchitis (89) - - - -	2,240	562	150	14	5	19	27	62	167	324	537	373	-	
91 Broncho-pneumonia - - - -	1,352	641	457	24	6	12	16	28	42	49	46	31	-	
92 Pneumonia - - - -	2,121	278	248	32	22	118	155	270	300	310	236	152	-	
93 Pleurisy - - - -	170	8	13	5	1	14	14	19	22	34	31	9	-	
94 (a) Pulmonary Apoplexy - - -	6	1	-	1	-	-	-	-	1	-	2	1	-	
(b) Pulmonary Congestion (c, d)	213	62	18	3	1	4	2	7	10	19	38	49	-	
95 Gangrene of Lung - - - -	16	-	-	-	-	-	1	2	5	4	4	-	-	
96 Asthma - - - -	42	1	-	-	-	-	-	1	7	15	13	5	-	
97 Pulmonary Emphysema - - -	19	-	1	-	-	-	-	-	4	7	4	3	-	
98 (a) Fibroid Diseases of Lung	42	-	-	-	-	-	2	9	6	15	9	1	-	
(b) Other Diseases of Respiratory System	15	2	-	1	1	-	1	2	2	3	2	1	-	

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	10	4	1	-	1	-	1	-	-	1	-	2	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	53	10	10	5	3	8	4	5	2	3	2	1	-
102 Gastric Ulcer - - - - -	151	-	1	-	1	14	17	23	29	36	16	14	-
103 Other Dis. of Stomach. Gastritis	279	132	21	8	5	9	3	12	14	24	30	21	-
104 Diarrhoea, Enteritis (under 2 years)	742	630	112	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	191	-	52	20	8	5	8	15	16	11	33	23	-
107 Intestinal Parasites (106) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - - - -	241	1	5	24	39	70	28	26	14	25	9	-	-
109 (a) Hernia - - - - -	90	12	3	-	-	5	2	4	9	18	24	13	-
(b) Intestinal Obstruction - - -	169	53	10	9	6	9	6	9	8	20	22	17	-
110 Other Diseases of Intestine - -	149	11	4	-	2	13	14	20	27	32	16	10	-
111 Acute Yellow Atrophy of Liver -	2	-	-	-	-	1	-	1	-	-	-	-	-
112 Hydatids of Liver - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - - - -	174	-	2	1	-	2	2	25	44	46	46	6	-
114 Gallstones - - - - -	20	-	-	-	-	-	-	-	6	8	3	3	-
115 Other Diseases of Liver - - -	75	8	3	4	-	2	3	8	7	14	17	9	-
116 Diseases of Spleen - - - - -	6	3	-	-	-	1	-	1	1	-	-	-	-
117 Peritonitis, cause not specified -	71	6	8	6	3	7	5	8	7	10	7	4	-
118 Other Diseases of Digestive System	7	-	-	1	-	-	-	1	1	2	2	-	-
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - - - -	212	15	24	13	7	25	16	33	29	29	14	7	-
120 (a) Bright's Disease - - - - -	888	2	4	8	3	16	55	91	170	268	187	84	-
(b) Uræmia - - - - -	55	-	1	1	-	1	2	7	10	11	14	8	-
122 Other Dis. of Kidney, Chyluria (121)	51	3	1	-	-	-	2	8	8	12	9	8	-
123 Urinary Calculus - - - - -	12	-	-	-	-	-	-	2	2	1	6	1	-
124 Diseases of Bladder - - - - -	186	-	-	-	-	3	4	7	7	24	64	77	-
125 Dis. of Urethra, Urinary Abscess	21	-	-	-	-	-	3	3	5	3	6	1	-
126 Diseases of Prostate - - - - -	191	-	-	-	-	-	2	-	5	20	80	84	-
127 Diseases of Male Genital Organs (not Venereal)	7	4	-	-	-	-	-	1	-	1	1	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Uncontrollable Vomiting - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-
140 (a) Puerperal Insanity - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - - - -	90	-	-	-	-	-	-	1	-	4	38	47	-
(b) Noma, Cancrum Oris - - - -	2	-	1	-	-	-	-	-	-	1	-	-	-
(d) Other Gangrene (c) - - - - -	23	4	1	1	-	-	-	-	3	7	6	1	-
143 Carbuncle, Boil - - - - -	13	3	-	-	-	1	2	-	3	1	3	-	-
144 Phlegmon, Acute Abscess - - -	94	25	8	2	3	5	4	8	7	13	9	10	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	28	13	3	-	-	-	-	1	-	4	-	5	-

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	70	2	11	15	16	12	2	4	1	4	1	2	-
147 Diseases of Joints - - -	7	2	-	-	-	1	1	-	1	1	1	-	-
149 Other Dis. of Locomotor Sys. (148)	2	-	-	-	-	-	-	1	-	-	1	-	-
X. MALFORMATIONS.													
150 Congenital Malformations - -	332	279	38	8	3	-	2	-	2	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
151 (a) Premature Birth - - -	1,343	1343	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	963	963	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	214	214	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
154 (a) Senile Dementia - - -	13	-	-	-	-	-	-	-	-	-	4	9	-
(b) Senile Decay - - - -	1,390	-	-	-	-	-	-	-	-	-	328	1062	-
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	201	-	-	-	2	19	26	44	38	49	23	-	-
164 Poisoning by Food - - -	9	-	4	-	2	2	-	-	1	-	-	-	-
165 Other Accidental Poisonings -	35	1	1	1	-	2	3	8	10	5	3	1	-
167 Burns and Scalds (166) - -	165	13	88	17	2	7	10	4	9	3	5	7	-
168 Exposure to Poisonous Vapours -	14	-	1	-	-	-	2	5	3	3	-	-	-
169 Drowning - - - -	487	4	36	29	16	63	83	70	74	47	20	7	38
170 Accidents with Fire Arms - -	21	-	-	2	1	2	5	6	2	2	1	-	-
171 Accidents with Instruments and Weapons	2	-	-	-	-	-	2	-	-	-	-	-	-
172 Accidental Falls - - -	116	1	7	4	1	13	16	24	18	17	7	8	-
173 (a) Accidents in Coal Mines -	119	-	-	-	4	33	29	24	17	5	6	1	-
(b) Accidents in Other Mines -	4	-	-	-	-	-	2	2	-	-	-	-	-
(c) Accidents in Quarries - -	1	-	-	-	-	-	-	-	1	-	-	-	-
174 Accidents with Machinery - -	31	-	-	-	1	10	9	2	5	4	-	-	-
175 (a) Accidents on Railways - -	105	-	-	3	2	18	23	13	22	14	8	2	-
(b) Acc. with Horses and Vehicles	47	-	4	3	3	4	3	7	11	4	7	1	-
(c) Accidents with Motor Vehicles	38	-	6	5	3	3	4	4	4	4	3	2	-
(d) Accidents with Tramways -	6	-	1	-	-	-	-	-	2	1	1	1	-
(e) Other Crushing Accidents -	40	-	3	3	4	4	9	3	10	2	2	-	-
177 Hunger - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
180 Weather Agencies (178, 179)	40	-	-	-	1	2	-	5	10	10	8	3	1
186 (a) Overlaying - - - -	54	53	1	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	62	25	4	1	-	5	1	6	8	7	3	1	1
(c) Other Accidents (176, 181, 185)	538	4	27	29	21	49	66	84	87	81	60	30	-
184 Homicide (182, 183) - - -	5	1	-	1	1	-	-	2	-	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - -	11	-	-	-	-	-	-	1	1	3	4	2	-
188 (a) Syncope - - - -	160	19	4	1	4	2	5	11	20	24	40	30	-
(b) Sudden Death (not otherwise defined)	20	2	2	-	-	-	-	1	4	4	6	1	-
189 (a) Heart Failure - - - -	458	14	3	4	1	5	17	29	53	88	143	101	-
(c) Teething - - - -	8	5	3	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	78	1	31	3	1	3	2	1	3	30	2	1	-
(f) Dis. not Specified, Nat. Causes	326	106	19	7	6	4	13	14	33	46	42	33	3

CAUSES OF DEATH IN SCOTLAND IN 1912—FEMALES.

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - - -	36268	5675	3583	921	590	1730	2064	2533	2928	4049	5694	6500	1	
I. GENERAL DISEASES.														
1 Enteric Fever - - - - -	77	-	2	6	9	22	16	14	3	2	3	-	-	
2 Typhus Fever - - - - -	6	-	-	-	-	-	2	2	2	-	-	-	-	
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Smallpox - - - - -	4	-	-	-	-	1	1	-	2	-	-	-	-	
(b) Unvaccinated - - - - -	3	-	-	1	-	-	-	-	-	1	-	1	-	
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Measles - - - - -	924	247	601	61	3	3	1	2	2	1	2	1	-	
7 Scarlet Fever - - - - -	232	6	133	46	21	10	8	6	1	-	1	-	-	
8 Whooping-cough - - - - -	812	352	431	25	2	1	1	-	-	-	-	-	-	
9 (a) Diphtheria - - - - -	393	32	225	101	17	7	3	3	-	2	2	1	-	
(c) Croup, Membr. Laryngitis (b) - - - - -	17	4	12	1	-	-	-	-	-	-	-	-	-	
10 Influenza - - - - -	132	11	5	1	-	-	1	6	9	18	35	46	-	
13 Cholera Nostras - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
14 Dysentery - - - - -	3	1	-	-	-	-	-	-	-	-	2	-	-	
18 Erysipelas - - - - -	76	18	-	1	-	4	4	11	5	10	15	8	-	
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	11	6	1	-	-	-	1	-	-	1	-	2	-	
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	54	8	3	1	2	9	1	8	6	7	5	4	-	
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Anthrax - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
24 Tetanus - - - - -	7	2	-	1	-	1	-	-	2	-	1	-	-	
28 Pulmonary Tuberculosis, Phthisis - - - - -	2,547	17	51	56	126	656	699	503	253	132	48	6	-	
29 (a) Acute Phthisis - - - - -	84	-	5	6	7	34	13	10	7	2	-	-	-	
(b) Acute Miliary Tuberculosis - - - - -	45	6	10	8	3	7	7	2	-	1	1	-	-	
30 Tuberculous Meningitis - - - - -	500	98	221	83	40	25	15	9	6	1	1	1	-	
31 Abdominal Tuberculosis - - - - -	461	49	149	75	36	67	25	30	14	8	7	1	-	
32 Tuberculosis of Spine - - - - -	62	-	5	9	10	9	10	7	7	5	-	-	-	
33 Tuberculosis of Joints - - - - -	26	-	2	5	4	6	2	-	3	-	2	2	-	
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34) - - - - -	319	19	66	30	34	44	42	37	26	8	11	2	-	
36 Rickets, Osteomalacia - - - - -	24	8	13	1	-	1	-	1	-	-	-	-	-	
37 Syphilis - - - - -	91	67	8	-	1	1	1	3	5	4	1	-	-	
38 Other Venereal Diseases - - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-	
45 (a) Carcinoma - - - - -	1,835	1	-	-	-	3	56	172	407	464	475	257	-	
(b) Sarcoma - - - - -	98	-	2	3	1	2	14	12	15	23	17	9	-	
(c) Malignant Disease, other or not defined - - - - -	1,187	1	1	1	-	9	15	82	190	326	348	214	-	
46 Other Tumours (Situation undefined) - - - - -	23	-	2	-	-	-	1	1	5	6	6	2	-	
47 Rheumatic Fever - - - - -	123	-	3	13	20	28	15	20	13	6	3	2	-	
48 (a) Chronic Rheumatism - - - - -	59	-	-	-	-	-	-	-	5	12	17	25	-	
(b) Osteo-arthritis - - - - -	82	-	-	2	1	-	-	2	11	19	30	17	-	
(c) Gout - - - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
50 Diabetes - - - - -	274	-	-	-	4	18	26	27	39	60	66	34	-	
51 Exophthalmic Goitre - - - - -	61	-	-	-	1	4	10	14	14	11	3	4	-	
52 Addison's Disease - - - - -	15	-	-	-	-	4	3	-	4	1	2	1	-	
53 (a) Leucocythæmia - - - - -	28	1	2	-	2	1	2	4	9	5	1	1	-	
(b) Lymphadenoma - - - - -	6	-	-	-	-	1	1	1	1	2	-	-	-	
54 Anæmia, Chlorosis - - - - -	262	3	5	-	3	18	23	35	45	68	53	9	-	
55 (b) Purpura - - - - -	18	6	2	1	-	1	1	1	1	-	2	3	-	
(c) Hæmophilia - - - - -	4	4	-	-	-	-	-	-	-	-	-	-	-	
(d) Other General Diseases (a) - - - - -	3	-	-	-	-	-	1	-	-	-	2	-	-	
56 Alcoholism - - - - -	67	-	-	-	-	-	6	18	22	16	4	1	-	
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
59 Other Chronic Poisonings - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	

		All Ages.	Age											Age not stated.
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
60	Encephalitis - - - -	28	4	1	-	1	2	3	6	3	3	3	2	-
61	(a) Cerebro-spinal Meningitis -	30	7	5	6	3	4	3	2	-	-	-	-	-
	(c) Meningitis, Basal, Nature unspecified (b)	432	133	161	43	14	18	19	23	7	6	7	1	-
62	Locomotor Ataxy - - - -	9	-	-	-	-	-	-	-	4	3	1	1	-
63	Other Diseases of Spinal Cord -	150	3	4	7	1	9	15	15	21	32	28	15	-
64	Cerebral Hæmorrhage, Apoplexy	2,538	15	1	3	2	4	22	106	280	571	816	718	-
65	Softening of Brain - - - -	187	1	-	2	1	2	3	8	15	26	61	68	-
66	(a) Hemiplegia - - - -	312	2	1	1	-	3	3	6	24	55	109	108	-
	(c) Paralysis, Cause or Nature unspecified (b)	66	-	-	-	1	2	1	6	6	23	17	10	-
67	General Paralysis of Insane -	48	-	-	-	-	-	6	17	15	8	2	-	-
68	Other Insanity - - - -	122	-	-	-	1	4	11	22	27	25	22	10	-
69	Epilepsy - - - -	113	3	2	2	6	30	15	20	11	7	10	7	-
71	Convulsions (not Puerperal) (70)	324	233	77	5	1	2	4	1	-	1	-	-	-
72	Chorea - - - -	15	-	-	-	2	-	-	3	1	6	3	-	-
73	Neuralgia, Neuritis - - - -	37	-	-	-	-	2	1	11	8	6	4	5	-
74	(c) Cerebral Tumour - - - -	73	-	1	4	3	9	10	12	14	13	5	2	-
	(d) Other Diseases of Nervous System (a, b)	51	5	4	4	1	-	3	4	1	3	15	11	-
75	Diseases of Eye and Annexa -	1	1	-	-	-	-	-	-	-	-	-	-	-
76	(a) Mastoid Disease - - - -	21	3	11	1	4	1	-	-	-	1	-	-	-
	(b) Diseases of Ear - - - -	42	11	8	5	3	7	3	1	2	1	-	1	-
III. DISEASES OF CIRCULATORY. SYSTEM.														
77	Pericarditis - - - -	20	-	2	4	4	2	1	-	1	2	3	1	-
78	Acute Endocarditis - - - -	86	1	1	5	6	24	16	9	11	8	1	4	-
79	(a) Valvular Disease - - - -	1,391	5	2	14	24	68	85	139	172	235	355	292	-
	(b) Fatty Degeneration of Heart	197	1	-	-	-	1	1	5	27	64	61	37	-
	(c) Other Organic Diseases of Heart	1,588	11	1	7	11	34	47	98	165	288	480	446	-
80	Angina Pectoris - - - -	86	-	-	-	-	-	1	3	10	16	30	26	-
81	(a) Aneurysm - - - -	29	-	-	-	-	1	1	2	6	9	7	3	-
	(b) Arterio-sclerosis - - - -	190	-	-	-	1	-	-	1	3	22	65	98	-
	(c) Other Diseases of Arteries -	1	-	-	-	-	-	-	-	-	-	1	-	-
82	(a) Cerebral Embolism, Thrombosis	279	-	-	-	-	6	8	8	17	48	89	103	-
	(b) Embolism and Thrombosis, not Cerebral	60	-	1	-	2	7	5	12	9	10	6	8	-
83	Diseases of Veins - - - -	25	-	-	-	-	2	4	4	4	3	6	2	-
84	(a) Lymphatism, Status Lymphaticus	2	-	1	-	-	1	-	-	-	-	-	-	-
	(b) Other Dis. of Lymphatic System	3	1	-	-	-	-	-	1	1	-	-	-	-
85	Hæmorrhage, Other Diseases of Circulatory System	6	-	1	1	-	-	-	1	1	2	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.														
86	Diseases of Nose - - - -	3	1	1	-	-	-	-	1	-	-	-	-	-
87	(b) Laryngitis - - - -	44	10	22	7	-	-	-	-	1	1	1	2	-
	(c) Other Diseases of Larynx (a)	17	9	4	2	-	-	1	-	-	-	1	-	-
88	Diseases of Thyroid - - - -	27	1	-	-	-	-	1	-	6	9	7	3	-
90	Bronchitis (89) - - - -	2,556	464	150	12	6	16	40	69	159	337	592	711	-
91	Broncho-pneumonia - - - -	1,251	488	445	33	10	12	11	22	30	50	83	67	-
92	Pneumonia - - - -	1,385	178	206	37	24	63	77	136	110	147	224	183	-
93	Pleurisy - - - -	144	3	12	3	4	12	12	19	13	10	33	23	-
94	(a) Pulmonary Apoplexy - - - -	11	-	-	-	-	-	-	7	3	1	-	-	-
	(b) Pulmonary Congestion (c, d)	233	46	15	4	3	5	6	8	8	17	42	79	-
95	Gangrene of Lung - - - -	4	-	1	-	1	-	-	1	-	1	-	-	-
96	Asthma - - - -	34	-	-	-	-	3	1	1	4	6	10	9	-
97	Pulmonary Emphysema - - - -	9	-	1	-	-	-	1	-	2	1	4	-	-
98	(a) Fibroid Diseases of Lung -	18	-	-	-	-	1	1	2	2	5	5	2	-
	(b) Other Diseases of Respiratory System	16	2	4	-	2	-	1	1	1	2	1	2	-

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	8	3	-	1	-	1	1	-	-	-	-	2	-	
101 Diseases of Pharynx, Esophagus. Tonsillitis (100)	33	9	9	3	2	2	1	2	1	1	1	2	-	
102 Gastric Ulcer - - - -	161	1	1	-	1	19	30	28	24	24	19	14	-	
103 Other Dis. of Stomach. Gastritis	301	94	27	7	1	4	3	12	25	40	49	39	-	
104 Diarrhoea, Enteritis (under 2 years)	627	508	119	-	-	-	-	-	-	-	-	-	-	
105 Diarrhoea, Enteritis (over 2 years)	278	-	50	18	5	6	10	21	23	35	60	50	-	
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - - -	160	1	8	25	21	36	18	17	11	12	7	4	-	
109 (a) Hernia - - - - -	72	1	1	-	1	-	-	6	11	26	20	6	-	
(b) Intestinal Obstruction - -	140	22	7	6	1	3	5	9	20	17	23	27	-	
110 Other Diseases of Intestine - -	86	9	3	2	-	2	6	13	6	14	16	15	-	
111 Acute Yellow Atrophy of Liver	2	-	-	-	-	1	-	1	-	-	-	-	-	
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - - -	102	-	1	-	-	4	3	21	19	26	20	8	-	
114 Gallstones - - - - -	65	-	-	-	-	-	1	2	18	11	22	11	-	
115 Other Diseases of Liver - -	101	7	2	-	1	1	6	7	11	23	27	16	-	
116 Diseases of Spleen - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
117 Peritonitis, cause not specified	94	8	5	13	7	13	8	13	9	6	9	3	-	
118 Other Diseases of Digestive System	9	-	-	-	-	-	3	3	-	-	3	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.														
119 Acute Nephritis - - - -	169	10	14	9	13	17	21	22	26	19	13	5	-	
120 (a) Bright's Disease - - - -	754	1	-	4	8	27	62	106	137	163	151	95	-	
(b) Uræmia - - - - -	55	-	1	1	-	4	6	8	7	9	9	10	-	
122 Other Dis. of Kidney, Chyluria (121)	52	3	-	-	-	4	5	9	13	11	3	4	-	
123 Urinary Calculus - - - -	6	-	-	-	-	-	-	-	-	1	3	2	-	
124 Diseases of Bladder - - - -	65	-	1	-	-	1	1	4	5	4	18	31	-	
125 Dis. of Urethra, Urinary Abscess	3	-	-	-	-	-	1	-	1	1	-	-	-	
126 Diseases of Prostate - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	-	-	-	-	2	-	2	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	48	-	-	-	-	-	2	10	14	13	8	1	-	
130 Other Diseases of Uterus - -	40	-	-	-	-	4	9	9	5	4	5	4	-	
131 Cysts, and Other Tumours of Ovary	41	-	-	-	-	2	3	8	7	12	6	3	-	
132 Other Dis. of Female Genit. Organs	41	-	-	1	-	8	12	12	5	3	-	-	-	
133 Non-Puerperal Diseases of Breast	12	3	-	-	-	2	2	1	1	1	1	1	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (a) Abortion, Miscarriage - -	40	-	-	-	-	5	20	15	-	-	-	-	-	
(c) Uncontrollable Vomiting - -	12	-	-	-	-	2	4	6	-	-	-	-	-	
(d) Ectopic Gestation - - - -	3	-	-	-	-	-	1	2	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	16	-	-	-	-	4	7	4	1	-	-	-	-	
135 Puerperal Hæmorrhage - - -	100	-	-	-	-	11	43	44	2	-	-	-	-	
136 Other Accidents of Childbirth	89	-	-	-	-	19	42	24	4	-	-	-	-	
137 Puerperal Sepsis - - - - -	193	-	-	-	-	42	91	58	2	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	131	-	-	-	-	40	45	43	3	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	38	-	-	-	-	9	21	8	-	-	-	-	-	
140 (a) Puerperal Insanity - - -	7	-	-	-	-	-	5	2	-	-	-	-	-	
(b) Other Puerperal Diseases -	46	-	-	-	-	8	23	14	1	-	-	-	-	
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (a) Senile Gangrene - - - -	143	-	-	-	-	-	-	-	-	12	50	81	-	
(b) Noma, Cancrum Oris - - -	3	-	1	-	-	-	1	1	-	-	-	-	-	
(d) Other Gangrene (c) - - -	22	1	-	1	-	-	2	1	4	9	1	3	-	
143 Carbuncle, Boil - - - - -	9	2	-	-	-	-	-	-	2	-	1	4	-	
144 Phlegmon, Acute Abscess - -	83	23	7	1	1	6	5	6	4	16	7	7	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	46	13	5	-	-	1	1	2	3	3	7	11	-	

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded)	46	4	6	13	6	2	1	4	2	3	4	1	-	
147 Diseases of Joints - - -	7	1	-	1	-	1	-	1	1	-	1	1	-	
149 Other Dis. of Locomotor Syst.(148)	1	-	-	-	-	-	-	-	-	-	1	-	-	
X. MALFORMATIONS.														
150 Congenital Malformations - -	288	253	26	5	3	-	1	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.														
151 (a) Premature Birth - - -	1061	1061	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	675	675	-	-	-	-	-	-	-	-	-	-	-	
152 Other Diseases peculiar to Early Infancy	156	156	-	-	-	-	-	-	-	-	-	-	-	
153 Lack of Care - - - -	2	1	1	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.														
154 (a) Senile Dementia - - -	34	-	-	-	-	-	-	-	-	-	11	23	-	
(b) Senile Decay - - - -	2372	-	-	-	-	-	-	-	-	-	445	1927	-	
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) - - -	81	-	-	-	-	7	12	16	14	19	10	3	-	
164 Poisoning by Food - - -	5	-	-	-	-	1	-	-	2	1	1	-	-	
165 Other Accidental Poisonings -	20	-	1	1	-	4	5	1	7	1	-	-	-	
167 Burns and Scalds (166) - -	204	10	83	35	4	11	6	9	9	10	15	12	-	
168 Exposure to Poisonous Vapours -	2	-	-	-	-	-	-	1	1	-	-	-	-	
169 Drowning - - - -	71	-	10	1	7	13	8	5	13	6	5	2	1	
170 Accidents with Fire Arms -	4	-	-	-	1	1	-	1	-	-	1	-	-	
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	
172 Accidental Falls - - -	30	-	-	-	-	1	2	1	4	7	7	8	-	
173 (a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
174 Accidents with Machinery - -	2	-	-	-	-	2	-	-	-	-	-	-	-	
175 (a) Accidents on Railways - -	10	-	2	1	-	2	1	1	1	1	1	-	-	
(b) Acc. with Horses and Vehicles	7	-	4	-	1	-	-	-	-	-	1	1	-	
(c) Accidents with Motor Vehicles	13	-	2	4	2	-	-	-	2	3	-	-	-	
(d) Accidents with Tramways -	2	-	-	1	-	-	-	-	-	1	-	-	-	
(e) Other Crushing Accidents -	5	-	1	1	1	1	-	-	-	1	-	-	-	
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
180 Weather Agencies (178, 179) -	8	-	-	1	-	-	1	1	1	3	-	1	-	
186 (a) Overlaying - - - -	43	43	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) -	48	31	3	1	1	-	1	1	6	4	-	-	-	
(c) Other Accidents (176, 181, 185)	229	3	16	7	8	6	5	12	16	19	46	91	-	
184 Homicide (182, 183) - - -	6	-	4	-	-	-	1	-	-	-	1	-	-	
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.														
187 Dropsy - - - -	14	-	-	-	-	1	-	1	3	2	4	3	-	
188 (a) Syncope - - - -	162	6	1	-	2	3	2	12	22	27	49	38	-	
(b) Sudden Death (not otherwise defined)	14	3	-	1	-	-	-	-	1	2	2	5	-	
189 (a) Heart Failure - - - -	423	16	7	1	-	5	9	17	39	65	118	146	-	
(c) Teething - - - -	4	1	3	-	-	-	-	-	-	-	-	-	-	
(c) Other Ill-defined Diseases (b, d)	60	-	32	1	-	-	1	-	3	21	2	-	-	
(f) Dis. not Specified, Nat. Causes	269	83	13	4	3	3	8	14	16	31	32	62	-	

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912.

All Causes.	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
I. GENERAL DISEASES.	72,340	4,661	1,088	3,753	917	417	234	609	496	1,937	1,094	7,570	697	3,724	4,809	548	1,338
1 Enteric Fever	196	19	4	8	1	1	—	4	—	9	2	8	—	8	5	—	3
2 Typhus Fever	14	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4 Malaria	6	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—
5 Small-pox { (a) Vaccinated (b) Unvaccinated (c) Vaccination Doubtful	8	—	—	—	—	—	—	—	—	—	—	—	—	5	2	—	—
6 Measles	1,983	60	19	104	5	3	—	35	12	79	14	231	4	2	135	4	11
7 Scarlet Fever	439	54	2	21	4	2	—	1	9	7	4	28	4	38	20	2	5
8 Whooping-Cough	1,427	95	6	113	31	2	—	24	24	30	17	132	17	121	112	13	13
9 (a) Diphtheria	783	61	3	31	7	2	5	2	3	15	10	66	3	42	60	4	1
(b)	41	2	—	1	—	—	—	—	—	—	2	7	—	5	2	1	5
(c) Group, Membranous Laryngitis	234	16	6	4	5	11	—	1	—	8	1	15	4	16	5	4	17
10 Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Cholera Nostras	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Dysentery	12	1	2	—	—	1	—	—	2	1	3	14	1	3	—	1	1
18 Erysipelas	158	5	—	10	—	—	—	—	—	1	—	1	—	2	1	—	3
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	24	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20 (a) Pyæmia, Septicæmia (not Puer- peral (b))	117	7	—	6	1	1	—	—	1	6	5	8	2	6	3	1	3
(c) Vaccinia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Anthrax	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
23 Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Tetanus	25	2	—	2	1	—	—	—	—	2	1	—	—	2	1	—	—
28 Pulmonary Tuberculosis, Phthisis	5,124	275	80	225	61	17	16	19	24	142	85	559	54	194	388	34	118
29 (a) Acute Phthisis	182	5	1	5	3	—	1	1	1	5	3	25	3	4	9	6	3
(b) Acute Miliary Tuberculosis	93	5	1	4	1	1	1	1	7	2	2	21	1	5	5	3	3
30 Tuberculous Meningitis	1,018	50	7	49	4	—	1	8	7	46	14	96	7	49	77	2	10
31 Abdominal Tuberculosis	875	40	8	43	8	1	—	5	13	50	8	43	3	46	62	4	11
32 Tuberculosis of Spine	135	7	4	6	3	1	—	3	—	4	4	15	2	9	9	1	2
33 Tuberculosis of Joints	57	3	—	3	1	—	—	1	—	1	1	3	—	4	6	—	1
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	665	21	7	30	8	4	3	6	3	14	10	81	3	50	44	2	6

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912.

All Causes	Kincardine.	Kinross.	Kirkeudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
I. GENERAL DISEASES.																	
1 Enteric Fever	1	—	1	79	—	—	—	—	7	8	6	1	1	3	15	1	1
2 Typhus Fever	—	—	—	9	—	—	—	—	—	2	3	—	—	—	—	—	—
4 Malaria	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—
5 Small-pox. { (a) Vaccinated. (b) Unvaccinated. (c) Vaccination Doubtful.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
6 Measles	4	4	3	962	21	1	4	—	8	144	4	18	—	—	43	11	—
7 Scarlet Fever	1	—	—	148	15	2	—	—	1	57	1	3	—	10	1	—	8
8 Whooping Cough	14	—	6	479	22	—	—	1	21	106	2	12	1	12	31	—	2
9 (a) Diphtheria	8	4	2	317	15	1	2	1	15	52	2	3	2	4	26	—	—
(c) Group, Membranous Laryngitis (b)	—	—	—	8	1	—	—	—	1	2	4	—	—	—	—	—	—
10 Influenza	3	—	1	34	4	1	14	1	13	16	15	8	—	3	3	3	2
13 Cholera Nostras	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Dysentery	—	—	—	7	—	—	—	—	—	—	1	—	—	—	—	—	—
18 Erysipelas	—	—	—	—	2	—	—	—	1	13	4	1	1	—	10	—	—
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	1	—	—	9	1	—	—	—	—	3	—	—	—	—	—	—	—
20 (a) Pyæmia, Septicæmia (not Puer-peral) (b)	—	—	4	36	3	—	1	1	4	9	3	1	—	1	4	—	—
(c) Vaccinia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Anthrax	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Tetanus	—	—	—	5	—	—	—	1	—	2	—	2	—	—	2	—	—
28 Pulmonary Tuberculosis, Phthisis	33	3	46	1762	67	7	23	12	125	337	96	39	26	40	156	23	38
29 (a) Acute Phthisis	2	—	2	66	4	—	1	1	3	15	1	1	1	—	10	2	—
(b) Acute Military Tuberculosis	—	—	—	20	1	—	3	—	—	11	—	—	—	—	—	—	—
30 Tuberculous Meningitis	1	1	5	399	10	—	1	4	24	84	10	3	2	7	34	2	3
31 Abdominal Tuberculosis	4	1	8	345	12	1	1	—	11	74	6	5	3	1	35	2	2
32 Tuberculosis of Spine	—	—	—	39	3	—	1	—	1	16	1	1	—	—	2	1	—
33 Tuberculosis of Joints	2	—	—	24	2	—	—	—	1	3	1	—	—	—	—	—	—
35 Tuberculosis of Other Organs, Disseminated Tuberculosis (34)	3	1	6	247	8	1	4	4	17	40	2	3	1	5	26	—	5

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	48	7	1	1	1	-	-	-	-	2	1	3	-	1	5	-	1
61 (a) Cerebro-spinal Meningitis	68	6	1	3	-	-	2	2	-	2	1	6	-	5	1	-	2
(c) Meningitis, Basal, Nature un- specified (b)	920	27	11	44	8	2	2	8	12	49	14	69	7	61	46	3	11
62 Locomotor Ataxy	73	6	1	2	1	-	-	-	-	-	-	9	-	2	6	1	-
63 Other Diseases of Spinal Cord	312	20	6	16	5	2	-	-	6	6	2	35	5	23	28	5	6
64 Cerebral Hemorrhage, Apoplexy	4,514	334	79	255	41	34	15	40	39	116	100	539	69	244	296	40	73
65 Softening of Brain	355	13	17	92	5	3	3	4	4	15	7	59	7	14	50	1	8
66 (a) Hemiplegia	544	32	18	17	12	5	7	10	4	16	14	82	7	14	29	2	17
(c) Paralysis, Cause or Nature un- specified (b)	117	5	1	4	1	-	1	-	-	-	2	6	4	1	6	1	4
67 General Paralysis of Insane	236	16	1	10	2	1	-	1	-	4	2	40	-	10	14	2	2
68 Other Insanity	215	21	3	11	1	1	1	4	1	2	7	10	1	8	17	4	9
69 Epilepsy	257	24	3	10	8	3	1	4	4	10	3	29	3	16	19	2	3
71 Convulsions (not Puerperal) (70)	749	78	-	32	6	-	2	2	1	28	10	50	6	37	34	7	12
72 Chorea	20	1	1	1	-	-	1	-	-	-	-	2	1	1	1	-	1
73 Neuralgia, Neuritis	54	1	1	1	-	-	-	-	-	-	1	6	-	3	5	-	2
74 (c) Cerebral Tumour	148	8	-	9	2	-	1	1	1	4	2	22	1	10	12	-	3
(d) Other Diseases of Nervous Sys- tem (a, b)	95	8	1	4	-	1	-	1	1	5	2	12	1	8	10	-	-
75 Diseases of Eye and Annexa	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease	42	5	-	1	-	-	-	-	-	4	-	-	-	-	4	-	-
(b) Diseases of Ear	113	11	1	3	2	1	-	-	-	5	2	9	2	7	7	1	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912—continued.

	Kincardine.	Kinross.	Kirkcud- bright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	1	—	1	14	1	—	2	—	1	4	1	—	—	—	1	—	—
61 (a) Cerebro-spinal Meningitis	1	—	—	29	—	—	—	—	—	4	—	—	—	—	5	—	—
(c) Meningitis, Basal, Nature un- specified (b)	2	1	2	344	13	1	1	4	20	88	14	10	2	3	38	—	3
62 Locomotor Ataxy	1	1	—	30	1	—	1	—	2	6	—	1	—	—	2	—	—
63 Other Diseases of Spinal Cord	1	3	—	70	1	3	2	—	15	22	—	5	2	2	12	1	3
64 Cerebral Haemorrhage, Apoplexy	34	13	38	1,217	59	8	25	13	146	325	58	70	24	22	98	23	27
65 Softening of Brain	2	2	6	59	5	1	—	2	10	31	7	4	4	4	9	5	7
66 (a) Hemiplegia	3	1	6	118	10	—	3	3	24	35	18	2	3	4	16	3	2
(c) Paralysis, Cause or Nature un- specified (b)	1	—	—	54	—	—	2	—	—	5	12	2	1	—	1	1	—
67 General Paralysis of Insane	2	—	2	93	—	—	1	1	6	11	3	3	2	—	7	—	—
68 Other Insanity	—	1	—	71	2	1	—	—	4	19	9	1	—	—	3	3	1
69 Epilepsy	1	2	1	66	4	—	1	1	7	11	4	4	1	3	8	1	2
71 Convulsions (not Puerperal) (70)	7	1	4	284	9	6	1	1	11	58	7	2	3	5	29	12	4
72 Chorea	—	—	1	6	—	—	—	—	2	1	—	1	—	—	—	—	—
73 Neuralgia, Neuritis	—	—	—	19	—	—	—	—	3	5	—	—	1	2	1	1	1
74 (c) Cerebral Tumour	3	—	3	36	1	—	3	1	3	6	2	6	2	1	5	—	—
(d) Other Diseases of Nervous System (a, b)	1	—	1	27	1	1	—	—	3	2	—	1	—	1	2	—	—
75 Diseases of Eye and Annexa	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—
76 (a) Mastoid Disease	—	—	—	19	2	—	—	—	1	—	—	—	—	—	—	—	—
(b) Diseases of Ear	—	—	1	42	3	—	—	—	2	8	—	—	—	—	5	—	—

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	48	2	1	4	1	-	-	-	1	2	4	11	-	2	3	-	-
78 Acute Endocarditis	162	7	1	6	-	15	7	14	-	5	4	23	22	145	6	15	3
79 (a) Valvular Disease	2,656	165	42	164	34	14	1	3	22	65	54	354	2	18	185	3	54
(b) Fatty Degeneration of Heart	349	10	9	15	6	39	23	33	3	1	18	72	40	187	208	35	7
(c) Other Organic Diseases of Heart	3,073	250	69	126	65	2	2	-	21	4	47	310	2	11	15	3	66
80 Angina Pectoris	236	11	5	12	1	2	2	-	2	5	5	32	1	6	6	2	2
81 (a) Aneurysm	143	24	4	4	1	-	-	-	-	2	7	32	5	11	42	3	3
(b) Arterio-sclerosis	428	23	4	22	11	2	2	4	1	2	-	46	-	-	-	-	-
(c) Other Diseases of Arteries	2	-	7	25	5	5	2	3	4	5	5	82	6	44	50	6	7
(a) Cerebral Embolism, Thrombosis	466	24	2	3	1	1	-	1	-	-	1	8	-	10	4	-	3
(b) Embolism and Thrombosis, not Cerebral	98	3	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-
83 Diseases of Veins	34	3	4	2	1	-	1	-	1	-	-	7	-	-	-	-	-
84 (a) Lymphatism, Status Lymphaticus	6	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
(b) Other Dis. of Lymphatic System	6	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-
85 Hæmorrhage, Other Diseases of Circulatory System	13	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	9	-	3	1	-	1	-	-	-	1	-	4	-	7	1	-	-
87 (b) Laryngitis	86	4	1	11	1	2	-	-	1	3	1	2	1	2	5	1	2
(c) Other Diseases of Larynx (a)	57	2	1	1	1	19	-	-	-	4	-	2	-	2	6	-	-
88 Diseases of Thyroid	30	-	58	206	73	2	6	47	29	120	44	497	36	217	341	33	95
90 Bronchitis (89)	4,796	277	13	119	21	6	10	17	13	67	14	245	14	113	179	13	18
91 Broncho-pneumonia	2,603	156	34	150	24	8	8	30	17	79	35	361	37	170	215	20	70
92 Pneumonia	3,506	222	34	14	3	3	1	2	-	13	4	30	1	12	21	4	11
93 Pleurisy	314	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Pulmonary Apoplexy	17	3	-	-	-	-	4	-	-	18	-	63	12	16	20	1	1
(b) Pulmonary Congestion (c, d)	446	29	8	30	6	2	-	5	1	-	3	1	-	-	2	1	4
95 Gangrene of Lung	20	-	3	-	1	2	-	1	1	1	4	10	-	5	8	1	3
96 Asthma	76	10	-	5	-	-	-	-	-	2	-	2	-	-	-	-	-
97 Pulmonary Emphysema	28	1	4	6	1	-	-	1	-	1	2	7	-	2	5	-	1
98 (a) Fibroid Diseases of Lung	60	3	-	6	-	-	-	-	-	1	1	7	-	-	-	-	-
(b) Other Diseases of Respiratory System	31	-	-	2	-	-	-	-	1	1	-	7	-	-	1	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding ton.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	18	1	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-
101 Diseases of Pharynx, Esophagus. Tonsillitis (100)	86	12	1	5	1	-	1	1	-	4	-	5	1	3	1	2	2
102 Gastric Ulcer	312	26	3	16	1	4	1	3	3	7	6	36	6	12	21	2	15
103 Other Diseases of Stomach. (Gastritis	580	33	12	26	12	4	3	2	4	11	6	46	7	39	46	3	3
104 Diarrhoea, Enteritis (under 2 years)	1,369	94	4	81	14	2	2	17	4	44	12	103	6	59	132	3	5
105 Diarrhoea, Enteritis (over 2 years)	469	23	6	37	5	1	2	4	5	10	12	37	6	43	34	6	4
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	401	24	4	34	8	5	2	4	5	8	11	39	1	17	38	2	8
109 (a) Hernia	162	16	1	9	2	-	-	-	1	6	2	14	-	4	10	2	6
(b) Intestinal Obstruction	309	31	8	13	6	1	2	2	1	5	5	30	5	12	17	4	9
110 Other Diseases of Intestine	235	19	4	8	3	2	3	1	3	6	4	31	3	8	7	-	4
111 Acute Yellow Atrophy of Liver	4	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	276	15	7	11	4	2	2	2	3	9	3	39	1	13	15	3	3
114 Gallstones	85	12	2	3	-	-	-	-	1	2	1	10	-	4	5	-	-
115 Other Diseases of Liver	176	13	4	5	5	1	3	-	1	6	-	13	2	11	12	-	3
116 Diseases of Spleen	8	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
117 Peritonitis, cause not specified	165	11	2	14	-	1	-	-	1	8	3	17	2	8	6	3	2
118 Other Diseases of Digestive System	16	-	-	-	1	1	-	-	-	2	-	2	-	1	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912—continued.

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth.				9					1		1				1		
Sepsis				28	1			1	4	6	1	1			3		1
101 Diseases of Pharynx, Esophagus.																	
Tonsillitis (100)																	
102 Gastric Ulcer	1		2	84	2	1	1		5	17	11	5	2	2	10	3	4
103 Other Dis. of Stomach.	10	2	3	190	5		8		12	35	14	8	2	4	23	1	6
Gastritis				568	32	4	1		9	96	8	8	1	2	40	1	10
104 Diarrhoea, Enteritis (under 2 years)	3		6	143	12		4		8	28	5	8		4	14		3
105 Diarrhoea, Enteritis (over 2 years)	2	1	4					2									
107 Intestinal Parasites (106)																	
108 Appendicitis, Typhlitis	5	1	3	106	4	1		2	7	34	5	1	3	1	12	1	5
(a) Hernia	3		3	46	5				8	10	1	1	2	2	9		1
(b) Intestinal Obstruction	2		4	87	11		4	1	7	24	4	5	3		6		2
110 Other Diseases of Intestine			1	64	2		4		8	21	6	4			9	4	1
111 Acute Yellow Atrophy of Liver																	
112 Hydatids of Liver																	
113 Cirrhosis of Liver	3	1	2	86	2		2	1	8	18	4	6	1		8	2	1
114 Gallstones	1		1	27					3	7					3		3
115 Other Diseases of Liver	1		1	48	4		4		6	15		1	1	1	10	2	
116 Diseases of Spleen				3						1					5		3
117 Peritonitis, cause not specified.			1	47	3	1	1		7	15	2						
118 Other Diseases of Digestive System				8										1			

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1912—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- Lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene . . .	233	16	4	15	3	4	1	1	2	5	2	31	6	11	18	4	3
(b) Noma, Cancrum Oris . . .	5	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
(c) Other Gangrene . . .	45	2	1	10	—	—	—	—	—	2	—	1	—	1	1	—	—
143 Carbuncle, Boil . . .	92	2	—	2	—	—	—	—	—	1	—	—	—	2	—	—	—
144 Phlegmon, Acute Abscess . .	177	14	1	6	4	2	1	2	—	6	3	21	1	8	12	—	3
145 Ulcer, Other Diseases of Skin and Cellular Tissue . . .	72	10	2	4	2	—	1	—	—	1	—	10	1	5	2	—	3
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid ex- cluded) . . .	116	4	1	11	—	—	—	1	1	1	3	7	—	4	7	1	2
147 Diseases of Joints . . .	14	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—
149 Other Dis. of Locomotor Syst. (148)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. MALFORMATIONS.																	
150 Congenital Malformations . .	620	25	6	26	6	1	1	—	5	21	12	61	6	43	50	5	6
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth . . .	2404	178	11	127	34	10	4	10	5	73	30	254	26	176	148	25	11
(b) Congenital Debility, Icterus, Sclerema (c, d, e) . . .	1638	104	11	87	22	13	—	11	10	49	24	149	8	99	99	22	32
152 Other Diseases peculiar to Early Infancy . . .	370	25	5	15	6	1	—	1	4	15	6	37	6	25	21	3	4
153 Lack of Care . . .	4	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—
XII. OLD AGE.																	
154 (a) Senile Dementia . . .	47	4	—	2	2	—	—	2	—	1	2	10	1	—	—	—	—
(b) Senile Decay . . .	3762	270	123	214	51	47	12	79	20	82	54	301	53	203	237	19	155

	Wigtown.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Linlithgow.	Lanark.	Kirkcudbright.	Kinross.	Kincardine.	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																		
142 (a) Senile Gangrene	—	3	1	5	1	5	8	11	7	2	3	—	2	52	5	—	—	
(b) Noma, Cancrum Oris	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	
(c) Other Gangrene	—	—	—	2	1	1	—	5	2	—	—	—	—	13	1	—	—	
(d) Carbuncle, Boil	—	—	—	—	—	1	—	1	2	—	—	—	—	11	—	—	—	
143 Carbuncle, Boil	—	—	—	—	—	—	—	1	3	—	1	—	5	60	2	—	—	
144 Phlegmon, Acute Abscess	—	—	—	5	1	—	3	13	3	—	—	—	3	17	—	—	—	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	—	—	—	3	—	—	1	3	1	—	—	—	—	—	—	—	—	
IX. DISEASES OF ORGANS OF LOCOMOTION.																		
146 Diseases of Bones (Mastoid excluded)	1	—	10	—	—	—	1	10	2	—	1	—	2	42	2	—	2	
147 Diseases of Joints	—	—	—	—	—	—	—	4	—	—	—	—	—	7	—	—	—	
149 Other Diseases of Locomotor System (148)	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
X. MALFORMATIONS.																		
150 Congenital Malformations	9	2	14	—	3	5	11	32	9	—	3	2	16	234	4	1	1	
XI. DISEASES OF EARLY INFANCY.																		
151 (a) Premature Birth	14	1	79	4	4	18	10	137	36	13	5	3	57	867	14	3	17	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	10	1	47	8	2	15	8	132	30	4	9	—	51	562	5	2	12	
152 Other Diseases peculiar to Early Infancy	—	—	18	2	2	1	2	18	6	1	—	1	4	133	2	—	6	
153 Lack of Care	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
XII. OLD AGE.																		
154 (a) Senile Dementia	—	—	1	1	1	—	—	3	4	—	—	—	—	12	1	—	1	
(b) Senile Decay	38	80	114	92	18	36	186	204	152	22	70	20	64	675	24	5	41	

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin.	Fife.	Forfar.	Hadding- ton.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	282	21	4	18	5	1	-	2	2	5	4	32	-	19	34	1	3
164 Poisoning by Food	14	4	1	2	-	-	-	-	-	-	2	6	-	1	1	-	3
165 Other Accidental Poisonings	55	20	4	6	1	-	1	-	2	10	-	42	3	2	1	-	5
167 Burns and Scalds (166)	369	16	22	23	10	1	4	7	4	31	9	4	6	14	22	10	18
168 Exposure to Poisonous Vapours	16	95	22	30	10	1	1	-	-	-	-	25	1	19	16	-	-
169 Drowning	558	4	1	4	-	-	-	-	-	-	-	1	1	5	1	-	-
170 Accidents with Fire Arms	25	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
171 Accidents with Instruments and Weapons	2	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1
172 Accidental Falls	146	18	-	4	1	1	1	-	2	9	-	19	1	4	3	1	1
173 (a) Accidents in Coal Mines	119	-	-	8	-	-	-	-	-	-	-	7	-	29	-	-	-
(b) Accidents in Other Mines	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(c) Accidents in Quarries	1	2	1	3	-	-	-	-	-	-	-	4	-	-	1	-	-
174 Accidents with Machinery	33	2	1	10	-	1	-	-	-	4	4	13	1	5	2	1	4
175 (a) Accidents on Railways	115	3	1	2	-	-	-	-	1	1	2	5	1	2	2	-	1
(b) Acc. with Horses and Vehicles	54	10	1	2	1	-	-	-	-	4	1	12	-	3	3	-	1
(c) Accidents with Motor Vehicles	51	4	-	3	1	-	-	-	-	1	-	8	-	4	6	-	-
(d) Accidents with Tramways	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents	45	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Hunger	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179)	48	2	2	1	4	1	1	1	-	1	1	3	1	5	1	2	2
186 (a) Overlaying	97	2	-	2	1	1	1	1	-	-	-	10	1	1	30	-	1
(b) Suffocation (otherwise)	110	11	-	5	2	2	4	4	8	20	10	19	3	2	5	5	1
(c) Other Accidents (176, 181, 185)	767	33	14	51	8	4	4	4	-	-	-	78	9	33	36	3	16
184 Homicide (182, 183)	11	1	-	-	-	-	-	-	-	-	-	2	-	1	3	-	1
190 Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	25	-	1	1	-	-	-	-	1	-	-	1	-	3	1	-	2
188 (a) Syncope	322	14	6	19	5	-	1	2	6	12	6	20	-	21	32	8	8
(b) Sudden Death (not otherwise defined)	34	-	-	2	-	-	-	7	-	4	-	-	-	-	4	1	3
189 (a) Heart Failure	881	36	23	64	10	5	4	14	6	15	18	75	11	54	77	3	10
(c) Teething	12	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	138	9	4	11	2	-	-	-	1	2	-	5	-	4	10	1	6
(f) Dis. not Specified, Nat. Causes	595	42	28	38	9	2	2	12	5	8	13	7	14	22	10	7	68

	Wigtown.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Linlithgow.	Lanark.	Kirkcudbright.	Kinross.	Kincardine.	
XIII. VIOLENT CAUSES.																		
163 Suicide	1	—	5	2	—	3	4	13	18	1	1	1	2	70	1	—	9	163 Suicide
164 Poisoning by Food	—	—	—	1	—	—	1	1	2	—	—	—	1	5	—	—	—	164 Poisoning by Food
165 Other Accidental Poisonings	2	—	3	—	—	—	—	5	2	—	—	—	1	20	1	—	—	165 Other Accidental Poisonings
166 Burns and Scalds (166)	4	6	24	1	1	1	5	29	6	2	2	1	7	136	—	—	2	166 Burns and Scalds (166)
167 Exposure to Poisonous Vapours	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	167 Exposure to Poisonous Vapours
168 Drowning	—	—	—	6	1	3	14	42	14	3	6	1	8	112	2	1	8	168 Drowning
169 Accidents with Fire Arms	—	—	—	—	—	1	—	—	1	—	—	—	—	3	—	—	1	169 Accidents with Fire Arms
170 Accidents with Instruments and Weapons	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	170 Accidents with Instruments and Weapons
171 Accidental Falls	3	—	2	1	2	1	1	9	2	1	—	—	1	57	1	—	—	171 Accidental Falls
172 Accidents in Coal Mines	—	—	8	—	—	—	—	—	—	—	—	—	7	60	—	—	—	172 Accidents in Coal Mines
173 Accidents in Other Mines	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	173 Accidents in Other Mines
174 Accidents in Quarries	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	174 Accidents in Quarries
175 Accidents with Machinery	—	—	—	—	—	—	—	—	—	—	—	—	—	17	—	—	—	175 Accidents with Machinery
176 Accidents on Railways	—	—	—	—	—	—	—	—	—	—	—	—	—	41	—	—	3	176 Accidents on Railways
177 Acc. with Horses and Vehicles	—	—	—	—	—	—	—	—	—	—	—	—	—	15	1	—	—	177 Acc. with Horses and Vehicles
178 Accidents with Motor Vehicles	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	178 Accidents with Motor Vehicles
179 Accidents with Tramways	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	179 Accidents with Tramways
180 Other Crushing Accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	180 Other Crushing Accidents
181 Hunger	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	181 Hunger
182 Weather Agencies (178, 179)	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	182 Weather Agencies (178, 179)
183 Overlaying	—	—	—	—	—	—	—	—	—	—	—	—	—	43	—	—	—	183 Overlaying
184 Suffocation (otherwise)	—	—	—	—	—	—	—	—	—	—	—	—	—	36	—	—	—	184 Suffocation (otherwise)
185 Other Accidents (176, 181, 185)	—	—	—	—	—	—	—	—	—	—	—	—	—	271	4	—	—	185 Other Accidents (176, 181, 185)
186 Homicide (182, 183)	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	186 Homicide (182, 183)
187 Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	187 Execution
XIV. ILL-DEFINED CAUSES.																		
187 Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	187 Dropsy
188 (a) Syncope	—	—	—	—	—	—	—	—	—	—	—	—	—	96	2	—	5	188 (a) Syncope
188 (b) Sudden Death (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	188 (b) Sudden Death (not otherwise defined)
189 (a) Heart Failure	—	—	—	—	—	—	—	—	—	—	—	—	—	240	10	3	5	189 (a) Heart Failure
189 (c) Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	189 (c) Teething
189 (e) Other Ill-defined Diseases (b, d)	—	—	—	—	—	—	—	—	—	—	—	—	—	43	2	—	1	189 (e) Other Ill-defined Diseases (b, d)
189 (f) Dis. not Specified, Nat. Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	159	4	—	7	189 (f) Dis. not Specified, Nat. Causes

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1912.

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
All Causes - - - - -	72340	6940	7332	6426	6319	6063	5311	5428	5047	4753	5507	5955	7259
I. GENERAL DISEASES.													
1 Enteric Fever - - - - -	196	24	14	22	12	15	10	18	8	15	19	23	16
2 Typhus Fever - - - - -	14	5	3	1	1	-	1	2	-	-	1	-	-
4 Malaria - - - - -	6	-	1	-	-	2	1	-	-	-	1	-	1
5 (a) - - - - -	7	-	-	-	-	-	-	-	-	2	3	2	-
(b) Smallpox { Vaccinated - - - - -	8	-	-	-	-	2	-	-	-	-	1	2	3
(c) { Unvaccinated - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
(c) { Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles - - - - -	1983	249	331	343	316	219	192	96	51	30	57	49	50
7 Scarlet Fever - - - - -	439	50	31	49	37	28	32	31	27	29	40	39	46
8 Whooping-cough - - - - -	1427	173	178	130	132	129	100	110	98	51	61	94	171
9 (a) Diphtheria - - - - -	783	100	98	61	51	50	49	42	62	64	86	58	62
(c) Croup, Membr. Laryngitis (b) - - - - -	41	3	10	2	3	1	-	2	4	3	1	5	7
10 Influenza - - - - -	234	20	33	33	23	19	18	5	6	7	16	18	36
13 Cholera Nostras - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
14 Dysentery - - - - -	12	1	1	-	-	1	3	1	-	3	1	1	-
18 Erysipelas - - - - -	158	13	22	11	12	10	11	9	7	4	16	20	23
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	24	3	2	2	4	1	1	1	-	4	1	1	4
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	117	10	13	13	5	12	7	8	5	13	17	8	6
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus - - - - -	25	3	1	-	3	2	1	2	4	2	4	1	2
28 Pulmonary Tuberculosis, Phthisis - - - - -	5124	485	458	445	490	468	442	406	395	335	363	380	457
29 (a) Acute Phthisis - - - - -	182	10	23	22	9	24	18	16	8	12	15	13	12
(b) Acute Miliary Tuberculosis - - - - -	93	7	10	8	12	9	8	14	4	5	3	9	4
30 Tuberculous Meningitis - - - - -	1018	78	79	95	113	118	97	100	55	74	65	67	77
31 Abdominal Tuberculosis - - - - -	875	69	77	84	103	86	68	101	61	51	62	56	57
32 Tuberculosis of Spine - - - - -	135	9	12	14	10	12	9	15	9	9	11	10	15
33 Tuberculosis of Joints - - - - -	57	7	4	6	6	4	4	4	4	1	5	6	6
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	665	73	59	65	65	72	56	54	42	41	40	48	50
36 Rickets, Osteomalacia - - - - -	45	6	4	6	6	3	-	4	2	3	6	2	3
37 Syphilis - - - - -	218	25	16	21	10	20	17	16	18	10	18	22	25
38 Other Venereal Diseases - - - - -	6	1	-	3	1	-	-	-	-	-	-	1	-
45 (a) Carcinoma - - - - -	2974	261	247	244	259	226	225	260	252	249	258	236	257
(b) Sarcoma - - - - -	230	24	22	12	21	15	16	22	23	13	23	21	18
(c) Malignant Disease, other or not defined } 39-44	1991	186	160	169	142	152	166	181	144	180	174	146	191
46 Other Tumours (Situation undefined) - - - - -	51	3	2	3	3	9	1	4	3	5	7	10	1
47 Rheumatic Fever - - - - -	223	23	28	16	24	18	16	18	12	16	17	18	17
48 (a) Chronic Rheumatism - - - - -	100	12	11	7	7	17	12	7	4	5	6	1	11
(b) Osteo-arthritis - - - - -	99	10	6	13	8	7	9	5	3	6	8	9	15
(c) Gout - - - - -	5	-	1	1	-	1	-	-	1	-	-	-	1
49 Scurvy - - - - -	4	-	-	1	-	-	1	-	-	-	-	2	-
50 Diabetes - - - - -	504	47	58	42	42	40	37	28	33	34	46	41	56
51 Exophthalmic Goitre - - - - -	66	4	4	3	7	6	3	6	6	4	11	4	8
52 Addison's Disease - - - - -	20	1	2	1	2	1	1	-	4	3	-	4	1
53 (a) Leucocythæmia - - - - -	60	8	9	5	3	6	4	5	3	3	2	4	8
(b) Lymphadenoma - - - - -	26	-	1	3	-	6	1	1	2	4	3	3	2
54 Anæmia, Chlorosis - - - - -	441	37	29	34	46	44	34	41	45	30	43	27	31
55 (b) Purpura - - - - -	37	2	4	4	5	3	1	1	3	3	4	3	4
(c) Hæmophilia - - - - -	16	-	-	3	1	3	1	-	2	1	1	2	2
(d) Other General Diseases (a) - - - - -	4	-	-	-	-	1	-	-	-	-	1	1	1
56 Alcoholism - - - - -	176	23	14	10	14	14	10	13	13	13	14	20	18
57 Chronic Lead Poisoning - - - - -	2	-	-	-	1	-	-	-	-	-	-	-	1
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings - - - - -	3	-	-	-	-	-	1	1	-	-	-	1	-

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - - -	48	6	2	2	3	5	4	6	6	4	3	3	4
61 (a) Cerebro-Spinal Meningitis -	68	7	2	2	7	9	6	8	8	5	3	6	5
(c) Meningitis, Basal, Nature unspecified (b)	920	81	74	93	74	94	60	70	80	59	79	82	74
62 Locomotor Ataxy - - -	73	11	9	3	7	5	5	9	3	5	5	3	8
63 Other Diseases of Spinal Cord -	312	24	32	24	32	17	22	20	28	20	24	26	43
64 Cerebral Hemorrhage, Apoplexy	4514	426	418	375	406	392	361	346	373	305	348	358	406
65 Softening of Brain - - -	355	38	31	31	23	35	26	31	23	25	18	32	42
66 (a) Hemiplegia - - - -	544	53	48	39	53	47	49	41	39	39	38	51	38
(c) Paralysis, Cause or Nature unspecified (b)	117	13	13	8	13	7	15	6	6	3	6	10	17
67 General Paralysis of Insane -	236	16	18	21	31	19	12	17	18	19	22	11	32
68 Other Insanity - - - -	215	19	16	20	22	21	17	14	20	13	21	17	15
69 Epilepsy - - - - -	257	27	21	27	16	33	24	21	18	18	14	13	28
71 Convulsions (not Puerperal) (70)	749	63	70	74	80	59	47	48	43	52	53	80	80
72 Chorea - - - - -	20	-	2	-	1	1	2	-	4	4	5	-	1
73 Neuralgia, Neuritis - - -	54	8	4	5	-	1	3	8	4	5	4	5	7
74 (c) Cerebral Tumour - - -	148	11	10	18	10	14	10	10	16	9	9	13	18
(d) Other Diseases of Nervous System (a, b)	95	6	11	7	8	5	13	7	10	6	8	5	9
75 Diseases of Eye and Annexa -	4	-	-	-	2	-	-	-	-	-	-	-	2
76 (a) Mastoid Disease - - -	42	3	4	2	6	2	4	4	3	1	5	2	6
(b) Diseases of Ear - - -	113	12	9	6	11	14	7	8	10	9	6	8	13
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - - - -	48	8	5	2	5	4	1	3	2	4	3	6	5
78 Acute Endocarditis - - -	162	15	16	15	14	17	8	15	15	11	13	10	13
79 (a) Valvular Disease - - -	2656	232	261	212	210	217	194	204	209	197	230	234	256
(b) Fatty Degeneration of Heart -	349	30	37	27	38	34	19	29	24	20	27	27	37
(c) Other Organic Diseases of Heart	3073	260	286	263	251	272	250	219	241	193	234	276	328
80 Angina Pectoris - - - -	236	20	26	19	19	16	20	21	19	11	27	18	20
81 (a) Aneurysm - - - - -	143	17	9	12	7	10	8	16	15	12	9	12	16
(b) Arterio-sclerosis - - -	428	37	35	27	27	31	37	44	42	39	33	35	41
(c) Other Diseases of Arteries -	2	-	-	-	-	-	-	-	-	1	1	-	-
82 (a) Cerebral Embolism, Thrombosis	466	45	36	41	47	40	35	34	35	36	33	25	59
(b) Embolism and Thrombosis, not Cerebral	98	11	9	4	10	8	7	7	7	10	10	9	6
83 Diseases of Veins - - - -	34	4	5	4	1	4	1	2	-	6	3	1	3
84 (a) Lymphatism, Status Lymphaticus	6	-	-	2	-	-	-	1	2	-	-	-	1
(b) Other Dis. of Lymphatic System	6	1	-	-	-	1	-	1	1	1	-	1	-
85 Hæmorrhage, Other Diseases of Circulatory System	13	1	2	-	-	1	3	-	-	1	1	1	3
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose - - - -	9	1	1	2	1	-	-	-	-	-	1	-	3
87 (b) Laryngitis - - - - -	86	10	7	12	7	9	4	1	6	4	8	9	9
(c) Other Diseases of Larynx (a) -	57	6	8	9	7	6	1	2	3	1	4	7	3
88 Diseases of Thyroid - - -	30	2	1	2	2	3	4	1	2	4	1	3	5
90 Bronchitis (89) - - - -	4796	582	781	467	366	287	254	189	193	230	302	463	682
91 Broncho-pneumonia - - -	2603	288	286	194	208	171	129	124	94	117	192	368	432
92 Pneumonia - - - - -	3506	345	431	289	296	301	230	220	185	191	272	321	425
93 Pleurisy - - - - -	314	29	35	30	32	36	22	26	17	12	33	20	22
94 (a) Pulmonary Apoplexy - -	17	1	1	5	-	2	-	3	1	1	2	1	-
(b) Pulmonary Congestion (c, d) -	446	42	49	41	33	35	36	18	24	27	31	45	65
95 Gangrene of Lung - - - -	20	1	6	2	-	4	1	1	2	1	1	-	1
96 Asthma - - - - -	76	6	10	5	4	9	3	4	5	6	7	8	9
97 Pulmonary Emphysema - -	23	2	5	3	5	3	-	2	1	1	1	2	3
98 (a) Fibroid Diseases of Lung -	60	11	9	7	2	10	1	3	1	5	3	3	5
(b) Other Diseases of Respiratory System	31	5	2	1	-	3	2	8	1	1	3	3	2

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth, Oral Sepsis	18	3	4	2	-	-	1	-	3	2	1	1	1
101 Diseases of Pharynx, (Esophagus, Tonsillitis (100)	86	6	11	7	11	7	7	5	4	4	9	8	7
102 Gastric Ulcer - - -	312	29	24	35	29	21	22	29	19	19	33	24	28
103 Other Dis. of Stomach. Gastritis	580	52	49	57	36	44	39	46	61	47	48	47	54
104 Diarrhoea, Enteritis (under 2 years)	1369	71	83	91	85	90	92	178	186	133	140	108	112
105 Diarrhoea, Enteritis (over 2 years)	469	47	40	35	40	32	33	58	51	39	24	33	37
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	401	46	30	42	25	30	27	37	35	30	26	39	34
109 (a) Hernia - - -	162	20	16	13	14	10	16	17	5	16	8	11	16
(b) Intestinal Obstruction - -	309	24	25	24	25	25	27	31	24	17	21	33	33
110 Other Diseases of Intestine -	235	14	22	22	20	13	23	23	19	26	16	17	20
111 Acute Yellow Atrophy of Liver -	4	2	1	-	-	-	1	-	-	-	-	-	-
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - -	276	26	22	24	35	17	24	21	17	22	22	23	23
114 Gallstones - - -	85	7	7	9	6	5	11	8	5	5	6	8	8
115 Other Diseases of Liver - -	176	16	19	10	15	19	14	12	17	13	12	9	20
116 Diseases of Spleen - - -	8	-	2	-	2	1	1	1	1	-	-	-	-
117 Peritonitis, cause not specified -	165	14	15	17	16	19	8	13	6	16	8	15	18
118 Other Diseases of Digestive System	16	1	1	1	1	1	1	3	2	2	1	-	2
VI. DISEASES OF GENITO-URINARY SYSTEM.													
119 Acute Nephritis - - -	381	38	39	28	41	27	25	29	25	28	41	29	31
120 (a) Bright's Disease - - -	1642	123	152	180	123	163	115	146	139	110	141	133	167
(b) Uremia - - -	110	12	12	11	10	6	7	12	8	9	7	6	10
122 Other Dis. of Kidney, Chyluria (121)	103	10	7	7	8	11	3	9	9	9	10	13	7
123 Urinary Calculus - - -	18	2	1	2	-	1	5	-	2	2	2	1	-
124 Diseases of Bladder - - -	251	14	20	17	29	24	22	20	20	10	24	26	25
125 Dis. of Urethra, Urinary Abscess	24	1	2	1	5	3	1	1	-	5	1	2	2
126 Diseases of Prostate - - -	191	19	17	16	22	17	16	13	15	13	10	14	19
127 Diseases of Male Genital Organs (not Venereal)	7	-	1	1	-	-	1	1	-	-	-	2	1
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	4	1	-	1	-	-	-	-	1	-	-	-	1
129 Uterine Tumour (non-Cancerous)	48	3	9	2	1	8	2	5	5	2	5	3	3
130 Other Diseases of Uterus - -	40	2	5	8	3	1	4	3	1	1	6	3	3
131 Cysts, and Other Tumours of Ovary	41	1	3	9	3	2	4	7	-	1	3	4	4
132 Other Dis. of Female Genit. Organs	41	3	2	2	4	6	5	1	1	3	7	5	2
133 Non-Puerperal Diseases of Breast	12	1	2	2	2	1	-	-	2	-	-	2	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	40	2	3	8	4	3	3	6	1	2	4	1	3
(c) Uncontrollable Vomiting - -	12	1	3	1	-	-	-	-	1	1	3	1	1
(d) Ectopic Gestation - - -	3	-	1	1	-	1	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	16	1	2	1	1	2	1	2	3	1	1	1	-
135 Puerperal Hæmorrhage - -	100	16	7	8	5	4	9	7	9	6	10	12	7
136 Other Accidents of Childbirth -	89	7	13	7	7	3	7	9	9	7	5	5	10
137 Puerperal Sepsis - - -	193	17	13	17	16	18	20	11	14	16	17	16	18
138 Puerp. Albuminuria, Convulsions	131	5	6	16	11	15	8	21	10	13	13	5	8
139 Puerperal Plegmasia Alba Dolens, Phlebitis, Embolism	38	2	4	1	4	4	1	2	2	2	2	6	8
140 (a) Puerperal Insanity - -	7	-	-	2	1	2	-	-	-	2	-	-	-
(b) Other Puerperal Diseases -	46	12	4	1	3	2	2	2	6	-	3	6	5
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - -	233	30	37	23	16	22	15	20	13	15	7	16	19
(b) Noma, Cancrum Oris - -	5	1	-	-	-	-	-	1	-	1	-	-	2
(d) Other Gangrene (c) - - -	45	3	6	2	6	-	6	3	2	5	5	4	3
143 Carbuncle, Boil - - -	22	-	-	2	1	2	2	2	3	7	2	-	1
144 Phlegmon, Acute Abscess - -	177	19	12	12	20	17	14	15	11	12	17	13	15
145 Ulcer, Other Diseases of Skin and Cellular Tissue	72	12	4	5	8	7	2	7	4	5	5	5	8

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
146 Dis. of Bones (Mastoid excluded)	116	10	12	11	7	6	12	13	9	17	6	6	7
147 Diseases of Joints - - -	14	-	1	1	2	2	-	-	1	1	4	1	1
149 Other Dis. of Locomotor Syst. (148)	3	-	-	1	-	-	-	-	-	-	-	1	1
X. MALFORMATIONS.													
150 Congenital Malformations - -	620	61	66	55	65	47	41	35	51	44	43	52	60
XI. DISEASES OF EARLY INFANCY.													
151 (a) Premature Birth - - -	2404	236	221	211	204	222	206	194	131	162	196	196	225
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1638	138	167	162	140	136	109	121	119	116	127	150	153
152 Other Diseases peculiar to Early Infancy	370	38	33	28	38	24	30	21	30	23	30	36	39
153 Lack of Care - - - -	4	-	-	1	-	2	-	-	-	-	1	-	-
XII. OLD AGE.													
154 (a) Senile Dementia - - -	47	4	4	6	7	7	4	2	2	3	1	4	3
(b) Senile Decay - - - -	3762	360	404	372	349	282	260	269	290	272	260	264	380
XIII. VIOLENT CAUSES.													
163 Suicide (155-162) - - -	282	21	10	11	29	31	26	26	21	23	32	23	29
164 Poisoning by Food - - -	14	-	3	-	-	1	-	2	1	1	3	1	2
165 Other Accidental Poisonings -	55	4	2	4	1	9	5	7	8	6	3	5	1
167 Burns and Scalds (166) - -	369	47	46	22	21	23	15	28	18	26	32	48	43
168 Exposure to Poisonous Vapours -	16	-	5	1	1	1	-	-	1	3	-	1	2
169 Drowning - - - -	558	54	61	64	41	50	45	67	41	29	39	36	31
170 Accidents with Fire Arms - -	25	1	2	-	1	2	1	5	5	2	1	4	1
171 Accidents with Instruments and Weapons	2	1	-	-	-	-	-	-	-	-	1	-	-
172 Accidental Falls - - - -	146	10	18	14	9	18	8	14	11	13	10	6	15
173 (a) Accidents in Coal Mines -	119	8	5	5	9	12	14	9	12	11	15	6	13
(b) Accidents in Other Mines -	4	1	-	-	-	1	1	-	-	-	-	-	1
(c) Accidents in Quarries - -	1	-	-	-	-	-	-	-	-	-	1	-	-
174 Accidents with Machinery - -	33	2	1	4	2	4	-	5	1	8	2	2	2
175 (a) Accidents on Railways - -	115	12	11	5	10	9	7	10	9	11	5	10	16
(b) Acc. with Horses and Vehicles	54	2	3	3	2	8	4	6	6	5	4	5	6
(c) Accidents with Motor Vehicles	51	2	3	4	4	5	3	2	7	7	5	3	6
(d) Accidents with Tramways -	8	-	2	1	-	-	-	1	-	-	1	1	2
(e) Other Crushing Accidents -	45	3	2	6	3	5	-	4	6	2	4	3	7
177 Hunger - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
180 Weather Agencies (178, 179) -	48	14	3	4	3	-	4	3	2	2	1	2	10
186 (a) Overlaying - - - -	97	4	9	10	10	12	4	12	1	6	16	6	7
(b) Suffocation (otherwise) - -	110	12	10	7	18	6	10	13	4	7	7	5	11
(c) Other Accidents (176, 181, 185)	767	79	43	55	41	77	61	72	73	71	68	52	75
184 Homicide (182, 183) - - -	11	1	1	1	-	1	1	2	-	-	2	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
187 Dropsy - - - -	25	1	1	-	4	1	3	1	1	2	5	2	4
188 (a) Syncope - - - -	322	37	32	23	30	26	24	24	21	21	26	29	29
(b) Sudden Death (not otherwise defined)	34	1	3	4	2	3	1	3	-	4	2	6	5
189 (a) Heart Failure - - - -	881	77	101	67	74	63	70	51	57	56	73	95	97
(c) Teething - - - -	12	1	3	1	1	-	-	1	-	1	-	2	2
(e) Other Ill-defined Diseases (b, d)	138	8	5	18	15	13	7	9	11	6	13	18	15
(f) Dis. not Specified, Nat. Causes	595	53	49	50	56	59	44	33	41	38	47	54	71

CAUSES OF DEATH IN GLASGOW IN 1912.

	SEXES.		Age														Age not stated.
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
All Causes - - - - -	7007	6496	2686	1797	379	227	628	811	1167	1453	1684	1679	990	2			
I. GENERAL DISEASES.																	
1 Enteric Fever - - - - -	24	16	-	1	3	1	6	20	6	2	1	-	-	-	-		
2 Typhus Fever - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-		
4 Malaria - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
5 (a) { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) { Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	290	231	144	361	13	2	-	-	-	-	-	1	-	-	-		
7 Scarlet Fever - - - - -	41	39	4	46	22	2	5	1	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	103	138	102	131	6	-	-	1	-	-	-	1	-	-	-		
9 (a) Diphtheria - - - - -	96	95	19	123	39	7	2	-	1	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	8	8	2	1	-	-	-	1	-	2	5	5	-	-	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	5	-	2	-	-	-	-	1	1	-	1	-	-	-	-		
18 Erysipelas - - - - -	26	22	13	1	-	-	4	-	7	7	10	3	3	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	4	2	2	2	1	-	-	-	-	1	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	15	7	2	-	1	5	-	2	2	5	1	3	1	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	631	500	6	31	18	34	236	276	251	160	87	28	4	-	-		
29 (a) Acute Phthisis - - - - -	23	17	2	1	5	1	10	8	7	5	1	-	-	-	-		
(b) Acute Miliary Tuberculosis - -	6	4	1	4	1	1	1	-	-	2	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	132	108	58	101	39	15	13	6	3	3	1	-	1	-	-		
31 Abdominal Tuberculosis - - - - -	81	87	23	56	36	18	17	5	8	4	1	-	-	-	-		
32 Tuberculosis of Spine - - - - -	13	9	-	1	2	6	6	6	1	-	-	-	-	-	-		
33 Tuberculosis of Joints - - - - -	8	7	-	1	4	3	5	-	-	1	-	1	-	-	-		
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34)	81	69	25	29	18	12	22	11	15	8	6	3	1	-	-		
36 Rickets, Osteomalacia - - - - -	9	2	2	8	1	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	23	18	36	3	-	1	-	-	-	1	-	-	-	-	-		
38 Other Venereal Diseases - - - - -	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	215	311	1	-	-	-	-	25	62	134	162	117	25	-	-		
(b) Sarcoma - - - - -	21	15	-	-	1	-	-	4	2	10	11	4	4	-	-		
(c) Malignant Disease, other or not defined	124	158	1	-	-	-	4	9	33	52	78	84	21	-	-		
46 Other Tumours (Situation un- defined)	7	5	-	1	-	-	-	-	-	5	5	1	-	-	-		
47 Rheumatic Fever - - - - -	20	13	-	1	5	5	5	5	5	3	4	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	4	10	-	-	-	-	-	-	-	-	7	6	1	-	-		
(b) Osteo-arthritis - - - - -	3	12	-	-	-	-	-	-	1	3	4	6	1	-	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	42	38	-	-	-	5	7	11	20	17	15	5	-	-	-		
51 Exophthalmic Goitre - - - - -	1	9	-	-	-	-	1	3	3	2	1	-	-	-	-		
52 Addison's Disease - - - - -	1	4	-	-	-	1	2	-	2	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	6	6	1	-	1	1	1	1	1	4	2	-	-	-	-		
(b) Lymphadenoma - - - - -	4	1	-	-	1	1	1	-	1	1	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	27	28	1	1	-	1	3	7	13	20	7	2	-	-	-		
55 (b) Purpura - - - - -	2	2	1	-	-	-	-	-	1	-	1	1	-	-	-		
(c) Hæmophilia - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	24	20	-	-	-	1	2	14	20	7	-	-	-	-	-		
57 Chronic Lead Poisoning - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
60 Encephalitis - - - -	3	7	1	1	-	-	1	1	4	1	1	-	-	-	-
61 (a) Cerebro-Spinal Meningitis -	10	7	5	5	2	2	1	-	2	-	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	113	79	65	77	22	5	4	5	7	5	1	1	-	-	-
62 Locomotor Ataxy - - - -	19	1	-	-	-	-	-	-	1	10	7	2	-	-	-
63 Other Diseases of Spinal Cord -	17	19	3	1	-	1	4	6	3	6	3	4	5	-	-
64 Cerebral Hæmorrhage, Apoplexy	339	397	4	2	2	2	4	8	50	112	201	235	116	-	-
65 Softening of Brain - - - -	20	13	-	-	-	-	-	-	1	2	7	17	6	-	-
66 (a) Hemiplegia - - - -	32	43	-	1	-	1	1	2	3	5	18	31	15	-	-
(c) Paralysis, Cause or Nature unspecified (b)	17	15	-	-	-	1	1	-	2	4	12	11	1	-	-
67 General Paralysis of Insane -	42	19	-	-	-	-	1	8	23	19	8	2	-	-	-
68 Other Insanity - - - -	31	28	-	-	-	1	1	7	7	17	9	12	5	-	-
69 Epilepsy - - - -	26	9	-	1	2	2	8	9	3	4	3	2	1	-	-
71 Convulsions (not Puerperal) (70)	99	82	131	46	2	-	-	-	-	1	1	-	-	-	-
72 Chorea - - - -	1	3	-	-	-	-	-	-	-	-	4	-	-	-	-
73 Neuralgia, Neuritis - - - -	4	10	-	1	-	-	-	3	4	2	2	-	2	-	-
74 (c) Cerebral Tumour - - - -	12	11	-	-	1	2	5	5	2	5	3	-	-	-	-
(d) Other Diseases of Nervous System (a, b)	12	10	3	1	1	2	-	3	2	4	2	2	2	-	-
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease - - - -	6	8	2	7	-	1	2	-	-	1	1	-	-	-	-
(b) Diseases of Ear - - - -	12	8	3	6	2	-	3	2	1	1	-	-	2	-	-
III. DISEASES OF CIRCULATORY SYSTEM.															
77 Pericarditis - - - -	5	2	-	1	1	-	2	1	2	-	-	-	-	-	-
78 Acute Endocarditis - - - -	20	20	-	1	2	5	10	7	7	3	4	1	-	-	-
79 (a) Valvular Disease - - - -	215	189	5	1	10	11	36	27	56	66	79	79	34	-	-
(b) Fatty Degeneration of Heart	13	24	-	-	-	-	-	-	2	7	13	10	5	-	-
(c) Other Organic Diseases of Heart	194	203	2	2	4	9	10	25	38	61	104	93	49	-	-
80 Angina Pectoris - - - -	28	13	-	-	-	-	-	1	3	4	12	15	6	-	-
81 (a) Aneurysm - - - -	29	6	-	-	-	-	-	-	12	10	12	1	-	-	-
(b) Arterio-sclerosis - - - -	64	75	-	-	-	-	-	1	-	5	25	58	50	-	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (a) Cerebral Embolism, Thrombosis	31	41	-	-	-	-	2	2	4	12	15	21	16	-	-
(b) Embolism and Thrombosis, not Cerebral	12	14	-	-	-	1	1	1	5	4	5	7	2	-	-
83 Diseases of Veins - - - -	-	3	-	-	-	-	-	-	1	-	1	1	-	-	-
84 (a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.															
86 Diseases of Nose - - - -	3	1	3	-	-	-	-	-	-	1	-	-	-	-	-
87 (b) Laryngitis - - - -	6	5	4	4	-	-	-	-	-	2	-	1	-	-	-
(c) Other Diseases of Larynx (a) -	14	3	10	6	-	-	-	-	-	1	-	-	-	-	-
88 Diseases of Thyroid - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-	-	-
90 Bronchitis (89) - - - -	501	552	210	76	4	4	7	24	43	127	173	249	136	-	-
91 Broncho-pneumonia - - - -	344	349	279	259	15	5	5	8	13	22	33	37	17	-	-
92 Pneumonia - - - -	523	309	119	116	10	10	38	53	120	133	111	92	30	-	-
93 Pleurisy - - - -	34	33	1	9	2	-	6	9	7	9	11	7	-	-	-
94 (a) Pulmonary Apoplexy - - - -	2	5	-	-	-	-	-	3	3	-	1	-	-	-	-
(b) Pulmonary Congestion (c, d) -	30	47	32	8	1	-	3	2	4	2	7	5	13	-	-
95 Gangrene of Lung - - - -	3	1	-	-	-	1	-	-	2	-	1	-	-	-	-
96 Asthma - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	-	-
97 Pulmonary Emphysema - - - -	5	3	-	-	-	-	-	1	-	2	2	3	-	-	-
98 (a) Fibroid Diseases of Lung -	3	2	-	-	-	-	-	-	1	2	1	1	-	-	-
(b) Other Diseases of Respiratory System	3	7	-	2	-	2	-	-	1	2	2	-	1	-	-

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
IX. DISEASES OF ORGANS OF LOCOMOTION.																
146 Dis. of Bones (Mastoid excluded)	11	13	-	4	9	3	3	-	2	1	1	-	1	-		
147 Diseases of Joints - - -	1	3	-	-	1	-	1	-	-	1	-	1	-	-		
149 Other Dis. of Locomotor Syst. (148)	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
X. MALFORMATIONS.																
150 Congenital Malformations - -	59	55	99	15	-	-	-	-	-	-	-	-	-	-		
XI. DISEASES OF EARLY INFANCY.																
151 (a) Premature Birth - - - -	251	201	452	-	-	-	-	-	-	-	-	-	-	-		
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	172	132	304	-	-	-	-	-	-	-	-	-	-	-		
152 Other Diseases peculiar to Early Infancy	39	25	64	-	-	-	-	-	-	-	-	-	-	-		
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XII. OLD AGE.																
154 (a) Senile Dementia - - -	1	6	-	-	-	-	-	-	-	-	-	3	4	-		
(b) Senile Decay - - - -	117	246	-	-	-	-	-	-	-	-	-	113	250	-		
XIII. VIOLENT CAUSES.																
163 Suicide (155-162) - - -	46	9	-	-	-	1	6	7	9	11	18	2	1	-		
164 Poisoning by Food - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
165 Other Accidental Poisonings	7	4	-	1	2	-	-	3	1	3	1	-	-	-		
167 Burns and Scalds (166)	38	42	6	39	12	1	4	4	4	3	3	2	2	-		
168 Exposure to Poisonous Vapours -	4	1	-	1	-	-	-	-	1	2	1	-	-	-		
169 Drowning - - - -	62	4	1	2	7	2	8	10	11	13	7	5	-	-		
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
172 Accidental Falls - - -	27	6	-	1	-	-	4	5	10	5	6	1	1	-		
173 (a) Accidents in Coal Mines	2	-	-	-	-	-	-	1	1	-	-	-	-	-		
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
174 Accidents with Machinery - -	9	1	-	-	-	-	3	2	2	2	1	-	-	-		
175 (a) Accidents on Railways - -	12	-	-	-	-	-	4	2	-	2	2	2	-	-		
(b) Acc. with Horses and Vehicles	11	-	-	2	-	-	1	-	3	4	-	1	-	-		
(c) Accidents with Motor Vehicles	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
(d) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(e) Other Crushing Accidents - -	3	1	-	-	-	1	-	1	1	1	-	-	-	-		
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
180 Weather Agencies (178, 179)	2	4	-	-	-	-	-	1	-	-	3	-	2	-		
186 (a) Overlaying - - - -	20	15	34	1	-	-	-	-	-	-	-	-	-	-		
(b) Suffocation (otherwise) - -	8	8	7	2	-	-	-	-	1	2	3	1	-	-		
(c) Other Accidents (176, 181, 185)	109	54	-	15	12	8	11	12	28	21	19	23	14	-		
184 Homicide (182, 183) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XIV. ILL-DEFINED CAUSES.																
187 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
188 (a) Syncope - - - -	15	26	5	-	-	-	-	1	2	7	6	10	10	-		
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
189 (a) Heart Failure - - - -	78	58	6	-	-	-	1	3	13	23	35	38	17	-		
(c) Teething - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	-		
(e) Other Ill-defined Diseases (b, d)	12	14	-	16	-	-	-	-	-	1	7	2	-	-		
(f) Dis. not Specified, Nat. Causes	54	38	31	8	2	2	1	3	8	12	12	8	3	2		

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
60 Encephalitis - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	-	
61 (a) Cerebro-spinal Meningitis -	2	2	-	1	1	-	1	1	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature, unspecified (b)	26	15	16	8	4	1	2	1	5	1	1	1	1	-	
62 Locomotor Ataxy - - -	8	1	-	-	-	-	-	-	2	1	2	4	-	-	
63 Other Diseases of Spinal Cord -	11	14	-	2	-	-	-	3	3	1	7	6	3	-	
64 Cerebral Hæmorrhage, Apoplexy	145	189	2	1	1	-	-	6	16	36	89	108	75	-	
65 Softening of Brain - - -	14	29	-	-	-	-	-	-	1	4	1	21	16	-	
66 (a) Hemiplegia - - -	17	34	-	-	-	-	-	-	1	5	9	20	16	-	
(c) Paralysis, Cause or Nature unspecified (b)	2	1	-	-	-	-	-	-	-	-	-	3	-	-	
67 General Paralysis of Insane -	26	4	-	-	-	-	-	4	15	10	1	-	-	-	
68 Other Insanity - - -	4	2	-	-	-	-	-	-	3	1	1	1	-	-	
69 Epilepsy - - -	10	9	-	-	-	1	4	3	4	3	2	-	2	-	
71 Convulsions (not Puerperal) (70)	11	17	26	1	-	-	-	1	-	-	-	-	-	-	
72 Chorea - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
73 Neuralgia, Neuritis - - -	3	3	-	-	-	-	-	1	2	-	1	1	1	-	
74 (c) Cerebral Tumour - - -	11	4	-	-	-	-	2	-	6	4	2	-	1	-	
(d) Other Diseases of Nervous System (a, b)	6	5	-	-	1	-	1	-	-	1	2	5	1	-	
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76 (a) Mastoid Disease - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - -	4	1	-	1	-	-	-	1	2	1	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
77 Pericarditis - - -	4	5	-	1	1	2	-	1	-	1	3	-	-	-	
78 Acute Endocarditis - - -	14	4	-	-	1	-	5	4	2	3	3	-	-	-	
79 (a) Valvular Disease - - -	108	113	1	-	-	9	11	15	20	31	50	52	32	-	
(b) Fatty Degeneration of Heart	23	31	-	-	-	-	-	-	1	4	17	17	15	-	
(c) Other Organic Diseases of Heart	103	95	1	-	-	-	3	3	5	19	52	66	49	-	
80 Angina Pectoris - - -	15	8	-	-	-	-	-	-	2	2	7	7	5	-	
81 (a) Aneurysm - - -	19	7	-	-	-	-	1	2	8	5	5	3	2	-	
(b) Arterio-sclerosis - - -	9	21	-	-	-	-	-	-	-	3	5	11	11	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 (a) Cerebral Embolism, Thrombosis	11	34	-	-	-	-	-	1	1	3	4	9	27	-	
(b) Embolism and Thrombosis, not Cerebral	2	5	-	-	-	-	1	-	1	1	2	1	1	-	
83 Diseases of Veins - - -	3	3	-	-	-	-	2	-	-	2	-	1	1	-	
84 (a) Lymphatism, Status Lymphaticus	2	1	1	1	-	-	1	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.															
86 Diseases of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87 (b) Laryngitis - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	-	
(c) Other Diseases of Larynx (a)	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
88 Diseases of Thyroid - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	-	
90 Bronchitis (89) - - -	149	171	64	14	1	-	1	3	8	21	42	87	79	-	
91 Broncho-pneumonia - - -	78	73	66	39	-	2	2	2	8	6	6	12	8	-	
92 Pneumonia - - -	111	105	20	18	7	3	12	11	30	24	34	25	32	-	
93 Pleurisy - - -	11	9	1	4	-	-	-	2	2	2	3	3	3	-	
94 (a) Pulmonary Apoplexy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d)	23	15	9	-	1	1	1	1	3	1	3	5	13	-	
95 Gangrene of Lung - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
96 Asthma - - -	3	6	-	-	-	-	1	-	-	2	3	3	-	-	
97 Pulmonary Emphysema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98 (a) Fibroid Diseases of Lung -	3	3	-	-	-	-	-	1	-	-	3	2	-	-	
(b) Other Diseases of Respiratory System	2	1	-	-	-	-	-	-	1	-	1	-	1	-	

	SEXES.		Age														Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Dis. of Bones (Mastoid excluded)	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.																	
150 Congenital Malformations - -	23	16	33	4	1	1	-	-	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth - - -	78	63	141	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	48	29	77	-	-	-	-	-	-	-	-	-	-	-	-	-	
152 Other Diseases peculiar to Early Infancy	15	11	26	-	-	-	-	-	-	-	-	-	-	-	-	-	
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.																	
154 (a) Senile Dementia - - -	3	7	-	-	-	-	-	-	-	-	-	-	2	8	-	-	
(b) Senile Decay - - - -	68	133	-	-	-	-	-	-	-	-	-	-	37	164	-	-	
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162) - - -	9	10	-	-	-	-	2	2	7	3	4	1	-	-	-	-	
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165 Other Accidental Poisonings	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
167 Burns and Scalds (166) - -	8	12	1	4	4	1	1	-	-	2	1	4	2	-	-	-	
168 Exposure to Poisonous Vapours -	1	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	
169 Drowning - - - -	6	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
172 Accidental Falls - - - -	6	2	-	2	-	-	1	-	1	-	1	3	-	-	-	-	
173 (a) Accidents in Coal Mines - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
174 Accidents with Machinery - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
175 (a) Accidents on Railways - - -	6	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	
(b) Acc. with Horses and Vehicles	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
(c) Accidents with Motor Vehicles	3	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	
(d) Accidents with Tramways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
177 Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
180 Weather Agencies (178, 179) -	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
186 (a) Overlaying - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - - -	5	7	4	1	1	-	1	1	1	-	1	1	1	1	1	1	
(c) Other Accidents (176, 181, 185)	35	13	-	-	-	1	1	7	4	9	7	9	10	-	-	-	
184 Homicide (182, 183) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
190 Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
188 (a) Syncope - - - - -	3	6	-	-	-	1	-	-	1	-	1	4	2	-	-	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189 (a) Heart Failure - - - - -	11	19	3	-	-	-	-	-	-	1	3	10	13	-	-	-	
(c) Teething - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	-	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
(f) Dis. not Specified, Nat. Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
60 Encephalitis - - - -	3	2	-	1	-	-	-	-	1	2	1	-	-	-	-	-
61 (a) Cerebro-spinal Meningitis -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(c) Meningitis, Basal, Nature un- specified (b)	11	13	4	10	6	-	1	1	1	-	1	-	-	-	-	-
62 Locomotor Ataxy - - - -	2	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-
63 Other Diseases of Spinal Cord -	6	12	-	-	-	-	-	2	-	4	3	6	3	-	-	-
64 Cerebral Hæmorrhage, Apoplexy	58	89	1	-	-	-	1	1	4	16	42	52	30	-	-	-
65 Softening of Brain - - - -	18	26	-	-	-	-	-	1	4	4	14	10	11	-	-	-
66 (a) Hemiplegia - - - -	10	13	-	-	-	-	-	2	-	4	4	7	6	-	-	-
(c) Paralysis, Cause or Nature un- specified (b)	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-
67 General Paralysis of Insane -	9	-	-	-	-	-	-	1	3	4	1	-	-	-	-	-
68 Other Insanity - - - -	6	5	-	-	-	-	-	-	1	1	4	4	1	-	-	-
69 Epilepsy - - - -	5	4	-	1	1	-	4	1	1	-	1	-	-	-	-	-
71 Convulsions (not Puerperal) (70)	11	16	17	10	-	-	-	-	-	-	-	-	-	-	-	-
72 Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
74 (c) Cerebral Tumour - - - -	1	7	-	-	-	-	-	-	3	1	3	1	-	-	-	-
(d) Other Diseases of Nervous System (a, b)	3	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - -	3	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.																
77 Pericarditis - - - -	2	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
78 Acute Endocarditis - - - -	-	4	-	-	-	-	3	-	-	1	-	-	-	-	-	-
79 (a) Valvular Disease - - - -	48	65	-	-	-	6	4	8	8	25	26	27	9	-	-	-
(b) Fatty Degeneration of Heart -	5	4	-	-	-	-	-	-	-	1	1	5	2	-	-	-
(c) Other Organic Diseases of Heart	50	73	-	-	3	-	3	2	9	12	27	32	35	-	-	-
80 Angina Pectoris - - - -	5	1	-	-	-	-	-	1	-	1	2	1	1	-	-	-
81 (a) Aneurysm - - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-
(b) Arterio-sclerosis - - - -	23	16	-	-	-	-	-	-	2	1	6	15	15	-	-	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (a) Cerebral Embolism, Thrombosis	6	8	-	-	-	-	1	-	-	1	5	2	5	-	-	-
(b) Embolism and Thrombosis, not Cerebral	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
83 Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.																
86 Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (b) Laryngitis - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Larynx (a) -	3	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-
88 Diseases of Thyroid - - - -	1	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-
90 Bronchitis (89) - - - -	90	123	57	13	-	1	2	2	6	21	33	50	28	-	-	-
91 Broncho-pneumonia - - - -	61	84	55	57	2	-	-	-	3	3	6	13	6	-	-	-
92 Pneumonia - - - -	80	70	10	17	2	1	8	9	18	19	21	25	20	-	-	-
93 Pleurisy - - - -	8	7	-	1	-	-	2	-	1	2	5	3	1	-	-	-
94 (a) Pulmonary Apoplexy - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d) -	9	9	1	-	-	1	-	-	1	-	1	5	9	-	-	-
95 Gangrene of Lung - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
96 Asthma - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
97 Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Fibroid Diseases of Lung -	2	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-
(b) Other Diseases of Respiratory System	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

		SEXES.		Age													Age not stated.
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
V. DIS. OF DIGESTIVE SYSTEM.																	
99	Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	Diseases of Pharynx, Esophagus. Tonsillitis (100)	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
102	Gastric Ulcer	3	8	-	-	-	-	1	2	2	-	3	2	1	-	-	
103	Other Dis. of Stomach. Gastritis	13	16	15	3	1	-	1	-	1	1	1	4	2	-	-	
104	Diarrhoea, Enteritis (under 2 years)	62	63	103	22	-	-	-	-	-	-	-	-	-	-	-	
105	Diarrhoea, Enteritis (over 2 years)	8	11	-	-	1	2	-	1	2	2	4	5	2	-	-	
107	Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Appendicitis, Typhlitis	16	6	-	-	3	7	5	-	5	1	1	-	-	-	-	
109	(a) Hernia	4	1	-	-	-	-	-	1	-	1	-	3	-	-	-	
	(b) Intestinal Obstruction	2	7	1	1	-	-	-	-	1	-	3	2	1	-	-	
110	Other Diseases of Intestine	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
111	Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
112	Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113	Cirrhosis of Liver	5	5	-	-	-	-	1	-	2	1	2	3	1	-	-	
114	Gallstones	1	3	-	-	-	-	-	-	-	-	2	2	-	-	-	
115	Other Diseases of Liver	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
116	Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Peritonitis, cause not specified	1	3	-	-	2	-	-	-	-	-	2	-	-	-	-	
118	Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.																	
119	Acute Nephritis	5	14	2	3	1	1	1	2	3	3	2	1	-	-	-	
120	(a) Bright's Disease	24	15	-	-	-	-	2	-	3	12	15	6	1	-	-	
	(b) Uræmia	2	4	-	-	-	-	-	-	-	2	1	3	-	-	-	
122	Other Dis. of Kidney, Chyluria (121)	1	2	-	-	-	-	-	-	-	2	1	-	-	-	-	
123	Urinary Calculus	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
124	Diseases of Bladder	6	2	-	-	-	-	1	-	1	-	-	-	6	-	-	
125	Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
126	Diseases of Prostate	8	-	-	-	-	-	-	-	-	1	1	3	3	-	-	
127	Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
129	Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	
130	Other Diseases of Uterus	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
131	Cysts, and Other Tumours of Ovary	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	
132	Other Dis. of Female Genit. Organs	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	
133	Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134	(a) Abortion, Miscarriage	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Ectopic Gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135	Puerperal Hæmorrhage	-	9	-	-	-	-	-	3	6	-	-	-	-	-	-	
136	Other Accidents of Childbirth	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
137	Puerperal Sepsis	-	8	-	-	-	-	-	3	1	4	-	-	-	-	-	
138	Puerp. Albuminuria, Convulsions	-	7	-	-	-	-	-	4	1	1	1	-	-	-	-	
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
140	(a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Puerperal Diseases	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	
141	Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142	(a) Senile Gangrene	1	8	-	-	-	-	-	-	-	-	1	3	5	-	-	
	(b) Noma, Cancerum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Other Gangrene (c)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
143	Carbuncle, Boil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144	Phlegmon, Acute Abscess	4	6	1	3	1	-	-	-	-	-	3	1	1	-	-	
145	Ulcer, Other Diseases of Skin and Cellular Tissue	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
IX. DISEASES OF ORGANS OF LOCOMOTION.																
146 Dis. of Bones (Mastoid excluded)	4	3	-	2	2	1	1	-	1	-	-	-	-	-	-	-
147 Diseases of Joints - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.																
150 Congenital Malformations - -	22	20	36	6	-	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.																
151 (a) Premature Birth - - -	61	53	114	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	34	30	64	-	-	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	8	6	14	-	-	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.																
154 (a) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Senile Decay - - - -	24	50	-	-	-	-	-	-	-	-	-	13	61	-	-	-
XIII. VIOLENT CAUSES.																
163 Suicide (155-162) - - -	10	6	-	-	-	-	1	3	4	2	3	3	-	-	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
167 Burns and Scalds (166) - -	6	8	-	8	1	-	-	-	1	1	3	-	-	-	-	-
168 Exposure to Poisonous Vapours -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169 Drowning. - - - -	6	-	-	1	1	-	-	1	-	2	-	1	-	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	2	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
173 (a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
175 (a) Accidents on Railways - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(b) Acc. with Horses and Vehicles	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(c) Accidents with Motor Vehicles	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
(d) Accidents with Tramways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents - -	4	2	-	2	2	-	-	-	1	1	-	-	-	-	-	-
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (a) Overlaying - - - -	16	13	29	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	1	3	-	-	-	-	-	-	-	2	1	1	-	-	-	-
(c) Other Accidents (176, 181, 185)	20	4	-	2	1	1	1	1	2	3	9	3	1	-	-	-
184 Homicide (182, 183) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.																
187 Dropsy - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
188 (a) Syncope - - - -	11	11	-	1	1	-	2	-	2	2	3	6	5	-	-	-
(b) Sudden Death (not otherwise defined)	1	3	-	-	-	-	-	-	-	-	2	1	1	-	-	-
189 (a) Heart Failure - - - -	17	22	5	-	-	-	-	1	2	6	7	11	7	-	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	4	4	-	6	-	-	-	-	-	-	2	-	-	-	-	-
(f) Dis. not Specified, Nat. Causes	4	5	3	1	1	2	1	-	-	-	-	1	-	-	-	-

		SEXES.		Age													Age not stated.
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																	
60	Encephalitis - - - -	2	1	1	-	-	-	-	1	-	-	-	-	-	1	-	
61	(a) Cerebro-spinal Meningitis -	5	1	-	1	-	-	1	3	1	-	-	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)	12	5	3	5	2	-	-	1	3	1	2	-	-	-	-	
62	Locomotor Ataxy - - -	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	
63	Other Diseases of Spinal Cord -	3	7	-	2	-	-	-	-	2	1	3	1	1	-	-	
64	Cerebral Hemorrhage, Apoplexy	72	94	1	-	-	-	1	1	3	16	51	41	52	-	-	
65	Softening of Brain - - -	3	4	-	-	-	-	-	-	-	1	1	3	2	-	-	
66	(a) Hemiplegia - - - -	6	11	-	-	-	-	1	-	-	1	-	5	9	-	-	
	(c) Paralysis, Cause or Nature unspecified (b)	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	
67	General Paralysis of Insane -	7	4	-	-	-	-	-	2	3	6	-	-	-	-	-	
68	Other Insanity - - - -	2	10	-	-	-	-	2	1	2	2	3	1	1	-	-	
69	Epilepsy - - - - -	4	6	1	-	-	-	1	2	2	-	3	-	1	-	-	
71	Convulsions (not Puerperal) (70)	27	25	41	10	1	-	-	-	-	-	-	-	-	-	-	
72	Chorea - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
73	Neuralgia, Neuritis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
74	(c) Cerebral Tumour - - -	1	3	-	-	-	-	1	1	1	-	1	-	-	-	-	
	(d) Other Diseases of Nervous System (a, b)	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	
75	Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	(a) Mastoid Disease - - -	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	
	(b) Diseases of Ear - - -	4	4	2	-	1	-	1	1	1	2	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																	
77	Pericarditis - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
78	Acute Endocarditis - - -	-	3	-	-	-	-	1	-	-	1	1	-	-	-	-	
79	(a) Valvular Disease - - -	35	50	-	1	1	-	3	10	8	9	15	20	18	-	-	
	(b) Fatty Degeneration of Heart	3	2	-	-	-	-	-	-	-	-	3	1	1	-	-	
	(c) Other Organic Diseases of Heart	66	88	-	-	1	2	7	6	8	25	27	48	30	-	-	
80	Angina Pectoris - - - -	11	4	-	-	-	-	-	-	1	3	1	7	3	-	-	
81	(a) Aneurysm - - - - -	7	1	-	-	-	-	-	-	2	3	2	1	-	-	-	
	(b) Arterio-sclerosis - - -	7	11	-	-	-	-	-	-	-	-	2	4	12	-	-	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	(a) Cerebral Embolism, Thrombosis	2	7	-	-	-	-	-	-	-	-	-	5	4	-	-	
	(b) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Diseases of Veins - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	-	-	
84	(a) Lymphatism, Status Lymphaticus	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86	Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Larynx (a)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
88	Diseases of Thyroid - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	
90	Bronchitis (89) - - - -	71	86	44	7	-	-	1	1	5	17	40	42	-	-	-	
91	Broncho-pneumonia - - -	50	57	50	42	2	-	1	1	1	3	2	4	-	-	-	
92	Pneumonia - - - - -	62	60	12	8	1	2	6	5	12	14	20	24	18	-	-	
93	Pleurisy - - - - -	6	2	2	-	-	-	1	1	1	1	1	1	-	-	-	
94	(a) Pulmonary Apoplexy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pulmonary Congestion (c, d)	4	11	4	1	-	-	1	-	-	2	4	3	-	-	-	
95	Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	Asthma - - - - -	4	4	-	-	-	-	1	-	-	2	2	1	2	-	-	
97	Pulmonary Emphysema - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
98	(a) Fibroid Diseases of Lung	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
146 Dis. of Bones (Mastoid excluded)	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-
147 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
150 Congenital Malformations - -	5	8	13	-	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
151 (a) Premature Birth - - -	60	48	108	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	31	26	57	-	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	10	12	22	-	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
154 (a) Senile Dementia - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	4	-
(b) Senile Decay - - -	42	69	-	-	-	-	-	-	-	-	-	22	89	-	-
XIII. VIOLENT CAUSES.															
163 Suicide (155-162) - - -	8	3	-	-	-	1	-	1	1	2	4	2	-	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings - -	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-
167 Burns and Scalds (166) - -	3	10	1	5	1	-	1	1	-	2	-	-	2	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - -	29	1	-	1	1	-	3	11	4	5	3	2	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172 Accidental Falls - - -	10	2	-	-	1	-	-	1	3	2	2	3	-	-	-
173 (a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
175 (a) Accidents on Railways - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
(b) Acc. with Horses and Vehicles	5	2	-	1	-	-	2	-	1	-	1	1	1	-	-
(c) Accidents with Motor Vehicles	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
(d) Accidents with Tramways - -	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
(e) Other Crushing Accidents - -	3	1	-	-	-	-	1	2	-	-	1	-	-	-	-
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178, 179) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (a) Overlying - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	5	3	6	1	-	-	-	-	-	1	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	9	1	-	-	-	1	2	-	1	2	-	2	2	-	-
184 Homicide (182, 183) - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIX. ILL-DEFINED CAUSES.															
187 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (a) Syncope - - - -	2	6	-	-	-	-	-	-	2	1	3	1	1	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (a) Heart Failure - - -	8	4	-	-	-	-	-	-	3	1	1	3	4	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	6	-	1	2	-	-	1	1	-	-	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	11	9	2	2	-	-	1	1	1	1	2	1	9	-	-

CAUSES OF DEATH IN PAISLEY IN 1912.

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	615	604	211	162	32	17	66	75	95	120	164	161	116	-		
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
2 Typhus Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-		
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 (a) Smallpox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Smallpox { Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Smallpox { Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	27	23	13	34	3	-	-	-	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	16	12	9	19	-	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	4	5	1	7	1	-	-	-	-	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	2	6	1	-	-	-	-	1	-	2	2	2	-	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	2	-	-	-	-	1	-	-	-	-	-	-	1	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	2	-	-	-	-	1	-	-	1	-	-	-	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	48	44	1	1	1	3	22	23	23	14	3	1	-	-		
29 (a) Acute Phthisis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
(b) Acute Miliary Tuberculosis -	-	2	1	1	-	-	-	-	-	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	11	3	4	6	3	1	-	-	-	-	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	9	11	2	9	3	2	2	-	1	1	-	-	-	-		
32 Tuberculosis of Spine - - - - -	4	2	-	-	1	3	1	-	-	-	1	-	-	-		
33 Tuberculosis of Joints - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Dis- seminated Tuberculosis (34)	1	8	1	3	2	1	-	1	1	-	-	-	-	-		
36 Rickets, Osteomalacia - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	3	6	7	1	-	-	-	1	-	-	-	-	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	16	32	-	-	-	-	-	-	7	9	17	9	6	-		
(b) Sarcoma - - - - -	1	3	-	-	-	-	-	-	1	2	1	-	-	-		
(c) Malignant Disease, } 39-44 other or not defined	9	13	-	-	-	-	-	-	3	1	10	5	3	-		
46 Other Tumours (Situation un- defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
47 Rheumatic Fever - - - - -	3	1	-	-	-	1	3	-	-	-	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	-		
(b) Osteo-arthritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Gout - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	4	5	-	-	-	-	-	2	1	1	3	2	-	-		
51 Exophthalmic Goitre - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Lymphadenoma - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	3	4	-	-	-	-	-	-	2	2	-	2	1	-		
55 (b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56 Alcoholism - - - - -	5	-	-	-	-	-	-	1	1	2	1	-	-	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
60 Encephalitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
61 (a) Cerebro-spinal Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
(c) Meningitis, Basal, Nature unspecified (b)	13	21	8	19	2	1	1	1	1	-	1	-	-	-		
62 Locomotor Ataxy - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-		
63 Other Diseases of Spinal Cord - - -	2	1	-	-	-	-	-	1	-	1	1	-	-	-		
64 Cerebral Hæmorrhage, Apoplexy - - -	50	41	-	-	-	-	1	-	5	12	30	28	15	-		
65 Softening of Brain - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
66 (a) Hemiplegia - - -	2	2	-	-	-	-	-	-	1	-	3	-	-	-		
(c) Paralysis, Cause or Nature unspecified (b)	1	1	-	-	-	-	-	-	-	-	-	-	2	-		
67 General Paralysis of Insane - - -	2	1	-	-	-	-	-	1	1	1	-	-	-	-		
68 Other Insanity - - -	2	3	-	-	-	-	1	1	-	1	2	-	-	-		
69 Epilepsy - - -	-	3	-	-	-	-	-	4	1	-	-	-	-	-		
71 Convulsions (not Puerperal) (70). - - -	6	5	5	6	-	-	-	-	-	-	-	-	-	-		
72 Chorea - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
73 Neuralgia, Neuritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
74 (c) Cerebral Tumour - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
(d) Other Diseases of Nervous System (a, b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
75 Diseases of Eye and Annexa - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
76 (a) Mastoid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Diseases of Ear - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-		
III. DISEASES OF CIRCULATORY SYSTEM.																
77 Pericarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
78 Acute Endocarditis - - -	3	1	-	-	-	-	2	-	-	1	1	-	-	-		
79 (a) Valvular Disease - - -	23	25	-	-	1	1	7	6	2	10	10	9	2	-		
(b) Fatty Degeneration of Heart - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
(c) Other Organic Diseases of Heart - - -	21	27	1	-	-	-	-	1	3	9	11	17	6	-		
80 Angina Pectoris - - -	6	1	-	-	-	-	-	-	-	2	2	2	1	-		
81 (a) Aneurysm - - -	3	-	-	-	-	-	-	-	1	1	1	-	-	-		
(b) Arterio-sclerosis - - -	5	4	-	-	-	-	-	-	-	1	1	3	4	-		
(c) Other Diseases of Arteries - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
82 (a) Cerebral Embolism, Thrombosis - - -	2	1	-	-	-	-	-	-	1	-	1	-	1	-		
(b) Embolism and Thrombosis, not Cerebral - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	-		
83 Diseases of Veins - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-		
84 (a) Lymphatism, Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Dis. of Lymphatic System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
85 Hæmorrhage, Other Diseases of Circulatory System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IV. DISEASES OF RESPIRATORY SYSTEM.																
86 Diseases of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
87 (b) Laryngitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
(c) Other Diseases of Larynx (a) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
88 Diseases of Thyroid - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
90 Bronchitis (89) - - -	47	62	24	9	1	-	1	3	5	6	19	23	18	-		
91 Broncho-pneumonia - - -	17	20	15	14	3	-	-	-	-	-	1	2	2	-		
92 Pneumonia - - -	26	22	4	8	-	-	-	6	6	7	-	4	-	-		
93 Pleurisy - - -	2	3	-	-	1	-	-	-	-	-	1	3	-	-		
94 (a) Pulmonary Apoplexy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Pulmonary Congestion (c, d) - - -	5	4	4	1	-	-	1	-	-	-	-	3	-	-		
95 Gangrene of Lung - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
96 Asthma - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
97 Pulmonary Emphysema - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
98 (a) Fibroid Diseases of Lung - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Diseases of Respiratory System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
V. DIS. OF DIGESTIVE SYSTEM.																
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
101 Diseases of Pharynx, Esophagus. Tonsillitis (100)	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
102 Gastric Ulcer - - -	2	1	-	-	-	-	1	-	-	-	1	1	-	-		
103 Other Dis. of Stomach. Gastritis	5	6	8	1	-	-	-	-	-	-	-	2	-	-		
104 Diarrhoea, Enteritis (under 2 years)	17	12	22	7	-	-	-	-	-	-	-	-	-	-		
105 Diarrhoea, Enteritis (over 2 years)	4	6	-	4	1	-	-	-	2	-	1	1	1	-		
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
108 Appendicitis, Typhlitis	10	3	-	-	-	-	7	5	-	1	-	-	-	-		
109 (a) Hernia - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	-		
(b) Intestinal Obstruction - -	4	2	2	-	2	-	-	-	-	1	1	-	-	-		
110 Other Diseases of Intestine	2	2	1	-	-	-	1	-	2	-	-	-	-	-		
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
113 Cirrhosis of Liver - - -	2	1	-	-	-	-	1	-	-	2	-	-	-	-		
114 Gallstones - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
115 Other Diseases of Liver	2	3	1	-	-	-	-	1	1	-	1	1	-	-		
116 Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
117 Peritonitis, cause not specified -	2	-	-	-	-	-	-	-	-	1	1	-	-	-		
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VI. DISEASES OF GENITO-URINARY SYSTEM.																
119 Acute Nephritis - - -	3	5	-	2	-	2	2	1	-	-	1	-	-	-		
120 (a) Bright's Disease - - -	20	16	1	-	2	-	-	4	5	11	10	2	1	-		
(b) Uremia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122 Other Dis. of Kidney, Chyluria (121)	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
123 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124 Diseases of Bladder - - -	5	1	-	-	-	-	-	-	2	1	-	3	-	-		
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	1	-	1	-	-		
126 Diseases of Prostate - - -	5	-	-	-	-	-	-	-	-	-	-	3	2	-		
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131 Cysts. and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																
134 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(e) Other Diseases and Accidents of Pregnancy (b)	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
135 Puerperal Hæmorrhage - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
136 Other Accidents of Childbirth	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
137 Puerperal Sepsis - - -	-	3	-	-	-	-	1	1	-	-	-	-	-	-		
138 Puerp. Albuminuria, Convulsions	-	3	-	-	-	-	2	1	-	-	-	-	-	-		
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Puerperal Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																
142 (a) Senile Gangrene - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other Gangrene (c) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
143 Carbuncle, Boil - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
144 Phlegmon, Acute Abscess - - -	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
IX. DISEASES OF ORGANS OF LOCOMOTION.																
146 Dis. of Bones (Mastoid excluded)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
147 Diseases of Joints - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.																
150 Congenital Malformations - -	3	2	4	-	-	1	-	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.																
151 (a) Premature Birth - - -	17	17	34	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	17	9	26	-	-	-	-	-	-	-	-	-	-	-	-	
152 Other Diseases peculiar to Early Infancy	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.																
154 (a) Senile Dementia - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-	
(b) Senile Decay - - - -	17	42	-	-	-	-	-	-	-	-	-	17	42	-	-	
XIII. VIOLENT CAUSES.																
163 Suicide (155-162) - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	-	-	
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165 Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
167 Burns and Scalds (166) - -	3	2	3	-	-	-	-	-	1	-	-	1	-	-	-	
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169 Drowning - - - -	6	-	-	-	-	-	-	-	3	1	2	-	-	-	-	
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
172 Accidental Falls - - -	8	-	1	-	1	-	1	-	2	1	2	-	-	-	-	
173 (a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
175 (a) Accidents on Railways - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
(b) Acc. with Horses and Vehicles	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	
(c) Accidents with Motor Vehicles	4	1	-	-	2	-	-	1	-	2	-	-	-	-	-	
(d) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Crushing Accidents -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
180 Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186 (a) Overlaying - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise)	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(c) Other Accidents (176, 181, 185)	4	2	-	1	-	-	-	-	1	2	-	1	1	-	-	
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.																
187 Dropsy - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	
188 (a) Syncope - - - -	-	3	-	-	-	-	-	-	-	1	1	-	1	-	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189 (a) Heart Failure - - - -	7	2	-	1	-	-	-	2	-	1	3	2	-	-	-	
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(f) Dis. not Specified, Nat. Causes	2	2	1	-	-	-	-	-	-	2	-	1	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
60 Encephalitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61 (a) Cerebro-spinal Meningitis -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	7	3	6	2	1	-	1	-	-	-	-	-	-	-	
62 Locomotor Ataxy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63 Other Diseases of Spinal Cord -	3	-	-	1	-	-	-	-	-	1	1	-	-	-	
64 Cerebral Hæmorrhage, Apoplexy	60	46	2	-	-	-	-	1	4	11	34	34	20	-	
65 Softening of Brain - - -	6	5	-	-	-	-	-	1	-	-	1	6	3	-	
66 (a) Hemiplegia - - -	4	8	-	-	-	-	-	-	-	2	3	4	3	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	2	-	-	-	-	-	-	-	-	1	-	1	-	
67 General Paralysis of Insane -	2	1	-	-	-	-	-	1	-	1	1	-	-	-	
68 Other Insanity - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	-	
69 Epilepsy - - -	2	2	-	-	-	-	3	-	-	-	1	-	-	-	
71 Convulsions (not Puerperal) (70)	5	4	7	2	-	-	-	-	-	-	-	-	-	-	
72 Chorea - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
73 Neuralgia, Neuritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
74 (c) Cerebral Tumour - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
(d) Other Diseases of Nervous System (a, b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76 (a) Mastoid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - -	1	2	-	1	-	1	-	-	-	1	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.															
77 Pericarditis - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	-	
78 Acute Endocarditis - - -	3	-	-	-	-	1	-	-	1	-	-	1	-	-	
79 (a) Valvular Disease - - -	39	35	-	-	-	1	-	8	12	8	12	18	15	-	
(b) Fatty Degeneration of Heart -	5	8	-	-	-	-	-	1	-	2	3	4	3	-	
(c) Other Organic Diseases of Heart	24	15	-	1	-	-	-	1	8	7	5	12	5	-	
80 Angina Pectoris - - -	2	2	-	-	-	-	-	-	-	1	1	-	2	-	
81 (a) Aneurysm - - -	5	1	-	-	-	-	-	-	-	2	3	1	-	-	
(b) Arterio-sclerosis - - -	4	2	-	-	-	-	-	-	-	1	2	2	1	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 (a) Cerebral Embolism, Thrombosis	7	5	-	-	-	-	-	-	-	1	2	2	7	-	
(b) Embolism and Thrombosis, not Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83 Diseases of Veins - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84 (a) Lymphatism, Status Lymphaticus	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85 Hæmorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.															
86 Diseases of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87 (b) Laryngitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
88 Diseases of Thyroid - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
90 Bronchitis (89) - - -	46	45	14	5	-	-	2	3	3	3	15	31	15	-	
91 Broncho-pneumonia - - -	32	27	24	24	2	1	-	1	2	1	2	1	1	-	
92 Pneumonia - - -	48	28	12	13	1	2	3	11	3	7	10	10	4	-	
93 Pleurisy - - -	3	1	-	1	-	-	-	-	-	-	1	1	1	-	
94 (a) Pulmonary Apoplexy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d) -	4	5	-	-	-	-	-	-	-	1	-	5	3	-	
95 Gangrene of Lung - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Asthma - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
97 Pulmonary Emphysema - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	-	
98 (a) Fibroid Diseases of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Diseases of Respiratory System	2	-	1	-	-	-	-	-	-	-	1	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
146 Dis. of Bones (Mastoid excluded)	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
147 Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
150 Congenital Malformations - -	4	4	6	1	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
151 (a) Premature Birth - - -	27	22	49	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	10	8	18	-	-	-	-	-	-	-	-	-	-	-	-
152 Other Diseases peculiar to Early Infancy	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
154 (a) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Senile Decay - - - -	6	26	-	-	-	-	-	-	-	-	-	9	23	-	-
XIII. VIOLENT CAUSES.															
163 Suicide (155-162) - - -	6	2	-	-	-	-	1	-	1	3	3	-	-	-	-
164 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165 Other Accidental Poisonings	2	1	-	-	-	-	-	2	1	-	-	-	-	-	-
167 Burns and Scalds (166) - -	4	7	2	5	1	-	-	-	1	-	1	1	-	-	-
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169 Drowning - - - -	12	-	1	-	2	1	-	1	3	2	2	-	-	-	-
170 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171 Accidents with Instruments and Weapons	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
172 Accidental Falls - - -	7	4	-	2	-	-	1	2	1	3	1	1	-	-	-
173 (a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174 Accidents with Machinery - -	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
175 (a) Accidents on Railways - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
(d) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents -	5	-	-	-	-	1	1	1	1	-	-	1	-	-	-
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180 Weather Agencies (178-179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 (a) Overlaying - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) -	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	7	4	1	-	-	1	3	-	1	-	-	2	3	-	-
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
187 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 (a) Syncope - - - -	2	5	-	-	-	-	-	-	-	1	2	1	3	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 (a) Heart Failure - - - -	8	13	2	1	-	-	-	1	1	3	3	5	5	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
60 Encephalitis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
61 (a) Cerebro-spinal Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	10	9	8	5	1	-	-	3	1	1	-	-	-	-	-
62 Locomotor Ataxy - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
63 Other Diseases of Spinal Cord -	2	2	-	-	-	-	1	-	-	1	-	-	1	1	-
64 Cerebral Hæmorrhage, Apoplexy	26	45	3	-	-	-	-	-	3	5	18	23	19	-	-
65 Softening of Brain - - - -	8	5	-	-	-	-	-	-	1	-	3	5	4	-	-
66 (a) Hemiplegia - - - -	6	6	-	-	-	-	-	-	1	-	3	7	1	-	-
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67 General Paralysis of Insane -	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
68 Other Insanity - - - -	2	3	-	-	-	-	-	1	-	2	2	-	-	-	-
69 Epilepsy - - - -	3	1	-	-	-	-	-	-	1	-	-	1	2	-	-
71 Convulsions (not Puerperal) (70)	19	10	21	3	1	-	-	3	-	1	-	-	-	-	-
72 Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Neuralgia, Neuritis - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
74 (c) Cerebral Tumour - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-
(d) Other Diseases of Nervous System (a, b)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
75 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - -	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-
III. DISEASES OF CIRCULATORY SYSTEM.															
77 Pericarditis - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
78 Acute Endocarditis - - - -	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
79 (a) Valvular Disease - - - -	27	19	-	-	-	1	2	1	2	6	9	17	8	-	-
(b) Fatty Degeneration of Heart -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(c) Other Organic Diseases of Heart	34	34	-	-	-	-	2	2	3	9	14	22	16	-	-
80 Angina Pectoris - - - -	4	1	-	-	-	-	-	-	1	-	3	1	-	-	-
81 (a) Aneurysm - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
(b) Arterio-sclerosis - - - -	3	2	-	-	-	-	-	-	-	-	-	4	1	-	-
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 (a) Cerebral Embolism, Thrombosis	2	1	-	-	-	-	-	-	1	-	-	-	2	-	-
(b) Embolism and Thrombosis, not Cerebral	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
83 Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 Hæmorrhage, Other Diseases of Circulatory System	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
IV. DISEASES OF RESPIRATORY SYSTEM.															
86 Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87 (b) Laryngitis - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Larynx (a) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Bronchitis (89) - - - -	38	48	18	6	1	-	-	2	7	7	10	22	13	-	-
91 Broncho-pneumonia - - - -	33	25	19	29	1	-	-	-	2	2	3	2	-	-	-
92 Pneumonia - - - -	50	27	18	11	-	-	2	2	12	12	9	5	6	-	-
93 Pleurisy - - - -	6	2	-	-	-	-	-	1	1	1	1	3	1	-	-
94 (a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d) -	1	2	1	-	-	-	-	-	-	1	-	-	1	-	-
95 Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
97 Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Fibroid Diseases of Lung - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Respiratory System	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

		SEXES.		Age												Age not stated
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.																
146	Dis. of Bones (Mastoid excluded) -	4	-	-	-	-	1	2	-	-	-	1	-	-		
147	Diseases of Joints - - -	3	-	-	-	-	-	-	1	-	-	1	1	-		
149	Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-		
X. MALFORMATIONS.																
150	Congenital Malformations - -	4	5	7	2	-	-	-	-	-	-	-	-	-		
XI. DISEASES OF EARLY INFANCY.																
151	(a) Premature Birth - - -	25	18	43	-	-	-	-	-	-	-	-	-	-		
	(b) Congenital Debility, Icterus, Sclerema (c, d, e)	36	13	49	-	-	-	-	-	-	-	-	-	-		
152	Other Diseases peculiar to Early Infancy	5	3	8	-	-	-	-	-	-	-	-	-	-		
153	Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
XII. OLD AGE.																
154	(a) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Senile Decay - - -	22	32	-	-	-	-	-	-	-	-	24	30	-		
XIII. VIOLENT CAUSES.																
163	Suicide (155-162) - - -	1	1	-	-	-	-	-	1	-	-	1	-	-		
164	Poisoning by Food - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
165	Other Accidental Poisonings	2	-	-	-	-	-	-	-	1	-	1	-	-		
167	Burns and Scalds (166) - -	5	5	2	6	1	-	-	-	-	1	-	-	-		
168	Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-		
169	Drowning - - - -	17	1	-	1	-	-	5	1	3	3	3	1	1		
170	Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
171	Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-		
172	Accidental Falls - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
173	(a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
174	Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
175	(a) Accidents on Railways - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
	(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(d) Accidents with Tramways - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(e) Other Crushing Accidents - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
177	Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
180	Weather Agencies (178, 179) - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
186	(a) Overlaying - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
	(b) Suffocation (otherwise) - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Other Accidents (176, 181, 185)	25	1	1	-	1	-	2	5	6	6	2	3	-		
184	Homicide (182, 183) - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
190	Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
XIV. ILL-DEFINED CAUSES.																
37	Dropsy - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
38	(a) Syncope - - - -	7	2	-	1	-	-	-	-	1	2	1	2	2		
	(b) Sudden Death (not otherwise defined)	1	-	-	-	-	-	-	-	-	-	-	1	-		
39	(a) Heart Failure - - - -	7	8	-	-	-	-	2	1	1	-	3	5	3		
	(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(e) Other Ill-defined Diseases (b, d)	2	4	-	2	-	-	-	-	-	-	4	-	-		
	(f) Dis. not Specified, Nat. Causes	7	5	6	2	-	2	1	1	-	-	-	-	-		

CAUSES OF DEATH IN LANARK—MIDDLE WARD, IN 1912.

	SEXES.		Age													75 and over	Age not given
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
All Causes - - - -	1580	1434	810	486	106	48	147	173	185	193	299	330	237				
I. GENERAL DISEASES.																	
1 Enteric Fever - - - -	14	4	1	-	2	2	6	5	2	-	-	-	-	-			
2 Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 (a) { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
(b) Smallpox { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
(c) { Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
6 Measles - - - -	88	83	47	112	10	1	-	-	1	-	-	-	-	-			
7 Scarlet Fever - - - -	8	19	-	13	11	1	1	1	-	-	-	-	-	-			
8 Whooping-cough - - -	37	58	37	57	1	-	-	-	-	-	-	-	-	-			
9 (a) Diphtheria - - -	11	16	2	18	7	-	-	-	-	-	-	-	-	-			
(c) Croup, Membr. Laryngitis (b)	1	1	1	1	-	-	-	-	-	-	-	-	-	-			
10 Influenza - - - -	2	6	1	-	-	-	-	-	3	-	1	1	2	-			
13 Cholera Nostras - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
14 Dysentery - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-			
18 Erysipelas - - - -	3	2	1	-	-	-	-	-	-	1	1	2	-	-			
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20 (a) Pyæmia, Septicæmia (not Puer- peral) (b)	-	3	1	-	-	-	-	-	1	-	1	-	-	-			
(c) Vaccinia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
21 Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
22 Anthrax - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
23 Rabies, Hydrophobia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
24 Tetanus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
28 Pulmonary Tuberculosis, Phthisis	70	80	-	6	4	11	40	35	31	14	7	2	-	-			
29 (a) Acute Phthisis - - -	4	5	-	2	-	1	3	1	1	1	-	-	-	-			
(b) Acute Miliary Tuberculosis -	4	-	-	3	-	-	1	-	-	-	-	-	-	-			
30 Tuberculous Meningitis - -	22	30	13	22	8	3	3	2	1	-	-	-	-	-			
31 Abdominal Tuberculosis - -	29	33	12	27	8	2	4	5	2	-	1	1	-	-			
32 Tuberculosis of Spine - - -	2	2	-	-	-	1	2	1	-	-	-	-	-	-			
33 Tuberculosis of Joints - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	-			
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	19	13	2	12	3	3	2	5	3	-	-	2	-	-			
36 Rickets, Osteomalacia - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-			
37 Syphilis - - - -	3	1	2	-	-	-	-	-	1	1	-	-	-	-			
38 Other Venereal Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
45 (a) Carcinoma - - - -	39	60	-	-	-	-	1	3	5	18	30	32	10	-			
(b) Sarcoma - - - -	2	5	-	-	-	-	-	3	2	1	-	1	-	-			
(c) Malignant Disease, } 39-44 other or not defined	24	24	-	-	-	1	2	1	3	6	20	9	6	-			
46 Other Tumours (Situation un- defined) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
47 Rheumatic Fever - - - -	7	7	-	-	3	1	5	1	2	2	-	-	-	-			
48 (a) Chronic Rheumatism - -	2	1	-	-	-	-	-	-	-	1	-	2	-	-			
(b) Osteo-arthritis - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	-			
(c) Gout - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
49 Scurvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
50 Diabetes - - - -	7	7	-	1	1	1	-	-	-	2	5	2	2	-			
51 Exophthalmic Goitre - - -	-	4	-	-	-	-	1	-	1	-	1	-	1	-			
52 Addison's Disease - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-			
53 (a) Leucocythæmia - - -	1	1	-	-	1	-	-	-	-	1	-	-	-	-			
(b) Lymphadenoma - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-			
54 Anæmia, Chlorosis - - -	5	8	-	1	-	-	1	2	4	2	2	1	-	-			
55 (b) Purpura - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	-			
(c) Hæmophilia - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	-			
(d) Other General Diseases (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
56 Alcoholism - - - -	4	1	-	-	-	-	-	1	1	2	-	1	-	-			
57 Chronic Lead Poisoning - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
59 Other Chronic Poisonings - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over			
II. DISEASES OF NERVOUS SYSTEM.																
60 Encephalitis - - - -	-	1			-		-	-	-	-	-	-	-	-	-	
61 (a) Cerebro-Spinal Meningitis - -	2	2	2	2			-	-	-	-	-	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	26	32	17	28	7	1	1	2	1	-	-	1	-	-	-	
62 Locomotor Ataxy - - - -	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-	
63 Other Diseases of Spinal Cord - -	8	3	-	1	1	-	1	1	1	3	1	2	-	-	-	
64 Cerebral Hæmorrhage, Apoplexy -	68	87	2	-	-	-	1	3	4	26	36	50	33	-	-	
65 Softening of Brain - - - -	5	2	-	-	-	-	-	1	1	1	-	2	2	-	-	
66 (a) Hemiplegia - - - -	6	3	1	-	-	-	-	-	-	1	2	4	1	-	-	
(c) Paralysis, Cause or Nature unspecified (b)	1	4	-	-	1	1	-	-	2	-	-	1	-	-	-	
67 General Paralysis of Insane - -	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-	
68 Other Insanity - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
69 Epilepsy - - - -	3	4	-	-	1	1	-	2	1	1	-	1	-	-	-	
71 Convulsions (not Puerperal) (70)	12	12	21	3	-	-	-	-	-	-	-	-	-	-	-	
72 Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
73 Neuralgia, Neuritis - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	
74 (c) Cerebral Tumour - - - -	2	3	-	-	2	-	-	2	1	-	-	-	-	-	-	
(d) Other Diseases of Nervous System (a, b)	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
75 Diseases of Eye and Annexa - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76 (a) Mastoid Disease - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - -	5	4	3	3	-	-	1	1	-	1	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
77 Pericarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
78 Acute Endocarditis - - - -	3	6	-	-	-	1	2	-	3	-	2	1	-	-	-	
79 (a) Valvular Disease - - - -	29	44	1	1	1	-	4	3	17	10	12	18	11	-	-	
(b) Fatty Degeneration of Heart -	5	5	-	-	-	-	-	-	-	1	4	4	1	-	-	
(c) Other Organic Diseases of Heart	59	59	2	1	-	1	5	3	10	13	25	32	26	-	-	
80 Angina Pectoris - - - -	3	3	-	-	-	-	-	-	-	1	2	-	3	-	-	
81 (a) Aneurysm - - - -	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	
(b) Arterio-sclerosis - - - -	8	4	-	-	-	-	-	-	-	-	4	6	2	-	-	
(c) Other Diseases of Arteries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 (a) Cerebral Embolism, Thrombosis -	3	3	-	-	-	-	-	-	-	-	4	-	2	-	-	
(b) Embolism and Thrombosis, not Cerebral	2	1	-	-	-	-	-	-	1	1	-	1	-	-	-	
83 Diseases of Veins - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
84 (a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85 Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
86 Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87 (b) Laryngitis - - - -	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a)	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
88 Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
90 Bronchitis (89) - - - -	126	85	64	15	2	1	-	2	2	14	35	43	33	-	-	
91 Broncho-pneumonia - - - -	97	88	108	62	5	-	1	1	-	2	3	3	-	-	-	
92 Pneumonia - - - -	103	59	28	40	5	2	9	11	19	13	18	14	3	-	-	
93 Pleurisy - - - -	5	3	1	-	-	-	2	1	-	1	-	2	1	-	-	
94 (a) Pulmonary Apoplexy - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d)	4	9	3	2	-	-	-	-	1	-	3	3	1	-	-	
95 Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Asthma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
97 Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98 (a) Fibroid Diseases of Lung - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-	
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age													Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
IX. DISEASES OF ORGANS OF LOCOMOTION.																
146 Dis. of Bones (Mastoid excluded)	6	1	1	-	2	2	-	1	1	-	-	-	-	-		
147 Diseases of Joints - - -	2	1	1	-	-	-	1	-	-	1	-	-	-	-		
149 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
X. MALFORMATIONS.																
150 Congenital Malformations - -	30	23	52	-	-	1	-	-	-	-	-	-	-	-		
XI. DISEASES OF EARLY INFANCY.																
151 (a) Premature Birth - - -	77	46	123	-	-	-	-	-	-	-	-	-	-	-		
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	54	48	102	-	-	-	-	-	-	-	-	-	-	-		
152 Other Diseases peculiar to Early Infancy	16	13	29	-	-	-	-	-	-	-	-	-	-	-		
153 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XII. OLD AGE.																
154 (a) Senile Dementia - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
(b) Senile Decay - - - -	41	35	-	-	-	-	-	-	-	-	-	22	54	-		
XIII. VIOLENT CAUSES.																
163 Suicide (155-162) - - -	2	2	-	-	-	-	-	1	1	-	1	1	-	-		
164 Poisoning by Food - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
165 Other Accidental Poisonings	1	1	-	-	-	-	1	-	-	-	1	-	-	-		
167 Burns and Scalds (166) - -	5	8	1	5	3	-	2	-	-	-	1	1	-	-		
168 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169 Drowning - - - -	16	5	-	3	1	2	6	1	2	6	-	-	-	-		
170 Accidents with Fire Arms - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-		
171 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
172 Accidental Falls - - - -	3	2	-	-	-	-	-	1	1	-	1	2	-	-		
173 (a) Accidents in Coal Mines - -	38	-	-	-	-	-	4	16	6	8	2	2	-	-		
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
174 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
175 (a) Accidents on Railways - - -	7	2	-	1	-	-	2	2	1	1	2	-	-	-		
(b) Acc. with Horses and Vehicles	2	-	-	-	-	-	-	-	-	1	-	1	-	-		
(c) Accidents with Motor Vehicles	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
(d) Accidents with Tramways - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-		
(e) Other Crushing Accidents - -	3	-	-	2	-	-	-	-	-	1	-	-	-	-		
177 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
180 Weather Agencies (178, 179) -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
186 (a) Overlaying - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
(b) Suffocation (otherwise) - -	4	2	4	-	-	-	-	-	1	-	1	-	-	-		
(c) Other Accidents (176, 181, 185)	23	7	1	1	1	2	4	3	4	2	7	2	3	-		
184 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
190 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XIV. ILL-DEFINED CAUSES.																
187 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
188 (a) Syncope - - - -	7	5	1	-	-	-	-	1	-	2	1	5	2	-		
(b) Sudden Death (not otherwise defined)	1	2	1	-	-	-	-	-	-	-	1	-	1	-		
189 (a) Heart Failure - - - -	25	16	2	1	-	-	-	4	1	1	7	13	12	-		
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(e) Other Ill-defined Diseases (b, d)	2	2	-	2	-	-	-	-	-	-	2	-	-	-		
(f) Dis. not Specified, Nat. Causes	9	8	8	1	-	-	-	1	-	-	2	4	1	-		

YEAR 1912.

Population—Census 1901, - - 153,503.

Do. Do. 1911, - - 163,891.

COUNTIES—Aberdeen and Kincardine.

Do. estimated to middle of 1912, 162,988.

PUBLIC HEALTH DISTRICT—Aberdeen (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4165	73	53	4145	2037	2108
Illegitimate Births -	444	49	37	432	202	230
Marriages -	1350	-	-	-	-	-
Deaths - - -	2512	204	247	2555	1222	1333

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.6	25.4	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - - -	15.4	15.7	15.9
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12.7.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	6	9	-	1	1	3	3	3	2	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	18	17	12	23	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	15	16	1	15	6	5	1	2	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	24	41	31	31	3	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	18	19	5	19	9	1	1	1	1	-	-	-	-	-	-	-
Influenza - - - - -	7	6	1	-	-	-	-	-	1	1	3	5	2	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	79	79	1	4	3	8	35	28	38	24	9	8	-	-	-	-
Tuberculous Meningitis - - - - -	17	13	5	15	5	3	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	12	11	3	6	4	4	1	1	1	-	-	2	1	-	-	-
Other Tuberculous Diseases - - - - -	9	10	-	2	3	2	3	3	2	4	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	62	119	-	1	-	1	1	8	14	31	43	49	33	-	-	-
Rheumatic Fever - - - - -	-	7	-	-	2	1	-	-	2	-	2	-	-	-	-	-
Meningitis - - - - -	12	5	3	5	2	-	-	1	3	1	2	-	-	-	-	-
Organic Heart Disease - - - - -	117	147	-	1	2	2	12	16	17	38	48	76	52	-	-	-
Bronchitis - - - - -	71	86	44	7	-	-	-	1	1	5	17	40	42	-	-	-
Pneumonia (all forms) - - - - -	112	117	62	50	3	2	7	6	13	15	23	26	22	-	-	-
Other Diseases of Respiratory Organs - - - - -	17	20	6	3	-	-	2	2	1	4	6	7	6	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	30	31	51	10	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	7	5	-	1	1	2	2	1	1	3	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	15	12	-	-	-	-	1	1	4	4	7	5	5	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	6	8	13	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	37	27	1	2	-	-	3	3	6	10	20	12	7	-	-	-
Puerperal Sepsis - - - - -	-	6	-	-	-	-	2	3	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	12	-	-	-	-	4	7	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	96	82	178	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	71	25	8	10	4	2	9	16	10	14	9	9	5	-	-	-
Suicide - - - - -	8	3	-	-	-	1	-	1	1	2	4	2	-	-	-	-
Other Defined Diseases - - - - -	329	330	98	25	10	10	19	18	35	59	98	123	214	-	-	-
Diseases Ill-defined or Unknown - - - - -	27	19	3	4	-	-	2	2	6	3	7	5	14	-	-	-
Total - - - - -	1222	1333	526	236	58	47	109	124	162	220	299	370	404	-	-	-

YEAR 1912.

Population—Census 1901, - - 1,247.

Do. Do. 1911, - - 1,240.

Do. estimated to middle of 1912, 1,220.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Ballater** (Burch).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	24	2	0	22	10	12
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	4	-	-	-	-	-
Deaths - - -	13	1	4	16	8	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.7	18.0	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	10.7	13.1	11.7
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—136.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.7.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	5	-	-	-	-	-	-	-	1	1	2	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	8	3	1	1	-	-	1	-	1	3	2	4	

YEAR 1912.

Population—Census 1901, - - - 1,527.

COUNTY—**Aberdeen.**

Do. 1911, - - - 1,307.

Do. estimated to middle of 1912, 1,260.

PUBLIC HEALTH DISTRICT—**Ellon (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	1	2	31	20	11
Illegitimate Births - -	5	1	2	6	4	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	20	0	4	24	14	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·8	24·6	-
Marriage-rate - - - - -	19·8	-	-
Death-rate—All Causes - - - - -	15·9	19·0	15·6
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - - - - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—32.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	1	-	-	-	-	2
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	2	-	-	-	-	-	-	1	-	1	2	4	-	-
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	14	10	1	1	1	-	1	1	2	2	4	2	9	-	-

YEAR 1912.

Population—Census 1901, - - - 9,109.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 10,574.

Do. estimated to middle of 1912, 10,592.

PUBLIC HEALTH DISTRICT—**Fraserburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	347	4	1	344	188	156
Illegitimate Births -	33	2	0	31	16	15
Marriages - - -	73	-	-	-	-	-
Deaths - - -	163	7	10	166	89	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·8	32·5	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - -	15·4	15·7	16·3
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—122.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	4	3	2	5	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	4	1	1	3	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	4	4	-	-	1	2	1	2	1	-	1	-	-	-	-
Tuberculous Meningitis - - -	3	4	-	4	1	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	2	5	-	-	-	-	-	-	-	2	3	1	1	-	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	7	-	1	-	-	-	-	-	1	5	2	2	-	-
Bronchitis - - - - -	6	5	2	1	-	-	-	-	-	-	3	2	3	-	-
Pneumonia (all forms) - - -	17	9	11	6	1	-	-	-	1	2	3	-	2	-	-
Other Diseases of Respiratory Organs	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	6	1	-	-	-	-	-	-	3	-	2	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	8	5	13	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	5	1	-	1	-	-	2	1	-	-	-	-	-	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	16	22	7	1	1	-	5	-	-	2	4	5	13	-	-
Diseases Ill-defined or Unknown	4	1	1	1	-	1	-	-	-	-	2	-	-	-	-
Total - - - - -	89	77	42	26	7	2	11	4	8	8	22	11	25	-	-

YEAR 1912.

Population—Census 1901, - - - 4,136.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 4,229.

Do. estimated to middle of 1912, 4,175.

PUBLIC HEALTH DISTRICT—**Huntly (Burch).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	125	9	2	118	57	61
Illegitimate Births -	30	7	2	25	11	14
Marriages - - -	42	-	-	-	-	-
Deaths - - -	62	4	9	67	24	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	29.9	28.3	-
Marriage-rate - - -	10.1	-	-
Death-rate—All Causes - - -	14.9	16.0	13.7
Do. —Phthisis - - -	-	1.0	-
Do. —All Tuberculosis - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	3	1	-	-	-	1	2	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	3	-	1	-	-	1	1	-	2	2	2	-	
Rheumatic Fever - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	5	-	-	-	1	-	-	-	2	1	4	2	
Bronchitis - - -	2	4	1	1	-	1	-	1	-	-	-	-	2	
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	16	-	1	-	1	-	-	-	1	2	9	4	
Diseases Ill-defined or Unknown - - -	1	2	2	-	-	-	-	-	-	-	-	-	1	
Total - - -	24	43	8	5	1	3	3	4	1	3	8	16	15	

YEAR 1912.

Population—Census 1901, . . . 3,053.

COUNTY—**Aberdeen.**

Do. Do. 1911, . . . 3,960.

Do. estimated to middle of 1912, 4,010.

PUBLIC HEALTH DISTRICT—**Inverurie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	5	3	80	46	34
Illegitimate Births - -	17	4	1	14	11	3
Marriages - - -	43	-	-	-	-	-
Deaths - - -	65	2	7	70	31	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.4	20.0	-
Marriage-rate - - - - -	10.7	-	-
Death-rate—All Causes - - - - -	16.2	17.5	15.7
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	1	1	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	2	2	1	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	1	1	1	1	3	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	3	1	-	-	-	-	-	1	-	2	1	2	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	19	-	-	-	-	1	-	-	1	6	5	15	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	39	5	1	5	1	2	4	2	3	12	14	21	

YEAR 1912.

Population—Census 1901, - - - 789.

Do. Do. 1911, - - - 818.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1912, 809.

PUBLIC HEALTH DISTRICT—**Kintore (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	0	12	5	7
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	4	-	-	-	-	-
Deaths - - -	15	0	1	16	7	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·8	14·8	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - - - -	18·5	19·8	16·3
Do. —Phthisis - - - - -	-	2·5	-
Do. —All Tuberculosis - - - - -	-	2·5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83·1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup	-	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	-	-	-	1	-	1	-	
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease	-	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms)	1	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases	3	2	-	-	-	-	-	-	-	-	2	-	3	
Diseases Ill-defined or Unknown	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total	7	9	1	1	-	-	-	-	-	2	3	3	6	

YEAR 1912.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Old Meldrum (Burgh).**

Population—Census 1901, - - - 1,197.

Do. Do. 1911, - - - 1,110.

Do. estimated to middle of 1912, 1,082.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	3	0	29	15	14
Illegitimate Births -	9	2	0	7	6	1
Marriages - - -	14	-	-	-	-	-
Deaths - - -	27	0	1	28	10	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	29.6	26.8	-
Marriage-rate - - -	12.9	-	-
Death-rate—All Causes - - -	25.0	25.9	18.9
Do. —Phthisis - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—24.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	8	-	1	-	-	1	-	1	-	3	8	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	10	18	2	2	-	-	2	2	-	2	1	7	10	

YEAR 1912.

Population—Census 1901, - - - 11,794.

Do. Do. 1911, - - - 13,613.

Do. estimated to middle of 1912, 13,627.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Peterhead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	430	3	9	436	237	199
Illegitimate Births - -	42	1	3	44	22	22
Marriages - - -	91	-	-	-	-	-
Deaths - - -	185	1	17	201	115	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.6	32.0	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	13.6	14.8	14.7
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—151.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	6	3	5	4	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	3	3	1	3	-	2	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	3	5	6	2	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	2	2	-	1	2	-	-	1	-	-	-	-	-		
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	7	5	-	-	-	1	5	2	4	-	-	-	-		
Tuberculous Meningitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	3	1	2	-	1	-	-	-	-	-	-	1	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	3	9	-	-	-	-	1	-	1	-	5	3	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	12	6	-	-	1	-	1	1	-	2	5	3	5		
Bronchitis - - - - -	2	7	3	-	-	-	-	-	-	-	2	3	1		
Pneumonia (all forms) - - - - -	9	3	6	1	-	-	-	1	3	-	1	-	-		
Other Diseases of Respiratory Organs - - - - -	1	2	-	1	1	-	-	-	-	1	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	6	2	8	-	-	-	-	-	-	1	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	6	4	1	1	-	1	-	-	1	1	3	2	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	19	8	27	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	-	1	1	1	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	26	18	4	2	-	-	2	3	3	2	7	8	13		
Diseases Ill-defined or Unknown - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Total - - - - -	115	86	66	20	8	4	10	10	13	6	23	20	21		

YEAR 1912.

Population—Census 1901, - - - 1,185.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 1,303.

PUBLIC HEALTH DISTRICT—**Rosehearty (Burgh).**

Do. estimated to middle of 1912, 1,303.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	0	0	35	16	19
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	8	-	-	-	-	-
Deaths - - -	15	0	2	17	6	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.9	26.9	-
Marriage-rate - - -	6.1	-	-
Death-rate—All Causes - - -	11.5	13.0	10.9
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	3	-	1	-	-	-	-	-	1	1	1	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	5	1	-	1	-	-	-	-	-	-	1	4	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	6	11	4	1	1	-	1	-	-	2	2	2	4	

YEAR 1912.

Population—Census 1901, - - - 2,273.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 2,346.

PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

Do. estimated to middle of 1912, 2,319.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	68	0	3	71	42	29
Illegitimate Births -	12	0	2	14	9	5
Marriages - - -	23	-	-	-	-	-
Deaths - - -	33	0	4	37	16	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29·3	30·6	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - - - -	14·2	16·0	12·3
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - - - - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	2	-	-	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	1	-	-	3	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	1	1	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	3	7	-	-	-	-	-	-	1	-	1	2	6	
Diseases ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	16	21	3	1	1	-	2	2	1	2	6	6	13	

YEAR 1912.

Population—Census 1901, - - - 21,716.

Do. 1911, - - - 22,876.

Do. estimated to middle of 1912, 22,666.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	493	35	17	475	252	223
Illegitimate Births - -	68	24	12	56	29	27
Marriages - - -	71	-	-	-	-	-
Deaths - - -	468	209	25	234	139	145

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·8	21·0	-
Marriage-rate - - - - -	3·1	-	-
Death-rate—All Causes - - - - -	20·6	12·5	11·0
Do. —Phthisis - - - - -	-	0·9	-
Do. —All Tuberculosis - - - - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	3	1	-	4	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	15	-	-	1	-	7	7	3	2	1	-	-	
Tuberculous Meningitis - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	22	-	-	-	-	-	1	1	4	9	8	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	20	16	-	-	-	-	1	-	-	3	6	7	19	
Bronchitis - - - - -	7	7	1	-	-	-	-	-	-	-	3	4	6	
Pneumonia (all forms) - - - - -	13	4	7	1	-	1	1	1	2	1	-	1	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	5	-	-	-	-	-	-	1	-	-	5	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	7	14	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	4	-	1	-	1	1	2	-	3	3	2	-	
Suicide - - - - -	2	1	-	-	-	-	2	1	-	-	-	-	-	
Other Defined Diseases - - - - -	50	46	7	-	2	1	2	1	1	12	7	22	41	
Diseases Ill-defined or Unknown - - - - -	3	2	1	-	-	-	-	-	1	-	-	1	2	
Total - - - - -	139	145	42	9	8	3	15	15	12	22	29	52	77	

YEAR 1912.

Population—Census 1901, - - - 10,280.

COUNTY—**Aberdeen.**

Do. 1911, - - - 9,495.

Do. estimated to middle of 1912, 9,251.

PUBLIC HEALTH DISTRICT—**Alford** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	199	3	13	209	95	114
Illegitimate Births -	43	2	4	45	19	26
Marriages - - -	38	-	-	-	-	-
Deaths - - -	98	3	12	107	56	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.5	22.6	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	10.6	11.6	10.1
Do. —Phthisis - - - - -	-	0.3	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	1	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	1	-	-	1	1	1	1	1	1	3	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	2	2	
Bronchitis - - - - -	5	4	4	-	-	-	-	-	-	-	-	1	4	
Pneumonia (all forms) - - - - -	4	3	-	2	-	-	-	-	-	1	2	2	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	1	-	1	
Appendicitis and Typhlitis - - - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	3	-	-	-	1	-	-	1	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	24	19	4	1	-	-	-	3	2	1	9	6	17	
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	1	-	-	-	2	
Total - - - - -	56	51	17	3	3	2	3	5	6	6	17	14	31	

YEAR 1912.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Deer** (County District).

Population—Census 1901, - - - 29,847.

Do. Do. 1911, - - - 28,439.

Do. estimated to middle of 1912, 27,827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	752	16	13	749	391	358
Illegitimate Births - -	124	8	10	126	58	68
Marriages - - -	140	-	-	-	-	-
Deaths - - -	357	23	28	362	172	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.0	26.9	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	12.8	13.0	11.1
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	5	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-
*Whooping-cough - - - - -	5	5	6	4	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	7	-	-	5	1	-	-	-	-	-	-	1	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	14	12	1	-	1	2	8	6	3	2	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	3	1	-	-	-	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	15	19	-	-	-	-	-	-	4	5	7	11	7	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	19	17	-	-	1	-	1	-	-	1	7	9	17	-	-	-
Bronchitis - - - - -	7	10	2	1	-	-	1	-	-	-	-	-	4	9	-	-
Pneumonia (all forms) - - - - -	15	9	7	5	-	-	2	1	1	-	2	5	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	3	-	-	-	-	1	-	-	1	1	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	4	-	-	-	-	-	-	2	-	-	2	3	-	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	6	10	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	4	2	1	-	2	1	1	2	-	1	2	2	-	-	-
Suicide - - - - -	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	45	67	9	3	-	-	5	-	3	5	12	26	49	-	-	-
Diseases Ill-defined or Unknown - - - - -	5	6	2	-	1	-	-	-	-	1	-	3	4	-	-	-
Total - - - - -	172	190	59	25	5	6	24	12	18	18	34	66	95	-	-	-

YEAR 1912.

Population—Census 1901, - - - 12,683.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 12,218.

Do. estimated to middle of 1912, 11,972.

PUBLIC HEALTH DISTRICT—**Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	230	6	11	235	119	116
Illegitimate Births - -	36	2	8	42	15	27
Marriages - - -	54	-	-	-	-	-
Deaths - - -	157	5	20	172	81	91

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.2	19.6	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	13.1	14.4	12.2
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	1	-	-	-	3	1	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	1	-	-	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	11	-	-	-	-	-	-	3	6	4	8	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	4	-	-	-	1	-	-	-	1	4	8	-	
Bronchitis - - - - -	3	9	1	-	-	-	-	-	-	-	2	9	-	
Pneumonia (all forms) - - - - -	3	7	3	-	-	2	1	-	-	1	-	3	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	1	-	-	-	-	1	1	-	1	3	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	2	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	2	-	-	1	2	-	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	39	1	-	-	3	4	2	7	7	12	30	-	
Diseases Ill-defined or Unknown - - - - -	3	4	1	-	-	-	-	1	-	3	-	2	-	
Total - - - - -	81	91	13	3	5	1	11	8	9	14	21	26	61	

YEAR 1912.

Population—Census 1901, - - - 14,915.

COUNTY—**Aberdeen.**

Do. 1911, - - - 13,917.

Do. estimated to middle of 1912, 13,579.

PUBLIC HEALTH DISTRICT—**Ellon** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	357	11	12	358	174	184
Illegitimate Births -	62	4	12	70	37	33
Marriages - - -	49	-	-	-	-	-
Deaths - - -	230	4	12	238	150	88

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.3	26.4	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	16.9	17.5	15.3
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	1	1	-	-	-	-	1	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	4	-	-	-	-	2	3	3	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	6	12	-	-	-	-	1	1	1	3	5	4	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	5	-	-	-	-	-	-	1	-	4	4	5	
Bronchitis - - - - -	6	9	4	-	-	-	-	-	-	-	-	3	8	
Pneumonia (all forms) - - - - -	10	8	3	3	1	-	-	-	1	-	3	2	5	
Other Diseases of Respiratory Organs - - - - -	2	3	-	-	-	-	-	-	1	-	-	2	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	4	-	-	-	-	-	-	2	1	-	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	4	13	2	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	*58	1	-	-	-	-	7	8	2	5	2	1	1	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	29	28	6	1	3	1	2	-	2	2	7	15	18	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1	
Total - - - - -	*150	88	31	7	6	3	13	14	16	12	23	36	44	

* Including 33 of unspecified age.

YEAR 1912.

Population—Census 1901, - - - 14,710.

Do. Do. 1911, - - - 13,980.

Do. estimated to middle of 1912, 13,675.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Garioch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	321	6	17	332	178	154
Illegitimate Births -	55	4	12	63	41	22
Marriages - - -	64	-	-	-	-	-
Deaths - - -	163	7	15	176	93	83

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.5	24.4	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	12.3	12.9	11.3
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	2	-	-	-	-	-	-	-	1	-	
*Whooping-cough - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	2	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	7	-	1	2	5	-	2	1	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	9	-	-	-	-	-	-	3	3	4	6	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	3	-	-	-	-	-	1	1	1	4	7	-	
Bronchitis - - - - -	5	10	4	-	-	-	-	-	-	1	3	7	-	
Pneumonia (all forms) - - - - -	9	5	4	-	-	1	-	1	2	2	3	1	-	
Other Diseases of Respiratory Organs - - - - -	2	2	1	-	-	-	-	1	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	2	-	-	-	-	1	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	1	-	1	1	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	1	-	-	-	-	2	-	-	-	-	
Suicide - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Other Defined Diseases - - - - -	31	32	4	1	-	1	2	1	3	6	7	10	28	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Total - - - - -	93	83	18	7	6	3	10	4	14	16	17	27	54	

YEAR 1912.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Huntly** (County District).

Population—Census 1901, - - - 7,618.

Do. Do. 1911, - - - 6,953.

Do. estimated to middle of 1912, 6,763.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	178	4	6	180	94	86
Illegitimate Births -	40	3	5	42	23	19
Marriages - - -	23	-	-	-	-	-
Deaths - - -	86	2	11	95	48	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.3	26.6	-
Marriage-rate - - -	3.4	-	-
Death-rate—All Causes - - -	12.7	14.0	11.8
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	3	1	-	-	-	2	1	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	7	-	-	-	1	-	-	1	2	3	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	8	6	-	-	-	-	-	-	1	3	3	7	-	
Bronchitis - - -	2	5	4	-	-	-	-	-	-	-	-	3	3	
Pneumonia (all forms) - - -	4	3	1	2	-	1	-	-	1	-	1	1	-	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	15	14	-	1	-	1	-	3	3	6	4	11	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	48	47	17	5	2	2	8	2	4	8	11	12	24	

YEAR 1912.

Population—Census 1901, - - - 12,238.

Do. Do. 1911, - - - 11,331.

Do. estimated to middle of 1912, 11,044.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Turriff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	297	2	7	302	166	136
Illegitimate Births -	63	2	4	65	34	31
Marriages - - -	33	-	-	-	-	-
Deaths - - -	143	1	10	152	73	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.9	27.3	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - - - -	12.9	13.8	11.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	8	-	-	-	2	3	2	1	3	1	-	-	
Tuberculous Meningitis - - - - -	-	3	-	-	-	2	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	-	-	2	2	3	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	7	-	-	-	-	-	-	-	1	1	2	7	
Bronchitis - - - - -	5	3	3	-	-	-	-	-	-	1	-	1	3	
Pneumonia (all forms) - - - - -	4	3	1	-	1	-	-	-	1	1	1	-	2	
Other Diseases of Respiratory Organs - - - - -	4	-	-	1	-	-	-	-	-	-	1	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	4	-	-	1	-	-	-	1	-	3	-	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	-	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	30	2	2	1	-	1	-	5	5	5	10	21	
Diseases Ill-defined or Unknown - - - - -	5	4	3	2	-	-	-	-	-	-	1	1	2	
Total - - - - -	73	79	26	9	4	5	6	8	11	12	16	19	41	

YEAR 1912.

Population—Census 1901, - - - 8,286.

COUNTY—Argyll.

Do. Do. 1911, - - - 7,625.

Do. estimated to middle of 1912, 7,426.

PUBLIC HEALTH DISTRICT—Campbeltown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	164	3	2	163	84	79
Illegitimate Births - -	27	0	2	29	12	17
Marriages - - -	35	-	-	-	-	-
Deaths - - -	118	4	7	121	52	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	21.9	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	15.9	16.3	15.0
Do. —Phthisis - - - - -	-	1.9	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—153.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	7	5	7	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	7	-	1	1	1	5	4	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	9	-	-	-	-	-	1	1	1	1	4	3	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	1	-	-	-	-	1	-	2	
Bronchitis - - - - -	1	3	1	-	-	-	-	1	-	-	-	-	2	
Pneumonia (all forms) - - - - -	1	4	2	1	1	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	1	-	-	1	-	1	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	3	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	3	-	-	-	-	-	-	-	1	1	-	3	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	17	-	-	-	-	2	2	1	4	1	11	10	
Diseases Ill-defined or Unknown - - - - -	5	3	2	-	-	-	-	1	1	-	1	2	1	
Total - - - - -	52	69	25	11	3	2	8	8	8	7	6	19	24	

YEAR 1912.

Population—Census 1901, - - - 6,779.

COUNTY—Argyll.

Do. Do. 1911, - - - 6,859.

Do. estimated to middle of 1912, 6,763.

PUBLIC HEALTH DISTRICT—Dunoon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	86	3	4	87	50	37
Illegitimate Births -	7	1	2	8	6	2
Marriages - - -	31	-	-	-	-	-
Deaths - - -	107	24	12	95	44	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	12.9	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	15.8	14.0	11.5
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	-	-	-	4	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	7	-	-	-	-	-	-	1	2	3	3	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	7	-	-	-	-	-	-	1	2	3	7	2	-	-
Bronchitis - - - - -	2	3	1	1	-	-	-	-	-	-	-	1	2	-	-
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2	-	-
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	2	2	-	-	-	-	1	-	1	-	-	1	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	14	-	-	-	-	1	-	-	2	4	13	9	-	-
Diseases ill-defined or Unknown - - -	-	3	-	-	-	-	-	-	-	-	-	3	-	-	-
Total - - - - -	44	51	6	2	1	-	5	2	8	7	11	33	20	-	-

YEAR 1912.

Population—Census 1901, - - - 678.

COUNTY—Argyll.

Do. Do. 1911, - - - 533.

PUBLIC HEALTH DISTRICT—Inveraray (Burgh).

Do. estimated to middle of 1912, 506.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	0	0	7	4	3
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	7	1	0	6	1	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·8	13·8	-
Marriage-rate - - - - -	2·0	-	-
Death-rate—All Causes - - - - -	13·8	11·9	8·4
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - - - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	1	5	-	-	-	-	1	-	-	-	-	3	2	

YEAR 1912.

Population—Census 1901, - - - 1,313.

Do. Do. 1911, - - - 921.

Do. estimated to middle of 1912, 859.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lochgilhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	2	1	14	12	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	3	-	-	-	-	-
Deaths - - -	18	0	1	19	11	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.5	16.3	-
Marriage-rate - - - - -	3.5	-	-
Death-rate—All Causes - - -	21.0	22.1	16.5
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	3	1	-	-	-	-	-	-	-	-	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	2	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	1	1	-	1	-	
Total - - - - -	11	8	2	-	-	-	-	1	1	1	5	5	4	

YEAR 1912.

Population—Census 1901, - - - 5,427.

COUNTY—**Argyll**.

Do. Do. 1911, - - - 5,557.

Do. estimated to middle of 1912, 5,487.

PUBLIC HEALTH DISTRICT—**Oban** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	6	4	106	49	57
Illegitimate Births - -	6	1	1	6	3	3
Marriages - - -	50	-	-	-	-	-
Deaths - - -	89	8	3	84	45	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.7	19.3	-
Marriage-rate - - - - -	9.1	-	-
Death-rate—All Causes - - - -	16.2	15.3	14.8
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	1	3	3	1	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	6	-	-	-	-	-	1	2	-	-	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Organic Heart Disease - - - -	5	5	-	-	-	1	-	1	2	2	2	2	2	
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	2	1	1	
Pneumonia (all forms) - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	1	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	4	-	-	-	-	-	-	1	3	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	-	-	-	-	1	-	1	-	1	1	-	-	
Suicide - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	16	7	1	1	2	-	1	2	2	5	4	5	5	
Diseases Ill-defined or Unknown -	3	1	2	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	45	39	9	2	2	-	6	7	11	6	14	16	11	

YEAR 1912.

Population—Census 1901, - - - 1,175.

COUNTY—Argyll.

Do. Do. 1911, - - - 988.

PUBLIC HEALTH DISTRICT—Tobermory (Burgh).

Do. estimated to middle of 1912, 949.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	0	1	19	12	7
Illegitimate Births -	4	0	0	4	13	1
Marriages - - -	1	-	-	-	-	-
Deaths - - -	15	0	2	17	9	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	20.0	-
Marriage-rate - - - - -	1.1	-	-
Death-rate—All Causes - - - - -	15.8	17.9	13.3
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	-	-	-	-	1	-	2	-	-	-	8	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	8	1	1	-	-	-	2	-	3	-	1	9	

YEAR 1912.

Population—Census 1901, - - - 3,231.

Do. Do. 1911, - - - 2,822.

Do. estimated to middle of 1912, 2,728.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Ardnamurchan (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	0	1	45	25	20
Illegitimate Births - -	1	0	1	2	2	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	45	0	3	48	19	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.5	-
Marriage-rate - - - - -	2.6	-	-
Death-rate—All Causes - - - -	16.5	17.6	12.9
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	-	-	-	1	-	-	-	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis	-	2	-	-	1	-	2	-	-	-	-	-	-		
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	-	-	-	2	3	1		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4		
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - -	-	3	-	-	-	-	-	-	1	1	-	-	1		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - -	8	10	-	-	-	-	-	-	-	-	2	2	14		
Diseases Ill-defined or Unknown - -	2	5	-	-	-	-	-	-	-	-	4	2	1		
Total - - - - -	19	29	-	-	1	-	2	-	1	3	8	10	23		

YEAR 1912.

Population—Census 1901, - - - 7,730.

COUNTY—Argyll.

Do. Do. 1911, - - - +8,194.

Do. estimated to middle of 1912, 7,206.

PUBLIC HEALTH DISTRICT—Cowl (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	116	2	5	119	68	51
Illegitimate Births -	5	1	1	5	3	2
Marriages - - -	23	-	-	-	-	-
Deaths - - -	104	5	9	108	51	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.5	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	14.4	15.0	12.7
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	6	1	1	-	4	2	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	1	-	1	3	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	2	-	-	-	-	-	1	1	1	1	2	-	
Bronchitis - - - - -	-	6	1	-	-	-	-	-	-	-	-	4	-	
Pneumonia (all forms) - - - - -	4	4	-	-	-	-	2	1	-	2	-	3	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	2	-	-	-	-	-	1	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	7	1	-	1	-	1	-	3	1	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	22	-	1	1	1	-	2	1	6	2	23	-	
Diseases Ill-defined or Unknown - -	2	2	-	-	-	-	-	-	-	-	1	3	-	
Total - - - - -	51	57	5	6	4	2	9	7	9	4	13	10	39	

† Including 830 men of Royal Navy.

YEAR 1912.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Islay (County District).

Population—Census 1901, 7,805.

Do. Do. 1911, 7,130.

Do. estimated to middle of 1912, 6,936.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	2	4	110	49	61
Illegitimate Births -	15	0	3	18	11	7
Marriages - - -	10	-	-	-	-	-
Deaths - - -	124	3	9	130	64	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.6	15.9	-
Marriage-rate - - - - -	1.4	-	-
Death-rate—All Causes - - - - -	17.9	18.7	14.9
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—55.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	4	-	-	-	3	1	1	4	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	-	1	2	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	10	-	-	-	-	-	1	1	2	7	9	-	
Bronchitis - - - - -	5	3	1	1	-	-	-	-	-	-	1	5	-	
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	1	-	-	2	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	3	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	1	-	-	1	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	31	1	1	-	-	2	1	4	4	12	28	-	
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	1	1	2	1	-	
Total - - - - -	64	66	6	3	3	1	5	6	3	15	10	30	48	

YEAR 1912.

Population—Census 1901, - - - 7,136.

COUNTY—Argyll.

Do. Do. 1911, - - - 6,660.

Do. estimated to middle of 1912, 6,498.

PUBLIC HEALTH DISTRICT—Kintyre (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	112	0	2	114	54	60
Illegitimate Births - -	9	0	1	10	4	6
Marriages - - -	20	-	-	-	-	-
Deaths - - -	65	2	12	75	40	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	17.5	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	10.0	11.5	10.2
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—35.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	1	2	2	2	-	-	-	-		
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	8	6	-	-	1	-	-	-	-	1	2	4	6		
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	2	2	1	1		
Pneumonia (all forms) - - - - -	1	2	1	-	-	-	-	-	-	1	1	-	-		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	12	11	1	-	-	-	-	1	1	-	-	9	11		
Diseases Ill-defined or Unknown - - - - -	3	3	-	1	-	-	-	-	1	-	2	1	1		
Total - - - - -	40	35	4	5	2	2	2	5	4	4	9	16	22		

YEAR 1912.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lorn (County District).

Population—Census 1901, - - - 10,220.
 Do. Do. 1911, - - - 11,087.
 Do. estimated to middle of 1912, 9,905.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	5	7	190	95	95
Illegitimate Births -	10	2	1	9	8	1
Marriages - - -	31	-	-	-	-	-
Deaths - - -	127	6	19	140	78	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	19.2	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	12.0	14.1	11.8
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	5	-	-	-	1	1	6	3	-	1	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	10	-	-	-	-	-	1	1	4	7	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	13	-	-	-	-	-	2	-	1	3	11	1	
Bronchitis - - - - -	6	4	-	-	-	-	-	-	-	-	2	3	5	
Pneumonia (all forms) - - - - -	4	4	1	1	-	-	-	-	-	-	-	3	3	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	1	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	1	-	1	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	-	-	1	-	1	-	4	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	24	13	2	1	-	-	4	-	1	1	3	8	17	
Diseases Ill-defined or Unknown - - - - -	5	2	-	1	-	-	-	-	-	1	1	2	2	
Total - - - - -	78	62	7	4	2	3	10	12	7	12	18	32	33	

† Including 1009 men of Royal Navy.

YEAR 1912.

Population—Census 1901, - - - 7,698.

Do. Do. 1911, - - - 7,127.

Do. estimated to middle of 1912, 6,947.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mid-Argyll (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	0	8	116	61	55
Illegitimate Births - -	9	0	3	12	6	6
Marriages - - -	21	-	-	-	-	-
Deaths - - -	159	39	13	133	71	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.5	16.7	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - - - -	22.9	19.1	15.5
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	7	-	-	-	-	-	-	1	-	1	8	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	8	-	-	-	-	-	-	-	3	5	7	1	
Bronchitis - - - - -	1	4	-	-	-	-	-	-	2	-	2	1	-	
Pneumonia (all forms) - - - - -	5	2	-	-	-	1	-	-	-	2	1	1	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	1	-	1	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	4	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	1	-	1	1	-	2	-	3	2	1	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	28	21	-	-	-	-	-	1	4	4	6	11	23	
Diseases Ill-defined or Unknown - - - - -	5	3	-	1	-	-	-	-	-	-	-	4	3	
Total - - - - -	71	62	6	4	2	3	5	5	10	12	13	32	41	

YEAR 1912.

Population—Census 1901, - - - 6,164.

COUNTY—Argyll.

Do. 1911, - - - 5,399.

Do. estimated to middle of 1912, 5,221.

PUBLIC HEALTH DISTRICT—Mull (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	88	1	3	90	46	44
Illegitimate Births -	3	0	1	4	2	2
Marriages - - -	9	0	-	-	-	-
Deaths - - -	105	0	7	112	48	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	17.2	-
Marriage-rate - - - - -	1.7	-	-
Death-rate—All Causes - - - - -	20.1	21.5	15.4
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	4	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	7	-	-	-	-	-	1	-	2	5	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	10	-	-	-	-	-	2	-	3	3	8	-	
Bronchitis - - - - -	3	7	-	-	-	-	1	-	-	2	2	5	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	4	-	-	-	1	-	-	1	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	1	1	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	22	1	2	-	-	-	1	-	8	8	25	-	
Diseases Ill-defined or Unknown - - - - -	3	5	1	-	-	-	1	1	2	1	1	1	-	
Total - - - - -	48	64	4	5	1	5	4	8	4	16	21	44	-	

YEAR 1912.

Population—Census 1901, - - - 6,077.

COUNTY—Ayr.

Do. Do. 1911, - - - 5,760.

PUBLIC HEALTH DISTRICT—Ardrossan (Burgh).

Do. estimated to middle of 1912, 5,632.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	0	2	129	77	52
Illegitimate Births - -	4	0	0	4	3	1
Marriages - - -	42	-	-	-	-	-
Deaths - - -	80	4	8	84	43	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.6	22.9	-
Marriage-rate - - - - -	7.5	-	-
Death-rate—All Causes - - - - -	14.2	14.9	15.7
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	1	1	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	-	1	4	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	1	-	-	-	-	-	-	2	-	2	2	1	-	-
Bronchitis - - - - -	1	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	4	6	1	3	-	-	1	-	1	2	-	-	-	2	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	6	3	9	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	-	1	-	-	-	1	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	11	1	1	1	-	-	1	-	1	2	8	8	-	-
Diseases Ill-defined or Unknown - - - - -	4	2	1	-	-	-	-	-	1	-	1	1	2	-	-
Total - - - - -	43	41	15	5	1	2	5	8	5	5	9	14	15	-	-

YEAR 1912.

Population—Census 1901, - - - 28,697.

COUNTY—Ayr.

Do. Do 1911, - - - 32,986.

Do. estimated to middle of 1912, 33,560.

PUBLIC HEALTH DISTRICT—Ayr (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	911	16	12	907	436	471
Illegitimate Births -	84	3	5	86	39	47
Marriages - - -	240	-	-	-	-	-
Deaths - - -	547	73	20	494	224	270

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	27.1	27.0	-
Marriage-rate - - -	7.2	-	-
Death-rate—All Causes - - -	16.3	14.7	14.9
Do. —Phthisis - - -	-	1.0	-
Do. —All Tuberculosis - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	2	6	2	6	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	14	12	12	13	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	18	14	-	1	-	1	9	10	4	3	3	1	-	-	-	-
Tuberculous Meningitis - - -	5	5	2	3	3	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	4	-	1	-	2	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	2	2	1	-	-	-	1	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - -	14	31	-	-	-	-	-	1	1	7	11	17	8	-	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	3	6	3	1	3	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	18	23	1	-	1	-	1	1	5	2	9	10	11	-	-	-
Bronchitis - - -	7	11	3	1	-	-	-	1	-	1	3	5	4	-	-	-
Pneumonia (all forms) - - -	13	23	15	11	1	-	2	1	1	2	-	1	2	-	-	-
Other Diseases of Respiratory Organs - - -	2	4	-	-	-	-	-	-	-	-	1	1	4	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	2	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	3	5	1	-	2	-	-	-	2	1	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	13	15	-	-	-	-	1	2	3	2	10	4	6	-	-	-
Puerperal Sepsis - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	13	11	22	1	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	19	3	2	2	3	-	-	3	3	3	3	3	-	-	-	-
Suicide - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	64	70	14	4	1	-	5	4	8	11	18	33	36	-	-	-
Diseases Ill-defined or Unknown - - -	6	8	3	1	-	-	-	2	1	1	2	-	4	-	-	-
Total - - -	224	270	85	52	19	6	24	27	30	36	61	78	76	-	-	-

YEAR 1912.

Population—Census 1901, 3,088.

COUNTY—**Ayr**.

Do. 1911, 3,417.

Do. estimated to middle of 1912, 3,405.

PUBLIC HEALTH DISTRICT—**Cumnock and Holmhead** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	2	0	97	54	43
Illegitimate Births -	10	2	0	8	6	2
Marriages - - -	33	-	-	-	-	-
Deaths - - -	45	3	9	51	29	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.1	28.5	-
Marriage-rate - - - - -	9.7	-	-
Death-rate—All Causes - - - - -	13.2	15.0	13.8
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	-	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	2	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	1	-	-	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	6	1	3	1	-	-	-	-	-	1	-	-	2	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	8	-	-	-	-	-	-	2	1	4	6	6	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	29	22	7	7	1	-	-	3	4	3	7	8	11	

YEAR 1912.

Population—Census 1901, - - - 3,070.

COUNTY—Ayr.

Do. 1911, - - - 3,590.

Do. estimated to middle of 1912, 3,599.

PUBLIC HEALTH DISTRICT—Darvel (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	0	1	79	39	40
Illegitimate Births - -	3	0	1	4	3	1
Marriages - - -	32	-	-	-	-	-
Deaths - - -	27	0	4	31	10	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21.7	22.0	-
Marriage-rate - - -	8.9	-	-
Death-rate—All Causes - - -	7.5	8.6	9.6
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	0.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	2	-	4	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	1	-	1	1	-	1	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	7	-	-	-	1	-	1	-	3	3	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	21	-	4	-	3	-	2	3	4	10	5	-	

YEAR 1912.

Population—Census 1901, - - - 4,876.

COUNTY—Ayr.

Do. - - - 1911, - - - 5,296.

Do. estimated to middle of 1912, 5,266.

PUBLIC HEALTH DISTRICT—**Galston** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	142	2	3	143	75	68
Illegitimate Births - -	5	1	1	5	3	2
Marriages - - -	43	-	-	-	-	-
Deaths - - -	69	2	5	72	43	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.0	27.2	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - -	13.1	13.7	15.1
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - -	-	0.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	1	1	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Organic Heart Disease - - - -	4	4	-	-	1	1	1	1	-	-	2	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	4	1	1	3	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	3	5	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	2	-	-	1	-	1	1	-	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	16	8	5	-	-	1	-	1	1	2	3	6	5	
Diseases Ill-defined or Unknown - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Total - - - - -	43	29	17	7	2	3	4	4	4	6	9	11	5	

YEAR 1912.

Population—Census 1901, 4,024.

COUNTY—Ayr.

Do. Do. 1911, 4,473.

Do. estimated to middle of 1912, 4,459.

PUBLIC HEALTH DISTRICT—Girvan (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	6	4	85	46	39
Illegitimate Births -	6	1	2	7	4	3
Marriages - - -	26	-	-	-	-	-
Deaths - - -	64	7	3	60	28	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.5	19.1	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	14.4	13.5	11.8
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.2.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	1	2	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	2	2	1	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	1	3	-	
Pneumonia (all forms) - - - - -	3	1	2	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	1	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	9	8	-	-	-	-	1	1	-	-	7	8	-	
Diseases Ill-defined or Unknown - - - - -	1	6	-	-	-	-	-	-	-	2	3	2	-	
Total - - - - -	28	32	7	1	1	-	1	4	3	5	8	16	14	

YEAR 1912

Population—Census 1901, - - - 9,618.

COUNTY—Ayr.

Do. Do. 1911, - - - 10,179.

Do. estimated to middle of 1912, 10,091.

PUBLIC HEALTH DISTRICT—Irvine (Bürgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	312	5	3	310	151	159
Illegitimate Births -	31	4	0	27	16	11
Marriages - - -	78	-	-	-	-	-
Deaths - - -	132	0	14	146	67	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.9	30.7	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - - - -	13.1	14.5	14.7
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	5	-	-	-	-	2	2	4	2	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	5	-	1	-	-	-	-	1	2	2	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	3	1	-	-	-	1	1	2	2	2	2	2	-	-	-
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Pneumonia (all forms) - - - - -	3	6	-	3	-	1	-	1	-	1	-	3	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	2	2	1	-	-	-	-	2	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	9	5	14	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	3	-	1	-	1	-	1	1	1	1	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	31	2	1	3	-	2	1	4	4	5	16	13	-	-	-
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	1	-	-	1	-	2	-	-	-	-
Total - - - - -	67	79	25	12	6	2	7	8	14	14	13	28	17	-	-	-

YEAR 1912.

Population—Census 1901, - - - 34,165.

COUNTY—Ayr.

Do. Do. 1911, - - - 34,728.

Do. estimated to middle of 1912, 34,609.

PUBLIC HEALTH DISTRICT—**Kilmarnock** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	869	9	12	872	478	394
Illegitimate Births -	52	2	7	57	30	27
Marriages - - -	288	-	-	-	-	-
Deaths - - -	542	52	44	534	266	268

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.1	25.2	-
Marriage-rate - - -	8.3	-	-
Death-rate—All Causes - - -	15.7	15.4	16.7
Do. —Phthisis - - -	-	1.0	-
Do. —All Tuberculosis - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12.5.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	14	15	10	17	1	-	1	-	-	-	-	-	-	
*Scarlet Fever - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	7	4	5	6	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	2	-	1	-	-	-	1	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	15	19	-	-	4	-	12	5	5	4	3	1	-	
Tuberculous Meningitis - - -	4	4	1	2	2	-	1	1	1	-	-	-	-	
Abdominal Tuberculosis - - -	6	2	1	2	2	1	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	5	5	-	2	1	-	4	2	1	-	-	-	-	
Cancer, Malignant Disease - - -	13	26	-	-	-	-	-	1	9	9	6	11	3	
Rheumatic Fever - - -	2	3	-	-	-	1	1	-	2	-	1	-	-	
Meningitis - - -	2	3	1	2	-	-	-	-	-	1	1	-	-	
Organic Heart Disease - - -	11	19	-	-	-	1	-	1	1	3	7	10	7	
Bronchitis - - -	21	16	5	5	-	-	-	-	2	3	7	12	3	
Pneumonia (all forms) - - -	27	16	17	7	1	1	1	1	1	-	3	4	7	
Other Diseases of Respiratory Organs - - -	5	1	2	1	-	-	-	-	-	2	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - -	12	6	18	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	3	1	-	-	1	-	2	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System (under 2 years) - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	8	10	-	-	1	2	-	1	-	2	6	5	1	
Puerperal Sepsis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	4	-	-	-	-	1	3	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	15	16	31	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	11	4	-	3	1	-	3	-	2	4	1	1	-	
Suicide - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Other Defined Diseases - - -	-	77	9	5	2	1	6	3	6	9	24	31	51	
Diseases Ill-defined or Unknown - - -	9	10	5	1	-	-	-	-	-	7	2	2	2	
Total - - -	266	268	109	56	16	7	34	20	31	46	61	79	75	

YEAR 1912.

Population—Census 1901, - - - 4,566.

COUNTY—Ayr.

Do. Do. 1911, - - - 4,945.

Do. estimated to middle of 1912, 4,915.

PUBLIC HEALTH DISTRICT—Kilwinning (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	157	3	6	160	83	77
Illegitimate Births -	4	0	3	7	3	4
Marriages - - -	45	-	-	-	-	-
Deaths - - -	63	4	9	68	32	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	31.9	32.6	-
Marriage-rate - - -	9.2	-	-
Death-rate—All Causes - - -	12.8	13.8	14.3
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	1	1	-	-	-	-	
Tuberculous Meningitis - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - -	-	6	-	-	-	-	-	-	-	-	4	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	6	-	-	-	-	1	-	1	3	1	2	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Pneumonia (all forms) - - -	4	3	2	-	-	-	-	-	1	-	1	3	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	1	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	2	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	10	1	1	-	-	-	1	-	1	1	3	9	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	32	36	11	6	-	1	2	6	4	5	8	13	12	

YEAR 1912.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Largs (Burgh).

Population—Census 1901, - - - 3,344.

Do. Do. 1911, - - - 3,724.

Do. estimated to middle of 1912, 3,713.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	2	0	44	27	17
Illegitimate Births -	4	1	0	3	3	0
Marriages - - -	19	-	-	-	-	-
Deaths - - -	53	5	10	58	24	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.4	11.9	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - -	14.3	15.6	13.5
Do. —Phthisis - - - - -	-	2.2	-
Do. —All Tuberculosis - - -	-	2.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—23.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - *	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	-	-	3	3	2	-	-	-	-	
Tuberculous Meningitis - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	4	-	-	-	-	-	2	-	-	2	3	-	
Rheumatic Fever - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	1	3	2	-	
Bronchitis - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - -	1	4	-	1	-	-	2	-	-	1	-	1	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	12	-	-	-	-	-	-	2	5	5	7	-	
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Total - - - - -	24	34	1	1	1	-	1	5	6	5	11	11	16	

YEAR 1912.

Population—Census 1901, - - - 5,892.

COUNTY—Ayr.

Do. Do. 1911, - - - 4,889.

Do. estimated to middle of 1912, 4,691.

PUBLIC HEALTH DISTRICT—Maybole (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	3	5	125	63	62
Illegitimate Births - -	18	0	0	18	9	9
Marriages - - -	16	-	-	-	-	-
Deaths - - -	91	4	6	93	45	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.2	26.6	-
Marriage-rate - - - - -	3.4	-	-
Death-rate—All Causes - - - - -	19.4	19.8	19.2
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	3.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	2	-	-	-	2	2	3	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	3	-	2	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	-	-	1	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	7	-	-	-	-	-	2	1	2	4	5	-	
Bronchitis - - - - -	3	2	2	-	-	-	-	-	1	-	1	1	-	
Pneumonia (all forms) - - - - -	3	2	-	1	-	1	-	1	1	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	3	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	1	1	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	17	-	1	1	-	-	-	-	1	2	8	12	
Diseases Ill-defined or Unknown - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	45	48	11	10	3	2	5	3	11	6	7	16	19	

YEAR 1912.

Population—Census 1901, - - - 4,467.

COUNTY—Ayr.

Do. Do. 1911, - - - 4,806.

Do. estimated to middle of 1912, 4,773.

PUBLIC HEALTH DISTRICT—Newmilns and Greenholm (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	85	1	0	84	47	37
Illegitimate Births -	4	0	0	4	3	1
Marriages - - -	44	-	-	-	-	-
Deaths - - -	52	0	5	57	29	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.8	17.6	-
Marriage-rate - - - - -	9.2	-	-
Death-rate—All Causes - - - - -	10.9	11.9	12.6
Do. —Phthisis - - - - -	-	1.9	-
Do. —All Tuberculosis - - - - -	-	2.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	4	-	-	-	-	1	5	1	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	1	-	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	3	-	-	-	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	3	1	3	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	3	-	1	1	-	-	1	-	-	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Defined Diseases - - - - -	9	10	1	-	-	-	1	1	-	3	1	6	6	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	29	28	7	3	1	-	3	7	3	10	4	9	10	

YEAR 1912.

Population—Census 1901, : : : 3,211.

Do, 1911, : : : 4,879.

Do, estimated to middle of 1912, - 5,010.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Prestwick (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	92	4	2	90	44	46
Illegitimate Births - -	6	2	0	4	1	3
Marriages - - -	25	-	-	-	-	-
Deaths - - -	64	7	7	64	21	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.4	18.0	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - -	12.8	12.8	12.2
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	3	-	-	-	-	-	-	1	1	1	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	1	1
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - - - -	3	3	1	-	-	-	-	-	-	1	2	2	2	2	2
Other Diseases of Respiratory Organs -	2	3	-	1	-	-	-	2	1	-	-	-	1	-	-
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	1	-	-	1	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	14	1	-	-	-	-	2	1	2	4	9	9	9	9
Diseases Ill-defined or Unknown - -	-	5	-	1	-	-	-	1	-	2	-	-	-	-	-
Total - - - - -	21	43	9	4	-	-	1	4	6	4	8	12	16	16	16

YEAR 1912.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Saltcoats (Burgh).

Population—Census 1901, - - - 8,120.

Do. Do. 1911, - - - 8,585.

Do. estimated to middle of 1912, 8,511.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	240	5	4	239	122	117
Illegitimate Births -	11	1	3	13	4	9
Marriages - - -	63	-	-	-	-	-
Deaths - - -	128	6	24	146	65	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.2	28.1	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	15.0	17.2	16.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	1	1	-	-	-	-	-	-	-	1	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	-	1	2	3	3	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	10	-	-	-	-	-	-	1	2	6	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	11	-	-	-	-	-	-	2	4	7	4	5	
Bronchitis - - - - -	1	3	1	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	3	6	3	4	-	1	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	2	-	-	-	-	-	-	2	1	2	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	5	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	3	-	2	-	1	1	1	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	23	4	2	-	-	2	2	1	4	3	6	17	
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	65	81	21	16	5	2	7	6	11	12	20	13	33	

YEAR 1912.

Population—Census 1901, - - - 2,919.

COUNTY—Ayr.

Do. Do. 1911, - - - 2,841.

Do. estimated to middle of 1912, 2,787.

PUBLIC HEALTH DISTRICT—Stewarton (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	71	0	0	71	33	38
Illegitimate Births -	13	0	0	13	5	8
Marriages - - -	25	-	-	-	-	-
Deaths - - -	46	0	6	52	26	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.5	25.5	-
Marriage-rate - - -	9.0	-	-
Death-rate—All Causes - - -	16.5	18.7	17.8
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	0.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	6	6	-	-	1	-	1	-	-	-	6	3	1	
Bronchitis - - -	1	3	-	1	1	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	3	3	3	-	-	1	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	9	-	-	1	-	-	1	2	2	6	6	6	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	26	26	8	2	2	1	2	-	2	3	10	12	10	

YEAR 1912.

Population—Census 1901, - - - 4,764.

COUNTY—Ayr.

Do. Do. 1911, - - - 6,628.

Do. estimated to middle of 1912, 6,755.

PUBLIC HEALTH DISTRICT—Troon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	153	1	6	158	74	84
Illegitimate Births - -	5	0	2	7	4	3
Marriages - - -	44	-	-	-	-	-
Deaths - - -	69	4	17	82	34	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·7	23·4	-
Marriage-rate - - - - -	6·5	-	-
Death-rate—All Causes - - - - -	10·2	12·1	13·1
Do. —Phthisis - - - - -	-	0·4	-
Do. —All Tuberculosis - - - - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—146.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	3	2	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	1	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	5	-	-	-	-	-	2	1	3	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	1	-	-	-	-	1	2	-	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Pneumonia (all forms) - - - - -	4	7	4	3	-	-	-	-	1	-	2	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	1	-	1	-	-	1	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	1	1	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	14	3	-	2	1	-	1	-	2	1	3	6	
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Total - - - - -	34	48	23	6	4	3	3	4	5	5	10	8	11	

YEAR 1912.

Population—Census 1901, - - - 39,260.

Do. Do. 1911, - - - 42,233.

COUNTY—Ayr.

Do. estimated to middle of 1912, - 41,947.

PUBLIC HEALTH DISTRICT—Ayr (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1316	15	12	1313	660	653
Illegitimate Births - -	110	6	7	111	51	60
Deaths - - -	229	-	-	-	-	-
Marriages - - -	530	55	63	538	275	263

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.4	31.3	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - -	12.6	12.8	13.2
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	17	10	7	19	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	7	19	13	13	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1
Phthisis. Pulmonary Tuberculosis -	7	17	-	-	-	2	3	8	6	2	3	-	-	-	-
Tuberculous Meningitis - - -	2	5	1	4	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	4	-	2	2	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	3	3	-	-	1	-	-	1	1	1	1	1	1	-	-
Cancer, Malignant Disease - - -	12	19	-	-	-	-	-	1	1	4	11	11	3	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	4	5	2	3	1	2	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	22	22	2	-	-	1	4	4	1	3	10	8	11	-	-
Bronchitis - - - - -	26	8	8	2	-	-	-	-	1	2	7	8	6	-	-
Pneumonia (all forms) - - -	23	14	16	7	-	2	-	1	2	4	4	1	-	-	-
Other Diseases of Respiratory Organs	6	5	1	3	1	-	-	-	1	2	2	-	-	-	1
*Diarrhoea and Enteritis (under 2 years)	6	7	10	3	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	5	2	-	-	-	4	2	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	6	-	5	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	10	3	1	-	-	-	-	-	4	3	3	-	2	-	-
Puerperal Sepsis - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	8	-	-	-	-	1	3	4	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	24	19	42	-	-	-	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide -	23	7	1	5	5	2	3	3	2	7	1	-	1	-	1
Suicide - - - - -	1	2	-	-	-	-	-	1	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	58	66	8	3	4	-	4	5	15	9	13	30	33	-	2
Diseases Ill-defined or Unknown - -	6	6	1	1	-	-	-	-	1	4	-	3	2	-	-
Total - - - - -	275	263	122	68	16	14	20	31	41	42	57	66	61	-	-

YEAR 1912.

Population—Census 1901, - - - 12,570.

COUNTY—Ayr.

Do. Do. 1911, - - - 12,996.

Do. estimated to middle of 1912, 12,849.

PUBLIC HEALTH DISTRICT—Carrick (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	332	7	10	335	192	143
Illegitimate Births - -	32	2	2	32	17	15
Marriages - - -	64	-	-	-	-	-
Deaths - - -	147	2	18	163	81	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.8	26.1	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	11.4	12.7	12.1
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	1	3	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	6	-	1	-	6	3	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	-	1	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	12	-	-	-	-	1	1	4	3	6	4	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	8	-	2	2	-	-	2	-	4	3	3	-	
Bronchitis - - - - -	5	5	2	-	-	1	-	-	1	1	-	5	-	
Pneumonia (all forms) - - - - -	5	4	1	3	-	-	1	1	-	1	2	-	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	1	-	1	2	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	5	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	3	1	-	1	2	2	1	1	-	2	-	-	
Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	25	1	1	-	1	-	3	5	3	9	18	-	
Diseases Ill-defined or Unknown - - - - -	10	3	1	1	-	-	-	2	2	1	4	2	-	
Total - - - - -	81	82	17	10	5	4	14	11	11	15	14	27	35	

YEAR 1912.

Population—Census 1901, - - - 24,397.

Do. Do. 1911, - - - 23,979.

Do. estimated to middle of 1912, 23,558.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	608	11	11	608	320	288
Illegitimate Births -	29	3	4	30	15	15
Marriages - - -	127	-	-	-	-	-
Deaths - - -	287	9	32	310	156	154

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·8	25·8	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - - - -	12·2	13·2	13·5
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - - - - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	5	2	5	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	11	10	4	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	13	1	1	-	1	6	4	4	1	1	-	-	
Tuberculous Meningitis - - - - -	3	3	1	2	-	1	1	-	-	-	-	1	-	
Abdominal Tuberculosis - - - - -	-	3	1	-	-	1	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	10	-	-	-	-	-	3	1	3	4	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	14	16	1	-	1	-	-	2	1	4	5	9	7	
Bronchitis - - - - -	14	6	2	1	-	-	-	-	-	4	2	6	5	
Pneumonia (all forms) - - - - -	13	5	6	3	-	-	-	-	1	-	4	1	3	
Other Diseases of Respiratory Organs - - - - -	5	4	-	-	-	-	-	-	-	2	5	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	8	5	11	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	1	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	6	6	-	-	-	-	-	1	1	1	3	3	3	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	2	-	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	9	19	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	11	2	1	1	4	-	-	1	1	2	1	2	-	
Suicide - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - - - -	33	40	4	1	-	1	1	2	2	6	13	18	25	
Diseases Ill-defined or Unknown - - - - -	5	4	2	-	-	-	-	-	-	1	-	5	1	
Total - - - - -	156	154	64	24	10	7	14	14	15	26	38	51	47	

YEAR 1912.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Northern Ayr (County District).

Population—Census 1901, - - - 47,343.

Do. Do. 1911, - - - 47,403.

Do. estimated to middle of 1912, 46,679.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1189	15	24	1198	598	600
Illegitimate Births - -	88	8	9	89	36	53
Marriages - - -	293	-	-	-	-	-
Deaths - - -	664	64	50	650	321	329

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.5	25.7	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	14.2	13.9	14.0
Do. —Phthisis - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	6	9	5	10	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
*Whooping-cough - -	7	14	8	12	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Erysipelas - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis -	22	21	-	1	1	15	7	11	4	4	-	-	-	
Tuberculous Meningitis - -	3	2	-	2	2	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	1	6	1	2	1	1	-	-	1	-	-	-	-	
Other Tuberculous Diseases - -	4	4	-	1	-	1	1	3	1	-	1	-	-	
Cancer, Malignant Disease - -	16	28	-	1	-	-	2	5	7	12	12	5	-	
Rheumatic Fever - - -	3	2	-	-	-	-	2	1	1	-	-	-	-	
Meningitis - - -	5	1	2	2	2	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	30	24	-	-	-	-	6	3	12	12	16	5	-	
Bronchitis - - -	29	22	10	3	1	1	-	-	2	10	14	10	-	
Pneumonia (all forms) - -	28	13	8	10	-	3	4	4	1	4	1	6	-	
Other Diseases of Respiratory Organs -	11	5	3	2	-	-	-	-	2	1	3	5	-	
*Diarrhoea and Enteritis (under 2 years) -	10	8	17	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	4	1	1	-	-	1	3	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	4	-	-	-	-	-	-	-	3	3	-	-	
Other Diseases of Digestive System (under 2 years) -	1	4	5	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	10	10	-	-	1	-	1	5	6	4	3	-	-	
Puerperal Sepsis - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	19	18	37	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	19	6	-	2	-	1	4	5	4	4	2	2	1	
Suicide - - -	3	-	-	-	-	-	-	1	1	1	-	-	-	
Other Defined Diseases - - -	65	103	12	5	4	4	5	3	7	17	19	32	6	
Diseases Ill-defined or Unknown -	19	13	1	-	2	1	1	1	1	3	6	10	6	
Total - - -	321	329	110	54	19	11	36	34	49	62	78	97	100	

YEAR 1912.

Population—Census 1901, - - - 1,141.

COUNTY—**Banff.**

Do. Do. 1911, - - - 1,048.

Do. estimated to middle of 1912, 1,021.

PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	0	0	38	19	19
Illegitimate Births -	10	0	0	10	8	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	22	0	3	25	14	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	37.2	37.2	-
Marriage-rate - - - - -	7.8	-	-
Death-rate—All Causes - - - - -	21.5	24.5	18.8
Do. —Phthisis - - - - -	-	5.9	-
Do. —All Tuberculosis - - - - -	-	5.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26.3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	2	-	1	1	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	3	1	-	-	1	-	1	-	-	2	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	11	2	1	-	2	2	1	1	1	4	4	7	

YEAR 1912.

Population—Census 1901, - - - 3,732.

COUNTY—**Banff**.

Do. Do. 1911, - - - 3,821.

Do. estimated to middle of 1912, 3,773.

PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	8	2	83	39	44
Illegitimate Births -	14	5	1	10	4	6
Marriages - - -	32	-	-	-	-	-
Deaths - - -	59	17	6	48	18	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	22·0	-
Marriage-rate - - - - -	8·5	-	-
Death-rate—All Causes - - - - -	15·6	12·7	11·0
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - - - - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·0.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	1	1	1	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	-	2	1	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	4	-	-	-	-	-	-	-	1	2	-	4	
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	3	-	-	1	-	-	1	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	10	1	-	-	1	-	1	1	1	2	3	3	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	18	30	6	1	-	2	4	2	2	5	6	8	12	

YEAR 1912.

Population—Census 1901, - - - 7,483.

Do. Do. 1911, - - - 8,897.

Do. estimated to middle of 1912, 8,933.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	262	5	6	263	131	132
Illegitimate Births -	22	0	0	22	12	10
Marriages - - -	52	-	-	-	-	-
Deaths - - -	139	0	9	148	74	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.3	29.4	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	15.6	16.6	16.4
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—160.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	7	6	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	5	-	-	-	6	2	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	1	-	1	2	-	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	4	-	-	-	-	-	-	2	2	1	2	2	
Bronchitis - - - - -	6	6	4	1	-	1	2	-	-	1	2	1	1	
Pneumonia (all forms) - - - - -	6	7	7	3	-	1	1	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	3	1	-	1	-	-	-	-	-	-	2	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	1	-	1	-	1	1	
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	7	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	2	-	-	1	2	-	-	3	1	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	17	21	2	1	-	2	-	4	1	5	9	14	14	
Diseases Ill-defined or Unknown - - - - -	3	2	1	-	-	-	-	-	-	1	3	-	-	
Total - - - - -	74	74	42	12	2	3	13	5	11	9	11	18	22	

YEAR 1912.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour (Burgh).**

Population—Census 1901, - - - 1,176.

Do. Do. 1911, - - - 1,272.

Do. estimated to middle of 1912, 1,264.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	1	1	18	9	9
Illegitimate Births -	2	0	1	3	1	2
Marriages - - -	1	-	-	-	-	-
Deaths - - -	19	2	1	18	12	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14.2	14.2	-
Marriage-rate - - -	0.8	-	-
Death-rate—All Causes - - -	15.0	14.2	15.3
Do. —Phthisis - - -	-	1.6	-
Do. —All Tuberculosis - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	3	-	1	-	-	-	-	-	-	1	2	2	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	1	-	-	-	-	-	-	-	-	-	-	5	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	12	6	2	-	1	1	1	-	-	1	1	2	9	

YEAR 1912.

Population—Census 1901, - - - 1,936.

COUNTY—**Banff.**

Do. Do. 1911, - - - 1,992.

Do. estimated to middle of 1912, 1,968.

PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	0	3	53	25	28
Illegitimate Births -	2	0	3	5	2	3
Marriages - - -	13	-	-	-	-	-
Deaths - - -	42	1	5	46	24	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.4	26.9	-
Marriage-rate - - -	6.6	-	-
Death-rate—All Causes - - -	21.3	23.4	19.7
Do. —Phthisis - - -	-	2.0	-
Do. —All Tuberculosis - - -	-	2.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—151.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	4	-	-	1	2	1	-	-	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	5	1	-	-	-	1	-	-	2	2	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Bronchitis - - - - -	2	5	1	-	-	-	-	1	-	-	-	2	3	
Pneumonia (all forms) - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	2	6	-	-	-	-	1	1	-	2	2	2	2	
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Total - - - - -	24	22	8	2	1	1	3	1	5	3	4	8	10	

YEAR 1912.

Population—Census 1901, - - - 1,823.

COUNTY—**Banff.**

Do. 1911, - - - 1,626.

Do. estimated to middle of 1912, 1,576.

PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	29	1	0	28	10	18
Illegitimate Births - -	6	1	0	5	3	2
Marriages - - -	14	-	-	-	-	-
Deaths - - -	27	1	2	28	10	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.4	17.8	-
Marriage-rate - - - - -	8.9	-	-
Death-rate—All Causes - - - - -	17.1	17.8	13.1
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	5	-	-	-	-	-	-	1	1	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	3	1	-	1	-	-	-	-	-	1	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	4	-	-	-	-	-	-	-	1	1	-	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	18	2	2	-	-	-	1	1	5	2	5	10	

YEAR 1912.

Population—Census 1901, - - - 4,753.

COUNTY—**Banff**.

Do. Do. 1911, - - - 4,499.

Do. estimated to middle of 1912, 4,399.

PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	102	3	2	101	56	45
Illegitimate Births -	13	2	2	13	9	4
Marriages - - -	38	-	-	-	-	-
Deaths - - -	86	3	3	86	48	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.2	23.0	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	19.5	19.5	16.5
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—228.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	8	2	6	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	-	1	3	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - -	2	6	-	-	-	-	-	1	-	1	2	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	6	7	-	-	-	1	-	-	1	-	3	4	4	
Bronchitis - - - - -	5	2	4	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	4	2	5	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	11	7	3	1	-	-	-	-	3	-	4	2	5	
Diseases Ill-defined or Unknown - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Total - - - - -	48	38	23	7	-	1	1	6	5	5	11	14	13	

YEAR 1912.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

Population—Census 1901, . . . 3,429.
 Do. Do. 1911, . . . 3,411.
 Do. estimated to middle of 1912, 3,356.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	5	3	101	59	42
Illegitimate Births -	20	0	2	22	11	11
Marriages - - -	17	-	-	-	-	-
Deaths - - -	55	0	10	65	23	42

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.7	30.1	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	16.4	19.4	15.6
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
* Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Scarlet Fever - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
* Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
* Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	1	-	-	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	-	1	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	2	-	-	-	-	1	-	-	-	2	2	3	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	-	4	1	1	-	-	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
* Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	3	-	-	-	1	1	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	1	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	15	1	-	-	1	1	1	1	1	4	12	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	23	42	7	4	1	-	3	6	2	2	6	11	23	

YEAR 1912.

Population—Census 1901, - - - 1,878.

Do. Do. 1911, - - - 1,951.

Do. estimated to middle of 1912, 1,930.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	0	0	48	21	27
Illegitimate Births - -	10	0	0	10	5	5
Marriages - - -	12	-	-	-	-	-
Deaths - - -	42	2	3	43	25	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.9	24.9	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - -	21.8	22.3	17.8
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	3	-	-	-	-	-	-	-	-	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Bronchitis - - - - -	5	1	2	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	-	-	-	-	2	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	2	-	-	-	-	1	-	1	1	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	5	-	1	-	-	-	2	-	1	5	-	3	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	25	18	6	3	-	1	2	3	1	2	8	8	9	

YEAR 1912.

Population—Census 1901, - - - 20,392.

Do. Do. 1911, - - - 20,432.

Do. estimated to middle of 1912, 20,122.

COUNTY—**Banff**.PUBLIC HEALTH DISTRICT—**Banff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	534	9	8	533	272	261
Illegitimate Births - -	60	2	2	60	30	30
Marriages - - -	109	-	-	-	-	-
Deaths - - -	239	20	12	231	126	105

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.5	26.5	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - -	11.9	11.5	10.4
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	1	-	-	1	-	-	-	1	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	9	-	-	-	-	4	3	4	1	1	1	-	
Tuberculous Meningitis - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	1	1	1	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - -	3	-	1	-	-	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - -	10	7	-	-	-	-	-	-	-	4	4	5	4	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	19	8	-	-	-	1	-	-	1	3	2	11	9	
Bronchitis - - - - -	8	11	4	-	-	-	-	1	-	-	-	2	12	
Pneumonia (all forms) - - -	13	8	6	5	1	-	-	1	-	-	1	3	4	
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	-	-	-	2	1	
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	2	1	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	4	1	-	-	-	-	1	-	1	1	1	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	11	6	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	3	1	1	-	-	1	-	-	-	-	2	2	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Defined Diseases - - -	26	31	4	3	1	-	1	-	5	4	6	8	25	
Diseases Ill-defined or Unknown -	6	3	3	1	-	-	-	-	-	1	-	3	1	
Total - - - - -	126	105	44	15	5	2	11	7	13	15	15	40	64	

YEAR 1912.

Population—Census 1901, - - - 13,745.

Do. Do. 1911, - - - 12,453.

Do. estimated to middle of 1912, 12,103.

COUNTY—**Banff**.PUBLIC HEALTH DISTRICT—**Keith** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	268	2	10	276	141	135
Illegitimate Births -	37	1	7	43	16	27
Marriages - - -	45	-	-	-	-	-
Deaths - - -	169	0	10	179	94	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.1	22.8	-
Marriage-rate - - -	3.7	-	-
Death-rate—All Causes - - -	14.0	14.8	12.4
Do. —Phthisis - - -	-	1.2	-
Do. —All Tuberculosis - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	-	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	9	-	-	-	5	1	2	3	3	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	2	-	-	-	-	-	-	3	4	1	4	-	
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	14	15	-	-	-	-	-	-	5	5	6	13	-	
Bronchitis - - - - -	5	5	3	1	-	-	-	-	-	-	1	5	-	
Pneumonia (all forms) - - - - -	8	6	2	2	-	-	-	1	2	3	2	2	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	2	6	8	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	3	-	1	-	-	-	1	1	1	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	8	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	4	1	-	-	1	-	1	-	-	1	2	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-	
Other Defined Diseases - - - - -	26	20	2	2	-	2	3	1	1	3	4	28	-	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	94	85	32	4	7	2	9	5	8	18	20	17	57	

YEAR 1912.

Population—Census 1901, - - - 1,482.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 1,375.

Do. estimated to middle of 1912, 1,340.

PUBLIC HEALTH DISTRICT—**Coldstream** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	28	1	1	29	13	16
Illegitimate Births -	3	0	1	4	1	3
Marriages - - -	7	-	-	-	-	-
Deaths - - -	25	1	2	26	12	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.9	21.6	-
Marriage-rate - - -	5.2	-	-
Death-rate—All Causes - - -	18.7	19.4	15.8
Do. —Phthisis - - -	-	0.7	-
Do. —All Tuberculosis - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	1	-	1	-	-	-	2	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	2	2	1	-	-	-	1	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	-	-	1	-	-	2	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	5	-	-	-	-	-	-	-	1	1	2	2	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - -	12	14	2	-	-	-	2	-	3	2	2	5	10	

YEAR 1912.

Population—Census 1901, - - - 2,206.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 2,069.

Do. estimated to middle of 1912, 2,020.

PUBLIC HEALTH DISTRICT—**Duns (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	1	1	27	13	14
Illegitimate Births -	4	0	1	5	3	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	43	0	0	43	19	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.4	13.4	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	21.3	21.3	17.3
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—148.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	-	-	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	5	1	-	-	-	-	-	-	-	1	3	3	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	-	-	4	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	8	-	-	-	-	-	-	-	1	-	-	13	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	24	4	-	-	-	1	-	1	4	3	12	18	

YEAR 1912.

Population—Census 1901, - - - 2,389.

Do. Do. 1911, - - - 2,453.

Do. estimated to middle of 1912, 2,424.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Eyemouth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	0	2	72	48	24
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - -	20	-	-	-	-	-
Deaths - - -	33	1	3	35	13	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.9	29.7	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - -	13.6	14.4	14.1
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	-	-
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs -	-	3	-	1	-	-	-	-	1	1	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	4	6	1	-	-	-	-	2	-	-	2	2	3	-	-
Diseases ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	13	22	7	1	-	-	1	4	4	1	5	7	5	-	-

YEAR 1912.

Population—Census 1901, - - - 724.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 659.

PUBLIC HEALTH DISTRICT—**Lauder (Burgh).**

Do. estimated to middle of 1912, 640.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	0	0	12	6	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	8	0	2	10	6	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·7	18·7	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	12·5	15·6	12·4
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - - - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	1	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	4	-	-	-	-	-	1	1	-	1	6	1	

YEAR 1912.

Population—Census 1901, - - - 9,364.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 9,017.

PUBLIC HEALTH DISTRICT—**East Berwick** (County District).

Do. estimated to middle of 1912, 8,835.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	172	2	8	178	94	84
Illegitimate Births -	16	0	0	16	7	9
Marriages - - -	53	-	-	-	-	-
Deaths - - -	121	3	4	122	58	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.5	20.1	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	13.7	13.8	12.1
Do. —Phthisis - - - - -	-	0.3	-
Do. —All Tuberculosis - - - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	1	-	-	2	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	-	-	2	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	-	1	2	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	13	1	-	-	-	-	1	1	-	4	8	4	
Bronchitis - - - - -	2	2	-	1	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	4	4	2	-	-	-	1	-	-	2	1	2	-	
Other Diseases of Respiratory Organs - - - - -	1	3	-	-	-	-	-	-	1	-	1	1	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	5	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	-	1	-	-	1	3	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	19	26	1	-	-	1	1	-	1	2	6	12	21	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	1	-	-	-	-	-	-	-	3	
Total - - - - -	58	64	20	1	1	1	5	3	5	8	20	27	31	

YEAR 1912.

Population—Census 1901, - - - 8,648.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 8,365.

PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

Do. estimated to middle of 1912, 8,202.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	152	4	9	157	76	81
Illegitimate Births -	20	0	1	21	13	8
Marriages - - -	45	-	-	-	-	-
Deaths - - -	106	1	11	116	52	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.5	19.1	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	12.9	14.1	12.6
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	1	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	3	-	-	-	1	5	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	1	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	1	1	2	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	10	-	-	-	-	-	-	-	6	4	8	-	
Bronchitis - - - - -	5	-	-	-	-	-	-	-	-	1	2	2	-	
Pneumonia (all forms) - - - - -	3	6	-	2	-	-	-	-	1	1	2	3	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	1	-	-	-	-	-	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	1	1	1	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	29	2	-	-	1	2	1	-	6	6	21	-	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	52	64	6	4	1	1	4	7	8	3	19	21	42	

YEAR 1912.

Population—Census 1901, - - - 6,011.

Do. 1911, - - - 5,705.

Do. estimated to middle of 1912, 5,579.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	3	3	107	54	53
Illegitimate Births -	12	0	2	14	8	6
Marriages - - -	28	-	-	-	-	-
Deaths - - -	61	1	5	65	30	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.2	19.2	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	10.9	11.7	10.7
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	-	1	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	9	-	-	-	-	-	-	-	2	2	8	4	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	4	-	-	-	-	-	-	-	1	1	2	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	13	2	-	-	1	1	1	1	1	-	9	10	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	30	35	7	-	-	1	3	1	2	6	4	22	19	

YEAR 1912.

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Millport (Burgh).**

Population—Census 1901, - - - 1,670.

Do. Do. 1911, - - - 1,614.

Do. estimated to middle of 1912, 1,582.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	1	0	19	9	10
Illegitimate Births -	2	0	0	2	0	2
Marriages - - -	2	-	-	-	-	-
Deaths - - -	26	3	3	26	14	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.6	12.0	-
Marriage-rate - - - - -	1.3	-	-
Death-rate—All Causes - - - - -	16.4	16.4	13.5
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	-	-	1	-	3	-		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	8	5	-	-	-	-	-	-	1	1	2	5	4		
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-		
Total - - - - -	14	12	-	-	-	-	-	1	1	3	2	13	6		

YEAR 1912.

Population—Census 1901, - - - 9,878.

COUNTY—Bute.

Do. 1911, - - - 9,289.

Do. estimated to middle of 1912, 9,146.

PUBLIC HEALTH DISTRICT—Rothsay (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	9	2	166	70	96
Illegitimate Births -	10	2	2	10	2	8
Marriages - - -	46	-	-	-	-	-
Deaths - - -	126	22	12	116	47	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.9	18.2	-
Marriage-rate - - -	5.0	-	-
Death-rate—All Causes - - -	13.8	12.7	11.4
Do. —Phthisis - - -	-	0.8	-
Do. —All Tuberculosis - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	3	-	-	-	2	-	2	2	-	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	-	1	-	-	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	1	11	-	-	-	-	1	-	1	3	6	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	11	-	1	1	1	1	-	3	1	2	6	2	
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	-	1	2	2	
Pneumonia (all forms) - - - - -	7	5	4	4	-	-	1	-	1	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	1	-	-	-	-	1	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	-	1	-	-	1	1	1	-	3	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	22	1	1	1	1	-	1	2	3	7	17	-	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	1	-	1	1	1	
Total - - - - -	47	69	13	10	2	5	2	4	4	12	8	20	36	

YEAR 1912.

Population—Census 1901, - - - 4,837.

Do. Do. 1911, - - - 4,628.

Do. estimated to middle of 1912, 4,531.

COUNTY—**Bute**.PUBLIC HEALTH DISTRICT—**Arran** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	2	2	58	26	32
Illegitimate Births -	1	0	1	2	0	2
Marriages - - -	13	-	-	-	-	-
Deaths - - -	59	4	2	57	26	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.8	12.8	-
Marriage-rate - - - - -	2.9	-	-
Death-rate—All Causes - - - - -	13.0	12.6	9.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	1	-	-	-	-	-	2	3	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	5	-	-	-	-	-	-	-	1	2	3	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	7	-	-	-	-	-	-	1	1	1	3	4	-	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	1	-	-	-	-	1	-	1	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	12	1	-	1	-	-	1	-	-	2	7	8	-	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	26	31	4	1	1	-	1	5	4	3	8	15	15	-	-

YEAR 1912.

COUNTY—Bute.

PUBLIC HEALTH DISTRICT—Bute (County District).

Population—Census 1901, - - - 2,803.

Do. Do. 1911, - - - 2,552.

Do. estimated to middle of 1912, 2,482.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	0	3	46	24	22
Illegitimate Births -	2	0	1	3	1	2
Marriages - - -	5	-	-	-	-	-
Deaths - - -	25	2	11	34	12	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.3	18.5	-
Marriage-rate - - -	2.0	-	-
Death-rate—All Causes - - -	10.1	13.7	11.9
Do. —Phthisis - - -	-	2.0	-
Do. —All Tuberculosis - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	5	1	2	2	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	3	-	-	-	1	3	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	1	-	2	2	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	7	-	-	-	-	1	1	1	1	3	5	-	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	12	22	2	2	2	-	1	5	1	3	1	9	8	

YEAR 1912.

Population—Census 1901, - - - 99.

COUNTY—**Bute.**

Do. Do. 1911, - - - 93.

Do. estimated to middle of 1912, 92.

PUBLIC HEALTH DISTRICT—**Cumbræ** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	0	2	1	1
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	0	-	-	-	-	-
Deaths - - -	0	0	1	1	0	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	-	-	-
Marriage-rate - - -	-	-	-
Death-rate—All Causes - - -	-	-	-
Do. —Phthisis - - -	-	-	-
Do. —All Tuberculosis - - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	

† The Population of this District is too small for the calculation of significant rates.

YEAR 1912.

COUNTY—**Caithness.**PUBLIC HEALTH DISTRICT.—**Thurso (Burgh).**

Population—Census 1901, - - - 3,723.
 Do. Do. 1911, - - - 3,335.
 Do. estimated to middle of 1912, 3,235.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	1	1	78	42	36
Illegitimate Births -	13	0	1	14	7	7
Marriages - - -	38	-	-	-	-	-
Deaths - - -	81	1	8	88	40	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.1	24.1	-
Marriage-rate - - - - -	11.7	-	-
Death-rate—All Causes - - - - -	25.0	27.2	21.4
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—167.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	2	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	1	2	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	1	-	-	-	1	-	2	
Bronchitis - - - - -	4	8	2	2	-	-	-	-	-	-	1	3	4	
Pneumonia (all forms) - - - - -	4	4	-	4	-	1	-	-	1	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	1	5	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	2	2	-	-	-	-	1	3	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	19	-	1	-	1	-	-	-	-	-	8	15	
Diseases ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	1	-	-	-	3	
Total - - - - -	40	48	13	11	1	3	4	2	5	3	6	14	26	

YEAR 1912.

Population—Census 1901, - - - 8,199.

Do. Do. 1911, - - - 9,086.

Do. estimated to middle of 1912, 9,055.

COUNTY.—**Caithness.**PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	260	1	1	260	121	139
Illegitimate Births -	27	0	1	28	14	14
Marriages - - -	58	-	-	-	-	-
Deaths - - -	178	1	10	187	93	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.7	28.7	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	19.7	20.7	18.9
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—142.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	15	13	3	20	4	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	-	1	2	2	-	-	1	
Tuberculous Meningitis - - - - -	2	1	-	2	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	-	-	-	-	2	1	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	-	2	2	6	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	10	-	-	-	-	-	-	-	3	3	9	4	
Bronchitis - - - - -	4	6	2	-	-	-	-	-	-	2	2	2	3	
Pneumonia (all forms) - - - - -	13	10	11	5	-	-	-	-	-	2	1	4	-	
Other Diseases of Respiratory Organs - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	5	9	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	-	2	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	3	1	-	-	-	2	1	-	-	-	1	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	1	-	-	-	-	1	-	1	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	18	17	2	2	-	2	1	-	2	1	6	11	8	
Diseases Ill-defined or Unknown - - - - -	3	5	2	-	-	-	-	-	-	1	-	4	1	
Total - - - - -	93	94	37	31	5	5	9	3	7	13	15	41	21	

YEAR 1912.

Population—Census 1901, - - - 21,948.

COUNTY—Caithness.

Do. Do. 1911, - - - 19,589.

Do. estimated to middle of 1912, 18,997.

PUBLIC HEALTH DISTRICT—Caithness (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	433	2	5	436	209	227
Illegitimate Births - - -	44	0	3	47	25	22
Marriages - - -	68	-	-	-	-	-
Deaths - - -	342	16	8	334	152	182

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.8	23.0	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	18.0	17.6	12.4
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	2	-	-	-	-	-	-	3	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	3	2	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	7	-	-	-	-	3	4	1	-	1	1	-	
Tuberculous Meningitis - - - - -	2	3	1	2	-	-	1	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	3	-	1	1	1	3	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	18	-	-	-	-	-	-	2	7	8	12	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	-	1	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	16	-	-	-	-	1	1	1	3	5	14	-	
Bronchitis - - - - -	9	16	3	-	1	-	-	-	1	-	8	12	-	
Pneumonia (all forms) - - - - -	9	7	3	2	-	-	-	2	1	1	3	4	-	
Other Diseases of Respiratory Organs - - - - -	4	2	-	-	-	1	1	-	1	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	10	6	-	-	1	-	-	2	1	1	3	4	4	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	3	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	1	-	-	2	-	1	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	55	79	2	-	1	1	3	3	3	6	6	16	93	
Diseases ill-defined or Unknown - - - - -	14	9	7	-	-	-	1	-	-	1	3	4	7	
Total - - - - -	152	182	35	9	4	4	12	16	11	17	26	52	148	

YEAR 1912.

Population—Census 1901, - - - 11,555.

COUNTY—**Clackmannan.**

Do. Do. 1911, - - - 11,893.

Do. estimated to middle of 1912, 11,751.

PUBLIC HEALTH DISTRICT—**Alloa (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	287	0	7	294	172	122
Illegitimate Births -	15	0	3	18	7	11
Marriages - - -	80	-	-	-	-	-
Deaths - - -	173	1	10	182	95	87

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.4	25.0	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	14.7	15.5	16.7
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	-	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	4	-	2	2	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	3	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	-	1	2	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	8	-	-	-	-	1	1	1	9	4	1	1	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	10	-	1	-	1	1	-	1	4	6	5	2	
Bronchitis - - - - -	4	7	1	-	-	-	-	1	-	-	-	5	4	
Pneumonia (all forms) - - - - -	5	7	2	1	-	2	1	1	1	1	-	1	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	-	-	2	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	5	-	-	-	2	-	2	3	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	6	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	-	-	-	1	-	1	1	1	1	1	1	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	20	20	4	-	-	-	-	2	1	5	9	10	9	
Diseases Ill-defined or Unknown - - - - -	6	4	1	1	-	-	-	2	-	1	2	3	-	
Total - - - - -	95	87	29	14	4	6	8	11	12	16	31	31	20	

YEAR 1912.

Population—Census 1901, : : : 4,624.

COUNTY—**Clackmannan.**

Do. Do. 1911, : : : 4,382.

Do. estimated to middle of 1912, 4,280.

PUBLIC HEALTH DISTRICT—**Alva** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	3	2	71	29	42
Illegitimate Births -	4	0	0	4	2	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	70	1	7	76	38	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	16.8	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	16.5	18.0	16.6
Do. —Phthisis - - - - -	-	2.1	-
Do. —All Tuberculosis - - - - -	-	3.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—127.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	1	2	5	1	-	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - -	3	3	-	-	-	-	-	-	-	-	2	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	1	1	1	2	1	
Bronchitis - - - - -	3	6	2	-	-	-	1	1	-	-	-	2	3	
Pneumonia (all forms) - - - - -	4	1	1	1	-	-	-	1	-	1	-	-	1	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	-	2	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	12	-	-	-	-	1	1	1	2	5	6	3	
Diseases Ill-defined or Unknown - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	38	38	9	8	-	2	5	11	3	4	10	14	10	

YEAR 1912.

Population—Census 1901, - - - 1,619.

Do. Do. 1911, - - - 1,497.

Do. estimated to middle of 1912, 1,459.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Dollar (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	16	0	3	19	8	11
Illegitimate Births -	1	0	2	3	1	2
Marriages - - -	6	-	-	-	-	-
Deaths - - -	33	1	3	35	15	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	11.0	13.0	-
Marriage-rate - - -	4.1	-	-
Death-rate—All Causes - - -	22.6	24.0	21.0
Do. —Phthisis - - -	-	0.7	-
Do. —All Tuberculosis - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	1	-	1	3	1	-	
Rheumatic Fever - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - -	1	2	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	2	-	1	-	-	-	-	-	1	-	-	1	2	
Other Diseases of Respiratory Organs - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	2	-	-	-	-	-	-	2	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	5	-	-	-	-	-	-	-	1	1	7	2	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - -	15	20	1	3	-	1	-	1	1	6	2	13	7	

YEAR 1912.

Population—Census 1901, - - - 3,333.

COUNTY—**Clackmannan.**

Do. Do. 1911, - - - 3,105.

Do. estimated to middle of 1912, 3,029.

PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	53	2	0	51	22	29
Illegitimate Births - -	4	0	0	4	2	2
Marriages - - -	28	-	-	-	-	-
Deaths - - -	48	1	2	49	17	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.5	16.8	-
Marriage-rate - - -	9.2	-	-
Death-rate—All Causes - - -	15.8	16.2	14.6
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	1.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - -	1	2	-	1	1	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	6	3	-	-	-	-	-	-	1	-	3	2	3	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	14	1	-	-	-	-	1	1	4	1	3	9	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	17	32	5	3	2	1	-	1	3	7	5	8	14	

YEAR 1912.

Population—Census 1901, - - - 10,893.

COUNTY—**Clackmannan**.

Do. Do. 1911, - - - 10,294.

Do. estimated to middle of 1912, 10,061.

PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	244	4	3	243	135	108
Illegitimate Births -	11	0	1	12	7	5
Marriages - - -	49	-	-	-	-	-
Deaths - - -	148	3	9	154	66	88

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.3	24.2	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	14.7	15.3	15.4
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	11	4	8	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	3	-	-	-	-	5	2	2	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	2	-	-	-	-	-	-	-	-	2	4	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	4	3	1	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	7	-	-	-	1	1	-	-	-	2	4	4	-	-	-
Bronchitis - - - - -	1	4	1	-	-	-	-	-	-	-	1	1	1	-	-	-
Pneumonia (all forms) - - - - -	6	4	-	6	-	-	-	1	-	1	1	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	7	-	-	1	-	1	-	-	3	2	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	-	-	-	-	-	1	-	3	2	-	-	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	25	2	1	-	2	2	4	1	3	7	8	12	-	-	-
Diseases Ill-defined or Unknown - - - - -	5	2	-	-	-	-	-	-	-	-	2	-	5	-	-	-
Total - - - - -	66	88	18	23	7	3	13	9	4	11	21	20	25	-	-	-

YEAR 1912.

Population—Census 1901, - - - 20,898.

Do. Do. 1911, - - - 37,548.

Do. estimated to middle of 1912, 40,461.

COUNTY—Dumbarton.

PUBLIC HEALTH DISTRICT—Clydebank (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1345	7	30	1368	697	671
Illegitimate Births - -	37	4	11	44	22	22
Marriages - - -	256	-	-	-	-	-
Deaths - - -	429	5	98	522	277	245

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.2	33.8	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - -	10.6	12.9	14.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	2	-	-	-	1	1	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	13	6	11	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	5	4	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	4	-	1	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	1	-	1	-	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	24	20	1	3	3	1	11	14	6	2	2	1	-	
Tuberculous Meningitis - - -	5	10	3	7	3	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	7	7	3	3	4	2	-	2	-	-	-	-	-	
Other Tuberculous Diseases - -	7	3	1	4	1	3	1	-	-	-	-	-	-	
Cancer, Malignant Disease - -	8	11	-	-	-	-	-	-	6	4	5	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	8	3	4	4	-	1	2	-	-	-	-	-	-	
Organic Heart Disease - - -	23	11	-	-	1	2	2	5	6	7	4	5	2	
Bronchitis - - - - -	17	20	8	3	1	-	-	-	3	5	8	4	5	
Pneumonia (all forms) - - -	31	22	18	9	-	2	2	4	9	4	2	2	1	
Other Diseases of Respiratory Organs	10	4	3	2	1	-	-	1	2	1	1	3	-	
*Diarrhoea and Enteritis (under 2 years)	4	6	9	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	3	-	-	-	-	-	-	-	3	-	-	1	
Other Diseases of Digestive System (under 2 years)	4	1	5	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	7	8	-	-	-	-	1	-	3	6	3	1	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	9	-	-	-	-	3	5	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	24	23	46	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	20	3	-	4	1	1	-	5	3	6	2	1	-	
Suicide - - - - -	3	-	-	-	-	-	-	1	2	-	-	-	-	
Other Defined Diseases - - -	52	49	17	5	1	4	5	3	11	14	12	20	9	
Diseases Ill-defined or Unknown -	5	7	3	1	2	-	-	-	2	2	-	2	-	
Total - - - - -	277	245	133	67	19	18	29	40	58	55	40	41	22	

YEAR 1912.

Population—Census 1901, - - - 942.

Do. Do. 1911, - - - 861.

Do. estimated to middle of 1912, 838.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	1	1	19	9	10
Illegitimate Births -	1	0	1	2	2	0
Marriages - - -	0	-	-	-	-	-
Deaths - - -	9	0	2	11	3	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	22.7	-
Marriage-rate - - - - -	0.0	-	-
Death-rate—All Causes - - - - -	10.7	13.1	10.6
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	1	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	1	1	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	4	-	-	-	-	-	-	1	-	-	2	3	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	3	8	-	-	-	1	1	-	1	1	-	2	5	

YEAR 1912.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Dumbarton (Burgh).**

Population—Census 1901, - - - 19,985.

Do. 1911, - - - 21,989.

Do. estimated to middle of 1912, 21,897.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	664	10	7	661	337	324
Illegitimate Births - -	35	6	5	34	18	16
Marriages - - -	127	-	-	-	-	-
Deaths - - -	372	53	21	340	176	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.3	30.2	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	17.0	15.5	16.6
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—124.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females.														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	1	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	11	14	5	19	1	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	17	-	-	-	-	13	6	4	5	3	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	5	1	4	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	5	-	3	2	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	12	-	-	-	-	-	-	2	3	7	6	1	-	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	10	7	11	6	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	15	-	-	1	1	2	-	1	4	3	8	2	-	-	-
Bronchitis - - - - -	6	8	1	2	1	-	1	-	-	2	4	-	3	-	-	-
Pneumonia (all forms) - - - - -	14	8	7	6	-	1	-	1	1	2	2	2	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	5	-	-	-	-	2	1	2	1	1	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	24	7	31	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	3	-	1	1	2	1	1	1	2	3	-	-	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	46	34	12	5	1	-	7	2	4	8	10	17	14	-	-	-
Diseases Ill-defined or Unknown - - - - -	4	2	-	1	-	-	-	-	-	-	1	2	2	-	-	-
Total - - - - -	176	164	82	53	11	5	31	12	18	30	35	40	23	-	-	-

YEAR 1912.

Population—Census 1901, - - - 8,554.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 8,529.

Do. estimated to middle of 1912, 8,394.

PUBLIC HEALTH DISTRICT—**Helensburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	181	10	1	172	104	68
Illegitimate Births -	12	3	1	10	6	4
Marriages - - -	50	-	-	-	-	-
Deaths - - -	105	6	11	110	110	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.6	20.5	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	12.5	13.1	12.1
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	1	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	8	-	-	-	-	-	-	1	2	4	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	8	-	-	-	1	-	-	2	2	1	5	4	
Bronchitis - - - - -	4	5	1	-	-	-	-	1	-	-	-	2	5	
Pneumonia (all forms) - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	4	-	-	-	-	-	-	-	-	1	1	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	1	1	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	21	23	3	-	-	-	1	1	1	4	5	15	14	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1	
Total - - - - -	48	62	11	5	1	3	2	4	6	10	11	26	31	

YEAR 1912.

Population—Census 1901, - - - 10,502.

COUNTY—**Dumbarton.**

Do. 1911, - - - 11,932.

PUBLIC HEALTH DISTRICT—**Kirkintilloch (Burgh).**

Do. estimated to middle of 1912, 11,924.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	376	3	5	373	185	188
Illegitimate Births -	23	1	4	26	9	17
Marriages - - -	83	-	-	-	-	-
Deaths - - -	223	44	25	204	98	106

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.5	31.3	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - - - -	18.7	17.1	17.6
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	2.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—131.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	5	5	3	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	2	2	-	1	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	8	7	-	-	1	-	3	6	2	2	1	-	-	
Tuberculous Meningitis - - - - -	4	4	3	3	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	5	2	5	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	9	-	-	-	-	-	-	3	1	4	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	3	6	3	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	1	-	-	-	-	-	1	1	1	1	4	-	
Bronchitis - - - - -	5	9	1	1	-	-	-	-	-	1	5	4	2	
Pneumonia (all forms) - - - - -	5	13	2	7	1	-	-	1	1	3	1	-	2	
Other Diseases of Respiratory Organs -	2	1	1	-	-	-	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	6	2	1	-	-	-	-	2	3	-	-	2	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	3	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	11	6	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	4	1	1	1	-	2	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	21	27	2	3	1	3	-	1	5	4	5	12	12	
Diseases Ill-defined or Unknown - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	
Total - - - - -	98	106	49	27	6	6	9	11	17	14	18	27	20	

YEAR 1912.

Population—Census 1901, - - - 3,683.

Do. Do. 1911, - - - 4,530.

Do. estimated to middle of 1912, 4,565.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Milngavie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	118	5	3	116	55	61
Illegitimate Births -	5	2	1	4	1	3
Marriages - - -	21	-	-	-	-	-
Deaths - - -	45	1	12	56	29	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·8	25·4	-
Marriage-rate - - - - -	4·6	-	-
Death-rate—All Causes - - - - -	9·9	12·3	13·0
Do. —Phthisis - - - - -	-	0·4	-
Do. —All Tuberculosis - - - - -	-	1·1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	1	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	2	3	-	
Bronchitis - - - - -	1	2	-	1	-	-	-	-	1	-	-	1	-	
Pneumonia (all forms) - - - - -	-	3	-	-	-	-	1	1	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	2	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	-	2	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	6	1	-	-	-	2	-	3	2	2	3	3	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Total - - - - -	29	27	6	9	1	-	6	3	8	4	6	7	6	

YEAR 1912.

Population—Census 1901, - - - 22,349.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 26,349.

Do. estimated to middle of 1912, 26,435.

PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	709	13	11	707	380	327
Illegitimate Births - -	37	4	4	37	15	22
Marriages - - -	77	-	-	-	-	-
Deaths - - -	404	116	38	326	176	150

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.8	26.7	-
Marriage-rate - - - - -	2.9	-	-
Death-rate—All Causes - - - -	15.3	12.3	12.8
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	1	1	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	5	6	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	19	-	-	-	2	9	7	4	3	-	-	-	
Tuberculous Meningitis - - - -	4	4	2	4	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	3	2	1	3	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	4	-	-	1	-	1	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	10	12	-	-	1	-	-	-	2	5	6	7	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	2	1	4	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - -	12	15	1	-	-	-	1	1	2	2	5	10	5	
Bronchitis - - - - -	10	13	4	2	-	-	-	-	1	1	1	8	6	
Pneumonia (all forms) - - - -	16	15	6	7	-	1	3	2	2	2	5	1	2	
Other Diseases of Respiratory Organs	2	2	1	-	1	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	11	2	11	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	4	3	-	-	-	-	-	1	-	-	3	3	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	17	8	24	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	1	1	1	1	-	1	2	-	2	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - -	43	38	7	2	1	-	4	2	5	4	9	23	24	
Diseases Ill-defined or Unknown -	6	3	-	-	-	-	-	-	-	-	4	2	3	
Total - - - - -	176	150	69	35	6	4	24	18	19	19	34	56	42	

YEAR 1912.

Population—Census 1901, - - - 26,952.

Do. Do. 1911, - - - 28,093.

Do. estimated to middle of 1912, 27,801.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	653	3	14	664	347	317
Illegitimate Births -	39	2	5	42	23	19
Marriages - - -	187	-	-	-	-	-
Deaths - - -	333	12	47	363	166	202

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.5	23.9	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	12.0	13.2	13.9
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected 74.
 Illegitimate Rate (Illegitimate Births per 100 Total Births, corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	7	12	1	16	2	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	1	-	-	1	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	16	-	1	1	2	6	7	5	1	2	-	-	
Tuberculous Meningitis - - - - -	3	3	3	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	7	8	1	8	3	1	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	12	-	-	-	-	-	-	3	-	10	5	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	2	3	-	3	1	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	15	16	-	-	-	3	-	-	6	7	8	7	7	
Bronchitis - - - - -	4	16	2	-	-	-	-	2	2	1	7	6	-	
Pneumonia (all forms) - - - - -	10	7	2	4	2	-	3	2	-	2	2	-	-	
Other Diseases of Respiratory Organs - - - - -	9	7	5	1	-	-	-	1	4	3	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	3	3	-	1	-	-	-	1	3	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	7	4	-	-	-	-	-	4	-	6	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	10	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	19	3	-	2	2	3	1	2	2	3	5	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	42	65	12	2	1	2	1	2	5	8	22	26	26	
Diseases Ill-defined or Unknown - - - - -	3	5	1	-	-	1	-	-	-	1	1	3	1	
Total - - - - -	166	202	49	49	12	11	17	15	27	29	60	55	44	

YEAR 1912.

Population—Census 1901, - - - 4,309.

COUNTY—Dumfries.

Do. Do. 1911, - - - 4,219.

Do. estimated to middle of 1912, 4,143.

PUBLIC HEALTH DISTRICT—**Annan** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	104	0	1	105	55	50
Illegitimate Births - -	17	0	0	17	7	10
Marriages - - -	32	-	-	-	-	-
Deaths - - -	57	0	8	65	26	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.1	25.3	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - -	13.8	15.7	15.1
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	4	2	-	-	-	1	3	-	-	2	-	-	-	
Tuberculous Meningitis - - -	-	2	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	3	2	-	-	-	-	-	1	-	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	2	2	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	22	-	1	-	-	3	3	5	5	6	3	-	
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	26	39	6	5	3	-	2	7	6	7	12	11	6	

YEAR 1912.

Population—Census 1901, - - - 15,516.

Do. Do. 1911, - - - 16,011.

COUNTY—**Dumfries.**

Do. estimated to middle of 1912, 15,825.

PUBLIC HEALTH DISTRICT—**Dumfries (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	360	3	4	361	190	171
Illegitimate Births - -	52	2	1	51	34	17
Marriages - - -	148	-	-	-	-	-
Deaths - - -	296	44	9	261	126	135

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	22.8	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - - - -	18.7	16.5	17.0
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	5	5	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	6	3	6	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	12	-	-	-	2	3	7	5	4	-	-	-	
Tuberculous Meningitis - - - - -	2	3	-	3	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	-	3	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	2	3	-	1	-	-	1	1	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	17	-	-	-	-	1	1	-	4	4	6	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	11	10	-	-	-	-	2	2	1	3	4	6	3	
Bronchitis - - - - -	9	9	4	2	-	-	-	-	1	1	2	6	2	
Pneumonia (all forms) - - - - -	11	1	4	1	-	-	1	1	2	-	2	1	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	4	-	-	-	1	4	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	3	-	1	-	-	2	-	2	2	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	4	17	-	-	-	-	1	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	1	-	-	-	1	2	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	31	43	6	5	2	2	1	1	4	7	10	15	21	
Diseases Ill-defined or Unknown - - - - -	7	3	2	-	-	-	1	-	2	-	2	1	2	
Total - - - - -	126	135	48	24	5	5	17	18	23	23	26	38	34	

YEAR 1912.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Langholm (Burgh).**

Population—Census 1901, - - - 3,142.
 Do. 1911, - - - 2,980.
 Do. estimated to middle of 1912, 2,859.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	1	1	46	25	21
Illegitimate Births -	5	0	1	6	6	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	45	1	2	46	17	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.1	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	15.7	16.1	14.0
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	2	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	2	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	5	-	-	-	-	-	2	-	2	4	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	13	-	-	-	1	-	-	2	3	6	7	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	17	29	3	2	-	-	2	2	2	5	8	10	12	

YEAR 1912.

Population—Census 1901, - - - 1,051.

COUNTY—**Dumfries.**

Do. 1911, - - - 1,056.

Do. estimated to middle of 1912, 1,041.

PUBLIC HEALTH DISTRICT—**Lochmaben (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	18	6
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	7	-	-	-	-	-
Deaths - - -	24	0	1	25	15	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.1	23.1	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	23.1	24.0	19.4
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	2.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	2	-	-	-	1	-	-	-	-	-	1	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	10	2	1	1	1	-	-	2	2	2	5	9	

YEAR 1912.

Population—Census 1901, - - - 2,358.

COUNTY—Dumfries.

Do. Do. 1911, - - - 2,455.

PUBLIC HEALTH DISTRICT—Lockerbie (Burgh).

Do. estimated to middle of 1912, 2,429.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	0	1	50	30	20
Illegitimate Births -	3	0	0	3	2	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	36	3	4	37	15	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.2	20.6	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	14.8	15.2	13.5
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	5	-	-	-	-	-	-	-	2	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	2	2	-	2	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	1
Pneumonia (all forms) - - - - -	2	1	-	1	-	-	1	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	8	1	-	-	1	-	-	5	1	1	5	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	15	22	5	1	-	-	2	1	-	9	6	2	11

YEAR 1912.

Population—Census 1901, - - - 2,153.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 2,079.

Do. estimated to middle of 1912, 2,037.

PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	1	1	24	12	12
Illegitimate Births -	0	0	1	1	0	1
Marriages - - -	13	-	-	-	-	-
Deaths - - -	27	2	3	28	10	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11·8	11·8	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - -	13·3	13·7	11·6
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - - -	-	1·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	4	3	-	-	-	-	-	-	1	3	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	4	-	-	-	-	1	-	-	1	2	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	8	-	-	-	-	-	-	1	1	1	7	-	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	18	-	1	-	-	-	2	2	2	5	6	10	

YEAR 1912.

Population—Census 1901, - - - 1,375.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 1,508.

PUBLIC HEALTH DISTRICT—**Sanquhar** (Burgh).

Do. estimated to middle of 1912, 1,501.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	0	3	42	21	21
Illegitimate Births -	1	0	1	2	2	0
Marriages - - -	16	-	-	-	-	-
Deaths - - -	24	1	3	26	14	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.0	28.0	-
Marriage-rate - - - - -	10.7	-	-
Death-rate—All Causes - - - - -	16.0	17.3	16.9
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	2	1	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	1	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	1	-	-	-	-	1	-	1	1	3	2	
Diseases ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	14	12	4	2	-	1	-	3	-	5	4	5	2	

YEAR 1912.

Population—Census 1901, - - - 10,318.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 10,515.

Do. estimated to middle of 1912, 10,316.

PUBLIC HEALTH DISTRICT—**Annan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	248	3	4	249	127	122
Illegitimate Births - -	39	1	0	38	10	28
Marriages - - -	59	-	-	-	-	-
Deaths - - -	155	4	8	159	74	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.0	24.1	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - -	15.0	15.4	14.1
Do. —Phthisis - - - - -	-	1.6	-
Do. —All Tuberculosis - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Scarlet Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	9	-	-	-	3	5	5	2	1	-	-	-	
Tuberculous Meningitis - - - -	2	-	1	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	4	8	-	-	-	-	-	-	-	1	8	3	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	2	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	14	-	-	-	1	1	-	4	2	9	4	4	
Bronchitis - - - - -	1	2	-	1	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	3	5	2	-	-	-	-	-	2	1	-	3	3	
Other Diseases of Respiratory Organs -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	2	1	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	9	6	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	2	-	-	1	-	-	1	-	3	-	-	2	
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Other Defined Diseases - - - - -	16	24	4	-	-	2	1	1	11	3	7	11	11	
Diseases Ill-defined or Unknown - -	5	4	2	-	-	-	-	1	-	1	2	2	2	
Total - - - - -	74	85	30	3	4	2	8	10	10	27	17	24	24	

YEAR 1912.

Population—Census 1901, - - - 8,258.

COUNTY—**Dumfries.**

Do. 1911, - - - 8,555.

Do. estimated to middle of 1912, 8,460.

PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	168	5	6	169	90	79
Illegitimate Births - -	24	2	2	24	12	12
Marriages - - -	48	-	-	-	-	-
Deaths - - -	168	55	5	118	66	52

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	20.0	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - -	19.9	13.9	11.7
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—59.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	4	-	-	-	1	4	2	2	1	-	-	-	
Tuberculous Meningitis - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	7	-	-	-	-	-	-	3	3	5	1	-	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	-	1	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	7	9	-	-	-	-	-	-	5	4	2	5	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - -	2	3	-	-	-	-	-	-	2	1	1	1	1	
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	4	-	-	-	-	-	-	1	2	1	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	1	-	-	-	-	1	-	-	2	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	19	14	1	1	-	-	-	2	2	3	5	9	10	
Diseases Ill-defined or Unknown -	5	1	-	-	-	-	-	1	-	-	1	2	2	
Total - - - - -	66	52	10	3	1	3	3	9	5	20	19	22	23	

YEAR 1912.

Population—Census 1901, - - - 3,434.

Do. Do. 1911, - - - 3,242.

Do. estimated to middle of 1912, 3,168.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Langholm** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	0	66	28	38
Illegitimate Births -	9	0	0	9	5	4
Marriages - - -	18	-	-	-	-	-
Deaths - - -	47	0	4	51	32	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.8	20.8	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	14.3	16.1	13.7
Do. —Phthisis - - - - -	-	0.3	-
Do. —All Tuberculosis - - - - -	-	0.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	-	-	2	4	2		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-		
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents* of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	1	-	-	-	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	15	7	1	-	-	-	-	-	2	-	2	6	11		
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	1		
Total - - - - -	32	19	7	-	-	1	2	2	3	2	6	14	14		

YEAR 1912.

Population—Census 1901, - - - 8,892.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 8,545.

Do. estimated to middle of 1912, 8,370.

PUBLIC HEALTH DISTRICT—**Lockerbie** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	217	8	6	215	106	109
Illegitimate Births - -	21	2	1	20	8	12
Marriages - - -	41	-	-	-	-	-
Deaths - - -	117	3	12	126	57	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.9	25.7	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	14.0	15.1	13.7
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	1	2	2	2	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	3	-	1	-	1	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	13	-	1	-	-	-	1	2	4	9	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	13	-	1	-	-	1	-	-	2	5	10	-	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	1	1	2	-	
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	-	-	-	-	-	3	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	20	2	-	-	1	1	2	1	9	8	14	-	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	57	69	10	5	5	1	6	8	5	4	19	27	36	

YEAR 1912.

Population—Census 1901, - - - 11,265.

Do. Do. 1911, - - - 11,710.

Do. estimated to middle of 1912, 11,585.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Thornhill** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	282	1	3	284	155	129
Illegitimate Births -	37	0	1	38	19	19
Marriages - - -	68	-	-	-	-	-
Deaths - - -	149	5	8	152	72	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.3	24.5	-
Marriage-rate - - -	5.9	-	-
Death-rate—All Causes - - -	12.9	13.1	11.9
Do. —Phthisis - - -	-	1.3	-
Do. —All Tuberculosis - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	10	-	-	-	3	4	2	-	4	2	-	-	-	-
Tuberculous Meningitis - - -	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	2	-	1	-	-	-	-	-	-	1	1	-	-	-
Cancer, Malignant Disease - - -	3	13	-	-	-	-	-	2	3	5	5	1	-	-	-
Rheumatic Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - -	1	3	1	1	-	-	-	1	-	1	1	-	-	-	-
Organic Heart Disease - - -	8	9	-	1	-	-	1	1	3	2	4	5	-	-	-
Bronchitis - - -	3	5	-	-	-	-	-	-	-	-	-	2	6	-	-
Pneumonia (all forms) - - -	7	4	2	3	-	-	-	1	-	1	2	2	-	-	-
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) -	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	3	4	-	-	-	-	1	-	1	-	4	1	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	3	1	1	-	1	1	-	-	-	-	-	2	-	-
Suicide - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - -	22	16	4	2	-	-	3	1	3	6	9	10	-	-	-
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	-	1	-	3	-	-	-
Total - - -	72	80	18	7	6	1	5	11	8	11	24	31	30	-	-

YEAR 1912.

Population—Census 1901, - - - 2,924.

Do. 1911, - - - 2,955.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1912, 2,913.

PUBLIC HEALTH DISTRICT—**Bonnyrigg (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	2	1	53	24	29
Illegitimate Births -	3	0	0	3	2	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	35	4	5	36	16	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.5	18.2	-
Marriage-rate - - - - -	1.0	-	-
Death-rate—All Causes - - - - -	12.0	12.4	12.2
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—19.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	1	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	2	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	1	-	-	1	1	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	8	-	-	-	-	-	-	-	2	3	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	20	1	2	1	1	2	1	3	6	5	7	7	

YEAR 1912.

Population—Census 1901, - - - 6,797.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 7,019.

PUBLIC HEALTH DISTRICT—**Dalkeith (Burgh).**

Do. estimated to middle of 1912, 6,938.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	203	4	8	207	105	102
Illegitimate Births -	9	0	3	12	7	5
Marriages - - -	51	-	-	-	-	-
Deaths - - -	91	12	20	99	37	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.3	29.8	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	13.1	14.3	13.7
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	3	6	-	1	-	-	1	2	3	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	9	-	-	-	-	-	-	1	5	2	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	2	-	-	-	-	-	1	-	1	1	2	1	
Bronchitis - - - - -	2	4	2	-	-	1	-	-	-	1	-	1	1	
Pneumonia (all forms) - - - - -	4	2	-	1	-	-	-	-	3	-	1	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	6	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	22	1	1	2	-	-	-	3	3	6	12	9	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	37	62	13	9	4	1	4	3	10	13	10	18	14	

YEAR 1912.

Population—Census 1901, - - - 317,459.

Do. 1911, - - - 320,318.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1912, 319,265.

PUBLIC HEALTH DISTRICT—**Edinburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6699	336	67	6430	3266	3164
Illegitimate Births -	677	179	18	516	268	248
Marriages - - -	2857	-	-	-	-	-
Deaths - - -	5051	678	355	4728	2302	2426

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	21.0	20.1	-
Marriage-rate - - -	8.9	-	-
Death-rate—All Causes - - -	15.8	14.8	15.4
Do. —Phthisis - - -	-	1.3	-
Do. —All Tuberculosis - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - -	4	1	-	-	-	-	1	4	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	79	50	42	84	1	-	1	-	-	-	-	-	1	-	-	-
*Scarlet Fever - - -	8	3	1	2	1	4	1	1	1	-	-	-	-	-	-	-
*Whooping-cough - - -	29	51	37	41	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup -	14	17	1	17	12	-	-	1	-	-	-	-	-	-	-	-
Influenza - - -	3	5	-	-	-	-	-	-	-	-	1	4	3	-	-	-
Erysipelas - - -	3	5	-	-	-	-	-	-	2	1	2	1	2	-	-	-
Phthisis, Pulmonary Tuberculosis -	222	180	2	7	3	6	64	109	89	63	41	18	-	-	-	-
Tuberculous Meningitis - - -	31	35	8	35	12	3	1	2	2	3	-	-	-	-	-	-
Abdominal Tuberculosis - - -	15	16	4	14	3	1	5	1	3	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	47	39	8	17	12	7	10	9	7	8	6	2	-	-	-	-
Cancer, Malignant Disease - - -	143	266	-	1	-	-	2	11	33	82	115	107	61	-	-	-
Rheumatic Fever - - -	7	7	-	-	1	4	4	1	2	-	1	1	-	-	-	-
Meningitis - - -	26	15	16	8	4	1	2	1	5	1	1	1	1	-	-	-
Organic Heart Disease - - -	267	256	2	1	2	11	19	23	30	60	132	142	101	-	-	-
Bronchitis - - -	149	171	64	14	1	-	1	3	8	21	42	87	79	-	-	-
Pneumonia (all forms) - - -	189	178	86	57	7	45	14	13	38	30	40	37	40	-	-	-
Other Diseases of Respiratory Organs -	43	40	13	5	1	1	2	4	6	6	13	13	19	-	-	-
*Diarrhoea and Enteritis (under 2 years) -	22	16	37	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	20	5	-	1	-	-	8	5	3	2	6	-	-	-	-	-
All Liver Diseases (not Malignant) -	19	20	5	-	1	-	-	2	1	5	11	11	3	-	-	-
Other Diseases of Digestive System (under 2 years) -	13	7	16	4	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	90	64	1	1	1	3	4	7	12	27	43	36	19	-	-	-
Puerperal Sepsis - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	22	-	-	-	-	5	10	6	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	149	108	251	4	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	81	41	12	10	7	3	6	12	10	17	14	18	13	-	-	-
Suicide - - -	9	10	-	-	-	-	2	2	7	3	4	1	-	-	-	-
Other Defined Diseases - - -	604	764	95	16	12	5	31	57	102	134	210	306	400	-	-	-
Diseases Ill-defined or Unknown - - -	16	28	3	1	-	1	-	-	1	2	7	14	15	-	-	-
Total - - -	2302	2426	704	341	83	56	184	231	368	466	689	800	756	-	-	-

YEAR 1912.

Population—Census 1901, - - - 869.

Do. Do. 1911, - - - 880.

Do. estimated to middle of 1912, 867.

COUNTY—Edinburgh (Midlothian).

PUBLIC HEALTH DISTRICT—Lasswade (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	0	0	21	11	10
Illegitimate Births - -	1	0	0	1	0	1
Marriages - - -	0	-	-	-	-	-
Deaths - - -	13	1	3	15	5	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.2	24.2	-
Marriage-rate - - - - -	0.0	-	-
Death-rate—All Causes - - - -	15.0	17.3	17.8
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	1	2	-	-	-	-	-	1	-	-	-	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	2	3	-	-	1	-	-	1	1	-	1	-	1	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	5	10	1	2	1	-	1	1	2	1	1	3	2	

YEAR 1912.

Population—Census 1901, - - - 77,439.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 80,488.

PUBLIC HEALTH DISTRICT—**Leith (Burgh).**

Do. estimated to middle of 1912, 80,214.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2108	23	87	2172	1113	1059
Illegitimate Births - -	102	6	40	136	70	66
Marriages - - -	546	-	-	-	-	-
Deaths - - -	1202	20	132	1314	688	626

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.3	27.1	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	15.0	16.4	17.1
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	28	23	20	26	5	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	3	-	2	2	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	9	10	6	12	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	10	10	1	13	6	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	46	38	-	1	-	4	18	29	18	7	6	1	-	
Tuberculous Meningitis - - - - -	12	7	3	10	1	1	-	2	1	1	-	-	-	
Abdominal Tuberculosis - - - - -	8	12	6	5	1	3	3	-	1	-	-	1	-	
Other Tuberculous Diseases - - - - -	8	4	1	4	-	2	1	1	2	-	1	-	-	
Cancer, Malignant Disease - - - - -	50	62	-	-	-	-	-	2	6	26	32	34	12	
Rheumatic Fever - - - - -	3	3	-	-	-	1	-	2	2	1	-	-	-	
Meningitis - - - - -	7	3	6	2	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	75	60	-	1	-	3	-	10	21	18	22	35	25	
Bronchitis - - - - -	46	45	14	5	-	-	2	3	3	3	15	31	15	
Pneumonia (all forms) - - - - -	80	55	36	37	3	3	3	12	5	8	12	11	5	
Other Diseases of Respiratory Organs - - - - -	11	7	1	3	-	-	-	-	-	1	2	7	4	
*Diarrhoea and Enteritis (under 2 years) - - - - -	10	15	22	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	5	-	1	-	3	2	1	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	6	8	1	-	-	1	-	4	1	5	2	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	19	11	1	1	-	-	2	4	3	10	5	3	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	9	-	-	-	-	3	5	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	41	34	73	1	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	46	20	10	9	3	4	6	8	8	5	4	6	3	
Suicide - - - - -	6	2	-	-	-	-	1	-	1	3	3	-	-	
Other Defined Diseases - - - - -	147	157	27	10	-	4	5	12	14	33	59	73	67	
Diseases Ill-defined or Unknown - - - - -	12	18	2	1	-	-	-	1	2	4	6	6	8	
Total - - - - -	688	626	233	146	25	26	50	95	93	121	173	211	141	

YEAR 1912.

Population—Census 1901, - - - 3,011.

Do. Do. 1911, - - - 3,483.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1912, 3,487.

PUBLIC HEALTH DISTRICT—**Loanhead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	107	4	3	106	56	50
Illegitimate Births -	5	2	1	4	3	1
Marriages - - -	29	-	-	-	-	-
Deaths - - -	51	1	4	54	33	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30·7	30·4	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	14·6	15·5	16·6
Do. —Phthisis - - - - -	-	0·3	-
Do. —All Tuberculosis - - - - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—160.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	5	-	-	3	1	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	2	1	
Bronchitis - - - - -	2	2	1	2	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	4	2	3	1	-	-	-	-	-	1	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	6	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	1	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	4	3	1	-	-	-	-	-	-	1	1	6	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	1	2	1	-	
Total - - - - -	33	21	17	6	4	1	2	1	1	3	7	5	7	

YEAR 1912.

Population—Census 1901, - - - 11,868.

COUNTY—Edinburgh (Midlothian).

Do. Do. 1911, - - - 15,938.

Do. estimated to middle of 1912, 16,194.

PUBLIC HEALTH DISTRICT—Musselburgh (Burrh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	485	6	8	487	264	223
Illegitimate Births - -	22	1	4	25	14	11
Marriages - - -	125	-	-	-	-	-
Deaths - - -	266	1	26	291	163	128

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.9	30.1	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - - -	16.4	18.0	19.1
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—150.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	19	10	10	18	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	3	4	1	6	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	8	4	-	-	-	5	6	-	1	-	-	-	-	
Tuberculous Meningitis - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	3	-	1	1	-	-	1	-	1	-	-	-	
Other Tuberculous Diseases - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	17	7	-	-	-	1	-	3	5	9	2	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	11	12	-	-	-	2	-	4	2	2	9	4	-	
Bronchitis - - - - -	7	7	4	2	-	-	-	-	-	1	4	3	-	
Pneumonia (all forms) - - -	11	8	5	8	-	-	-	3	1	1	-	1	-	
Other Diseases of Respiratory Organs	1	3	-	-	-	-	-	-	-	1	1	2	-	
*Diarrhoea and Enteritis (under 2 years)	7	6	11	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	4	1	1	-	-	1	1	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	20	8	27	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	4	-	3	1	-	2	2	1	-	2	-	1	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - -	33	38	10	4	3	1	4	2	5	10	16	15	-	
Diseases Ill-defined or Unknown -	3	6	-	-	-	-	-	-	2	-	3	4	-	
Total - - - - -	163	128	73	50	7	1	12	15	16	18	29	36	34	

YEAR 1912.

Population—Census 1901, - - - 2,803.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 2,736.

PUBLIC HEALTH DISTRICT—**Penicuik (Burgh).**

Do. estimated to middle of 1912, 2,685.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	2	1	50	31	19
Illegitimate Births -	2	0	0	2	2	0
Marriages - - -	35	-	-	-	-	-
Deaths - - -	50	0	8	58	26	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.0	18.6	-
Marriage-rate - - -	13.0	-	-
Death-rate—All Causes - - -	18.6	21.6	21.4
Do. —Phthisis - - -	-	1.9	-
Do. —All Tuberculosis - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—140.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	3	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	2	1	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	2	-	-	-	-	-	1	-	-	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	3	1	1	1	-	1	-	-	1	-	-	-	-	
Organic Heart Disease - - -	5	3	-	-	-	-	-	-	1	1	-	2	4	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	5	1	-	-	1	-	-	-	-	1	2	2	-	
Other Diseases of Respiratory Organs -	-	3	-	-	-	-	-	1	1	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	1	-	1	-	1	1	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	3	10	1	1	-	-	1	-	1	-	1	2	6	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	26	32	7	5	2	1	3	4	5	4	6	8	13	

YEAR 1912.

Population—Census 1901, - - - 19,639.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 19,071.

Do. estimated to middle of 1912, 18,707.

PUBLIC HEALTH DISTRICT—**Calder (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	515	10	19	524	254	270
Illegitimate Births - -	32	1	11	42	13	29
Marriages - - -	129	-	-	-	-	-
Deaths - - -	211	7	36	240	113	127

PRINCIPAL RATES PER 1000 OF ESTIMATED AOPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.5	23.0	-
Marriage-rate - - - - -	6.9	-	-
Death-rate—All Causes - - - - -	11.3	12.8	13.3
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—9.2.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Whooping-cough - - - - -	2	4	1	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	7	-	-	-	-	3	4	3	2	1	-	-	
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	-	-	1	1	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	5	-	-	-	-	-	-	-	5	4	4	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	15	-	-	-	-	2	2	1	3	5	10	8	
Bronchitis - - - - -	6	9	5	2	-	-	1	-	-	-	1	3	3	
Pneumonia (all forms) - - - - -	7	6	3	3	1	-	1	1	2	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	6	9	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	-	-	1	3	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	3	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	-	1	3	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	13	13	26	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	3	-	2	2	-	1	-	3	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	21	40	1	4	1	-	2	3	4	4	9	12	21	
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	
Total - - - - -	113	127	48	29	8	-	13	14	16	17	26	34	35	

YEAR 1912.

Population—Census 1901, - - - 7,100.

Do. Do. 1911, - - - 6,917.

COUNTY—**Edinburgh (Midlothian)**. Do. estimated to middle of 1912, 6,788.PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	5	6	160	74	86
Illegitimate Births - -	8	0	2	10	4	6
Marriages - - -	45	-	-	-	-	-
Deaths - - -	75	1	13	87	36	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·4	23·6	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	11·0	12·8	12·2
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - - - - -	-	1·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	3	-	-	-	-	1	2	3	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	6	-	-	-	-	-	-	-	1	1	2	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - - -	2	7	-	-	-	-	-	1	-	-	2	5	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	8	5	4	3	-	-	-	1	-	1	-	1	3	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	6	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	1	-	1	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	17	1	-	-	-	1	-	1	3	4	8	7	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	2	2	-	
Total - - - - -	36	51	14	4	-	1	2	7	5	6	11	21	16	

YEAR 1912.

Population—Census 1901, - - - 19,749.

COUNTY—Edinburgh (Midlothian).

Do. Do. 1911, - - - 24,047.

Do. estimated to middle of 1912, 24,205.

PUBLIC HEALTH DISTRICT—Lasswade (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	704	13	11	702	354	348
Illegitimate Births - -	24	4	3	23	13	10
Marriages - - -	101	-	-	-	-	-
Deaths - - -	361	48	43	356	200	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.1	29.0	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes - - - -	14.9	14.7	14.8
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	6	7	8	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	11	11	-	1	2	1	6	4	5	2	-	1	-	-	-
Tuberculous Meningitis - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	2	5	1	-	-	1	2	-	2	-	1	-	-	-	-
Cancer, Malignant Disease - -	11	11	-	-	-	-	-	-	1	4	7	6	4	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	17	15	1	-	-	-	1	2	2	3	8	10	5	-	-
Bronchitis - - - - -	15	7	8	2	-	-	-	-	-	1	1	7	3	-	-
Pneumonia (all forms) - - -	15	5	4	7	-	-	1	3	-	1	1	-	3	-	-
Other Diseases of Respiratory Organs	2	2	2	-	-	-	-	-	-	1	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	6	4	9	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Other Diseases of Digestive System (under 2 years)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease -	-	3	-	-	-	-	-	1	1	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	20	16	35	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	18	5	-	1	3	3	6	2	1	3	1	1	2	-	-
Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Other Defined Diseases - - - -	52	49	8	4	1	2	3	3	3	11	13	30	23	-	-
Diseases Ill-defined or Unknown -	3	5	1	-	-	-	-	1	-	1	1	2	2	-	-
Total - - - - -	200	156	83	34	10	9	21	17	17	27	36	60	42	-	-

YEAR 1912.

Population—Census 1901, - - - 19,138.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 23,814.

Do. estimated to middle of 1911, 24,023.

PUBLIC HEALTH DISTRICT—**Suburban** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	518	19	23	522	274	248
Illegitimate Births -	48	12	6	42	28	14
Marriages - - -	90	-	-	-	-	-
Deaths - - -	436	189	45	292	128	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.6	21.7	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	18.1	12.2	12.1
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	5	7	4	5	3	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	14	12	-	-	-	-	6	6	9	2	3	-	-	-	-
Tuberculous Meningitis - - - - -	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	2	4	1	3	1	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	21	-	-	-	-	1	-	3	2	7	7	6	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	11	-	-	-	-	-	1	1	2	3	7	9	-	-
Bronchitis - - - - -	12	7	3	2	1	-	1	-	1	-	6	3	2	-	-
Pneumonia (all forms) - - - - -	16	7	6	1	-	-	-	2	4	2	3	4	1	-	-
Other Diseases of Respiratory Organs - - - - -	3	3	1	2	-	-	-	-	-	-	-	3	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	3	-	-	-	-	1	1	1	2	1	2	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	1	1	2	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	8	6	13	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	5	1	1	-	-	-	1	1	2	6	3	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	27	54	3	-	-	-	4	1	3	11	12	24	23	-	-
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	-	-	1	2	1	-	-
Total - - - - -	128	164	36	22	10	-	16	14	26	25	43	55	45	-	-

YEAR 1912.

Population—Census 1901, - - - 1,595.

COUNTY—**Elgin.**

Do. Do. 1911, - - - 1,595.

Do. estimated to middle of 1912, 1,570.

PUBLIC HEALTH DISTRICT—**Burghhead** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	0	1	43	21	22
Illegitimate Births - -	1	0	1	2	1	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	28	0	3	31	15	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.8	27.4	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - -	17.8	19.7	17.9
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—186.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	-	1	2	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	3	1	-	-	-	-	-	-	-	-	1	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	16	8	2	-	-	-	-	3	1	3	7	7	

YEAR 1912.

Population—Census 1901, - - - 8,407.

COUNTY—**Elgin**.

Do. Do. 1911, - - - 8,656.

Do. estimated to middle of 1912, 8,553.

PUBLIC HEALTH DISTRICT—**Elgin** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	0	0	194	96	98
Illegitimate Births -	31	0	6	37	25	12
Marriages - - -	96	-	-	-	-	-
Deaths - - -	169	20	12	161	83	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	22.7	-
Marriage-rate - - - - -	11.2	-	-
Death-rate—All Causes - - - - -	19.8	18.8	16.4
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—139.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	3	5	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	8	-	1	-	-	1	7	1	2	1	-	-	
Tuberculous Meningitis - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	8	-	-	-	-	-	-	4	4	3	2	1	
Rheumatic Fever - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	9	-	-	-	-	-	1	-	2	2	5	7	
Bronchitis - - - - -	3	3	1	1	-	-	-	-	-	-	1	1	2	
Pneumonia (all forms) - - - - -	13	5	3	2	-	-	-	-	4	3	1	4	1	
Other Diseases of Respiratory Organs - - - - -	4	1	4	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	6	8	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	1	2	-	-	-	1	1	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	23	3	-	-	-	-	-	1	1	6	10	22	
Diseases Ill-defined or Unknown - - - - -	2	3	-	-	-	-	-	-	-	1	1	2	1	
Total - - - - -	83	78	27	10	5	2	2	10	11	14	17	26	37	

YEAR 1912.

Population—Census 1901, - - - 4,663.

Do. Do. 1911, - - - 4,421.

Do. estimated to middle of 1912, 4,323.

COUNTY—**Elgin.**PUBLIC HEALTH DISTRICT—**Forres** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	3	5	101	52	49
Illegitimate Births -	11	2	2	11	4	7
Marriages - - -	27	-	-	-	-	-
Deaths - - -	90	5	4	89	41	48

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.9	23.4	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - -	20.8	20.6	17.2
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	3	3	-	-	-	-	2	1	-	3	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	1	-	-	-	2	2	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	5	-	-	-	-	-	-	-	-	2	3	5	
Bronchitis - - - - -	2	2	3	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	2	5	3	-	2	-	-	-	1	-	1	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	20	1	-	-	-	-	1	-	2	8	8	14	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	41	48	10	4	-	3	2	3	2	10	14	17	24	

YEAR 1912.

Population—Census 1901, - - - 1,568.

COUNTY—**Elgin.**

Do. Do. 1911, - - - 1,451.

Do. estimated to middle of 1912, 1,414.

PUBLIC HEALTH DISTRICT—**Grantown-on-Spey** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	1	0	32	15	17
Illegitimate Births -	4	1	0	3	0	3
Marriages - - -	8	-	-	-	-	-
Deaths - - -	22	3	1	20	14	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.3	22.6	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	15.6	14.1	12.8
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—94.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	2	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	-	-	-	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	2	-	-	-	-	-	1	1	-	1	1	3	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	14	6	3	-	-	-	-	1	1	5	2	3	5	

YEAR 1912.

Population—Census 1901, - - - 3,904.

COUNTY—**Elgin.**

Do. Do. 1911, - - - 4,207

Do. estimated to middle of 1912, 4,180.

PUBLIC HEALTH DISTRICT—**Lossiemouth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	120	2	3	121	64	57
Illegitimate Births -	9	0	1	10	4	6
Marriages - - -	30	-	-	-	-	-
Deaths - - -	70	2	3	71	37	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.7	28.9	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	16.7	17.0	16.3
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—165.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	1	3	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	1	2	2	
Bronchitis - - - - -	1	4	-	-	-	-	-	-	1	1	1	1	1	
Pneumonia (all forms) - - - - -	3	2	1	1	-	-	-	-	-	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	-	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	15	3	2	-	-	1	-	1	1	3	3	12	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	37	34	20	4	-	-	2	4	5	3	8	9	16	

YEAR 1912.

Population—Census 1901, - - - 1,621.

Do. Do. 1911, - - - 1,350.

Do. estimated to middle of 1912, 1,296.

COUNTY—**Elgin.**PUBLIC HEALTH DISTRICT—**Roths** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	32	1	2	33	19	14
Illegitimate Births -	3	0	1	4	3	1
Marriages - - -	5	-	-	-	-	-
Deaths - - -	23	0	1	24	12	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.7	25.5	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - - - -	17.7	18.5	14.7
Do. —Phthisis - - - - -	-	2.3	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	2	1	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	1	1	1	1		
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1		
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	4	4	-	-	-	-	1	-	-	1	1	3	2		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	1		
Total - - - - -	12	12	-	-	-	-	3	1	-	4	2	7	7		

YEAR 1912.

Population—Census 1901, - - - 23,042.

COUNTY—**Elgin.**

Do. 1911, - - - 21,747.

Do. estimated to middle of 1912, 21,252.

PUBLIC HEALTH DISTRICT—**Elgin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	528	17	14	525	276	249
Illegitimate Births -	88	11	6	83	42	41
Marriages - - -	66	-	-	-	-	-
Deaths - - -	301	19	19	301	145	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.8	24.7	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	14.2	14.2	12.2
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	5	6	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	11	19	1	-	1	1	5	10	4	3	4	1	-	
Tuberculous Meningitis - - - - -	-	3	-	1	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	12	9	-	-	-	-	1	2	3	5	6	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	1	1	-	-	1	-	-	-	1	-	-	
Organic Heart Disease - - - - -	16	12	-	-	1	-	-	-	1	2	6	8	10	
Bronchitis - - - - -	11	5	4	-	-	-	1	-	-	1	1	2	7	
Pneumonia (all forms) - - - - -	9	8	4	-	-	-	1	-	-	-	4	3	5	
Other Diseases of Respiratory Organs -	4	3	2	-	-	-	-	1	1	-	-	-	3	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	2	-	-	-	-	-	-	2	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	-	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	13	6	18	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	9	1	-	1	2	-	1	-	2	1	-	2	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	44	61	8	2	1	1	2	1	5	6	11	26	42	
Diseases Ill-defined or Unknown - -	5	9	3	-	-	-	-	1	-	2	-	3	5	
Total - - - - -	145	156	50	8	7	4	11	15	22	20	33	52	79	

YEAR 1912.

Population—Census 1901, - - - 1,190.

COUNTY—**Fife**.

Do. Do. 1911, - - - 1,147.

Do. estimated to middle of 1912, 1,124.

PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	1	20	8	12
Illegitimate Births -	1	0	1	2	0	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	15	1	1	15	5	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.9	17.8	-
Marriage-rate - - -	8.0	-	-
Death-rate—All Causes - - -	13.3	13.3	12.5
Do. —Phthisis - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	3.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	2	-	-	-	-	-	-	-	1	2	-	-	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	4	-	-	-	-	-	-	-	-	-	2	4	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	5	10	1	1	1	-	1	-	1	1	3	2	4	

Do.	estimated to middle of 1912,	549.
-----	------------------------------	------

[illegible]

YEAR 1912.

Population—Census 1901, - - - 1,382.

Do. Do. 1911, - - - 1,396.

Do. estimated to middle of 1912, 1,375.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	0	0	18	9	9
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	21	6	2	17	11	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers. *	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.1	13.1	-
Marriage-rate - - - - -	2.2	-	-
Death-rate—All Causes - - - - -	15.3	12.4	8.8
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	4	-	-	-	-	-	-	1	1	2	-	4	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	11	6	1	-	-	-	-	-	2	2	3	3	6	

YEAR 1912.

Population—Census 1901, - - - 8,621.

COUNTY—**Fife.**

Do. 1911, - - - 15,149.

Do. estimated to middle of 1912, 15,719.

PUBLIC HEALTH DISTRICT—**Buckhaven, Methil, & Innerleven (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	484	3	14	495	256	239
Illegitimate Births -	23	0	1	24	14	10
Marriages - - -	82	-	-	-	-	-
Deaths - - -	193	10	7	190	110	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.8	31.5	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - -	12.3	12.1	13.4
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—141.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	7	9	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	5	-	1	-	5	3	1	-	-	-	1	-	
Tuberculous Meningitis - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	6	-	-	-	-	-	-	1	4	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	5	5	2	1	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - -	5	3	1	-	-	1	-	2	1	-	-	1	2	
Bronchitis - - - - -	8	7	9	1	-	-	-	-	-	2	1	1	1	
Pneumonia (all forms) - - - -	11	4	2	5	-	2	-	2	2	-	1	1	1	
Other Diseases of Respiratory Organs	1	2	-	1	-	-	1	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	5	2	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	23	8	30	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	*9	-	-	1	-	2	2	1	1	1	-	-	-	
Suicide - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Other Defined Diseases - - - -	21	18	4	3	1	-	-	2	2	4	8	5	10	
Diseases Ill-defined or Unknown - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	*110	80	70	23	4	4	12	11	9	10	16	14	16	

* Including 1 of unstated age.

YEAR 1912.

Population—Census 1901, - - - 4,846.

COUNTY—Fife.

Do. Do. 1911, - - - 4,703.

Do. estimated to middle of 1912, 4,619.

PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	7	98	58	40
Illegitimate Births - -	3	1	4	6	4	2
Marriages - - -	28	-	-	-	-	-
Deaths - - -	51	2	9	58	35	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	21.2	-
Marriage-rate - - - -	6.1	-	-
Death-rate—All Causes - - -	11.0	12.6	12.5
Do. —Phthisis - - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	2	-	-	-	-	2	1	-	1	-	-	-	
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease	-	4	4	-	-	-	-	-	-	2	2	3	1	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	3	2	-	-	-	-	1	-	-	-	2	1	1	
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	2	1	
Pneumonia (all forms) - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	-	1	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	1	1	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	1	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	8	1	1	-	-	-	-	-	2	5	5	2	
Diseases Ill-defined or Unknown	3	-	1	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	35	23	8	5	-	1	3	4	2	6	10	12	7	

YEAR 1912.

Population—Census 1901, - - - 8,329.

COUNTY—**Fife.**

Do. Do. 1911, - - - 14,029.

Do. estimated to middle of 1912, 14,514.

PUBLIC HEALTH DISTRICT—**Cowdenbeath** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	499	5	9	503	251	252
Illegitimate Births -	13	0	2	15	10	5
Marriages - - -	68	-	-	-	-	-
Deaths - - -	150	1	24	173	101	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.4	34.7	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	10.3	11.9	13.3
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	8	4	6	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	6	-	9	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	6	-	-	-	3	4	1	2	1	-	-	-	
Tuberculous Meningitis - - - - -	4	3	2	4	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	2	1	4	-	-	-	-	2	2	2	2	2	
Cancer, Malignant Disease - - - - -	5	5	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	1	3	5	4	-	-	
Bronchitis - - - - -	5	4	6	-	-	-	-	-	-	1	2	-	-	
Pneumonia (all forms) - - - - -	6	6	5	4	-	1	-	1	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	4	1	4	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	1	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	15	4	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	-	-	3	-	1	3	-	1	1	-	-	-	
Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	13	3	2	1	1	1	-	2	4	2	6	5	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	101	72	50	36	6	3	13	5	9	14	14	16	7	

YEAR 1912.

COUNTY—**Fife**.PUBLIC HEALTH DISTRICT—**Crail** (Burgh).

Population—Census 1901, - - - 1,077.

Do. Do. 1911, - - - 1,050.

Do. estimated to middle of 1912, 1,042.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	0	19	8	11
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	8	0	1	9	2	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.2	18.2	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	7.7	8.6	6.8
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—5.3.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	7	1	-	-	-	1	1	-	-	-	2	4	

YEAR 1912.

Population—Census 1901, - - - 348.

COUNTY—**Fife.**

Do. Do. 1911, - - - 456.

Do. estimated to middle of 1912, 463.

PUBLIC HEALTH DISTRICT—**Culross (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	0	0	14	8	6
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	4	-	-	-	-	-
Deaths - - -	3	0	2	5	4	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.2	30.2	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	6.5	10.8	7.4
Do. —Phthisis - - - - -	-	2.2	-
Do. —All Tuberculosis - - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	1	1	-	-	-	-	-	-	2	1	-	1	

YEAR 1912.

Population—Census 1901, - - - 4,511.

COUNTY—Fife.

Do. Do. 1911, - - - 4,380.

Do. estimated to middle of 1912, 4,297.

PUBLIC HEALTH DISTRICT—Cupar (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	4	1	71	39	32
Illegitimate Births - -	7	1	1	7	5	2
Marriages - - -	24	-	-	-	-	-
Deaths - - -	59	0	11	70	42	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	16.5	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - -	13.7	16.3	12.8
Do. —Phthisis - - - - -	-	0.2	-
Do. —All Tuberculosis - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - -	2	-	-	-	1	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	2	-	-	-	-	1	-	-	-	-	1	-	-	
Cancer, Malignant Disease - -	2	2	-	-	-	-	-	-	1	-	-	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	8	9	-	-	-	-	-	1	1	2	1	6	6	
Bronchitis - - - - -	5	2	2	1	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	1	1	-	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Other Defined Diseases - - - -	10	12	-	-	-	-	1	1	-	2	1	2	15	
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	42	28	4	4	1	1	4	5	3	5	4	14	25	

YEAR 1912.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Dunfermline** (Burgh).

Population—Census 1901, - - - 26,072.

Do. Do. 1911, - - - 29,213.

Do. estimated to middle of 1912, 29,150.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	660	11	11	660	344	316
Illegitimate Births - -	27	1	3	29	18	11
Marriages - - -	254	-	-	-	-	-
Deaths - - -	522	74	12	460	218	242

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.6	22.6	-
Marriage-rate - - - - -	8.7	-	-
Death-rate—All Causes - - - - -	17.9	15.8	16.2
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	1	1	3	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	2	-	4	1	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	6	5	5	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	5	-	2	3	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	16	20	1	-	1	1	12	11	7	2	1	-	-	
Tuberculous Meningitis - - - - -	4	5	2	6	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	6	3	-	2	2	1	3	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	4	-	1	-	-	-	1	4	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	25	-	-	-	-	-	-	2	4	12	7	8	
Rheumatic Fever - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Meningitis - - - - -	2	3	1	1	-	-	-	2	1	-	-	-	-	
Organic Heart Disease - - - - -	19	20	-	1	-	-	3	2	3	3	8	15	4	
Bronchitis - - - - -	11	21	3	3	-	-	1	-	2	2	5	9	7	
Pneumonia (all forms) - - - - -	19	16	8	8	1	1	-	2	3	1	2	5	4	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	6	3	-	-	1	-	-	1	1	1	1	3	1	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	26	13	39	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	13	2	1	-	2	1	3	1	2	-	3	2	-	
Suicide - - - - -	2	2	-	-	-	-	-	-	1	1	1	1	-	
Other Defined Diseases - - - - -	56	73	5	4	4	-	6	3	5	7	15	37	43	
Diseases Ill-defined or Unknown - - - - -	4	3	-	-	1	1	-	-	-	-	2	2	1	
Total - - - - -	218	242	69	42	19	9	30	28	35	23	52	82	71	

YEAR 1912.

Population—Census 1901, - - - 3,562.

COUNTY—**Fife**.

Do. Do. 1911, - - - 4,197.

Do. estimated to middle of 1912, 4,211.

PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	124	1	2	125	61	64
Illegitimate Births -	4	0	0	4	0	4
Marriages - - -	48	-	-	-	-	-
Deaths - - -	47	1	12	58	23	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.4	29.7	-
Marriage-rate - - - - -	11.4	-	-
Death-rate—All Causes - - - - -	11.2	13.8	13.5
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	1	1	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	5	-	-	-	1	-	1	1	1	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Pneumonia (all forms) - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	3	3	-	-	-	-	2	1	1	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	5	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	7	-	1	1	-	-	2	1	1	1	5	-	
Diseases Ill-defined or Unknown - - -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Total - - - - -	23	35	11	7	2	-	3	3	7	6	5	5	9	

Population—Census 1901, - - - 317.

Do.	Do.	1911,	-	-	-	322.
-----	-----	-------	---	---	---	------

Do.	Do.	1911,	322.
Do.	Do.	estimated to middle of 1912,	318.

Do.	Do.	1911,	322.
Do.	Do.	estimated to middle of 1912,	318.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	1	3	2	1
Illegitimate Births - - -	0	0	0	0	0	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	4	0	0	4	4	0

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	6·3	9·4	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - - - -	12·6	12·6	10·8
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - - - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

[illegible]

YEAR 1912.

Population—Census 1901, - - - 687.

COUNTY—**Fife.**

Do. Do. 1911, - - - 692.

Do. estimated to middle of 1912, 682.

PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	1	3	2	1
Illegitimate Births -	0	0	1	1	0	1
Marriages - - -	1	-	-	-	-	-
Deaths - - -	12	1	0	11	3	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	2.9	4.4	-
Marriage-rate - - - - -	1.5	-	-
Death-rate—All Causes - - - - -	17.6	16.1	13.2
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—333.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—33.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	-	1	-	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	1	-	3	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	3	8	1	-	-	-	-	-	2	-	2	3	3	

YEAR 1912.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Falkland (Burgh).**

Population—Census 1901, - - - 809.

Do. Do. 1911, - - - 830.

Do. estimated to middle of 1912, 820.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	9	1
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	5	0	5	10	4	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.2	12.2	-
Marriage-rate - - - - -	7.3	-	-
Death-rate—All Causes - - - - -	6.1	12.2	9.2
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	5	1	-	-	-	-	-	1	1	-	4	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	6	1	-	-	-	1	-	-	2	1	1	4	

YEAR 1912.

Population—Census 1901, - - - 1,965.

COUNTY—Fife.

Do. Do. 1911, - - - 3,291.

Do. estimated to middle of 1912, 3,404.

PUBLIC HEALTH DISTRICT—**Inverkeithing** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	124	2	1	123	67	56
Illegitimate Births -	5	0	0	5	4	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	33	2	6	37	15	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36.4	36.1	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	9.7	10.9	10.9
Do. —Phthisis - - - - -	-	0.3	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	2	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	3	2	1	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	2	1	-	-	1	1	-	1	-	2	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	22	14	2	1	-	3	3	-	2	2	7	3	

YEAR 1912.

Population—Census 1901, - - - 2,542.

COUNTY—**Fife.**

Do. Do. 1911, - - - 2,557.

Do. estimated to middle of 1912, 2,520.

PUBLIC HEALTH DISTRICT—**Kilrenny** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	3	1	46	26	20
Illegitimate Births - -	4	0	0	4	2	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	29	1	2	30	14	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	18.3	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - -	11.5	11.9	10.8
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	-	-	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	8	1	-	-	-	2	-	1	2	1	4	4	
Diseases Ill-defined or Unknown -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	14	16	4	-	1	-	2	-	4	3	4	5	7	

YEAR 1912.

Population—Census 1901, - - - 1,550.

COUNTY—**Fife.**

Do. Do. 1911, - - - 1,549.

Do. estimated to middle of 1912, 1,525.

PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	49	1	1	49	24	25
Illegitimate Births -	4	1	0	3	2	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	25	0	1	26	11	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	32.1	32.1	-
Marriage-rate - - -	3.9	-	-
Death-rate—All Causes - - -	16.4	17.0	16.3
Do. —Phthisis - - -	-	0.0	-
Do. —All Tuberculosis - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	1	-	-	-	2	2	-	
Rheumatic Fever - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	6	-	1	-	-	-	-	-	-	1	1	4	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	11	15	3	1	-	1	1	3	1	-	5	4	7	

YEAR 1912.

Population—Census 1901, - - - 34,079.

COUNTY—**Fife.**

Do. Do. 1911, - - - 39,601.

Do. estimated to middle of 1912, 39,817.

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	982	5	13	990	521	469
Illegitimate Births -	46	0	9	55	34	21
Marriages - - -	290	-	-	-	-	-
Deaths - - -	498	8	67	557	288	269

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.7	24.9	-
Marriage-rate - - -	7.3	-	-
Death-rate—All Causes - - -	12.5	14.0	14.3
Do. —Phthisis - - -	-	0.7	-
Do. —All Tuberculosis - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—9.0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	4	-	-	-	1	2	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	7	6	1	-	1	-	2	1	1	5	2	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	5	4	4	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	16	11	-	-	-	-	7	7	6	4	2	1	-	
Tuberculous Meningitis - -	5	4	1	7	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	3	4	2	4	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases -	6	6	2	-	2	-	3	1	1	1	2	-	-	
Cancer, Malignant Disease -	19	23	-	-	-	-	-	1	4	7	13	9	8	
Rheumatic Fever - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Meningitis - - - - -	5	6	5	3	1	1	-	1	-	-	-	-	-	
Organic Heart Disease - - -	34	29	1	-	-	-	3	1	1	13	14	22	8	
Bronchitis - - - - -	9	15	4	1	1	-	-	-	1	-	3	7	7	
Pneumonia (all forms) - - -	28	15	10	9	-	-	2	1	4	3	5	7	2	
Other Diseases of Respiratory Organs	5	4	1	-	-	-	1	1	2	1	1	1	1	
*Diarrhoea and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	1	1	-	-	-	-	1	-	-	-	1	-	-	
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Other Diseases of Digestive System (under 2 years)	3	2	2	3	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	12	6	-	-	-	-	1	3	3	2	2	3	4	
Puerperal Sepsis - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	25	14	39	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	11	6	-	-	1	1	4	2	3	2	1	1	2	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Other Defined Diseases - - - -	72	91	7	7	2	3	4	2	14	15	15	33	61	
Diseases Ill-defined or Unknown -	9	6	5	-	1	-	-	-	3	1	1	3	1	
Total - - - - -	288	269	89	43	11	7	29	26	49	56	65	87	95	

YEAR 1912.

Population—Census 1901, - - - 1,310.

COUNTY—**Fife.**

Do. Do. 1911, - - - 1,266.

Do. estimated to middle of 1912, 1,238.

PUBLIC HEALTH DISTRICT—**Ladybank and Monkston (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	1	1	30	16	14
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	3	-	-	-	-	-
Deaths - - -	32	1	1	32	9	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·2	24·2	-
Marriage-rate - - - - -	2·4	-	-
Death-rate—All Causes - - - - -	25·8	25·8	21·3
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - - - - -	-	1·6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	4·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	5	-	4	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	1	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	1	1	-	-	1	4	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	6	-	-	-	-	1	-	-	2	1	3	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	23	2	5	1	1	3	2	2	3	3	4	6	

YEAR 1912.

Population—Census 1901, - - - 2,064.

COUNTY—Fife.

Do. Do. 1911, - - - 2,142.

Do. estimated to middle of 1912, 2,119.

PUBLIC HEALTH DISTRICT—Leslie (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	4	1	50	19	31
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - -	20	-	-	-	-	-
Deaths - - -	30	0	1	31	11	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.0	23.6	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - - -	14.2	14.6	12.6
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	3	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Pneumonia (all forms). - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	1	1	1	-	-	-	1	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	-	-	-	-	-	-	1	-	3	5	-	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	20	5	1	-	-	1	3	2	2	1	10	6	

YEAR 1912.

Population—Census 1901, - - - 5,577.

COUNTY—**Fife**.

Do. Do. 1911, - - - 6,559.

Do. estimated to middle of 1912, 6,579.

PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	187	3	7	191	100	91
Illegitimate Births -	9	0	2	11	7	4
Marriages - - -	44	-	-	-	-	-
Deaths - - -	79	2	10	87	48	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28.4	29.0	-
Marriage-rate - - -	6.7	-	-
Death-rate—All Causes - - -	12.0	13.2	14.0
Do. —Phthisis - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	2	-	-	-	1	4	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	5	1	-	-	-	-	-	1	1	3	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	2	1	1	-	-	-	1	1	1	-	-	-	
Organic Heart Disease - - -	6	3	-	-	-	-	-	1	1	2	4	1	1	
Bronchitis - - - - -	1	3	1	-	-	-	-	-	-	1	1	1	1	
Pneumonia (all forms) - - -	3	1	1	1	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs -	-	2	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	1	2	2	-	-	-	-	-	-	-	1	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	2	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	14	2	3	-	-	1	1	-	6	4	7	1	
Diseases Ill-defined or Unknown - -	4	1	1	-	-	-	-	-	-	1	2	1	-	
Total - - - - -	48	39	14	14	1	2	5	5	6	16	13	11	-	

YEAR 1912.

Population—Census 1901, - - - 5,472.

COUNTY—Fife.

Do. Do. 1911, - - - 9,149.

Do. estimated to middle of 1912, 9,461.

PUBLIC HEALTH DISTRICT—Lochgelly (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	348	3	6	351	171	180
Illegitimate Births - -	7	1	3	9	6	3
Marriages - - -	76	-	-	-	-	-
Deaths - - -	139	0	14	153	86	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36.8	37.1	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	14.7	16.2	17.6
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	6	4	6	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	1	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	1	-	3	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	5	-	-	-	1	1	-	3	1	4	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-	
Bronchitis - - - - -	7	2	4	-	-	-	-	-	2	3	-	-	-	
Pneumonia (all forms) - - - - -	10	7	4	5	2	-	1	2	-	1	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	3	-	1	-	-	-	-	1	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	3	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	-	-	1	-	1	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	14	8	22	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	1	3	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	15	21	1	1	1	1	4	4	1	3	6	6	8	
Diseases ill-defined or Unknown - - - - -	6	2	-	1	-	-	-	-	-	1	2	1	3	
Total - - - - -	86	67	38	25	6	2	8	11	8	10	19	14	12	

YEAR 1912.

Population—Census 1901, - - - 1,499.

COUNTY—**Fife**.

Do. Do. 1911, - - - 1,641.

Do. estimated to middle of 1912, 1,633.

PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	1	0	39	20	19
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	26	0	10	36	15	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24.5	23.9	-
Marriage-rate - - -	6.7	-	-
Death-rate—All Causes - - -	15.9	22.0	19.0
Do. —Phthisis - - -	-	1.8	-
Do. —All Tuberculosis - - -	-	2.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	1	-	-	-	1	1	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	-	-	1	5	
Bronchitis - - -	2	3	-	-	-	-	-	-	-	-	-	2	3	
Pneumonia (all forms) - - -	2	3	1	-	-	-	-	-	3	-	1	-	-	
Other Diseases of Respiratory Organs - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	2	1	-	-	-	-	-	-	2	1	1	-	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - -	15	21	4	4	-	-	1	2	-	3	4	6	12	

YEAR 1912.

Population—Census 1901, - - - 1,904.

COUNTY—**Fife.**

Do. 1911, - - - 1,977.

Do. estimated to middle of 1912, 1,955.

PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	0	1	52	29	23
Illegitimate Births -	4	0	1	5	4	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	33	0	1	34	14	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.1	26.6	-
Marriage-rate - - -	3.1	-	-
Death-rate—All Causes - - -	16.9	17.4	13.3
Do. —Phthisis - - -	-	1.0	-
Do. —All Tuberculosis - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Rheumatic Fever - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	-	-	-	3	5	-	-
Bronchitis - - -	3	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - -	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhea and Enteritis (under 2 years) -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	4	4	-	1	-	-	-	-	-	-	1	1	5	-	-
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	14	20	2	4	-	-	2	1	1	1	2	9	12	-	-

YEAR 1912.

Population—Census 1901, - - - 3,856.

Do. 1911, - - - 3,643.

Do. estimated to middle of 1912, 3,561.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Newport** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	0	57	30	27
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	14	-	-	-	-	-
Deaths - - -	46	1	4	49	18	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.0	16.0	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - - - -	12.9	13.8	11.8
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	3	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	2	-	1	4	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	6	-	-	-	-	-	-	1	-	2	3	6	-	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	-	2	-	-	-	-	-	-	1	2	2	4	5	-	-
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Total - - - - -	18	31	3	-	-	1	4	-	4	2	6	12	17	-	-

YEAR 1912.

Population—Census 1901, - - - 1,863.

COUNTY—**Fife.**

Do. 1911, - - - 1,888.

Do. estimated to middle of 1912, 1,863.

PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	3	0	52	23	24
Illegitimate Births - -	5	0	0	5	2	3
Marriages - - -	11	-	-	-	-	-
Deaths - - -	29	0	2	31	18	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.5	27.9	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	15.6	16.6	14.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —23.1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	4	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	1	-	-	-	-	2	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	2	
Other Defined Diseases - - - - -	3	3	2	-	-	1	-	-	-	-	-	1	2	
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	-	1	2	-	1	
Total - - - - -	18	13	12	3	-	1	1	1	1	1	3	3	5	

YEAR 1912.

Population—Census 1901, - - - 7,621.

COUNTY—**Fife**.

Do. 1911, - - - 7,851.

Do. estimated to middle of 1912, 7,759.

PUBLIC HEALTH DISTRICT—**St. Andrews** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Seres.	Males.	Females
Births - - -	127	4	6	129	64	65
Illegitimate Births -	6	0	3	9	5	4
Marriages - - -	48	-	-	-	-	-
Deaths - - -	88	9	5	84	40	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.4	16.6	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - - -	11.3	10.8	10.9
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	1	4	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	1	1	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - -	6	3	1	-	-	-	-	-	-	-	4	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	1	1	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	6	3	-	-	-	-	-	-	-	-	2	3	4	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	1	2	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	1	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	2	-	-	-	-	-	1	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	20	1	-	-	-	-	2	1	2	1	10	13	
Diseases Ill-defined or Unknown - -	3	-	-	-	-	-	-	-	-	1	1	1	-	
Total - - - - -	40	44	11	4	1	1	4	6	3	4	9	20	21	

YEAR 1912.

Population—Census 1901 - - - 3,325.

COUNTY—**Fife.**

Do. Do. 1911, - - - 3,272.

Do. estimated to middle of 1912, 3,216.

PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	2	1	74	40	34
Illegitimate Births - -	5	0	1	6	4	2
Marriages - - -	13	-	-	-	-	-
Deaths - - -	53	3	4	54	32	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.3	23.0	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	16.5	16.8	14.6
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	1	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	1	-	-	-	-	-	-	-	1	1	3	-	
Bronchitis - - - - -	2	3	-	-	-	-	1	-	1	1	1	1	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	-	1	1	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	11	4	-	-	1	-	2	3	5	3	4	-	
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	1	-	-	1	2	-	1	-	
Total - - - - -	32	22	8	-	-	1	4	2	4	6	12	5	12	

YEAR 1912.

Population—Census 1901, - - - 15,004.

Do. Do. 1911, - - - 15,523.

Do. estimated to middle of 1912, 15,348.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Cupar (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	274	10	16	280	131	149
Illegitimate Births - - -	26	2	5	29	14	15
Marriages - - -	80	-	-	-	-	-
Deaths - - -	252	65	26	213	99	114

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.9	18.2	-
Marriage-rate - - -	5.2	-	-
Death-rate—All Causes - - -	16.4	13.9	11.3
Do. —Phthisis - - -	-	0.8	-
Do. —All Tuberculosis - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	4	9	1	-	2	4	4	-	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	4	1	1	-	-	2	-	2	-	1	-	-	
Cancer, Malignant Disease - - -	11	13	-	1	-	-	-	-	4	4	6	9	-	
Rheumatic Fever - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	16	14	-	-	-	1	1	-	1	6	11	10	-	
Bronchitis - - -	7	4	2	-	-	-	-	-	-	-	2	7	-	
Pneumonia (all forms) - - -	5	4	2	3	-	-	-	-	-	-	1	1	2	
Other Diseases of Respiratory Organs - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	10	5	-	-	-	-	-	2	2	1	3	7	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	2	-	-	-	-	1	-	-	-	1	1	-	
Suicide - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Defined Diseases - - -	25	33	1	3	1	1	-	1	-	5	14	37	-	
Diseases Ill-defined or Unknown - - -	3	6	1	-	-	-	-	-	-	1	6	1	-	
Total - - -	99	114	15	13	7	2	6	9	4	12	21	48	76	

YEAR 1912.

Population—Census 1901, - - - 23,866.

COUNTY—**Fife.**

Do. Do. 1911, - - - 30,293.

Do. estimated to middle of 1912, 30,618.

PUBLIC HEALTH DISTRICT—**Dunfermline** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	936	4	18	950	495	455
Illegitimate Births - -	38	0	6	44	23	21
Marriages - - -	217	-	-	-	-	-
Deaths - - -	394	15	69	448	232	216

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.6	31.0	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - - -	12.9	14.6	15.2
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—10.3.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	2	2	4	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	5	-	6	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	5	4	6	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	9	5	-	7	7	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	12	-	-	1	8	6	4	1	-	-	-	-	
Tuberculous Meningitis - - - - -	4	2	2	3	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	2	-	3	-	-	2	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	7	-	1	2	1	-	2	2	1	-	1	-	
Cancer, Malignant Disease - - - - -	9	18	-	-	-	-	-	2	3	10	10	2	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	3	2	1	3	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	13	11	-	-	-	-	-	4	4	4	6	6	6	
Bronchitis - - - - -	15	15	9	1	-	1	-	-	1	6	6	6	6	
Pneumonia (all forms) - - - - -	41	17	15	15	1	-	2	5	4	3	6	4	3	
Other Diseases of Respiratory Organs - - - - -	2	2	-	2	1	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	7	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	4	-	-	-	-	-	-	-	1	-	2	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	8	-	1	-	1	1	2	1	1	1	4	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	26	19	44	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	21	2	1	2	-	1	4	3	4	3	4	-	1	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Defined Diseases - - - - -	42	70	7	6	1	1	5	5	9	6	11	33	28	
Diseases Ill-defined or Unknown - - - - -	6	1	2	-	-	-	-	-	-	-	3	-	2	
Causes of Death.	232	216	98	63	12	5	23	25	33	24	46	66	53	

YEAR 1912.

Population—Census 1901, - - - 28,322.

COUNTY—**Fife**.

Do. Do. 1911, - - - 42,027.

Do. estimated to middle of 1912, 43,067.

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1439	17	29	1451	767	684
Illegitimate Births - -	85	7	5	83	48	35
Marriages - - -	204	-	-	-	-	-
Deaths - - -	606	63	31	574	305	269

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·4	33·7	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes - - - - -	14·1	13·3	13·8
Do. —Phthisis - - - - -	-	0·6	-
Do. —All Tuberculosis - - - - -	-	1·4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	3	1	3	2	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	1	-	3	1	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	15	19	14	20	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	6	1	6	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	14	13	-	1	1	3	8	10	3	-	-	1	-	
Tuberculous Meningitis - - - - -	3	3	2	2	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	7	1	8	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	7	8	-	5	-	1	2	5	1	-	-	1	-	
Cancer, Malignant Disease - - - - -	17	20	-	-	-	-	1	-	3	7	8	9	9	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	6	5	-	7	1	-	1	-	1	-	-	-	-	
Organic Heart Disease - - - - -	30	19	-	1	1	-	3	6	7	8	11	12	-	
Bronchitis - - - - -	14	17	14	2	-	-	1	-	2	3	4	5	-	
Pneumonia (all forms) - - - - -	30	17	19	11	1	-	3	1	4	4	1	3	-	
Other Diseases of Respiratory Organs - - - - -	1	4	2	1	-	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	6	10	13	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	3	2	1	-	-	1	1	1	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	5	-	1	-	1	-	1	1	4	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	41	30	70	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	23	4	2	5	1	1	3	5	2	3	1	3	1	
Suicide - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Defined Diseases - - - - -	65	57	15	6	1	-	4	2	11	12	13	25	33	
Diseases Ill-defined or Unknown - - - - -	8	8	1	1	-	1	-	-	2	1	2	4	4	
Total - - - - -	305	269	161	84	15	5	20	32	39	43	45	63	67	

YEAR 1912.

Population—Census 1901. 14,739.

COUNTY—**Fife.**

Do. Do. 1911. 15,379.

Do. estimated to middle of 1912, 15,221.

PUBLIC HEALTH DISTRICT—**St. Andrews** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	294	10	15	299	149	150
Illegitimate Births -	22	0	5	27	12	15
Marriages - - -	75	-	-	-	-	-
Deaths - - -	153	5	18	166	88	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.6	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	10.1	10.9	10.3
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	4	-	-	-	1	3	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	10	-	-	-	-	-	1	3	5	5	3	-	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	14	13	-	-	-	-	-	1	1	7	11	7	-	
Bronchitis - - - - -	7	5	1	-	-	-	-	-	1	1	3	6	-	
Pneumonia (all forms) - - - - -	8	4	2	-	-	-	-	-	3	2	1	4	-	
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	-	3	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	3	-	1	1	1	1	-	1	-	-	2	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	28	20	4	1	-	2	4	-	2	9	9	17	-	
Diseases Ill-defined or Unknown - -	4	3	-	1	-	-	-	-	2	2	1	1	-	
Total - - - - -	88	78	16	9	2	5	6	6	4	14	30	32	42	

YEAR 1912.

Population—Census 1901, - - - 22,398.

Do. Do. 1911, - - - 20,647.

COUNTY—**Forfar.**

Do. estimated to middle of 1912, 20,113.

PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	437	4	4	437	234	203
Illegitimate Births -	31	3	2	30	14	16
Marriages - - -	135	-	-	-	-	-
Deaths - - -	350	3	21	368	146	222

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.7	21.7	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	17.4	18.3	16.7
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	6	1	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	8	4	8	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis -	15	14	-	-	-	1	8	7	4	5	3	1	-	
Tuberculous Meningitis - - - - -	4	3	5	-	-	1	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	-	1	1	-	-	1	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	20	-	-	-	-	-	-	-	3	4	15	6	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	3	2	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	11	18	-	-	-	1	1	1	2	1	4	13	6	
Bronchitis - - - - -	21	23	12	3	-	-	-	-	1	3	7	11	7	
Pneumonia (all forms) - - - - -	12	5	1	5	-	-	2	1	1	1	2	2	2	
Other Diseases of Respiratory Organs -	1	2	-	-	-	1	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	5	-	-	-	-	3	-	1	1	1	-	-	
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	6	3	-	-	-	1	-	1	1	1	2	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	5	5	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	8	-	2	-	-	1	-	-	1	-	-	4	
Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Other Defined Diseases - - - - -	45	88	7	3	1	2	4	5	4	11	16	37	43	
Diseases Ill-defined or Unknown - -	-	4	-	-	-	-	-	-	-	-	-	1	3	
Total - - - - -	146	222	44	30	2	6	24	17	17	30	41	84	73	

YEAR 1912.

Population—Census 1901, - - - 8,941.

COUNTY—**Forfar**.

Do. 1911, - - - 8,439.

PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

Do. estimated to middle of 1912, 8,247.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	153	4	3	152	91	61
Illegitimate Births -	12	1	2	13	8	5
Marriages - - -	58	-	-	-	-	-
Deaths - - -	131	3	12	140	56	84

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.6	18.4	-
Marriage-rate - - -	7.0	-	-
Death-rate—All Causes - - -	15.9	17.0	15.1
Do. —Phthisis - - -	-	0.2	-
Do. —All Tuberculosis - - -	-	0.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	5	6	7	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	1	-	-	-	-	1	-	-	
Tuberculous Meningitis - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	9	-	-	-	-	-	1	2	4	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	8	12	-	-	-	-	1	3	1	3	7	5	5	
Bronchitis - - - - -	3	6	2	-	-	-	-	-	-	-	-	7	7	
Pneumonia (all forms) - - -	3	9	2	-	-	-	-	1	-	2	6	1	1	
Other Diseases of Respiratory Organs	1	1	1	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	1	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - -	23	34	-	-	-	2	1	3	5	2	17	27	27	
Diseases Ill-defined or Unknown - -	4	-	-	-	-	-	-	-	-	1	2	1	1	
Total - - - - -	56	84	18	6	-	1	3	4	9	9	15	33	42	

YEAR 1912.

Population—Census 1901, - - - 10,484.

Do. Do. 1911, - - - 11,058.

COUNTY—**Forfar.**

Do. estimated to middle of 1912, 10,957.

PUBLIC HEALTH DISTRICT—**Broughty-Ferry** (Burgh).

REGISTRATION RETURNS

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	220	4	3	219	112	107
Illegitimate Births -	7	1	0	6	3	3
Marriages - - -	55	-	-	-	-	-
Deaths - - -	147	7	18	158	77	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.1	20.0	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	13.4	14.4	14.0
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	2	1	1	1	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	6	-	-	-	4	1	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	-	-	4	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	3	1	1	1	-	-	1	-	-	1	-	-	
Organic Heart Disease - - - - -	9	7	-	-	1	-	-	2	1	4	5	3	3	
Bronchitis - - - - -	2	6	1	-	-	-	-	-	-	-	5	2	2	
Pneumonia (all forms) - - - - -	8	4	2	2	-	-	1	1	-	2	1	3	3	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	2	-	-	-	-	-	1	1	1	1	2	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	5	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	-	-	1	-	1	-	1	1	1	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	28	28	4	1	-	1	2	1	3	4	9	14	17	
Diseases ill-defined or Unknown - - - - -	3	4	-	-	-	-	-	-	-	-	3	1	3	
Total - - - - -	77	81	21	11	3	3	8	3	9	7	27	34	32	

YEAR 1912.

Population—Census 1901, - - - 5,204.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 5,358.

Do. estimated to middle of 1912, 5,294.

PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	0	1	76	37	39
Illegitimate Births -	5	0	1	6	2	4
Marriages - - -	23	-	-	-	-	-
Deaths - - -	87	5	6	88	37	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.2	14.4	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	16.4	16.6	14.2
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	-	2	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	1	-	-	-	-	-	4	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	5	-	-	-	-	-	-	-	1	1	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	1	-	-	-	-	1	-	1	1	2	
Bronchitis - - - - -	3	3	-	-	-	-	-	-	-	-	1	4	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	1	1	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	24	1	-	-	-	-	1	2	3	2	9	20	
Diseases Ill-defined or Unknown - - - - -	3	4	-	-	-	-	-	-	-	-	-	5	2	
Total - - - - -	37	51	4	4	2	1	1	6	5	5	10	22	28	

YEAR 1912.

Population—Census 1901, - - - 162,982.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 165,004.

Do. estimated to middle of 1912, 164,911.

PUBLIC HEALTH DISTRICT—**Dundee (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	4167	65	24	4126	2136	1990
Illegitimate Births -	403	34	13	382	187	195
Marriages - - - -	1241	-	-	-	-	-
Deaths - - - -	3113	96	86	3103	1430	1673

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	25·3	25·0	-
Marriage-rate - - - -	7·5	-	-
Death-rate—All Causes - - - -	18·9	18·8	19·4
Do. —Phthisis - - - -	-	1·7	-
Do. —All Tuberculosis - - - -	-	2·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—161.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE														
	Males.	Females.															
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over				
*Enteric Fever - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - -	71	52	43	75	5	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - -	9	7	-	8	4	1	1	1	-	1	-	-	-	-	-	-	-
*Whooping-cough - - - -	33	31	21	43	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	22	23	4	30	8	1	2	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	3	2	1	-	1	-	-	-	1	-	-	-	1	-	-	1	1
Phthisis, Pulmonary Tuberculosis -	115	169	5	10	9	12	73	51	52	52	15	3	2	-	-	-	-
Tuberculous Meningitis - - - -	31	30	13	24	11	8	5	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	29	24	19	20	7	-	4	-	1	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	23	25	2	11	7	6	7	6	3	2	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	85	132	1	2	-	-	1	7	24	53	61	41	27	-	-	-	-
Rheumatic Fever - - - -	1	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Meningitis - - - -	11	13	4	10	6	-	1	1	1	-	1	-	-	-	-	-	-
Organic Heart Disease - - - -	110	148	-	-	4	6	11	11	17	40	57	65	47	-	-	-	-
Bronchitis - - - -	90	123	57	13	-	1	2	2	6	21	33	50	23	-	-	-	-
Pneumonia (all forms) - - - -	141	154	65	74	4	1	8	9	21	22	27	38	26	-	-	-	-
Other Diseases of Respiratory Organs -	26	24	4	1	1	2	3	-	5	4	9	11	10	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) -	62	63	103	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	16	6	-	-	3	7	5	-	5	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	7	9	1	-	-	-	1	1	2	1	4	5	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) -	11	7	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	31	33	2	3	1	1	3	2	6	17	18	10	1	-	-	-	-
Puerperal Sepsis - - - -	-	8	-	-	-	-	3	1	4	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	21	-	-	-	-	5	6	9	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	117	103	214	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	60	35	29	13	5	1	2	5	5	12	16	6	1	-	-	-	-
Suicide - - - -	10	6	-	-	-	-	1	3	4	2	3	3	-	-	-	-	-
Other Defined Diseases - - - -	277	376	53	24	9	6	17	20	39	59	117	150	159	-	-	-	-
Diseases ill-defined or Unknown -	37	46	8	8	2	2	3	1	4	9	14	19	13	-	-	-	-
Total - - - -	1430	1673	665	400	87	55	158	131	210	298	379	402	318	-	-	-	-

YEAR 1912.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Population—Census 1901, - - - 11,397.

Do. Do. 1911, - - - 10,849.

Do. estimated to middle of 1912, 10,614.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	203	3	4	204	103	101
Illegitimate Births -	17	1	2	18	11	7
Marriages - - -	79	-	-	-	-	-
Deaths - - -	161	11	12	162	68	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	19.2	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	15.2	15.3	14.3
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - - - - -	1	2	-	2	-	-	-	1	-	-	-	-	-			
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis - - - - -	5	8	-	-	-	-	4	6	2	-	1	-	-			
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Tuberculous Diseases - - - - -	3	1	-	-	-	-	-	2	-	1	1	-	-			
Cancer, Malignant Disease - - - - -	4	5	-	-	-	1	-	-	-	1	3	2	2			
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-			
Organic Heart Disease - - - - -	12	15	-	-	-	-	1	2	-	2	10	3	9			
Bronchitis - - - - -	5	3	1	1	-	-	-	-	1	-	-	4	1			
Pneumonia (all forms) - - - - -	4	6	3	2	1	-	1	-	1	-	1	1	-			
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-			
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	1	-	1	-	-	-	-			
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-			
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-			
Nephritis and Bright's Disease - - - - -	2	5	-	1	1	-	-	1	-	1	2	1	-			
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth - - - - -	3	5	8	-	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-			
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-			
Other Defined Diseases - - - - -	20	34	2	-	-	-	1	2	2	6	7	13	21			
Diseases Ill-defined or Unknown - - - - -	2	5	1	-	-	-	-	-	-	1	-	4	1			
Total - - - - -	68	94	16	9	4	1	8	14	7	13	26	30	34			

YEAR 1912.

Population—Census 1901, - - - 4,096.

COUNTY—Forfar.

Do. Do. 1911, - - - 3,776.

Do. estimated to middle of 1912, 3,678.

PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	3	0	60	37	23
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	31	-	-	-	-	-
Deaths - - -	41	0	7	48	21	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.1	16.3	-
Marriage-rate - - -	8.4	-	-
Death-rate—All Causes - - -	11.1	13.1	11.1
Do. —Phthisis - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—17.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	2	2	-	-	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	3	-	-	-	-	-	-	1	1	1	1	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	-	1	4	1	2	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	2	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - -	5	9	-	1	-	-	-	-	2	-	2	1	8	
Diseases Ill-defined or Unknown -	2	2	-	-	-	-	-	-	-	1	1	2	-	
Total - - -	21	27	1	1	-	-	2	4	3	4	10	9	14	

YEAR 1912.

Population—Census 1901, - - - 2,134.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 3,098.

Do. estimated to middle of 1912, 3,168.

PUBLIC HEALTH DISTRICT—**Monifieth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	1	2	61	26	35
Illegitimate Births -	3	0	0	3	0	3
Marriages - - -	9	-	-	-	-	-
Deaths - - -	34	1	9	42	19	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.9	19.3	-
Marriage-rate - - -	2.8	-	-
Death-rate—All Causes - - -	10.7	13.3	12.5
Do. —Phthisis - - -	-	0.3	-
Do. —All Tuberculosis - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	3	3	-	-	-	-	-	-	-	2	3	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	
Organic Heart Disease - - -	3	4	-	-	-	-	-	1	-	2	-	2	2	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - -	3	9	-	-	-	-	-	1	-	-	3	4	4	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	19	23	6	-	1	-	-	3	1	6	9	9	7	

YEAR 1912.

Population—Census 1901, - - - 12,427.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 10,974.

Do. estimated to middle of 1912, 10,627.

PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	162	1	3	164	82	82
Illegitimate Births -	7	0	2	9	5	4
Marriages - - -	71	-	-	-	-	-
Deaths - - -	215	12	3	206	92	114

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	15.4	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	20.2	19.4	16.2
Do. —Phthisis - - - - -	-	1.6	-
Do. —All Tuberculosis - - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—116.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	12	5	-	-	1	-	4	4	2	1	4	1	-	
Tuberculous Meningitis - - - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	1	-	1	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	12	-	-	-	-	-	-	-	3	4	8	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	3	-	-	1	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	8	17	-	-	-	-	-	-	2	3	6	8	6	
Bronchitis - - - - -	7	11	3	2	-	-	-	-	-	-	1	6	6	
Pneumonia (all forms) - - - - -	10	4	1	2	1	-	2	1	3	1	1	1	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	3	-	-	-	-	-	1	1	-	1	1	-	
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	5	6	1	-	-	-	1	2	-	-	2	2	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	7	3	8	2	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	2	-	1	-	-	-	1	-	-	-	2	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	23	41	1	-	1	-	1	2	2	6	8	14	29	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	92	114	19	11	6	1	10	12	13	14	28	43	49	

YEAR 1912.

Population—Census 1901, - - - 8,929.

COUNTY—**Forfar.**

Do. 1911, - - - 8,434.

PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

Do. estimated to middle of 1912, 8,243.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	188	2	2	188	90	98
Illegitimate Births - - -	19	0	1	20	9	11
Marriages - - -	39	-	-	-	-	-
Deaths - - -	112	5	13	120	54	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.8	22.8	-
Marriage-rate - - - - -	4.7	-	-
Death-rate—All Causes - - - - -	13.6	14.6	12.9
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	9	6	3	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	9	-	-	-	1	3	2	3	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	1	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	6	4	-	-	1	-	-	1	1	-	2	1	4	
Bronchitis - - - - -	5	6	1	2	-	1	-	-	1	-	-	2	4	
Pneumonia (all forms) - - - - -	4	3	1	1	-	-	1	-	1	-	1	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	3	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	2	-	2	-	1	1	1	1	-	-	-	-	
Suicide - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Other Defined Diseases - - - - -	14	17	1	-	-	1	1	1	-	5	2	4	16	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	54	66	18	10	3	5	7	6	10	7	12	16	26	

YEAR 1912.

Population—Census 1901, - - - 13,356.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 12,821.

Do. estimated to middle of 1912, 12,557.

PUBLIC HEALTH DISTRICT—**Brechin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	276	4	9	281	162	119
Illegitimate Births -	20	2	5	23	17	6
Marriages - - -	57	-	-	-	-	-
Deaths - - -	178	67	9	120	57	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.0	22.4	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	14.2	9.6	8.5
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
*Whooping-cough - - - - -	1	4	4	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	-	3	2	3	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	8	-	-	-	-	-	-	1	1	2	6	5	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	2	-	3	-	2	-	-
Bronchitis - - - - -	3	4	2	-	1	-	-	-	-	-	1	1	2	-	-
Pneumonia (all forms) - - - - -	5	4	1	1	-	-	1	-	-	-	-	3	3	-	-
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	2	1	-	-	-	-	-	-	2	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	2	2	-	-	-	-	1	-	-	1	-	1	1	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-
Suicide - - - - -	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-
Other Defined Diseases - - - - -	16	17	-	-	-	-	1	1	2	-	6	6	17	-	-
Diseases Ill-defined or Unknown - -	3	3	-	-	-	-	-	-	-	-	2	1	3	-	-
Total - - - - -	57	63	18	2	3	1	8	4	11	6	15	19	33	-	-

YEAR 1912.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Dundee** (County District).

Population—Census 1901, - - 9,912.

Do. Do. 1911, - - 9,807.

Do. estimated to middle of 1912, 9,642.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	238	5	14	247	135	112
Illegitimate Births -	23	3	4	24	11	13
Marriages - - -	44	-	-	-	-	-
Deaths - - -	178	75	15	118	63	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.7	25.6	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	18.5	12.2	11.3
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	6	-	-	-	-	4	-	3	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	-	2	1	3	5	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	2	2	2	-	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	-	-	-	-	3	2	4	
Bronchitis - - - - -	6	2	1	-	-	-	-	-	-	-	-	1	6	
Pneumonia (all forms) - - - - -	6	1	2	2	1	-	1	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	3	1	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	-	1	1	-	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	1	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	3	-	2	-	-	1	-	-	1	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	10	18	-	1	-	-	-	-	1	1	6	8	11	
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	2	-	-	-	1	
Total - - - - -	63	55	22	11	3	-	8	-	9	5	12	18	30	

YEAR 1912.

Population—Census 1901, - - - 11,822.

COUNTY—**Forfar**.

Do. Do. 1911, - - - 11,152.

Do. estimated to middle of 1912, 10,897.

PUBLIC HEALTH DISTRICT—**Forfar** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	241	4	4	241	122	119
Illegitimate Births -	18	2	3	19	10	9
Marriages - - -	44	-	-	-	-	-
Deaths - - -	131	7	12	136	62	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.1	22.1	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	12.0	12.5	10.2
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.7	-
Do. —Principal Epidemic Diseases* (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—41.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	-	2	-	-	1	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	4	3	-	-	-	1	3	-	1	-	1	1	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	12	-	-	-	-	-	-	-	1	3	6	7	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	8	-	-	-	-	-	1	2	1	4	3	5	
Bronchitis - - - - -	1	5	1	1	-	-	-	-	-	-	1	2	1	
Pneumonia (all forms) - - - - -	3	2	1	-	-	-	-	-	1	1	1	-	1	
Other Diseases of Respiratory Organs -	2	4	1	-	-	-	-	-	-	-	3	2	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	2	-	-	-	-	-	-	1	2	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	3	-	-	1	1	-	-	-	-	-	-	1	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Other Defined Diseases - - - - -	25	26	2	-	-	-	-	1	1	1	5	12	29	
Diseases Ill-defined or Unknown - - -	-	4	-	-	-	-	-	-	-	-	-	2	2	
Total - - - - -	62	74	10	3	4	1	5	4	6	7	19	31	46	

YEAR 1912.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton** (Burgh).

Population—Census 1901, - - - 1,687.

Do. Do. 1911, - - - 2,400.

Do. estimated to middle of 1912, 2,451.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	1	4	83	35	48
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	23	-	-	-	-	-
Deaths - - -	36	0	4	40	16	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.6	33.9	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - - - -	14.7	16.3	16.0
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—145.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	5	-	-	-	-	-	-	1	1	1	4	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	1	-	-	-	1	1	1	
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	1	3	3	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	1	-	-	-	-	-	1	-	1	1	1	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	24	12	1	-	1	1	4	2	1	6	8	4	

YEAR 1912.

Population—Census 1901, - - - 3,581.

Do. Do. 1911, - - - 3,346.

COUNTY—**Haddington.**

Do. estimated to middle of 1912, 3,266.

PUBLIC HEALTH DISTRICT—**Dunbar** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	2	2	82	35	47
Illegitimate Births -	12	1	0	11	2	9
Marriages - - -	27	-	-	4	-	-
Deaths - - -	39	2	4	41	22	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.1	25.1	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - - -	11.9	12.6	11.9
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	-	-	-	-	2	1	5	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	4	-	-	-	-	-	-	1	1	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	3	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	2	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	-	-	-	1	-	2	1	3	1	3	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	19	4	2	-	1	2	5	3	3	7	5	9	

YEAR 1912.

Population—Census 1901, - - - 912.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 877.

PUBLIC HEALTH DISTRICT—**East Linton (Burgh).**

Do. estimated to middle of 1912, 859.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	1	1	14	7	7
Illegitimate Births - -	2	1	1	2	2	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	22	6	1	17	4	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.3	16.3	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - - - -	25.6	19.8	14.9
Do. —Phthisis - - - - -	-	3.5	-
Do. —All Tuberculosis - - - - -	-	3.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	5	1	-	-	-	-	1	-	1	4	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	13	1	1	-	-	-	1	3	2	1	6	2	

YEAR 1912.

Population—Census 1901, - - - 3,993.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 4,140.

Do. estimated to middle of 1912, 4,095.

PUBLIC HEALTH DISTRICT—**Haddington** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	5	1	72	35	37
Illegitimate Births -	6	3	1	4	0	4
Marriages - - -	16	-	-	-	-	-
Deaths - - -	72	18	6	60	33	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.6	17.6	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - - - -	17.6	14.7	13.6
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	1	-	1	1	3	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	1	1	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	1	-	1	-	3	2	-	
Bronchitis - - - - -	1	2	-	-	-	-	-	1	-	-	-	2	-	
Pneumonia (all forms) - - - - -	4	-	1	-	-	-	1	-	-	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	1	-	-	-	-	-	-	1	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	9	2	-	-	-	1	1	2	1	6	4	-	
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	-	1	-	1	3	-	
Total - - - - -	33	27	8	1	-	1	2	3	4	8	6	15	12	

YEAR 1912.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**North Berwick (Burgh).**

Population—Census 1901, - - - 2,902.

Do. Do. 1911, - - - 3,246.

Do. estimated to middle of 1912, 3,238.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	0	2	56	32	24
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	31	1	2	32	17	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.7	17.3	-
Marriage-rate - - -	3.7	-	-
Death-rate—All Causes - - -	9.6	9.9	10.2
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	1	-	-	-	-	-	-	-	1	-	2	1	
Bronchitis - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	10	1	-	-	1	-	1	2	1	1	5	6	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Total - - -	17	15	4	1	-	1	1	1	3	3	2	9	7	

YEAR 1912.

Population—Census 1901, - - - 1,721.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 1,923.

Do. estimated to middle of 1912, 1,918.

PUBLIC HEALTH DISTRICTS—**Prestonpans (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	64	4	2	62	22	40
Illegitimate Births -	3	1	0	2	0	2
Marriages - - -	15	-	-	-	-	-
Deaths - - -	15	0	4	19	9	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.4	32.3	-
Marriage-rate - - - - -	7.8	-	-
Death-rate—All Causes - - - - -	7.8	9.9	9.6
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	1	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	3	2	3	-	-	1	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	2	-	-	-	-	-	-	-	1	1	3	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	10	4	-	1	-	1	-	2	2	2	5	2	

YEAR 1912.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1901, - - - 2,766.
 Do. Do. 1911, - - - 4,369.
 Do. estimated to middle of 1912, 4,499.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	164	3	0	161	78	83
Illegitimate Births -	10	0	0	10	6	4
Marriages - - -	28	-	-	-	-	-
Deaths - - -	57	6	7	58	26	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	36.5	35.8	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - - -	12.7	12.9	13.5
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 106.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	6	2	4	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	1	2	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	2	-	-	-	-	-	-	2	-	1	-	-	
Rheumatic Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	3	2	3	-	-	-	2	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	3	6	8	-	-	-	-	-	1	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	1	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	4	2	-	-	-	1	1	-	4	2	2	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	26	32	17	9	1	-	3	4	7	4	5	5	3	

YEAR 1912.

Population—Census 1901, - - - 6,459.

COUNTY—**Haddington.**

Do. Do. 1911, - - - 6,189.

Do. estimated to middle of 1912, 6,060.

PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	124	2	3	125	60	65
Illegitimate Births -	8	0	1	9	3	6
Marriages - - -	26	-	-	-	-	-
Deaths - - -	63	1	11	73	34	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	20.6	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	10.4	12.0	11.7
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	1	2	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	1	-	3	1	-	1	-	
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	2	-	-	-	-	-	1	1	3	2	2	-	
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	1	2	-	1	-	-	-	1	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	1	-	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	-	1	-	1	-	2	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	17	1	3	2	1	1	1	1	2	2	5	5	
Diseases Ill-defined or Unknown - - - - -	4	1	1	1	-	-	-	-	-	-	2	1	1	
Total - - - - -	34	39	6	6	2	1	4	4	5	8	12	11	14	

YEAR 1912.

Population—Census 1901, - - - 14,644.

COUNTY—Haddington.

Do. Do. 1911, - - - 16,764.

Do. estimated to middle of 1912, 16,767.

PUBLIC HEALTH DISTRICT—Western Haddington (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	427	11	15	431	223	208
Illegitimate Births -	20	0	6	26	13	13
Marriages - - -	75	-	-	-	-	-
Deaths - - -	173	5	40	208	109	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.5	25.7	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	10.3	12.4	12.8
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 88.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	-	1	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	6	-	-	-	1	5	3	3	1	-	-	-	
Tuberculous Meningitis - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	2	-	1	-	1	-	-	-	2	3	5	6	3	
Cancer, Malignant Disease - - - - -	8	12	-	-	-	1	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	8	-	-	-	-	1	-	-	2	5	7	5	
Bronchitis - - - - -	8	6	2	1	-	-	-	-	-	-	1	4	6	
Pneumonia (all forms) - - - - -	5	4	1	2	-	-	1	-	3	-	-	2	-	
Other Diseases of Respiratory Organs -	3	2	-	1	-	-	1	-	-	-	2	-	1	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years)	-	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	5	-	-	-	-	-	-	-	2	1	3	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	15	9	23	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	3	-	2	-	-	-	1	-	2	-	2	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	27	28	4	2	1	1	-	-	6	3	10	13	15	
Diseases ill-defined or Unknown - -	4	4	1	-	-	-	-	-	-	1	3	1	2	
Total - - - - -	109	99	38	19	3	5	7	9	14	14	28	39	32	

YEAR—1912.

Population—Census 1901, - - - 2,087.

Do. Do. 1911, - - - 2,002.

COUNTY—**Inverness.**

Do. estimated to middle of 1912, 1,960.

PUBLIC HEALTH DISTRICT—**Fort-William** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	1	3	41	20	21
Illegitimate Births -	2	0	2	4	3	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	26	1	3	28	12	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	20.9	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	13.3	14.3	13.0
Do. —Phthisis - - - - -	-	2.0	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	-	-	-	2	-	-	1	-	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	1	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	7	-	-	-	-	-	-	-	-	-	3	4	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	1	-	-	-	-	-	-	1	-	-	1	3	
Diseases ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Total - - - - -	12	16	1	-	-	-	2	-	2	5	3	6	9	

YEAR—1912.

Population—Census 1901, - - - 23,075.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 22,216.

Do. estimated to middle of 1912, 21,768.

PUBLIC HEALTH DISTRICT—**Inverness** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	494	16	9	487	232	255
Illegitimate Births - -	53	13	5	45	19	26
Marriages - - -	222	-	-	-	-	-
Deaths - - -	398	27	13	384	179	205

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.7	22.4	-
Marriage-rate - - -	10.2	-	-
Death-rate—All Causes - - -	18.3	17.6	16.3
Do. —Phthisis - - -	-	1.6	-
Do. —All Tuberculosis - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12.5.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	4	-	5	-	-	2	-	-	-	-	-	-	
Influenza - - - - -	2	5	-	1	-	-	-	-	-	1	-	4	1	
Erysipelas - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	20	15	-	2	-	3	15	8	4	2	1	-	-	
Tuberculous Meningitis - - - - -	2	2	-	1	1	1	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	21	-	-	-	-	-	1	4	8	10	5	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	3	3	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	18	25	-	-	-	-	1	1	5	2	7	15	12	
Bronchitis - - - - -	12	26	7	1	-	-	1	1	-	-	2	6	20	
Pneumonia (all forms) - - - - -	18	13	11	2	1	1	1	3	2	2	1	6	-	
Other Diseases of Respiratory Organs - - - - -	5	2	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	1	-	-	1	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	6	-	-	-	-	2	-	1	1	4	1	2	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	12	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	5	1	-	1	-	2	2	2	-	4	2	1	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - - - -	42	48	8	3	-	1	3	5	4	8	11	14	33	
Diseases Ill-defined or Unknown - - - - -	8	7	1	1	-	-	-	-	-	3	4	2	4	
Total - - - - -	179	205	61	23	6	5	16	29	29	27	46	58	84	

YEAR 1912.

Population—Census 1901, - - - 989.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 1,171.

PUBLIC HEALTH DISTRICT—**Kingussie (Burgh).**

Do. estimated to middle of 1912, 1,176.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	1	0	20	10	10
Illegitimate Births -	3	1	0	2	2	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	17	1	0	16	9	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	17.0	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	14.5	13.6	13.5
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—15.0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	3	1	-	-	-	1	-	-	-	1	1	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	7	3	1	-	-	1	2	-	1	1	2	5	

YEAR 1912.

Population—Census 1901, - - - 8,893.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 8,758.

Do. estimated to middle of 1912, 8,607.

PUBLIC HEALTH DISTRICT—**Aird** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	150	3	4	151	77	74
Illegitimate Births - -	9	0	4	13	6	7
Marriages - - -	14	-	-	-	-	-
Deaths - - -	120	1	12	131	67	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.4	17.5	-
Marriage-rate - - -	1.6	-	-
Death-rate—All Causes - - -	13.9	15.2	11.9
Do. —Phthisis - - -	-	0.8	-
Do. —All Tuberculosis - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	1	-	-	1	-	-	-	1	-	-	-	-		
*Scarlet Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	2	1	1	1	1	-	-	-	-	-	-	-	-		
Influenza - - -	1	1	-	-	-	-	-	-	-	-	1	-	1		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - -	2	5	-	-	1	1	1	2	1	-	1	-	-		
Tuberculous Meningitis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Abdominal Tuberculosis - - -	2	-	-	2	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	6	3	-	-	-	-	-	-	1	1	5	2	-		
Rheumatic Fever - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	10	9	-	-	-	1	-	1	2	1	2	12	-		
Bronchitis - - -	1	3	-	-	-	-	-	1	-	-	2	1	-		
Pneumonia (all forms) - - -	4	4	-	1	1	-	-	-	1	1	3	1	-		
Other Diseases of Respiratory Organs - - -	2	1	-	-	-	-	-	-	-	-	1	1	-		
*Diarrhœa and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - -	3	1	3	1	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - -	7	3	-	3	1	-	1	1	1	-	2	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	23	28	2	-	1	3	1	-	1	3	7	9	24		
Diseases Ill-defined or Unknown - - -	2	1	-	-	-	-	-	-	-	1	1	-	1		
Total - - -	67	64	6	8	4	5	4	3	10	10	12	26	43		

YEAR 1912.

Population—Census 1901, - - - 6,511.

Do. Do. 1911, - - - 6,496.

COUNTY—**Inverness.**

Do. estimated to middle of 1912, 6,394.

PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	111	3	7	115	55	60
Illegitimate Births -	11	0	3	14	9	5
Marriages - - -	20	-	-	-	-	-
Deaths - - -	111	6	11	116	56	60

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	18.0	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	17.4	18.1	14.4
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	1	4	2	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	9	-	-	-	-	-	-	1	1	1	7	1	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	-	-	-	-	4	4	-	-	-
Bronchitis - - - - -	3	4	2	-	1	-	-	-	-	-	-	2	2	-	-	-
Pneumonia (all forms) - - - - -	4	5	-	1	-	1	-	1	-	3	2	2	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	23	21	-	1	-	1	1	-	4	6	6	6	25	-	-	-
Diseases ill-defined or Unknown - - - - -	5	4	1	-	-	-	2	-	-	2	1	-	3	-	-	-
Total - - - - -	56	60	5	5	2	2	7	8	4	8	15	23	37	-	-	-

YEAR 1912.

Population—Census 1901, - - - 5,271.

COUNTY—**Inverness.**

Do. 1911, - - - 5,449.

Do. estimated to middle of 1912, 5,387.

PUBLIC HEALTH DISTRICT—**Harris** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	125	0	1	126	72	54
Illegitimate Births -	6	0	1	7	6	1
Marriages - - -	15	-	-	-	-	-
Deaths - - -	76	1	2	77	31	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.2	23.4	-
Marriage-rate - - - - -	2.8	-	-
Death-rate—All Causes - - - - -	14.1	14.3	11.2
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	1	3	-	-	1	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	1	1	1	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	-	1	1	2	
Pneumonia (all forms) - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	1	3	-	-	-	-	1	-	1	-	2	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	15	1	-	-	1	-	2	-	-	1	3	17	
Diseases Ill-defined or Unknown - -	6	10	5	2	1	-	-	2	-	-	2	3	1	
Total - - - - -	31	45	10	7	3	-	4	6	4	4	6	11	22	

YEAR 1912.

Population—Census 1901, - - - 9,269.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 9,142.

Do. estimated to middle of 1912, 8,985.

PUBLIC HEALTH DISTRICT—**Inverness** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	4	6	175	83	92
Illegitimate Births -	10	0	1	11	5	6
Marriages - - -	16	-	-	-	-	-
Deaths - - -	160	50	10	120	59	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.5	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	17.3	13.4	11.8
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	-	1	-	1	-	-	-	-	-	1	-	
Influenza - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	1	-	-	-	-	1	5	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	9	-	-	-	-	-	-	2	4	1	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	6	-	-	-	-	1	-	-	1	1	7	4	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	8	6	3	1	-	-	-	1	2	-	-	3	4	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	1	-	-	-	-	-	-	2	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	-	-	2	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	2	-	1	-	-	-	-	1	-	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	21	5	-	-	-	2	3	1	2	3	6	14	
Diseases Ill-defined or Unknown - - - - -	1	4	2	-	-	-	-	-	-	1	-	-	2	
Total - - - - -	59	61	15	3	2	1	5	9	8	10	9	27	31	

YEAR 1912.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

Population—Census 1901, - - - 7,438.
 Do. Do. 1911, - - - 7,039.
 Do. estimated to middle of 1912, 6,881.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	0	11	101	56	45
Illegitimate Births - -	0	0	2	2	1	1
Marriages - - -	13	-	-	-	-	-
Deaths - - -	87	1	5	91	46	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.1	14.7	-
Marriage-rate - - - - -	1.9	-	-
Death-rate—All Causes - - - - -	12.6	13.2	10.6
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—30.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	2	-	-	-	1	3	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	1	-	-	1	-	2	1	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	1	1	1	1	1	
Bronchitis - - - - -	3	3	-	-	-	-	-	-	-	-	1	2	3	
Pneumonia (all forms) - - - - -	7	2	-	1	-	-	2	-	2	-	2	1	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	1	-	-	-	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	-	-	-	1	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	21	1	-	-	-	1	-	2	2	5	9	19	
Diseases Ill-defined or Unknown - - - - -	2	2	-	1	-	-	-	-	-	-	2	-	1	
Total - - - - -	46	45	3	2	1	-	7	5	7	5	14	20	27	

YEAR 1912.

Population—Census 1901, - - - 3,891.

Do. Do. 1911, - - - 3,677.

Do. estimated to middle of 1912, 3,595.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**North Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	4	0	59	38	21
Illegitimate Births -	3	0	0	3	3	0
Marriages - - -	13	-	-	-	-	-
Deaths - - -	51	1	2	52	22	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.5	16.4	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	14.2	14.5	10.6
Do. —Phthisis - - - - -	-	3.1	-
Do. —All Tuberculosis - - - - -	-	4.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	4	-	-	-	-	4	3	3	1	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	3	1	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Bronchitis - - - - -	3	6	-	-	-	-	-	-	1	1	-	-	7	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	-	-	-	-	-	-	-	1	1	3	6	
Diseases Ill-defined or Unknown - - - - -	3	1	3	-	-	-	-	1	-	-	-	-	-	
Total - - - - -	22	30	4	3	3	1	5	5	5	5	1	5	15	

YEAR 1912.

Population—Census 1901, - - - 8,061.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 8,003.

Do. estimated to middle of 1912, 7,873.

PUBLIC HEALTH DISTRICT—**South Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	150	0	2	152	87	65
Illegitimate Births -	11	0	1	12	7	5
Marriages - - -	24	-	-	-	-	-
Deaths - - -	97	1	1	97	50	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.1	19.3	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - - - -	12.3	12.3	9.8
Do. —Phthisis - - - - -	-	2.2	-
Do. —All Tuberculosis - - - - -	-	2.5	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—86.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	1	-	-	-	-	-	1	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	8	-	-	-	10	5	-	-	-	-	2	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Cancer, Malignant Disease - - - - -	2	5	-	-	-	-	-	-	-	2	2	3	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	1	2	2	1	1	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	1	-	2	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	11	1	-	-	2	-	2	2	-	1	10	11	
Diseases Ill-defined or Unknown - - - - -	3	3	1	1	-	-	-	1	-	-	2	1	-	
Total - - - - -	50	47	13	1	1	2	12	10	8	8	9	20	13	

YEAR 1912.

Population—Census 1901, - - - 14,619.

Do. Do. 1911, - - - 13,319.

Do. estimated to middle of 1912, 12,953.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Skye** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	252	4	2	250	133	112
Illegitimate Births -	15	0	1	16	11	5
Marriages - - -	42	-	-	-	-	-
Deaths - - -	223	4	7	226	105	121

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.5	19.3	-
Marriage-rate - - -	3.2	-	-
Death-rate—All Causes - - -	17.2	17.4	12.2
Do. —Phthisis - - -	-	1.6	-
Do. —All Tuberculosis - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	
Influenza - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Erysipelas - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	9	12	-	-	-	1	5	7	2	3	3	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	5	-	-	-	-	-	-	1	-	3	3	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	10	12	-	-	-	-	1	-	1	1	2	6	11	
Bronchitis - - -	10	9	-	2	-	-	-	1	-	-	-	6	10	
Pneumonia (all forms) - - -	4	3	1	-	1	-	-	-	1	-	1	2	1	
Other Diseases of Respiratory Organs -	3	4	-	-	-	-	-	2	1	1	1	2	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	8	4	1	1	1	-	1	2	-	1	1	1	3	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	37	43	2	3	2	1	3	2	2	2	6	16	41	
Diseases Ill-defined or Unknown - - -	16	17	4	-	-	-	1	1	1	3	5	7	11	
Total - - -	105	121	11	7	4	3	12	15	10	11	25	46	82	

YEAR 1912.

Population—Census 1901, - - - 1,475.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 1,633.

Do. estimated to middle of 1912, 1,628.

PUBLIC HEALTH DISTRICT—**Banchory (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	1	4	24	13	11
Illegitimate Births -	3	1	2	4	2	2
Marriages - - -	6	-	-	-	-	-
Deaths - - -	21	1	1	21	6	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.9	14.7	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	12.9	12.9	11.6
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	3	5	-	-	-	-	-	-	-	1	2	2	3	-	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	6	15	1	3	-	-	-	1	-	3	3	4	6	-	-

YEAR 1912.

Population—Census 1901, . . . 1,207.

COUNTY—**Kincardine.**

Do. Do. 1911, . . . 1,173.

Do. estimated to middle of 1912, 1,151.

PUBLIC HEALTH DISTRICT—**Inverbervie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	0	0	26	18	8
Illegitimate Births -	8	0	0	8	4	4
Marriages - - -	9	-	-	-	-	-
Deaths - - -	19	1	0	18	8	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.6	22.6	-
Marriage-rate - - -	7.8	-	-
Death-rate—All Causes - - -	16.5	15.6	13.7
Do. —Phthisis - - -	-	1.7	-
Do. —All Tuberculosis - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—30.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	-	-	-	3	-	
Bronchitis - - -	1	2	1	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	2	-	-	-	-	-	-	1	1	-	-	2	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	8	10	1	2	-	-	-	1	2	4	-	5	3	

YEAR 1912.

Population—Census 1901, - - - 1,512.

COUNTY—**Kincardine.**

Do. 1911, - - - 1,438.

Do. estimated to middle of 1912, 1,407.

PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	0	0	39	19	20
Illegitimate Births -	4	0	0	4	0	4
Marriages - - -	14	-	-	-	-	-
Deaths - - -	19	0	6	25	9	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·7	27·7	-
Marriage-rate - - - - -	10·0	-	-
Death-rate—All Causes - - - - -	13·5	17·8	11·8
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - - - -	-	0·7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	1	2	-	
Pneumonia (all forms) - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	10	-	-	-	-	-	1	1	1	1	1	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	16	4	1	1	-	-	1	2	1	3	4	8	

YEAR 1912.

Population—Census 1901, - - - 4,577.

Do. Do. 1911, - - - 4,266.

Do. estimated to middle of 1912, 4,162.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	0	2	82	48	34
Illegitimate Births -	9	0	2	11	8	3
Marriages - - -	30	-	-	-	-	-
Deaths - - -	75	17	4	62	29	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.2	19.7	-
Marriage-rate - - -	7.2	-	-
Death-rate—All Causes - - -	18.0	14.9	11.1
Do. —Phthisis - - -	-	1.7	-
Do. —All Tuberculosis - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —85.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	2	5	-	-	-	-	2	3	-	-	1	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	-	-	1	1	-	-	-	4
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	6	-	-	-	-	-	-	1	2	3	1	-	-	2
Bronchitis - - -	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	*1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	10	13	-	2	-	-	-	-	2	4	1	2	-	-	12
Diseases Ill-defined or Unknown - - -	2	2	1	-	-	-	-	-	-	-	1	1	-	-	1
Total - - -	29	33	7	3	-	-	2	4	3	7	9	7	20	-	-

YEAR 1912.

Population—Census 1901, - - - 4,907.

Do. Do. 1911, - - - 4,668.

Do. estimated to middle of 1912, 4,567.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	117	1	3	119	66	53
Illegitimate Births -	9	0	1	10	7	3
Marriages - - -	14	-	-	-	-	-
Deaths - - -	52	1	8	59	30	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.6	26.1	-
Marriage-rate - - - - -	3.1	-	-
Death-rate—All Causes - - - - -	11.4	12.9	11.0
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —67.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—84.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	-	2	1	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	-	1	2	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	2	3	-	-	-	-	-	-	1	3	-	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	8	10	-	-	-	-	-	-	-	1	1	5	11	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	30	29	8	-	-	-	3	2	3	8	4	15	16	

YEAR 1912.

Population—Census 1901, - - - 4,205.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 3,934.

Do. estimated to middle of 1912, 3,840.

PUBLIC HEALTH DISTRICT—**Lower Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	84	2	5	87	42	45
Illegitimate Births - -	16	2	4	18	6	12
Marriages - - -	21	-	-	-	-	-
Deaths - - -	39	2	11	48	29	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	22.7	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	10.2	12.5	11.8
Do. —Phthisis - - - - -	-	0.3	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	1	-	1	-	1	4	4	
Bronchitis - - - - -	2	3	2	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	4	-	-	-	-	-	-	4	-	-	-	-	-	
Other Defined Diseases - - - - -	5	9	2	-	-	-	-	2	1	2	2	5	5	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	29	19	8	1	2	-	2	2	6	6	3	4	14	

YEAR 1912.

Population—Census 1901, - - - 5,036.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 4,761.

Do. estimated to middle of 1912, - 4,653.

PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	125	2	0	123	69	54
Illegitimate Births - -	23	0	0	23	13	10
Marriages - - -	27	-	-	-	-	-
Deaths - - -	62	1	10	71	39	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.9	26.4	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - -	13.3	15.3	13.2
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	3	3	-	-	-	1	-	-	-	-	-	2	3	
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	4	4	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	-	1	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - -	16	11	2	1	-	-	-	-	1	1	3	5	14	
Diseases Ill-defined or Unknown -	3	4	1	-	1	-	-	-	-	1	-	-	4	
Total - - - - -	39	32	7	2	2	2	1	3	2	7	3	12	30	

YEAR 1912.

Population—Census 1901, - - - 5,134.

Do. Do. 1911, - - - 4,564.

COUNTY—**Kincardine.**

Do. estimated to middle of 1912, - 4,424.

PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	3	94	39	55
Illegitimate Births - -	14	1	2	15	9	6
Marriages - - -	16	-	-	-	-	-
Deaths - - -	60	3	1	58	31	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.8	21.2	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - -	13.6	13.1	11.4
Do. —Phthisis - - - - -	-	0.2	-
Do. —All Tuberculosis - - - -	-	0.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	3	5	-	-	-	-	-	-	-	1	1	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	4	3	-	-	-	-	1	-	-	-	1	1	4	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - -	2	1	-	2	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	3	-	1	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	2	-	-	-	2	-	-	1	-	-	1	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Other Defined Diseases - - - -	8	7	3	-	-	1	-	1	-	4	3	3	3	
Diseases ill-defined or Unknown - -	3	-	2	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	31	27	8	4	2	1	5	1	2	3	7	12	13	

YEAR 1912.

Population—Census 1901, - - - 3,484.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 3,143.

Do. estimated to middle of 1912, 3,052.

PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	3	9	64	35	29
Illegitimate Births -	7	2	8	13	8	5
Marriages - - -	7	-	-	-	-	-
Deaths - - -	45	4	4	45	24	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	21.0	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - - -	14.7	14.7	12.8
Do. —Phthisis - - - - -	-	2.9	-
Do. —All Tuberculosis - - - - -	-	3.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	4	-	-	-	2	5	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	1	-	-	-	-	-	-	1	3	-	3	-	
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	4	1	2	-	-	-	-	1	-	-	-	-	2	
Other Diseases of Respiratory Organs	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	4	-	-	-	-	-	1	-	-	2	4	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	24	21	8	-	1	1	3	6	4	3	4	2	13	

YEAR 1912.

Population—Census 1901. - - - 2,177.

COUNTY—**Kinross**.

Do. Do. 1911, - - - 2,618.

Do. estimated to middle of 1912, 2,632.

PUBLIC HEALTH DISTRICT—**Kinross** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	2	1	62	29	33
Illegitimate Births -	3	0	0	3	0	3
Marriages - - -	15	-	-	-	-	-
Deaths - - -	30	0	4	34	18	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.9	23.6	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	11.4	12.9	11.4
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—4.8.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	1	-	-	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	-	2	3	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	4	-	-	-	-	-	-	-	-	2	2	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	18	16	3	7	-	-	-	2	4	-	4	7	7	

YEAR 1912.

Population—Census 1901, - - - 4,804.

COUNTY—**Kinross**.

Do. Do. 1911, - - - 4,909.

Do. estimated to middle of 1912, 4,847.

PUBLIC HEALTH DISTRICT—**Kinross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	98	1	6	103	57	46
Illegitimate Births -	9	0	2	11	5	6
Marriages - - -	24	-	-	-	-	-
Deaths - - -	63	6	12	69	38	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.2	21.2	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	13.0	14.2	12.2
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—5.8.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	-	1	3	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	4	-	-	-	-	-	1	-	3	4	2	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	5	-	1	1	-	-	-	-	1	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	16	1	-	-	-	-	-	2	3	2	9	11	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Total - - - - -	38	31	6	2	2	-	-	2	4	7	12	15	19	

YEAR 1912.

Population—Census 1901, - - - 3,018.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 3,016.

Do. estimated to middle of 1912, 2,970.

PUBLIC HEALTH DISTRICT—**Castle-Douglas (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	3	3	65	31	34
Illegitimate Births - -	7	0	3	10	5	5
Marriages - - -	17	-	-	-	-	-
Deaths - - -	51	4	7	54	24	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	21.9	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - -	17.2	18.2	16.6
Do. —Phthisis - - - - -	-	2.0	-
Do. —All Tuberculosis - - - -	-	2.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	3	-	-	-	1	-	-	4	-	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - -	3	5	-	-	-	-	-	-	-	3	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	3	7	-	-	-	-	-	-	-	1	1	6	2	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - -	1	2	2	-	-	1	-	-	-	2	1	1	-	
Other Diseases of Respiratory Organs -	2	2	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	2	1	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	6	6	1	-	-	-	-	-	1	1	1	2	6	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	24	30	5	3	-	2	1	-	6	7	7	13	10	

YEAR 1912.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Dalbeattie (Burgh).**

Population—Census 1901, - - - 3,469.

Do. Do. 1911, - - - 3,357.

Do. estimated to middle of 1912, 3,291.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	0	1	66	37	29
Illegitimate Births - -	8	0	1	9	7	2
Marriages - - -	16	-	-	-	-	-
Deaths - - -	53	2	7	58	33	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.8	20.1	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	16.1	17.6	16.0
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	1	-	1	-	-	1	2	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	2	1	2	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	2	3	
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	-	-	1	-	1	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	12	1	1	-	-	1	1	2	2	7	3	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	33	25	6	2	1	-	1	5	6	5	6	15	11	

YEAR 1912.

Population—Census 1901, - - - 1,013.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 1,032.

PUBLIC HEALTH DISTRICT—**Gatehouse (Burgh).**

Do. estimated to middle of 1912, 1,019.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	0	0	25	12	13
Illegitimate Births - -	4	0	0	4	3	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	19	0	1	20	10	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	24.5	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	18.6	19.6	13.9
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Total - - - - -	10	10	3	-	1	-	-	-	1	1	2	5	7	-	-

YEAR 1912.

COUNTY—**Kirkcudbright.**

Population—Census 1901, - - - 2,386.
 Do. Do. 1911, - - - 2,205.
 Do. estimated to middle of 1912, 2,149.

PUBLIC HEALTH DISTRICT—**Kirkcudbright (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	0	0	47	29	18
Illegitimate Births - -	8	0	0	8	4	4
Marriages - - -	13	-	-	-	-	-
Deaths - - -	28	0	2	30	14	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	21.9	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	13.0	14.0	11.7
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	-	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	3	2	-	2	-	-	-	1	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	1	-	-	-	-	-	1	-	-	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	16	3	3	-	1	-	1	2	1	-	10	9	

YEAR 1912.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Maxwelltown** (Burgh).

Population—Census 1901, - - - 5,796.
 Do. Do. 1911, - - - 6,200.
 Do. estimated to middle of 1912, 6,154.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	116	0	0	116	70	46
Illegitimate Births -	8	0	0	8	5	3
Marriages - - -	26	-	-	-	-	-
Deaths - - -	65	1	15	79	36	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.8	18.8	-
Marriage-rate - - -	4.2	-	-
Death-rate—All Causes - - -	10.6	12.8	13.1
Do. —Phthisis - - -	-	1.8	-
Do. —All Tuberculosis - - -	-	2.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	2	1	1	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	4	-	-	-	3	2	1	2	1	2	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	1	2	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	-	-	1	2	2	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	4	-	-	-	1	-	-	-	1	1	3	-	
Bronchitis - - -	1	2	2	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	4	2	1	1	-	-	-	-	2	-	1	1	-	
Other Diseases of Respiratory Organs -	3	1	-	1	-	-	-	-	-	-	3	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	12	1	-	-	1	2	-	1	-	2	7	4	
Diseases Ill-defined or Unknown -	1	4	-	1	-	-	-	-	-	-	1	1	2	
Total - - -	36	43	14	8	1	3	7	2	2	6	7	18	11	

Population—Census 1901, " " " 376.

Do.	Do.	1911,	"	"	"	352.
-----	-----	-------	---	---	---	------

Do.	Do.	1911,	352.
Do.	estimated to middle of 1912,		344.

PUBLIC HEALTH DISTRICT—**New Galloway** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3	0	1	4	1	3
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	1	-	-	-	-	-
Deaths - - -	3	0	0	3	2	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	8·7	11·6	-
Marriage-rate - - - - -	2·9	-	-
Death-rate—All Causes	8·7	8·7	7·2
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - -	-	0·0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—25.0.

CAUSES OF DEATH (corrected for Transfers).

[illegible]

YEAR 1912.

Population—Census 1901, - - - 8,021.
 Do. Do. 1911, - - - 7,553.
 Do. estimated to middle of 1912, 7,379.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	134	3	0	131	63	68
Illegitimate Births - -	16	1	0	15	6	9
Marriages - - -	42	-	-	-	-	-
Deaths - - -	81	4	12	89	36	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.2	17.8	-
Marriage-rate - - - - -	5.7	-	-
Death-rate—All Causes - - - - -	11.0	12.1	10.6
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	6	-	-	1	2	1	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	7	-	-	1	-	-	-	1	4	5	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	1	-	-	5	9	
Organic Heart Disease - - - - -	9	6	-	-	-	-	-	-	-	-	-	2	2	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	1	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	19	-	-	1	-	1	-	2	1	13	8	8	
Diseases Ill-defined or Unknown - - - - -	5	2	2	1	-	-	1	-	1	-	1	1	1	
Total - - - - -	36	53	5	4	-	3	2	3	6	8	8	27	23	

YEAR 1912.

Population—Census 1901, . . . 2,928.

Do. Do. 1911, . . . 2,814.

Do. estimated to middle of 1912, 2,757.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	2	3	48	18	30
Illegitimate Births -	8	0	1	9	5	4
Marriages - - -	15	-	-	-	-	-
Deaths - - -	32	2	5	35	13	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	17.4	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	11.6	12.7	10.8
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	1	1	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	5	-	-	-	-	-	-	-	-	-	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	1	-	-	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	5	-	-	-	-	-	-	-	1	-	3	5	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	13	22	4	-	-	1	2	1	1	4	2	8	12	

YEAR 1912.

Population—Census 1901, - - - 8,363.

Do. Do. 1911, - - - 8,257.

Do. estimated to middle of 1912, 8,116.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Southern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	186	4	3	185	102	83
Illegitimate Births -	33	2	1	32	14	18
Marriages - - -	35	-	-	-	-	-
Deaths - - -	108	7	6	107	50	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.9	22.8	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	13.3	13.2	12.2
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —65.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	-	-	3	1	2	2	1	-	-	
Tuberculous Meningitis - - - - -	2	0	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	1	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	1	1	1	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	7	1	-	-	-	1	-	1	-	3	6	6	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	3	2	1	-	-	-	-	-	1	-	1	1	1	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	1	-	1	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	5	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	21	2	1	1	-	2	-	1	7	4	9	17	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	50	57	12	6	1	-	6	3	7	11	12	23	26	

YEAR 1912.

Population—Census 1901, - - - 4,015.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, - - - 3,581.

Do. estimated to middle of 1912, 3,473.

PUBLIC HEALTH DISTRICT—**Western Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	0	1	62	33	29
Illegitimate Births - -	8	0	0	8	6	2
Marriages - - -	14	-	-	-	-	-
Deaths - - -	37	1	3	39	22	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	17.9	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	10.7	11.2	10.6
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	1	-	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	1	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	2	1	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	4	1	1	-	-	-	1	-	1	5	8	-	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	1	-	-	-	-	-	1	-	
Total - - - - -	22	17	6	2	-	3	1	3	-	5	7	12	-	

YEAR 1912.

Population—Census 1901, - - - 22,288.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 24,388.

Do. estimated to middle of 1912, 24,271.

PUBLIC HEALTH DISTRICT—**Airdrie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	736	1	15	750	398	352
Illegitimate Births -	33	0	5	38	24	14
Marriages - - -	154	-	-	-	-	-
Deaths - - -	336	6	24	354	168	186

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	30.3	30.9	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	13.8	14.6	16.1
Do. —Phthisis - - -	-	1.1	-
Do. —All Tuberculosis - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 119.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	9	17	8	17	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - -	3	5	4	2	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	2	3	-	3	1	1	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	9	17	2	3	1	3	7	4	4	2	-	-	-	
Tuberculous Meningitis - - -	-	4	2	4	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	3	4	1	3	2	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - -	-	4	5	-	3	-	1	1	1	-	1	1	-	
Cancer, Malignant Disease - - -	-	8	10	-	-	-	-	1	1	1	7	8	-	
Rheumatic Fever - - -	-	2	1	-	-	1	-	-	-	2	-	-	-	
Meningitis - - -	-	1	5	2	3	-	-	1	-	-	-	-	-	
Organic Heart Disease - - -	-	5	15	-	-	-	1	1	5	4	3	3	3	
Bronchitis - - -	-	12	15	3	-	1	-	1	3	3	3	5	8	
Pneumonia (all forms) - - -	-	29	14	14	12	-	-	1	1	5	6	1	3	
Other Diseases of Respiratory Organs - - -	-	4	-	2	1	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	10	4	11	3	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - -	-	1	2	-	-	-	-	1	-	-	-	2	-	
Other Diseases of Digestive System (under 2 years) - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	4	5	-	-	-	3	-	1	1	4	-	-	
Puerperal Sepsis - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	3	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	14	16	30	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	7	2	-	1	-	-	1	2	1	1	2	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Defined Diseases - - -	-	26	29	6	1	-	1	2	5	1	8	20	10	
Diseases Ill-defined or Unknown - - -	-	7	9	3	1	-	-	-	4	1	2	5	-	
Total - - -	168	186	89	58	8	8	17	17	32	23	32	48	22	

YEAR 1912.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

Population—Census 1901, - - - 1,366.

Do. Do. 1911, - - - 1,326.

Do. estimated to middle of 1912, 1,301.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	14	0	0	14	7	7
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	23	0	3	26	9	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·8	10·8	-
Marriage-rate - - - - -	1·5	-	-
Death-rate—All Causes - - - - -	17·7	20·0	16·1
Do. —Phthisis - - - - -	-	0·8	-
Do. —All Tuberculosis - - - - -	-	0·8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 214.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	1	1	1	2	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	-	-	-	-	-	-	-	-	2	2	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	17	3	-	-	-	-	-	1	4	3	5	10	

YEAR 1912.

Population—Census 1901, - - - 36,991.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 43,286.

Do. estimated to middle of 1912, 43,340.

PUBLIC HEALTH DISTRICT—**Coatbridge** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1403	17	11	1397	713	684
Illegitimate Births -	59	3	5	61	35	26
Marriages - - -	243	-	-	-	-	-
Deaths - - -	700	13	38	725	404	321

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.4	32.2	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	16.2	16.7	18.1
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 132.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	2	-	-	-	-	1	-	1	1	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	27	31	13	38	7	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	2	4	-	4	2	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	13	13	11	14	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	5	3	-	6	1	-	1	-	-	-	-	-	-		
Influenza - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-		
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	30	23	-	-	2	4	15	11	12	7	2	-	-		
Tuberculous Meningitis - - - - -	5	4	1	5	3	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	9	2	1	6	2	1	-	1	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	10	4	2	5	4	-	-	2	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	13	23	-	-	-	-	-	1	4	5	13	10	3		
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-		
Meningitis - - - - -	6	5	3	6	1	-	-	1	-	-	-	-	-		
Organic Heart Disease - - - - -	28	25	-	-	-	2	2	1	3	6	7	24	8		
Bronchitis - - - - -	32	26	26	7	-	-	-	1	2	4	9	4	5		
Pneumonia (all forms) - - - - -	31	23	18	20	2	1	1	1	5	2	2	2	-		
Other Diseases of Respiratory Organs - - - - -	3	2	1	-	-	-	-	1	-	2	-	1	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	20	11	24	7	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	3	4	-	-	-	-	-	-	1	2	1	3	-		
Other Diseases of Digestive System (under 2 years) - - - - -	5	2	5	2	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	14	4	1	1	1	-	-	1	3	3	2	6	-		
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	7	-	-	-	-	1	4	2	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	32	28	60	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	21	8	1	4	-	1	2	8	4	2	2	3	2		
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-		
Other Defined Diseases - - - - -	74	57	13	6	3	-	1	5	10	13	23	35	22		
Diseases ill-defined or Unknown - - - - -	13	7	5	2	-	-	1	1	1	4	3	2	-		
Total - - - - -	404	321	185	133	29	10	27	42	50	49	67	91	42		

YEAR 1912.

COUNTIES—Lanark and Renfrew.

PUBLIC HEALTH DISTRICT—Glasgow (Burgh).

Population—Census 1901, - - - 775,594.
 Do. Do. 1911, - - - 784,496.
 Do. estimated to middle of 1912, 781,981.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	22,043	373	180	21,850	11,132	10,718
Illegitimate Births -	1,700	179	64	1,585	752	833
Marriages - - -	7,736	-	-	-	-	-
Deaths - - -	13,784	1,195	914	13,503	7,007	6,496

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	28.2	27.9	-
Marriage-rate - - -	9.9	-	-
Death-rate—All Causes - - -	17.6	17.3	19.0
Do. —Phthisis - - -	-	1.5	-
Do. —All Tuberculosis - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGES											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	24	16	-	1	3	1	6	20	6	2	1	-	-	
Typhus Fever - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	290	231	144	361	13	2	-	-	-	-	-	1	-	
*Scarlet Fever - - - - -	41	39	4	46	22	2	5	1	-	-	-	-	-	
*Whooping-cough - - - -	103	138	102	131	6	-	-	1	-	-	-	1	-	
*Diphtheria and Croup - -	97	95	20	123	39	7	2	-	1	-	-	-	-	
Influenza - - - - -	8	8	2	1	-	-	-	1	-	2	5	5	-	
Erysipelas - - - - -	26	22	13	1	-	-	4	-	7	7	10	3	3	
Phthisis, Pulmonary Tuberculosis -	654	517	8	32	23	35	146	284	258	165	88	28	4	
Tuberculous Meningitis - - -	132	108	58	101	39	15	13	6	3	3	1	-	1	
Abdominal Tuberculosis - - -	81	87	23	56	36	18	17	5	8	4	1	-	-	
Other Tuberculous Diseases - - -	108	89	26	35	25	22	34	17	16	11	6	4	1	
Cancer, Malignant Disease - - -	360	484	2	-	1	-	4	38	97	196	251	205	50	
Rheumatic Fever - - - - -	20	13	-	1	5	5	5	5	5	3	4	-	-	
Meningitis - - - - -	113	79	65	77	22	5	4	5	7	5	1	1	-	
Organic Heart Disease - - -	475	451	7	5	17	25	58	61	108	141	212	198	94	
Bronchitis - - - - -	501	552	210	76	4	4	7	24	43	127	173	249	136	
Pneumonia (all forms) - - -	867	658	398	375	25	15	43	61	133	155	144	129	47	
Other Diseases of Respiratory Organs -	106	111	50	29	3	3	9	9	20	24	24	24	22	
*Diarrhoea and Enteritis (under 2 years)	179	138	248	69	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	38	30	-	5	6	12	15	14	5	3	7	1	-	
All Liver Diseases (not Malignant) -	45	51	2	3	2	-	2	2	16	26	26	14	3	
Other Diseases of Digestive System (under 2 years)	48	42	68	22	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	255	220	4	12	5	7	16	35	67	101	124	77	27	
Puerperal Sepsis - - - - -	-	51	-	-	-	-	11	23	16	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	71	-	-	-	-	14	30	25	2	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	482	388	555	15	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	315	142	48	64	33	12	36	41	64	58	47	35	19	
Suicide - - - - -	46	9	-	-	-	1	6	7	9	11	18	2	1	
Other Defined Diseases - - - -	1430	1519	285	131	48	34	69	114	228	363	481	644	552	
Diseases Ill-defined or Unknown - -	*161	137	44	25	2	2	2	7	23	43	60	58	30	
Total - - - - -	*7007	6496	2636	1797	379	227	628	811	1167	1453	1684	1679	990	

*Including 2 of unspecified age.

YEAR 1912.

Population—Census 1901, - - - 82,174.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 89,605.

Do. estimated to middle of 1912, 89,139.

PUBLIC HEALTH DISTRICT—**Govan** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,722	21	64	2,765	1,398	1,367
Illegitimate Births - -	131	12	21	140	77	63
Marriages - - -	645	-	-	-	-	-
Deaths - - -	1,223	21	208	1,410	732	678

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.5	31.0	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - -	13.7	15.8	17.6
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - -	-	2.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	3	1	-	-	-	-	1	1	1	1	-	-	-	-	-
Typhus Fever - - - - -	1	2	-	-	-	-	-	2	1	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	9	9	4	12	1	-	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	3	2	-	1	2	2	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	6	12	10	8	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	9	10	5	12	1	-	-	-	-	-	-	-	-	1	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Erysipelas - - - - -	3	3	3	-	-	-	-	2	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	65	63	3	5	3	9	24	35	26	15	6	2	-	-	-
Tuberculous Meningitis - - - -	15	14	4	13	7	1	3	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	7	8	3	5	2	-	1	-	2	-	2	-	-	-	-
Other Tuberculous Diseases - - -	10	10	3	4	2	1	2	1	3	3	-	-	1	-	-
Cancer, Malignant Disease - - -	27	38	-	-	-	-	-	-	5	14	31	13	2	-	-
Rheumatic Fever - - - - -	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	8	13	7	11	1	-	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	40	49	-	-	1	1	8	7	4	16	22	20	10	-	-
Bronchitis - - - - -	55	56	20	4	1	-	2	3	5	9	25	28	14	-	-
Pneumonia (all forms) - - - -	96	72	45	30	4	4	4	9	12	21	18	15	6	-	-
Other Diseases of Respiratory Organs	20	13	6	10	1	1	1	2	2	3	2	4	-	-	-
*Diarrhoea and Enteritis (under 2 years)	24	11	31	4	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	2	3	-	-	1	2	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant)	7	10	-	-	-	-	-	-	2	4	4	5	2	-	-
Other Diseases of Digestive System (under 2 years)	9	5	13	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	31	27	-	1	-	1	3	6	6	10	16	11	4	-	-
Puerperal Sepsis - - - - -	-	10	-	-	-	-	-	5	4	1	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	7	-	-	-	-	2	1	4	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	49	49	97	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	*46	13	7	6	3	5	4	11	3	11	3	4	1	-	-
Suicide - - - - -	5	1	-	-	-	-	-	2	1	1	2	-	-	-	-
Other Defined Diseases - - - - -	159	145	46	16	7	5	14	11	19	47	48	56	35	-	-
Diseases Ill-defined or Unknown - -	21	20	6	3	2	1	2	-	7	6	6	6	2	-	-
Total - - - - -	*732	678	313	147	40	33	73	97	111	162	187	164	82	-	-

* Including 1 of unspecified age.

YEAR 1912.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

Population—Census 1901, 32,775.

Do. Do. 1911, 38,644.

Do. estimated to middle of 1912, 38,627.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,318	10	24	1,332	663	669
Illegitimate Births - -	67	3	7	71	42	29
Marriages - - -	223	-	-	-	-	-
Deaths - - -	562	34	45	573	305	268

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.1	34.5	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	14.5	14.8	16.0
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	21	14	11	24	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	-	-	2	-	-	1	-	-	-	-	
*Whooping-cough - - - - -	7	11	8	9	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	3	-	5	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Erysipelas - - - - -	14	19	1	3	2	6	11	7	2	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	8	6	3	1	2	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	4	11	3	8	3	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	4	1	2	1	-	1	-	2	-	-	-	-	
Other Tuberculous Diseases - - - - -	10	14	-	-	-	1	-	4	9	4	5	1	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	1	1	1	1	-	-	-	-	-	
Rheumatic Fever - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	24	13	-	-	-	2	2	4	3	10	13	3	-	
Organic Heart Disease - - - - -	20	19	11	4	1	-	-	1	3	5	6	8	-	
Bronchitis - - - - -	48	23	23	25	2	-	1	4	8	5	1	5	2	
Pneumonia (all forms) - - - - -	8	5	2	3	-	1	-	1	3	-	1	2	-	
Other Diseases of Respiratory Organs - - - - -	5	8	13	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	-	-	1	1	1	-	-	
All Liver Diseases (not Malignant) - - - - -	2	3	2	3	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	10	5	1	2	1	-	-	1	1	3	5	1	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	6	-	-	-	-	2	4	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	27	25	51	1	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	17	4	2	3	-	2	2	2	3	3	1	2	1	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	58	53	14	4	3	3	4	2	6	14	16	23	22	
Other Defined Diseases - - - - -	9	7	1	1	-	-	1	1	-	3	2	4	3	
Diseases Ill-defined or Unknown - - - - -														
Total - - - - -	305	268	150	99	19	13	24	30	41	49	46	62	40	

YEAR 1912.

Population—Census 1901, - - - 5,359.

COUNTY **Lanark.**

Do. Do. 1911, - - - 5,900.

Do. estimated to middle of 1912, 5,876.

PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both sexes.	Males.	Females
Births - - -	139	3	3	139	75	64
Illegitimate Births -	8	1	2	9	3	6
Marriages - - -	38	-	-	-	-	-
Deaths - - -	81	8	10	83	40	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.7	23.7	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	13.8	14.1	13.8
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	-	1	2	1	-	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	1	1	1	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	8	-	-	-	-	-	-	1	3	3	3	1	
Bronchitis - - - - -	3	-	1	1	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	6	1	2	3	-	-	-	-	1	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	1	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	-	2	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	17	-	1	-	-	-	1	2	5	4	8	7	
Diseases Ill-defined or Unknown - - - - -	1	2	-	2	-	-	-	-	-	-	-	1	-	
Total - - - - -	40	43	8	10	2	1	1	4	8	10	12	18	9	

YEAR 1912.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Motherwell** (Burgh).

Population—Census 1901, - - - 31,144.
 Do. Do. 1911, - - - 40,380.
 Do. estimated to middle of 1912, 40,772.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1316	9	19	1326	709	617
Illegitimate Births -	48	5	5	48	23	25
Marriages - - -	215	-	-	-	-	-
Deaths - - -	477	3	51	525	275	250

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.3	32.5	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	11.7	12.9	14.6
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—10.1.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	2	-	-	-	-	-	-	2	2	-	-	-	
Typhus Fever - - - - -	3	-	-	-	-	-	-	1	2	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	18	18	8	24	4	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	6	10	7	9	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	3	-	3	4	-	1	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	28	14	2	-	1	2	10	9	6	7	5	-	-	
Tuberculous Meningitis - - - - -	3	9	3	5	1	1	-	2	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	6	3	-	4	-	2	-	1	1	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	1	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	13	14	-	-	-	-	2	-	5	6	7	4	3	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	4	3	5	1	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	16	-	-	-	-	1	1	3	6	5	2	2	
Bronchitis - - - - -	22	27	17	1	-	-	-	2	1	3	5	14	6	
Pneumonia (all forms) - - - - -	24	25	19	18	2	1	2	2	1	1	2	-	1	
Other Diseases of Respiratory Organs -	3	2	1	3	1	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	2	8	3	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	1	-	2	-	-	-	-	
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	3	4	7	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	14	11	-	1	1	-	1	2	1	5	6	6	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	3	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	28	16	44	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	16	2	1	1	2	-	3	2	1	6	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	50	47	14	1	-	3	2	8	6	12	22	14	15	
Diseases ill-defined or Unknown - -	10	6	3	-	-	1	-	1	-	-	5	4	2	
Total - - - - -	275	250	138	79	20	11	23	37	33	48	60	45	31	

YEAR 1912.

Population—Census 1901, - - - 54,298.

Do. Do. 1911, - - - 66,849.

COUNTY—**Lanark.**

Do. estimated to middle of 1912, 67,364.

PUBLIC HEALTH DISTRICT—**Partick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,890	24	69	1,935	992	943
Illegitimate Births -	75	15	30	90	56	34
Marriages - - -	482	-	-	-	-	-
Deaths - - -	774	18	262	1,018	517	501

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.1	28.7	-
Marriage-rate - - - - -	7.2	-	-
Death-rate—All Causes - - - - -	11.5	15.1	16.6
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	34	25	15	38	6	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	6	-	7	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	8	13	6	15	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	8	10	4	9	3	1	-	-	-	-	1	-	-	-	-
Influenza - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	51	27	3	3	1	2	16	18	18	12	4	1	-	-	-
Tuberculous Meningitis - - - - -	9	4	5	7	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	7	13	3	11	-	2	2	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	8	-	1	2	2	-	3	1	-	2	-	-	-	-
Cancer, Malignant Disease - - - - -	30	30	-	-	-	-	2	1	4	13	15	16	9	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	7	3	2	6	-	-	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	33	43	1	1	1	2	3	3	4	17	13	17	14	-	-
Bronchitis - - - - -	22	59	19	6	1	-	1	2	1	3	13	22	13	-	-
Pneumonia (all forms) - - - - -	52	40	23	19	5	-	2	10	7	6	8	5	7	-	-
Other Diseases of Respiratory Organs -	11	10	8	2	1	-	1	2	-	1	-	4	2	-	-
*Diarrhoea and Enteritis (under 2 years)	6	10	14	2	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	5	3	-	2	-	2	-	1	-	1	1	1	-	-	-
All Liver Diseases (not Malignant) -	3	3	-	-	-	-	-	-	3	1	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	6	1	6	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	22	12	1	-	1	-	1	2	5	8	8	5	3	-	-
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	1	1	4	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	46	37	81	2	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	29	10	3	2	2	1	5	4	4	11	2	-	5	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	107	112	20	14	6	2	7	6	22	24	34	37	47	-	-
Diseases ill-defined or Unknown - -	12	10	3	1	1	-	-	1	3	3	1	7	2	-	-
Total - - - - -	517	501	218	149	30	15	44	59	78	101	104	117	103	-	-

YEAR 1912.

Population—Census 1901, - - - 18,593.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 24,319.

Do. estimated to middle of 1912, 24,649.

PUBLIC HEALTH DISTRICT—**Rutherglen** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	650	5	17	662	345	317
Illegitimate Births - -	17	2	9	24	16	8
Marriages - - -	196	-	-	-	-	-
Deaths - - -	271	5	68	334	173	161

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.4	26.9	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	11.0	13.6	15.0
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	2	1	-	-	-	-	-	1	-	-	1	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	15	-	2	2	3	2	9	3	2	1	1	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	5	3	5	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	5	-	4	2	1	-	2	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	15	14	-	-	1	-	-	1	1	5	9	8	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	6	4	3	6	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	18	18	-	-	1	-	4	5	4	3	8	10	1	
Bronchitis - - - - -	8	10	2	-	-	-	1	-	2	1	5	7	-	
Pneumonia (all forms) - - - - -	19	13	12	6	2	-	3	-	3	2	4	-	-	
Other Diseases of Respiratory Organs - - - - -	5	2	-	-	-	-	1	-	2	1	2	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	3	1	-	-	-	-	-	1	-	2	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	8	5	-	-	-	-	3	2	4	3	1	-	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	9	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	-	1	-	-	2	-	1	1	1	-	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Defined Diseases - - - - -	41	40	7	1	1	1	4	2	2	7	15	19	22	
Diseases Ill-defined or Unknown - - - - -	4	4	1	1	-	-	-	-	1	-	1	3	1	
Total - - - - -	173	161	50	32	14	6	14	29	22	31	49	58	29	

YEAR 1912.

Population—Census 1901, - - - 20,873.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 25,263.

Do. estimated to middle of 1912, 25,414.

PUBLIC HEALTH DISTRICT—**Wishaw** (Burg).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	859	4	14	869	450	419
Illegitimate Births -	54	0	6	60	37	23
Marriages - - -	145	-	-	-	-	-
Deaths - - -	320	2	22	356	170	186

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	33·8	34·2	-
Marriage-rate - - -	5·7	-	-
Death-rate—All Causes - - -	12·6	14·0	15·2
Do. —Phthisis - - -	-	0·9	-
Do. —All Tuberculosis - - -	-	1·5	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	5	4	3	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	3	3	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	8	4	5	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	5	9	1	8	4	1	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	11	12	1	-	1	6	6	4	5	-	-	-	-	
Tuberculous Meningitis - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	6	1	3	-	1	1	2	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	12	-	-	-	-	-	2	2	6	6	2	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	1	5	4	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	13	10	1	-	-	1	2	3	1	6	8	1	-	
Bronchitis - - -	23	19	16	2	1	1	1	-	4	7	7	3	-	
Pneumonia (all forms) - - -	18	11	9	9	1	1	1	2	2	1	2	1	-	
Other Diseases of Respiratory Organs -	2	1	-	1	-	-	-	-	1	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	8	10	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	5	1	5	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	5	3	1	-	-	1	-	1	1	3	1	-	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	13	15	28	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	13	4	1	2	-	1	2	3	1	1	2	2	2	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	32	44	8	5	1	4	1	9	5	9	17	17	-	
Diseases Ill-defined or Unknown - -	4	5	-	-	-	-	-	1	2	1	4	1	-	
Total - - -	170	186	91	45	17	5	18	17	27	25	36	47	28	

YEAR 1912.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1901, - - - 39,123.
 Do. Do. 1911, - - - 56,974.
 Do. estimated to middle of 1912, 58,293.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,646	62	43	1,627	842	785
Illegitimate Births -	88	45	9	52	26	26
Marriages - - -	282	-	-	-	-	-
Deaths - - -	1,173	525	92	740	381	359

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.2	27.9	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	20.1	12.7	13.5
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	1	-	-	-	-	-	1	1	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	15	10	4	20	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	5	4	-	6	3	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	8	10	11	7	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	10	-	12	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	31	27	1	3	-	2	14	16	9	8	4	1	-	
Tuberculous Meningitis - - - - -	8	7	4	7	4	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	8	5	1	7	1	3	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	4	1	1	3	-	2	1	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	12	29	-	-	-	-	-	1	5	7	13	11	4	
Rheumatic Fever - - - - -	2	2	-	-	-	-	4	-	-	-	-	-	-	
Meningitis - - - - -	6	6	3	4	-	-	2	-	2	-	-	1	-	
Organic Heart Disease - - - - -	20	25	3	-	-	-	3	4	2	2	13	13	5	
Bronchitis - - - - -	23	29	20	7	-	-	-	-	2	2	12	7	2	
Pneumonia (all forms) - - - - -	42	25	17	19	2	1	6	6	4	3	6	2	2	
Other Diseases of Respiratory Organs	5	2	1	2	-	-	-	-	-	-	3	-	1	
*Diarrhoea and Enteritis (under 2 years)	11	5	16	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	1	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	3	1	-	-	-	-	-	-	-	1	-	3	-	
Other Diseases of Digestive System (under 2 years)	4	2	4	2	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	12	12	1	-	-	-	-	2	5	4	3	8	1	
Puerperal Sepsis - - - - -	-	5	-	-	-	-	-	3	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	39	26	64	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	25	7	1	5	4	-	3	7	5	3	2	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	79	92	19	2	2	4	2	6	14	13	21	41	47	
Diseases Ill-defined or Unknown - -	8	10	2	2	-	-	-	1	1	1	3	7	1	
Total - - - - -	381	359	173	107	23	11	33	49	57	46	78	99	64	

YEAR 1912.

Population—Census 1901, - - - 178,637.

Do. Do. 1911, - - - 202,663.

Do. estimated to middle of 1912, 202,497.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7,003	52	76	7,027	3,572	3,455
Illegitimate Births -	275	12	29	292	144	148
Marriages - - -	1,173	-	-	-	-	-
Deaths - - -	2,899	124	239	3,014	1,580	1,434

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.6	34.7	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	14.3	14.9	15.9
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—115.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	14	4	1	-	2	2	6	5	2	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	88	83	47	112	10	1	-	-	1	-	-	-	-	
*Scarlet Fever - - - - -	8	19	-	13	11	1	1	1	-	-	-	-	-	
*Whooping-cough - - - - -	37	58	37	57	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	12	17	3	19	7	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	6	1	-	-	-	-	-	3	-	-	-	-	
Erysipelas - - - - -	3	2	1	-	-	-	-	-	-	1	1	2	-	
Phthisis, Pulmonary Tuberculosis - - - - -	74	85	-	8	4	12	43	36	32	15	7	2	-	
Tuberculous Meningitis - - - - -	22	30	13	22	8	3	3	2	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	29	33	12	27	8	2	4	5	2	-	1	1	-	
Other Tuberculous Diseases - - - - -	26	16	2	15	3	4	7	6	3	-	-	2	-	
Cancer, Malignant Disease - - - - -	65	89	-	-	-	1	3	7	10	25	50	42	16	
Rheumatic Fever - - - - -	7	7	-	-	3	1	5	1	2	2	-	-	-	
Meningitis - - - - -	26	32	17	28	7	1	1	2	1	-	-	1	-	
Organic Heart Disease - - - - -	99	117	3	2	1	2	11	6	30	27	44	49	41	
Bronchitis - - - - -	126	85	64	15	2	1	-	2	2	14	35	43	33	
Pneumonia (all forms) - - - - -	200	147	136	102	10	2	10	12	19	15	21	17	3	
Other Diseases of Respiratory Organs - - - - -	14	18	7	3	1	-	2	2	3	1	6	5	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	51	40	73	18	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	8	2	-	-	2	3	4	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	6	8	-	-	-	-	-	-	2	4	4	4	-	
Other Diseases of Digestive System (under 2 years) - - - - -	13	11	24	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	49	36	-	4	7	1	3	7	10	13	22	9	9	
Puerperal Sepsis - - - - -	-	11	-	-	-	-	5	5	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	31	-	-	-	-	3	17	10	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	161	117	277	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	109	27	7	13	6	4	20	23	15	20	16	9	3	
Suicide - - - - -	2	2	-	-	-	-	-	1	1	-	1	1	-	
Other Defined Diseases - - - - -	285	268	73	24	13	6	16	27	33	52	77	120	112	
Diseases Ill-defined or Unknown - - - - -	44	33	12	4	-	-	-	6	1	3	13	22	16	
Total - - - - -	1580	1434	810	486	106	48	147	173	185	193	299	330	237	

YEAR 1912.

Population—Census 1901, - - - 40,145.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 42,978.

Do. estimated to middle of 1912, 42,664.

PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,134	23	10	1,121	610	511
Illegitimate Births -	86	5	4	85	56	29
Marriages - - -	215	-	-	-	-	-
Deaths - - -	472	20	49	501	260	241

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	26.6	26.3	-
Marriage-rate - - -	5.0	-	-
Death-rate—All Causes - - -	11.1	11.7	11.8
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	2	-	-	1	1	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	2	1	1	2	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	4	2	4	2	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	4	-	1	3	-	-	-	-	-	-	-	-	-		
Influenza - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Erysipelas - - -	3	1	1	-	-	1	-	-	-	2	-	-	-		
Phthisis, Pulmonary Tuberculosis -	15	12	-	-	-	8	6	10	1	2	-	-	-		
Tuberculous Meningitis - - -	3	2	2	1	1	1	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	5	3	-	3	1	2	1	-	-	-	-	1	-		
Other Tuberculous Diseases - - -	3	1	-	1	-	1	1	-	1	-	-	-	-		
Cancer, Malignant Disease - - -	19	21	-	-	-	-	-	3	6	10	10	11	-		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	2	2	1	3	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	20	25	-	1	-	1	1	-	4	5	12	16	5		
Bronchitis - - -	13	12	4	4	-	-	-	-	1	5	5	6	6		
Pneumonia (all forms) - - -	23	23	13	7	-	2	2	-	2	3	5	6	6		
Other Diseases of Respiratory Organs -	12	5	4	2	-	-	-	-	3	2	2	4	-		
*Diarrhoea and Enteritis (under 2 years)	4	4	6	2	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	1	-	1	1	-	-		
Other Diseases of Digestive System (under 2 years)	4	2	5	1	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - -	7	6	-	1	-	3	2	1	-	4	-	2	-		
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	8	-	-	-	3	2	3	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth -	19	14	32	-	1	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	24	6	2	4	-	1	4	7	3	6	3	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	64	79	6	4	-	1	4	7	2	13	19	30	57		
Diseases Ill-defined or Unknown - -	8	5	1	1	-	-	-	-	1	2	2	3	3		
Total - - -	260	241	82	40	9	7	29	26	31	44	65	74	94		

YEAR 1912.

Population—Census 1901, - - - 3,921.

COUNTY—**Linlithgow.**

Do. 1911, - - - 4,739.

Do. estimated to middle of 1912, 4,766.

PUBLIC HEALTH DISTRICT—**Armadale** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	178	2	0	176	82	94
Marriages - - -	18	0	0	18	9	9
Illegitimate Births - - -	25	-	-	-	-	-
Deaths - - -	64	2	5	67	36	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	37.3	36.9	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	13.4	14.1	15.3
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	1	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	2	-	-	1	2	1	-	
Bronchitis - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	1	-	2	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	1	-	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	10	6	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	1	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	1	-	-	-	1	2	1	1	3	4	6	
Diseases Ill-defined or Unknown - - - - -	4	2	-	1	1	-	-	-	-	-	4	-	-	
Total - - - - -	36	31	21	6	2	1	6	4	3	2	11	5	6	

YEAR 1912.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Bathgate (Burgh).**

Population—Census 1901, - - - 6,786.

Do. 1911, - - - 8,226.

Do. estimated to middle of 1912, 8,276.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	260	11	8	257	133	124
Illegitimate Births -	8	2	0	6	5	1
Marriages - - -	53	-	-	-	-	-
Deaths - - -	104	3	17	118	52	66

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.4	31.1	-
Marriage-rate - - - - -	6.4	-	-
Death-rate—All Causes - - - - -	12.6	14.3	15.5
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—132.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	6	6	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	3	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	1	-	-	-	-	2	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	3	1	2	1	-	
Bronchitis - - - - -	-	3	1	-	-	-	-	-	-	1	-	1	-	
Pneumonia (all forms) - - - - -	5	4	2	3	-	1	-	-	-	1	-	2	-	
Other Diseases of Respiratory Organs - - - - -	4	2	1	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	3	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	5	1	-	-	2	2	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	8	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	24	5	1	-	1	3	1	2	4	10	8	-	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	2	2	-	-	
Total - - - - -	52	66	34	14	1	-	8	9	3	6	12	17	14	

YEAR 1912.

Population—Census 1901, - - - 9,306.

Do. Do. 1911, - - - 10,862.

Do. estimated to middle of 1912, - 10,887.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Borrowstounness** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	368	2	3	369	197	172
Illegitimate Births -	8	0	0	8	5	3
Marriages - - -	85	-	-	-	-	-
Deaths - - -	154	0	18	172	100	72

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·8	33·9	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - - - -	14·1	15·8	17·4
Do. —Phthisis - - - - -	-	1·0	-
Do. —All Tuberculosis - - - - -	-	1·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 119.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	1	1	5	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	3	3	1	1	3	-	-	-	1	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	5	-	2	-	3	2	3	-	-	-	1	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	2	-	-	-	-	-	-	-	1	1	6	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	6	4	1	-	-	1	-	2	-	2	3	3	1	
Bronchitis - - - - -	8	9	5	3	1	-	-	-	-	1	2	3	2	
Pneumonia (all forms) - - - - -	14	6	10	-	-	2	-	2	2	3	1	-	-	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	1	-	1	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	3	-	-	-	-	-	-	1	1	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	1	1	1	2	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	6	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	2	-	1	1	3	2	1	1	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	18	20	5	1	-	1	2	-	6	6	9	8	-	
Diseases Ill-defined or Unknown - - - - -	3	3	-	-	-	-	-	1	1	2	2	-	-	
Total - - - - -	100	72	44	15	5	1	12	8	15	16	18	25	13	

YEAR 1912.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow (Burgh).**

Population—Census 1901, - - - 4,279.

Do. Do. 1911, - - - 4,002.

Do. estimated to middle of 1912, - 3,906.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	1	0	89	38	51
Illegitimate Births -	8	0	0	8	4	4
Marriages - - -	32	-	-	-	-	-
Deaths - - -	58	1	9	66	28	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	23.0	22.8	-
Marriage-rate - - -	8.2	-	-
Death-rate—All Causes - - -	14.8	16.9	16.6
Do. —Phthisis - - -	-	2.3	-
Do. —All Tuberculosis - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —45.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	5	4	-	2	1	2	1	-	2	1	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	3	5	-	-	-	-	-	1	1	2	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	4	-	1	-	-	1	-	-	1	3	1	1	
Bronchitis - - - - -	1	4	-	-	-	-	-	-	-	1	-	4	-	
Pneumonia (all forms) - - -	1	3	-	1	-	-	-	-	-	1	2	-	-	
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	1	1	-	-	-	-	-	-	-	-	-	-	
(under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of	-	1	-	-	-	-	-	-	1	-	-	-	-	
Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma-	-	1	1	-	-	-	-	-	-	-	-	-	-	
tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	1	2	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	1	-	4	6	3	3	
Other Defined Diseases - - -	6	8	-	-	-	-	-	1	-	-	3	1	1	
Diseases Ill-defined or Unknown -	4	1	-	-	-	-	-	1	-	-	-	-	-	
Total - - - - -	28	38	4	5	3	1	3	4	3	5	12	14	12	

YEAR 1912.

Population—Census 1901, - - - 1,850.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 3,510.

PUBLIC HEALTH DISTRICT—**Queensferry** (Burgh).

Do. estimated to middle of 1912, 3,475.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	0	0	66	42	24
Illegitimate Births -	4	0	0	4	4	0
Marriages - - -	18	-	-	-	-	-
Deaths - - -	31	0	4	35	14	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	19.0	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	8.9	10.1	14.9
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—136.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-		
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	2	6	2	2	1	-	-	1	-	-	-	1	1		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	2	7	1	-	-	-	1	1	1	-	-	1	4		
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-		
Total - - - - -	14	21	9	3	1	-	1	3	2	3	5	3	5		

YEAR 1912.

Population—Census 1901, - - - 1,442.

Do. Do. 1911, - - - 1,876.

Do. estimated to middle of 1912, 1,901.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	0	2	65	39	26
Illegitimate Births -	2	0	1	3	2	1
Marriages - - -	27	-	-	-	-	-
Deaths - - -	19	0	6	25	18	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33.1	34.2	-
Marriage-rate - - - - -	14.2	-	-
Death-rate—All Causes - - - - -	10.0	13.2	14.2
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	2	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	1	-	3	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	1	-	2	-	-	1	
Other Defined Diseases - - - - -	3	2	-	1	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	7	7	2	-	-	2	-	4	-	3	5	2	

YEAR 1912.

Population—Census 1901, - - - 25,214.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 31,725

Do. estimated to middle of 1912, 32,038.

PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,116	5	17	1,128	555	573
Illegitimate Births -	40	0	4	44	17	27
Marriages - - -	160	-	-	-	-	-
Deaths - - -	385	3	47	429	242	187

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.8	35.2	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	12.0	13.4	14.2
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	4	3	2	2	3	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	4	-	3	2	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	6	5	7	4	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	6	3	-	8	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	17	8	-	1	-	2	10	5	3	2	1	1	-	-	-
Tuberculous Meningitis - - - - -	5	1	-	4	-	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	2	-	3	-	1	-	-	1	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	2	-	-	2	2	1	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	12	18	-	-	-	-	-	-	3	9	7	7	4	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	3	3	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	20	26	2	-	1	1	1	3	3	4	10	13	8	-	-
Bronchitis - - - - -	17	9	12	3	1	-	-	-	2	1	3	3	1	-	-
Pneumonia (all forms) - - - - -	21	6	8	6	2	1	1	1	1	1	5	-	1	-	-
Other Diseases of Respiratory Organs -	3	4	1	1	-	-	1	-	2	1	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	8	2	9	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	2	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	7	6	-	1	2	-	2	-	2	4	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	9	-	-	-	-	2	4	3	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	31	20	50	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	18	6	-	3	1	-	4	1	3	6	3	2	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	39	49	2	4	3	-	2	1	2	11	9	24	30	-	-
Diseases Ill-defined or Unknown - - -	4	1	2	1	-	-	-	-	-	-	1	-	1	-	-
Total - - - - -	242	187	102	49	19	10	25	18	25	42	42	51	46	-	-

YEAR 1912.

Population—Census 1901, - - - 12,910.

Do. 1911, - - - 15,215.

Do. estimated to middle of 1912, 15,264.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	441	6	15	450	223	227
Illegitimate Births -	21	0	6	27	12	15
Marriages - - -	57	-	-	-	-	-
Deaths - - -	318	129	29	218	104	114

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.9	29.5	-
Marriage-rate - - - - -	8.7	-	-
Death-rate—All Causes - - - - -	20.8	14.3	14.7
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	5	2	5	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	9	1	-	2	2	5	2	2	2	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	2	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	1	-	-	-	-	1	-	1	-	
Cancer, Malignant Disease - - - - -	7	4	-	-	-	-	-	-	-	2	3	4	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	11	-	-	1	-	2	1	1	2	9	5	-	
Bronchitis - - - - -	5	6	4	1	-	-	-	-	1	2	2	1	-	
Pneumonia (all forms) - - - - -	11	7	4	5	-	1	1	1	-	1	2	3	-	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	1	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	3	4	6	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	1	-	3	1	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	1	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	13	10	22	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	*16	2	-	1	2	1	3	2	1	3	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	34	5	3	-	-	3	4	5	2	8	4	19	
Diseases Ill-defined or Unknown - - - - -	1	3	1	-	-	-	-	-	-	1	-	1	1	
Total - - - - -	*104	114	48	27	2	5	11	18	11	16	21	24	33	

* Including 2 of unspecified age.

YEAR 1912.

Population—Census 1901, - - - 4,487.

COUNTY—**Nairn**.

Do. Do. 1911, - - - 4,661.

Do. estimated to middle of 1912, 4,611.

PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	103	2	2	103	50	53
Illegitimate Births -	7	2	1	6	5	1
Marriages - - -	20	-	-	-	-	-
Deaths - - -	78	3	3	78	31	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.3	22.3	-
Marriage-rate - - -	4.3	-	-
Death-rate—All Causes - - -	16.9	16.9	15.3
Do. —Phthisis - - -	-	0.7	-
Do. —All Tuberculosis - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—126.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	3	-	-	-	1	-	1	-	-	1	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	-	1	-	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	1	-	1	3	1	
Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	3	-	-	-	-	1	-	-	-	-	-	-	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	1	1	3	
Pneumonia (all forms) - - -	3	4	3	-	-	-	1	-	2	-	1	-	1	
Other Diseases of Respiratory Organs - - -	1	4	-	-	-	-	1	-	2	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	2	1	2	1	-	-	-	-	-	-	1	1	3	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	3	1	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	1	-	2	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	2	2	3	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	2	-	-	-	-	-	1	-	1	-	-	1	
Suicide - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	12	18	4	1	-	-	-	-	2	-	1	7	15	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	31	47	13	5	1	1	3	3	5	1	8	12	26	

YEAR 1912.

Population—Census 1901, - - - 4,804.

COUNTY—**Nairn.**

Do. Do. 1911, - - - 4,658.

Do. estimated to middle of 1912, 4,568.

PUBLIC HEALTH DISTRICT—**Nairn** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	106	5	2	103	50	53
Illegitimate Births -	20	4	2	18	7	11
Marriages - - -	12	-	-	-	-	-
Deaths - - -	53	2	2	53	22	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.2	22.5	-
Marriage-rate - - - - -	2.6	-	-
Death-rate—All Causes - - - - -	11.6	11.6	10.1
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	-	-	3	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	1	2	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	6	-	-	-	-	-	-	1	-	1	4	3	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	10	1	1	-	-	2	-	-	1	2	4	8	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	22	31	3	4	1	1	3	1	5	3	8	9	15	

YEAR 1912.

Population—Census 1901, - - - 3,711.

COUNTY—Orkney.

Do. Do. 1911, - - - 3,810.

Do. estimated to middle of 1912, 3,763.

PUBLIC HEALTH DISTRICT—Kirkwall (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	8	2	62	33	29
Illegitimate Births -	6	1	2	7	6	1
Marriages - - -	29	-	-	-	-	-
Deaths - - -	68	8	2	62	33	29

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.1	16.5	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - - - -	18.1	16.5	13.3
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	1	-	-	-	-	-	1	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	1	-	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	2	1	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	-	-	-	-	1	1	6	
Bronchitis - - - - -	6	6	1	-	-	-	-	-	-	-	1	2	8	
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	8	1	-	-	-	1	-	3	2	3	9	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	33	29	6	-	-	1	1	3	1	7	6	8	29	

YEAR 1912.

Population—Census 1901, 2,450.

Do. Do. 1911, 1,653.

Do. estimated to middle of 1912, 1,609.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Stromness (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	2	1	23	13	10
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	25	3	2	24	12	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.9	14.3	-
Death-rate—All Causes - - - -	5.6	-	-
Do. —Phthisis - - - -	15.5	14.9	12.0
Do. —All Tuberculosis - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.2	-
	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	1	-	1	-	-	4	2	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	-	-	2	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	12	-	-	-	-	1	3	1	2	1	9	7	

YEAR 1912.

Population—Census 1901, - - - 10,144.

Do. Do. 1911, - - - 9,304.

Do. estimated to middle of 1912, 9,057.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Mainland (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	146	1	3	148	65	83
Illegitimate Births - -	9	0	1	10	5	5
Marriages - - -	54	-	-	-	-	-
Deaths - - -	152	0	8	160	62	98

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.3	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - -	16.8	17.7	13.0
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.8.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	1	-	-	1	-	1	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	2	-	-	1	-	-	-	-	-	1	-	-	
Influenza - - - - -	2	1	-	-	-	-	1	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	3	-	1	-	-	2	1	-	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	-	-	-	2	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	6	11	-	-	-	-	-	1	1	3	6	6	6	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	10	-	-	-	-	-	-	3	7	2	6	6	
Bronchitis - - - - -	1	5	2	-	-	-	-	-	-	-	-	4	4	
Pneumonia (all forms) - - - - -	3	3	1	-	-	-	-	-	-	-	3	2	2	
Other Diseases of Respiratory Organs	1	1	-	-	-	1	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	1	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	1	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	-	-	2	-	-	2	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	26	41	-	-	1	-	3	-	7	6	10	40	40	
Diseases Ill-defined or Unknown - -	2	5	-	-	-	-	-	-	-	-	1	6	6	
Total - - - - -	62	98	13	-	2	2	4	10	2	15	20	27	65	

YEAR 1912.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—North Isles (County District).

Population—Census 1901, - - - 7,845.
 Do. Do. 1911, - - - 7,095.
 Do. estimated to middle of 1912, 6,893.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	146	0	2	148	67	81
Illegitimate Births -	9	0	0	9	1	8
Marriages - - -	40	-	-	-	-	-
Deaths - - -	100	4	7	103	40	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.2	21.5	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - -	14.5	14.9	10.5
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—61.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	1	2	2	2	-	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	2	-	-	-	1	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	7	6	-	-	-	-	-	2	2	2	3	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	6	5	-	-	-	-	-	-	1	1	3	6	-	
Bronchitis - - - - -	3	7	2	-	-	-	1	-	1	-	1	5	-	
Pneumonia (all forms) - - - -	2	2	1	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	3	-	1	1	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	14	21	-	-	-	-	2	1	3	4	4	21	-	
Diseases ill-defined or Unknown - -	-	6	-	-	-	-	-	-	-	-	1	5	-	
Total - - - - -	42	61	4	1	1	1	4	6	5	7	11	15	48	

YEAR 1912.

Population—Census 1901, - - - 2,707.

Do. Do. 1911, - - - 2,395.

Do. estimated to middle of 1912, 2,320.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—South Ronaldshay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	60	0	0	60	30	30
Illegitimate Births -	3	0	0	3	3	0
Marriages - - -	18	-	-	-	-	-
Deaths - - -	53	1	1	53	21	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.9	25.9	-
Marriage-rate - - - - -	7.8	-	-
Death-rate—All Causes - - - - -	22.8	22.8	15.2
Do. —Phthisis - - - - -	-	2.6	-
Do. —All Tuberculosis - - - - -	-	3.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	-	3	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	1	-	-	1	1	-	-	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	16	-	-	-	-	-	-	-	-	1	5	21	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	21	32	8	-	1	-	-	4	2	2	3	10	23	

YEAR 1912.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Walls (County District).

Population—Census 1901, - - - 1,842.
 Do. Do. 1911, - - - 1,640.
 Do. estimated to middle of 1912, 1,590.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	0	4	31	15	16
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	23	0	0	23	8	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	19.5	-
Marriage-rate - - - - -	6.9	-	-
Death-rate—All Causes - - - - -	14.5	14.5	9.9
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—32.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	1	-	-	1	-	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	-	-	-	1	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	6	-	-	-	-	-	-	-	-	-	4	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	8	15	1	1	-	-	2	2	1	2	-	6	8	

YEAR 1912.

Population—Census 1901, - - - 2,181.

COUNTY—Peebles.

Do. Do. 1911, - - - 2,547.

Do. estimated to middle of 1912, 2,552.

PUBLIC HEALTH DISTRICT—Innerleithen (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	0	2	37	18	19
Illegitimate Births - -	2	0	1	3	2	1
Marriages - - -	21	-	-	-	-	-
Deaths - - -	33	0	4	37	21	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.7	14.5	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - -	12.9	14.5	14.0
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	1	2	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	1	-	-	2	1	2	-	-
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	5	-	-	-	-	-	-	1	-	2	3	5	-	-
Diseases Ill-defined or Unknown - -	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Total - - - - -	21	16	4	-	-	-	2	1	1	1	8	9	11	-	-

YEAR 1912.

COUNTY—Peebles.

PUBLIC HEALTH DISTRICT—Peebles (Burgh).

Population—Census 1901, - - - 5,266.

Do. Do. 1911, - - - 5,554.

Do. estimated to middle of 1912, 5,504.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	1	5	96	47	49
Illegitimate Births - -	9	0	1	10	3	7
Marriages - - -	39	-	-	-	-	-
Deaths - - -	80	11	9	78	38	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.7	17.4	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - - - -	14.5	14.2	13.9
Do. —Phthisis - - - - -	-	0.5	-
Do. —All Tuberculosis - - - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	-	-	3	4	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	1	-	-	1	-	2	2	-	
Bronchitis - - - - -	-	4	-	2	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	-	1	-	2	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	4	-	-	-	-	-	-	1	1	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	-	-	-	1	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	16	1	-	-	-	1	1	3	3	3	8	9	
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Total - - - - -	38	40	6	3	1	1	2	4	6	4	11	22	18	

YEAR 1912.

Population—Census 1901, 7,619.

COUNTY—Peebles.

Do. Do. 1911, 7,157.

Do. estimated to middle of 1912, 6,990.

PUBLIC HEALTH DISTRICT—Peebles (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	157	4	9	162	82	80
Illegitimate Births -	13	1	2	14	9	5
Marriages - - -	24	-	-	-	-	-
Deaths - - -	95	1	8	102	56	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	23.2	-
Marriage-rate - - - - -	3.4	-	-
Death-rate—All Causes - - - - -	13.6	14.6	14.0
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	-	2	1	3	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	1	-	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	3	-	-	-	-	-	-	1	1	2	4	-	-	-
Rheumatic Fever - - - - -	2	1	-	-	-	-	1	-	1	1	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	1	-	1	1	-	-	-	-	-
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	1	-	2	-	1	-	-
Bronchitis - - - - -	3	4	-	-	-	-	-	-	-	-	-	1	6	-	-
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	-	-	-	-	3	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	2	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	7	2	9	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	3	2	2	-	-	1	-	-	-	-	-	-	-	1
Suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	12	-	-	-	-	-	-	1	1	6	8	14	-	-
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Total - - - - -	56	46	15	3	-	-	8	5	8	6	11	19	27	-	-

YEAR 1912.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Aberfeldy (Burgb).

Population—Census 1901, - - - 1,508.

Do. 1911, - - - 1,592.

Do. estimated to middle of 1912, 1,578.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	2	2	37	23	14
Illegitimate Births -	1	0	0	1	1	-
Marriages - - -	8	-	-	-	-	-
Deaths - - -	26	1	0	25	10	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.4	23.4	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	16.5	15.8	13.7
Do. —Phthisis - - - - -	-	2.5	-
Do. —All Tuberculosis - - - - -	-	2.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	-	-	2	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	-	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	1	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	-	1	-	-	-	-	-	-	1	-	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	10	15	2	1	-	-	3	1	1	1	8	2	6	

YEAR 1912.

Population—Census 1901, - - - 623.

COUNTY—Perth.

Do. 1911, - - - 593.

Do. estimated to middle of 1912, 580.

PUBLIC HEALTH DISTRICT—Abernethy (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	5	5
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	8	-	-	-	-	-
Deaths - - -	8	0	1	9	4	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	17.2	-
Marriage-rate - - - - -	13.8	-	-
Death-rate—All Causes - - - - -	13.8	15.5	11.8
Do. —Phthisis - - - - -	-	3.4	-
Do. —All Tuberculosis - - - - -	-	3.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	5	-	-	-	1	1	1	-	1	1	3	1	

YEAR 1912.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Alyth (Burgh).

Population—Census 1901, - - - 1,965.
 Do. Do. 1911, - - - 1,860.
 Do. estimated to middle of 1912, 1,818.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	0	3	37	19	8
Illegitimate Births -	3	0	2	5	2	3
Marriages - - -	16	-	-	-	-	-
Deaths - - -	30	6	9	39	20	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.7	20.4	-
Marriage-rate - - -	8.8	-	-
Death-rate—All Causes - - -	16.5	21.5	17.7
Do. —Phthisis - - -	-	3.9	-
Do. —All Tuberculosis - - -	-	4.4	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	3	-	-	-	2	2	1	1	-	1	-	-	
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	1	-	1	1	1	
Cancer, Malignant Disease - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	1	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	-	1	2	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	6	8	-	-	-	1	1	-	1	1	1	3	6	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	20	19	2	1	1	1	3	2	5	5	3	7	9	

YEAR 1912.

Population—Census 1901, - - - 2,308.

COUNTY—Perth.

Do. Do. 1911, - - - 2,294.

Do. estimated to middle of 1912, 2,258.

PUBLIC HEALTH DISTRICT—Auchterarder (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	26	1	0	25	10	15
Illegitimate Births -	2	0	0	2	0	2
Marriages - - -	12	-	-	-	-	-
Deaths - - -	47	2	2	47	26	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.5	11.1	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	20.8	20.8	17.3
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	1	-	1	6	3	-	
Bronchitis - - - - -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	9	-	-	-	-	-	2	-	5	6	8	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Total - - - - -	26	21	2	-	1	-	2	-	4	-	10	17	11	

YEAR 1912.

Population—Census 1901, - - - 3,378.

COUNTY—Perth.

Do. Do. 1911, - - - 3,249.

Do. estimated to middle of 1912, 3,183.

PUBLIC HEALTH DISTRICT—**Blairgowrie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	2	44	22	22
Illegitimate Births -	4	0	1	5	1	4
Marriages - - -	30	-	-	-	-	-
Deaths - - -	54	6	6	54	20	34

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.5	13.8	-
Marriage-rate - - -	9.4	-	-
Death-rate—All Causes - - -	17.0	17.0	13.8
Do. —Phthisis - - -	-	0.9	-
Do. —All Tuberculosis - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—9.1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	3	-	-	-	-	-	-	-	1	1	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	7	3	-	1	-	-	-	-	1	1	1	3	3	
Rheumatic Fever - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	1	10	-	-	1	-	-	-	-	-	3	3	4	
Bronchitis - - -	1	2	-	-	-	-	-	-	-	1	-	-	2	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	10	1	-	-	-	-	-	2	-	4	4	6	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - -	20	34	4	3	2	-	1	-	3	3	9	14	15	

YEAR 1912.

Population—Census 1901, - - - 1,458.

COUNTY—Perth.

Do. Do. 1911, - - - 1,504.

Do. estimated to middle of 1912, 1,487.

PUBLIC HEALTH DISTRICT—Callander (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	25	1	0	24	9	15
Illegitimate Births - -	2	1	0	1	0	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	16	0	3	19	9	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.8	16.1	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	10.8	12.8	11.3
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	1	-	1	1	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	5	1	-	-	-	-	-	-	-	2	3	2	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	9	10	1	-	-	-	1	-	2	2	4	4	5	

YEAR 1912.

Population—Census 1901, - - - 2,064.

COUNTY—Perth.

Do. Do. 1911, - - - 2,095.

Do. estimated to middle of 1912, 2,067.

PUBLIC HEALTH DISTRICT—Coupar-Angus (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	0	1	45	24	21
Illegitimate Births -	5	0	1	6	5	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	26	0	6	32	17	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.3	21.8	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	12.6	15.5	12.4
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	1	-	-	-	-	-	2	-	1	2	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	1	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	8	2	1	-	-	-	-	-	-	1	5	3	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	17	15	5	2	-	-	1	1	4	3	2	11	3	

YEAR 1912.

Population—Census 1901, - - - 5,208.

COUNTY—Perth.

Do. 1911, - - - 5,571.

Do. estimated to middle of 1912, 5,529.

PUBLIC HEALTH DISTRICT—Crieff (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	4	4	89	44	55
Illegitimate Births -	17	2	3	18	7	11
Marriages - - -	30	-	-	-	-	-
Deaths - - -	79	5	12	86	41	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	17.9	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	14.3	15.6	13.8
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.2.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	1	-	2	-	2	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	2	-	-	-	-	-	-	1	1	3	2	1	-	-
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	2	-	1	1	4	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	3	1	-	-	-	-	1	-	-	1	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	3	3	-	-	-	1	-	-	-	-	2	2	1	-	-
Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Defined Diseases - - - - -	15	17	2	-	1	-	2	-	-	4	5	9	9	-	-
Diseases Ill-defined or Unknown - - -	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Total - - - - -	41	45	8	2	2	1	6	1	6	11	14	17	18	-	-

YEAR 1912.

Population—Census 1901, - - - 930.

COUNTY—Perth.

Do. Do. 1911, - - - 893.

Do. estimated to middle of 1912, 874.

PUBLIC HEALTH DISTRICT—Dounie (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	0	0	15	7	8
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	4	-	-	-	-	-
Deaths - - -	9	0	1	10	4	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	17.2	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	10.3	11.4	10.5
Do. —Phthisis - - - - -	-	2.3	-
Do. —All Tuberculosis - - - - -	-	2.3	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	6	1	1	-	1	1	-	-	-	2	2	2	

YEAR 1912.

Population—Census 1901, - - - 2,516.

Do. Do. 1911, - - - 2,978.

Do. estimated to middle of 1912, 2,989.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Dunblane (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	56	0	5	61	33	28
Illegitimate Births -	3	0	3	6	3	3
Marriages - - -	12	-	-	-	-	-
Deaths - - -	34	3	6	37	19	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·7	20·4	-
Marriage-rate - - - - -	4·0	-	-
Death-rate—All Causes - - - - -	11·4	12·4	11·5
Do. —Phthisis - - - - -	-	0·0	-
Do. —All Tuberculosis - - - - -	-	0·3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	2	-	-	-	-	-	-	-	-	1	3	2	-	-
Bronchitis - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	8	-	-	-	-	-	-	-	1	3	6	5	-	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	19	18	2	2	-	-	-	-	-	3	6	13	11	-	-

YEAR 1912.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (Burgh).

Population—Census 1901, - - - 33,995.

Do. Do. 1911, - - - 35,854.

Do. estimated to middle of 1912, 35,410.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	777	32	11	756	375	381
Illegitimate Births - -	79	17	6	68	32	36
Marriages - - -	289	-	-	-	-	-
Deaths - - -	603	66	27	564	257	307

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	21.3	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - - -	17.0	15.9	15.6
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	11	5	9	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	3	-	2	3	2	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	22	15	-	-	-	1	9	13	9	3	2	-	-	
Tuberculous Meningitis - - - - -	5	8	4	4	5	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	4	2	1	-	1	-	-	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	4	3	-	1	-	1	1	2	-	1	-	1	-	
Cancer, Malignant Disease - - - - -	19	35	-	-	-	-	1	1	3	11	13	15	10	
Rheumatic Fever - - - - -	-	2	-	-	-	2	-	-	-	-	-	1	-	
Meningitis - - - - -	5	3	4	2	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	22	39	-	-	-	-	2	2	4	10	15	18	10	
Bronchitis - - - - -	17	23	7	2	-	-	-	-	3	7	12	9	-	
Pneumonia (all forms) - - - - -	23	13	9	10	2	-	1	-	2	2	4	2	-	
Other Diseases of Respiratory Organs - - - - -	4	6	-	2	-	-	1	-	1	1	2	-	3	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	11	7	1	-	-	1	-	3	3	4	4	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	2	1	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	12	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	6	1	2	-	-	1	-	1	2	3	1	1	
Suicide - - - - -	5	1	-	-	-	-	-	2	1	2	1	-	-	
Other Defined Diseases - - - - -	75	92	8	-	1	3	4	2	2	12	28	43	64	
Diseases Ill-defined or Unknown - - - - -	8	9	2	3	1	-	-	-	-	2	3	5	1	
Total - - - - -	257	307	72	42	13	12	23	28	32	54	84	104	100	

YEAR 1912.

Population—Census 1901, - - - 2,019.

COUNTY—Perth.

Do. Do. 1911, - - - 1,730.

Do. estimated to middle of 1912, 1,668.

PUBLIC HEALTH DISTRICT—Rattray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	2	0	34	19	15
Illegitimate Births -	11	2	0	9	4	5
Marriages - - -	3	-	-	-	-	-
Deaths - - -	40	0	7	47	21	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.6	20.4	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	24.0	28.2	23.3
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—176.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-		
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	-	-	5	1		
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	1	3	1		
Pneumonia (all forms) - - - - -	1	2	1	-	1	-	-	-	-	1	-	-	-		
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-		
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	1	-	1	-	2	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	5	8	-	2	-	-	-	-	-	-	-	-	-		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	1	-	2	7	1		
Total - - - - -	21	26	6	5	1	1	-	1	3	3	4	19	4		

YEAR 1912.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Blairgowrie (County District).

Population—Census 1901, - - - 9,963.

Do. Do. 1911, - - - 9,830.

Do. estimated to middle of 1912, 9,663.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	186	5	6	187	95	92
Illegitimate Births - -	14	1	3	16	7	9
Marriages - - -	39	-	-	-	-	-
Deaths - - -	105	5	14	114	58	56

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.2	19.4	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	10.9	11.8	10.4
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	0.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—27.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	2	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	9	-	-	-	-	-	-	-	2	6	6	5	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	10	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	-	-	-	-	1	-	1	2	5	8	
Bronchitis - - - - -	5	2	1	-	-	-	-	-	-	-	-	1	5	
Pneumonia (all forms) - - - - -	5	2	-	1	-	-	-	-	-	-	-	1	3	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	1	-	2	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	-	-	1	-	-	1	1	3	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	21	-	1	-	-	1	-	1	1	6	12	14	
Diseases Ill-defined or Unknown - - - - -	2	2	-	1	-	-	-	-	-	-	1	1	1	
Total - - - - -	58	56	5	5	2	1	4	4	2	10	18	26	37	

YEAR 1912.

Population—Census 1901, - - - 11,099.

COUNTY—Perth.

Do. Do. 1911, - - - 10,417.

Do. estimated to middle of 1912, 10,173.

PUBLIC HEALTH DISTRICT—Central Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females
Births - - -	199	5	11	205	113	92
Illegitimate Births -	22	0	5	27	14	13
Marriages - - -	43	-	-	-	-	-
Deaths - - -	138	14	25	149	72	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.6	20.2	-
Marriage-rate - - - - -	4.2	-	-
Death-rate—All Causes	13.6	14.6	12.5
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	4	-	-	-	1	1	-	-	1	1	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - -	10	9	-	-	-	1	2	1	1	6	5	3	-	
Rheumatic Fever - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	9	9	-	-	-	-	-	1	1	4	5	7	-	
Bronchitis - - - - -	7	8	1	1	-	-	-	-	1	-	6	6	-	
Pneumonia (all forms) - - - -	3	1	-	-	-	1	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs	1	1	-	1	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	3	-	-	-	-	-	-	-	2	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	-	-	-	-	-	-	-	2	1	2	-	-	
Suicide - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	23	30	1	1	-	1	2	3	4	7	15	19	-	
Diseases Ill-defined or Unknown - -	6	2	1	-	-	-	1	-	1	-	1	4	-	
Total - - - - -	72	77	9	5	3	1	6	6	7	13	21	37	41	

YEAR 1912.

Population--Census 1901, - - - 13,389.

COUNTY--Perth.

Do. Do. 1911, - - - 12,900.

Do. estimated to middle of 1912, 12,641.

PUBLIC HEALTH DISTRICT--Highland Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	208	3	11	216	112	104
Illegitimate Births -	17	0	2	19	7	12
Marriages - - -	48	-	-	-	-	-
Deaths - - -	233	54	15	194	95	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.5	17.1	-
Marriage-rate - - - - -	3.8	-	-
Death-rate--All Causes - - - - -	18.4	15.3	12.7
Do. --Phthisis - - - - -	-	1.2	-
Do. --All Tuberculosis - - - - -	-	1.3	-
Do. --Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected--83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts--8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	5	2	3	-	-	-	-	-	-	-	-	1	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	8	-	-	-	1	6	3	3	-	1	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	10	-	-	-	-	1	-	1	1	4	10	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	1	5	3	2	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	15	22	1	-	-	1	-	-	-	3	4	15	13	
Bronchitis - - - - -	2	5	1	-	-	-	-	-	-	-	1	1	4	
Pneumonia (all forms) - - - - -	3	5	2	-	-	-	-	-	1	-	-	2	3	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	-	-	2	2	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	3	1	1	-	-	-	-	1	2	1	1	-	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	33	30	1	-	1	1	-	-	4	3	7	15	30	
Diseases ill-defined or Unknown - - - - -	2	4	-	-	-	-	-	-	-	-	-	2	4	
Total - - - - -	95	99	18	3	2	4	9	4	12	11	20	48	63	

YEAR 1912.

Population—Census 1901, - - - 20,683.

Do. Do. 1911, - - - 20,852.

Do. estimated to middle of 1912, 20,551.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	421	12	22	431	203	228
Illegitimate Births -	35	0	11	46	19	27
Marriages - - -	109	-	-	-	-	-
Deaths - - -	245	7	53	291	135	156

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	21.0	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - -	11.9	14.2	12.4
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	10	18	-	-	-	9	11	2	2	4	-	-	-	
Tuberculous Meningitis - - -	3	3	1	1	2	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	2	-	2	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases -	4	2	-	1	1	1	2	-	-	-	-	-	-	
Cancer, Malignant Disease - -	12	18	-	-	-	-	1	1	8	4	13	3	-	
Rheumatic Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	2	-	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - -	7	11	-	-	-	-	-	-	1	5	6	6	-	
Bronchitis - - - - -	10	5	1	3	-	1	-	-	-	1	3	6	-	
Pneumonia (all forms) - - -	9	8	2	2	-	-	2	3	2	1	5	-	-	
Other Diseases of Respiratory Organs	2	5	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	2	1	2	1	-	-	-	-	-	-	2	3	1	
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant)	2	2	1	-	-	-	-	1	-	1	-	1	-	
Other Diseases of Digestive System (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	7	-	-	-	1	1	2	2	2	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	1	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	6	3	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	8	2	-	2	-	-	2	1	1	2	2	-	-	
Suicide - - - - -	4	2	-	-	-	2	-	1	1	-	2	-	-	
Other Defined Diseases - - -	40	52	2	2	-	2	2	4	6	10	28	36	-	
Diseases Ill-defined or Unknown	5	5	-	-	-	-	-	1	2	4	2	1	-	
Total - - - - -	135	156	24	19	4	2	18	22	18	26	36	66	56	

YEAR 1912.

Population—Census 1901, - - - 10,177.

COUNTY—Perth.

Do. Do. 1911, - - - 10,130.

Do. estimated to middle to 1912, 9,968.

PUBLIC HEALTH DISTRICT—Western Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	194	1	12	205	96	109
Illegitimate Births - -	10	0	4	14	8	6
Marriages - - -	40	-	-	-	-	-
Deaths - - -	108	2	17	123	69	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.5	20.6	-
Marriage-rate - - -	4.0	-	-
Death-rate—All Causes - - -	10.8	12.3	11.7
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—7.3.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	3	3	-	-	-	-	2	-	2	-	1	1	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	3	-	1	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - -	5	4	-	-	-	-	-	-	-	1	5	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	9	7	-	-	1	-	1	2	-	1	1	5	5	
Bronchitis - - - - -	4	8	-	1	-	-	-	-	-	2	-	3	6	
Pneumonia (all forms) - - -	5	3	-	2	-	-	-	-	1	1	-	1	3	
Other Diseases of Respiratory Organs	2	1	-	-	-	-	1	-	-	-	-	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	6	5	10	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	2	1	-	-	-	-	-	1	-	2	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - -	24	14	1	1	1	-	3	1	2	5	5	7	12	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Total - - - - -	67	53	15	6	2	-	9	4	8	11	15	25	28	

YEAR 1912.

Population—Census 1901, - - - 9,855.

COUNTY—Renfrew.

Do. Do. 1911, - - - 11,387.

Do. estimated to middle of 1912, - 11,400.

PUBLIC HEALTH DISTRICT—Barrhead (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	355	5	5	355	190	165
Illegitimate Births -	15	1	2	16	10	6
Marriages - - -	72	-	-	-	-	-
Deaths - - -	150	0	18	168	83	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.1	31.1	-
Marriage-rate - - - - -	6.3	-	-
Death-rate—All Causes - - - - -	13.2	14.7	16.5
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	4	-	-	-	1	1	5	4	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	3	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	13	-	-	-	-	-	-	2	5	7	1	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	7	-	-	-	1	-	1	2	1	5	5	-	-	-	-
Bronchitis - - - - -	7	5	9	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	6	5	1	4	1	-	-	-	-	3	2	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	6	7	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	-	2	1	-	1	1	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	19	21	2	1	1	1	1	2	2	6	6	10	8	-	-	-
Diseases Ill-defined or Unknown - - - - -	6	2	3	1	-	-	-	-	-	-	2	-	2	-	-	-
Total - - - - -	83	85	43	16	6	3	4	12	11	16	23	19	15	-	-	-

YEAR 1912.

COUNTY—Renfrew.

PUBLIC HEALTH DISTRICT—Gourock (Burgh).

Population—Census 1901, - - - 5,261.
 Do. Do. 1911, - - - 7,442.
 Do. estimated to middle of 1912, 7,596.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	8	6	164	84	80
Illegitimate Births - -	6	5	1	2	0	2
Marriages - - -	28	-	-	-	-	-
Deaths - - -	102	10	12	104	53	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.9	21.6	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	13.4	13.7	13.9
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	4	-	-	1	-	2	1	2	3	-	-	-	
Tuberculous Meningitis - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	7	-	-	-	-	-	-	1	2	3	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	1	-	-	-	1	3	3	3	1	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	1	-	-	-	2	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	3	3	-	1	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	1	1	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	3	9	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	1	-	1	-	-	-	-	-	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	14	1	2	1	-	-	-	1	-	2	7	10	
Diseases Ill-defined or Unknown - - - - -	6	2	-	-	-	1	-	-	-	1	3	3	-	
Total - - - - -	53	51	18	5	8	3	2	2	9	9	14	18	16	

YEAR 1912.

Population—Census 1901, - - - 68,911.

COUNTY—**Renfrew.**

Do. Do. 1911, - - - 75,140.

Do. estimated to middle of 1912, 76,337.

PUBLIC HEALTH DISTRICT—**Greenock (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,385	15	20	2,390	1,201	1,189
Illegitimate Births - -	126	7	8	127	64	63
Marriages - - -	596	-	-	-	-	-
Deaths - - -	1,471	81	38	1,428	763	665

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.2	31.3	-
Marriage-rate - - - - -	7.8	-	-
Death-rate—All Causes - - -	19.3	18.7	19.0
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	2.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—11.9.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	30	22	10	37	5	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	20	16	1	25	7	1	2	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	15	13	10	13	5	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	3	7	1	7	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	2	-	-	-	-	-	-	-	1	1	2	-	-	-
Erysipelas - - - - -	1	4	-	-	1	-	1	2	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis -	50	60	2	-	3	7	24	30	23	10	9	2	-	-	-
Tuberculous Meningitis - - -	15	15	10	15	1	3	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	9	14	3	8	3	2	5	2	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	18	7	1	9	3	4	5	1	1	1	-	-	-	-	-
Cancer, Malignant Disease - - -	27	60	-	-	-	-	-	1	6	18	28	26	8	-	-
Rheumatic Fever - - - - -	4	4	-	-	1	1	3	2	1	-	-	-	-	-	-
Meningitis - - - - -	10	9	8	5	1	-	-	3	1	1	-	-	-	-	-
Organic Heart Disease - - -	69	55	-	-	-	1	4	4	7	16	27	40	25	-	-
Bronchitis - - - - -	38	48	18	6	1	-	-	2	7	7	10	22	13	-	-
Pneumonia (all forms) - - -	83	52	37	40	1	-	2	2	14	14	12	7	6	-	-
Other Diseases of Respiratory Organs -	9	4	1	1	-	-	-	1	1	2	1	4	2	-	-
*Diarrhoea and Enteritis (under 2 years)	16	7	20	3	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	5	3	-	1	1	2	-	1	1	1	1	-	-	-	-
All Liver Diseases (not Malignant) -	7	6	1	-	-	-	-	-	1	3	3	3	2	-	-
Other Diseases of Digestive System (under 2 years)	3	8	8	3	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	19	3	-	-	1	-	1	4	1	6	6	3	-	-	-
Puerperal Sepsis - - - - -	-	4	-	-	-	-	2	-	2	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	12	-	-	-	-	3	7	2	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	65	36	99	2	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	51	10	4	7	2	1	8	6	10	11	6	5	1	-	-
Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Defined Diseases - - -	166	164	45	16	5	5	11	10	25	24	45	77	67	-	-
Diseases Ill-defined or Unknown - -	25	19	6	5	-	2	3	2	2	2	9	8	5	-	-
Total - - - - -	763	665	285	203	42	30	75	83	105	117	159	200	129	-	-

YEAR 1912.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Johnstone (Burgh).**

Population—Census 1901, - - - 11,155.

Do. Do. 1911, - - - 12,045.

Do. estimated to middle of 1912. 11,969.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	352	3	11	360	185	175
Illegitimate Births - -	23	0	3	26	12	14
Marriages - - -	91	-	-	-	-	-
Deaths - - -	150	0	29	179	80	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.4	30.1	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - - - -	12.5	15.0	16.6
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	2	2	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	2	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	2	3	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	1	-	-	4	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	3	2	-	1	1	3	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	3	-	2	-	1	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	10	-	-	-	-	-	-	-	3	6	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	1	-	-	1	1	3	2	8	1	1	
Bronchitis - - - - -	3	7	1	-	-	-	1	-	1	1	3	2	1	
Pneumonia (all forms) - - - - -	7	3	3	2	1	1	-	-	1	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	4	4	5	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	1	1	2	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	10	7	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	1	-	-	-	1	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	21	29	4	2	-	4	5	2	4	7	13	9	1	
Diseases Ill-defined or Unknown - - - - -	2	1	-	1	-	-	-	-	-	1	-	-	-	
Total - - - - -	80	99	37	24	6	2	9	14	11	15	22	26	13	

YEAR 1912.

Population—Census 1901, - - - 79,363.

COUNTY—Renfrew.

Do. Do. 1911, - - - 84,455.

Do. estimated to middle of 1912, 84,858.

PUBLIC HEALTH DISTRICT—Paisley (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,268	18	22	2,272	1,137	1,135
Illegitimate Births -	141	9	11	143	70	73
Marriages - - -	714	-	-	-	-	-
Deaths - - -	1,225	46	40	1,219	615	604

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.7	26.8	-
Marriage-rate - - - - -	8.4	-	-
Death-rate—All Causes - - - - -	14.4	14.4	15.9
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	27	23	13	34	3	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	16	12	9	19	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	5	1	7	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	6	1	-	-	-	-	-	1	-	2	2	2	
Erysipelas - - - - -	2	-	-	-	-	1	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	48	45	1	1	1	3	23	23	23	14	3	1	-	
Tuberculous Meningitis - - - - -	11	3	4	6	3	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	9	11	2	9	3	2	2	-	1	1	-	-	-	
Other Tuberculous Diseases - - - - -	6	12	2	5	3	1	3	2	1	-	1	-	-	
Cancer, Malignant Disease - - - - -	26	48	-	-	-	-	-	-	11	12	28	14	9	
Rheumatic Fever - - - - -	3	1	-	-	-	1	3	-	-	-	-	-	-	
Meningitis - - - - -	13	21	8	19	2	1	1	1	1	-	1	-	-	
Organic Heart Disease - - - - -	53	55	1	1	1	9	7	5	22	24	29	9	9	
Bronchitis - - - - -	47	62	24	9	1	1	3	5	6	19	23	18	18	
Pneumonia (all forms) - - - - -	43	42	19	22	3	1	5	6	6	7	8	6	2	
Other Diseases of Respiratory Organs - - - - -	9	7	4	1	2	-	-	1	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	17	12	22	7	-	-	-	-	-	-	2	6	-	
Appendicitis and Typhlitis - - - - -	10	3	-	-	-	-	7	5	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	5	4	1	-	-	-	1	1	1	2	2	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	4	7	11	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	23	21	1	2	2	2	5	5	11	11	2	1	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	2	3	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	37	28	64	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	32	6	3	4	4	-	1	2	8	8	5	2	1	
Suicide - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Other Defined Diseases - - - - -	155	147	19	12	3	1	5	13	25	30	51	71	72	
Diseases Ill-defined or Unknown - - - - -	10	9	1	2	-	-	-	2	-	4	6	3	1	
Total - - - - -	615	604	211	162	32	17	66	75	95	120	164	161	116	

YEAR 1912.

Population—Census 1901, - - - 11,183.

COUNTY—**Renfrew.**

Do. 1911, - - - 12,932.

PUBLIC HEALTH DISTRICT—**Pollokshaws** (Burgh).

Do. estimated to middle of 1912, 12,948.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	347	2	12	357	194	163
Illegitimate Births - -	20	0	7	27	20	7
Marriages - - -	91	-	-	-	-	-
Deaths - - -	174	1	34	207	98	109

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·8	27·6	-
Marriage-rate - - - - -	7·0	-	-
Death-rate—All Causes - - - - -	13·4	16·0	17·0
Do. —Phthisis - - - - -	-	1·2	-
Do. —All Tuberculosis - - - - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	4	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	9	-	1	-	6	4	3	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	-	2	1	-	-	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	3	-	1	2	-	1	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	7	-	-	-	-	-	1	2	1	5	1	2	-	-	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	4	1	3	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	7	-	1	-	1	1	2	-	-	-	4	3	-	-	-
Bronchitis - - - - -	11	14	5	1	-	-	-	-	1	4	8	6	-	-	-	-
Pneumonia (all forms) - - - - -	12	5	5	7	-	1	1	-	1	-	2	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	3	1	-	-	-	2	-	-	-	1	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	5	7	11	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	2	-	1	-	1	-	-	1	1	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	3	4	6	5	14	14	-	-	-
Other Defined Diseases - - - - -	24	28	2	3	-	1	-	-	-	-	1	1	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	98	109	34	34	7	2	10	15	16	13	17	34	25	-	-	-

YEAR 1912.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Renfrew** (Burgh).

Population—Census 1901, - - - 9,296.

Do. Do. 1911, - - - 12,565.

Do. estimated to middle of 1912, 12,774.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	382	0	11	393	198	195
Illegitimate Births - -	11	0	2	13	10	3
Marriages - - -	62	-	-	-	-	-
Deaths - - -	119	2	34	151	72	79

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.9	30.8	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	9.3	11.8	13.3
Do. —Phthisis - - - - -	-	0.4	-
Do. —All Tuberculosis - - - - -	-	0.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	1	3	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	4	-	2	1	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	2	-	5	1	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	8	-	-	1	1	2	2	-	-	3	3	3	
Bronchitis - - - - -	-	7	-	1	-	-	-	-	-	-	2	4	-	
Pneumonia (all forms) - - - - -	13	8	5	7	-	3	2	2	1	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	1	-	-	-	-	-	-	-	1	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	1	-	2	-	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	-	3	-	1	-	2	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	20	4	-	-	-	1	5	6	5	9	8	-	
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	-	-	3	-	-	
Total - - - - -	72	79	30	20	2	2	6	14	14	14	12	26	11	

YEAR 1912.

Population—Census 1901, - - - 35,097.

COUNTY—Renfrew.

Do. 1911, - - - 57,058.

Do. estimated to middle of 1912, 58,881.

PUBLIC HEALTH DISTRICT—Upper Renfrew (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	1,326	22	35	1,339	700	639
Illegitimate Births -	53	12	7	48	23	25
Marriages - - -	258	-	-	-	-	-
Deaths - - -	857	257	109	709	341	368

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	22.7	-
Marriage-rate - - - - -	4.4	-	-
Death-rate—All Causes - - - - -	14.6	12.0	12.9
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.6.

CAUSES OF DEATH (corrected for 'Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	6	10	4	11	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	2	-	2	-	-	-	1	1	-	-	-	-	-	-
*Whooping-cough - - - - -	7	4	3	6	1	-	-	1	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	5	9	2	7	5	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	26	29	-	-	-	1	9	32	13	6	4	-	-	-	-
Tuberculous Meningitis - - - - -	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	1	1	1	1	-	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	21	23	-	-	-	-	-	2	5	10	17	13	7	-	-
Rheumatic Fever - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Meningitis - - - - -	7	4	1	5	1	-	3	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	30	31	-	-	-	1	5	2	4	7	11	15	16	-	-
Bronchitis - - - - -	15	16	8	3	-	-	1	-	-	3	2	9	5	-	-
Pneumonia (all forms) - - - - -	23	22	15	6	4	-	1	2	1	4	6	4	2	-	-
Other Diseases of Respiratory Organs - - - - -	5	11	-	2	1	-	-	1	-	-	4	4	4	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	5	7	3	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	2	-	-	1	-	1	-	-	-	2	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	5	-	-	-	-	-	1	-	-	2	2	2	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	4	4	7	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	16	12	-	-	-	1	-	4	8	1	7	5	2	-	-
Puerperal Sepsis - - - - -	-	4	-	-	-	-	1	1	2	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	-	4	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	24	22	45	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	16	*10	1	6	4	1	1	1	2	5	1	2	1	-	-
Suicide - - - - -	3	1	-	-	-	-	-	-	3	-	1	-	-	-	-
Other Defined Diseases - - - - -	98	114	9	4	2	3	7	10	15	18	23	55	61	-	-
Diseases Ill-defined or Unknown - - - - -	9	7	2	-	-	-	-	2	4	4	1	1	2	-	-
Total - - - - -	341	*368	108	60	23	8	34	51	62	60	86	112	104	-	-

* Including 1 of unspecified age.

YEAR 1912.

Population—Census 1901, - - - 21,969.

COUNTY—Renfrew.

Do. Do. 1911, - - - 23,742.

Do. estimated to middle of 1912, 23,594.

PUBLIC HEALTH DISTRICT—Lower Renfrew (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	471	7	7	471	244	227
Illegitimate Births -	23	0	0	23	14	9
Marriages - - -	85	-	-	-	-	-
Deaths - - -	279	34	32	277	131	146

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	20.0	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - -	11.8	11.7	12.3
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.9	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—57.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	2	2	4	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	2	3	-	1	3	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	11	10	-	2	1	-	6	5	4	1	2	-	-	
Tuberculous Meningitis - - - -	-	3	1	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	2	5	-	1	1	3	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	7	15	-	-	-	-	-	-	2	2	4	9	5	
Rheumatic Fever - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	12	15	-	-	-	-	1	2	2	-	8	10	4	
Bronchitis - - - - -	5	6	-	1	1	-	-	-	-	-	1	4	4	
Pneumonia (all forms) - - - -	12	9	2	4	-	-	1	1	-	2	3	5	3	
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	3	3	5	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	3	3	-	-	-	-	-	-	3	1	1	-	1	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	2	1	1	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	9	3	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	7	1	2	1	-	-	2	-	1	1	-	3	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	39	47	-	4	3	-	1	4	2	8	17	20	27	
Diseases Ill-defined or Unknown - -	8	3	-	1	-	-	1	-	-	4	1	2	2	
Total - - - - -	131	146	27	28	12	6	12	14	15	20	41	51	51	

YEAR 1912.

Population—Census 1901, - - - 1,242.

Do. Do. 1911, - - - 1,928.

Do. estimated to middle of 1912, 1,882.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Cromarty (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	2	0	23	12	11
Illegitimate Births -	2	0	0	2	2	-
Marriages - - -	5	-	-	-	-	-
Deaths - - -	29	0	2	31	13	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.3	12.2	-
Marriage-rate - - - - -	2.7	-	-
Death-rate—All Causes - - - - -	15.4	16.5	19.2
Do. —Phthisis - - - - -	-	1.6	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—261.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	1	-	-	1	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	1	-	-	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	4	-	-	-	-	-	-	-	-	-	-	4	
Diseases ill-defined or Unknown - -	1	2	-	1	-	-	-	-	-	2	-	-	-	
Total - - - - -	13	18	6	2	-	1	2	2	1	3	3	1	10	

YEAR 1912.

Population—Census 1901, - - - 2,519.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 2,639.

Do. estimated to middle of 1912, 2,613.

PUBLIC HEALTH DISTRICT—**Dingwall (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	4	1	48	24	24
Illegitimate Births -	7	3	1	5	3	2
Marriages - - -	25	-	-	-	-	-
Deaths - - -	48	12	2	38	15	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.5	18.4	-
Marriage-rate - - - - -	9.6	-	-
Death-rate—All Causes - - - - -	18.4	14.5	13.0
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—21.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	1	7	-	-	-	-	-	3	-	-	-	2	3	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	3	1	-	1	-	-	-	-	1	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	13	
Other Defined Diseases - - - - -	5	9	-	-	-	-	-	-	-	-	-	-	-	
Diseases ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	15	23	1	1	-	-	1	2	6	2	3	5	17	

YEAR 1912.

Population—Census 1901, - - - 1,047.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 1,051.

Do. estimated to middle of 1912, 1,035.

PUBLIC HEALTH DISTRICT—**Invergordon (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	0	20	13	7
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	18	0	4	22	11	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.3	19.3	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	17.4	21.3	17.5
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	1	-	2	1	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	1	1	-	1	3	2	
Other Defined Diseases - - - - -	3	5	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	11	11	1	-	-	1	3	1	1	3	3	6	3	

YEAR 1912.

Population—Census 1901, - - - 3,885.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 3,806.

PUBLIC HEALTH DISTRICT—**Stornoway (Burgh).**

Do. estimated to middle of 1912, 3,738.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	58	1	0	57	39	18
Illegitimate Births -	3	0	0	3	2	1
Marriages - - -	15	-	-	-	-	-
Deaths - - -	51	0	2	53	27	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.5	15.2	-
Marriage-rate - - - - -	4.0	-	-
Death-rate—All Causes - - - - -	13.6	14.2	13.3
Do. —Phthisis - - - - -	-	1.1	-
Do. —All Tuberculosis - - - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4	
Bronchitis - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	4	-	1	-	-	-	-	-	-	-	-	-	3	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	1	-	1	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	11	1	-	-	1	-	-	-	-	5	1	8	
Diseases Ill-defined or Unknown - - - - -	2	2	1	-	-	-	-	1	-	-	1	1	-	
Total - - - - -	27	26	7	2	-	1	2	4	4	1	10	4	18	

YEAR 1912.

Population—Census 1901, - - - 1,645

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 1,599.

Do. estimated to middle of 1912, 1,568.

PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere, from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	1	25	19	6
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	28	-	-	-	-	-
Deaths - - -	34	0	1	35	18	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.3	15.9	-
Marriage-rate - - - - -	17.9	-	-
Death-rate—All Causes - - - - -	21.7	22.3	17.8
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	1	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	2	4	1	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	-	1	-	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	1	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	2	-	1	2	4	4	
Other Defined Diseases - - - - -	8	5	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	17	1	-	1	1	1	2	2	2	5	13	7	

YEAR 1912.

Population—Census 1901, - - - 6,331.

Do. Do. 1911, - - - 8,922.

COUNTY—**Ross and Cromarty.**

Do. estimated to middle of 1912, 8,713.

PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	2	2	111	55	56
Illegitimate Births -	4	0	1	5	3	2
Marriages - - -	18	-	-	-	-	-
Deaths - - -	74	7	5	72	37	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	12.7	-
Marriage-rate - - - - -	2.1	-	-
Death-rate—All Causes - - - - -	8.5	8.3	9.2
Do. —Phthisis - - - - -	-	0.6	-
Do. —All Tuberculosis - - - - -	-	0.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	1	2	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	5	-	-	-	-	-	-	1	1	5	4	-	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	4	1	-	-	-	-	1	-	-	1	1	4	-	-
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	3	2	-	-	-	1	-	1	1	-	-	3	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	2	1	-	1	-	-	-	1	-	-	-	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	11	-	1	-	-	-	-	-	1	1	7	14	-	-
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	37	35	9	2	-	2	4	4	5	4	8	13	21	-	-

YEAR 1912.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

Population—Census 1901, - - - 11,181.

Do. Do. 1911, - - - 10,385.

Do. estimated to middle of 1912, 10,127.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	220	2	5	223	123	100
Illegitimate Births -	12	0	4	16	10	6
Marriages - - -	24	-	-	-	-	-
Deaths - - -	182	4	12	190	74	116

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.7	22.0	-
Marriage-rate - - - - -	2.4	-	-
Death-rate—All Causes - - - - -	18.0	18.8	14.3
Do. —Phthisis - - - - -	-	1.6	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	12	-	-	-	-	3	4	4	4	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	13	-	-	-	-	-	-	-	2	4	7	6	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	2	-	1	-	-	-	1	1	1	1	10	4	-	-	-
Organic Heart Disease - - - - -	10	11	-	-	1	-	1	1	1	2	1	4	5	-	-	-
Bronchitis - - - - -	1	11	-	1	-	-	-	-	-	-	1	1	1	-	-	-
Pneumonia (all forms) - - - - -	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	2	4	6	-	-	-	-	5	-	1	-	1	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	3	-	1	6	4	19	38	-	-	-
Other Defined Diseases - - - - -	29	44	1	1	-	-	-	-	1	1	1	1	2	-	-	-
Diseases Ill-defined or Unknown - - - - -	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	74	116	16	8	3	1	8	11	11	19	16	43	54	-	-	-

YEAR 1912.

Population—Census 1901, - - - 25,064.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 25,797.

Do. estimated to middle of 1912, 25,489.

PUBLIC HEALTH DISTRICT—**Lews** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	601	0	2	603	302	301
Illegitimate Births -	14	0	2	16	12	4
Marriages - - -	111	-	-	-	-	-
Deaths - - -	349	2	10	357	175	182

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	23·7	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - - - -	13·7	14·0	11·8
Do. —Phthisis - - - - -	-	2·0	-
Do. —All Tuberculosis - - - - -	-	2·2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	1	2	-	-	-	-	-	-	2	1	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	5	3	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	-	-	-	-	1	-	2	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	33	19	-	1	-	1	19	17	6	4	2	2	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	8	-	-	-	-	-	-	3	3	4	4	2	
Rheumatic Fever - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	2	2	4	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	15	17	1	-	1	-	1	-	-	3	4	11	11	
Bronchitis - - - - -	8	16	2	2	-	-	-	-	-	-	1	9	10	
Pneumonia (all forms) - - - - -	21	21	9	10	-	2	2	-	1	2	3	8	5	
Other Diseases of Respiratory Organs - - - - -	1	9	1	1	-	1	-	-	-	-	2	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	3	2	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	4	-	-	1	1	2	1	-	1	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	60	56	4	-	1	-	3	2	1	4	17	15	69	
Diseases Ill-defined or Unknown - - - - -	7	5	2	-	1	-	-	-	-	2	-	4	3	
Total - - - - -	175	182	30	22	8	5	30	24	15	23	34	57	109	

YEAR 1912.

Population—Census 1901, - - - 12,953.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 11,887.

Do. estimated to middle of 1912, 11,572.

PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	1	5	193	111	82
Illegitimate Births -	19	0	4	23	8	15
Marriages - - -	31	-	-	-	-	-
Deaths - - -	206	8	29	227	121	106

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.3	16.7	-
Marriage-rate - - - - -	2.7	-	-
Death-rate—All Causes - - - - -	17.8	19.6	14.2
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	9	-	-	1	-	-	3	-	4	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	12	7	-	-	-	-	1	-	-	1	5	10	3	-	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	-	1	1	2	5	6	5	-	-	-
Organic Heart Disease - - - - -	13	7	-	-	-	-	-	1	1	1	-	4	2	-	-	-
Bronchitis - - - - -	2	5	-	-	-	-	-	-	-	1	-	4	2	-	-	-
Pneumonia (all forms) - - - - -	7	5	-	-	-	-	1	2	2	1	4	2	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	4	-	-	1	-	-	2	1	1	1	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	6	3	8	-	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	4	-	-	1	1	1	-	1	-	3	1	3	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	42	50	1	1	-	-	1	2	3	3	10	30	41	-	-	-
Diseases Ill-defined or Unknown - - - - -	12	6	1	-	-	-	-	-	-	-	5	4	8	-	-	-
Total - - - - -	121	106	10	5	7	1	6	12	9	14	33	64	66	-	-	-

YEAR 1912.

Population—Census 1901, - - - 4,106.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 3,622.

Do. estimated to middle of 1912, 3,507.

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	0	2	50	25	25
Illegitimate Births - -	4	0	1	5	3	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	57	0	4	61	30	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.7	14.3	-
Marriage-rate - - - - -	2.3	-	-
Death-rate—All Causes - - - -	16.3	17.4	11.4
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females.													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	1	2	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	4	3	-	-	-	-	-	-	-	2	2	1	2	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	3	1	-	-	-	-	-	1	-	-	-	-	-	3	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	10	17	-	1	-	-	-	-	1	-	4	9	12	-	-
Diseases Ill-defined or Unknown -	2	2	1	1	-	-	-	-	-	-	-	-	2	-	-
Total - - - - -	30	31	5	3	-	-	3	3	1	4	8	14	20	-	-

YEAR 1912.

(COUNTY—**Ross and Cromarty.**

Population—Census 1901, - - - 5,412.

Do. Do. 1911, - - - 4,758.

Do. estimated to middle of 1912, 4,605

PUBLIC HEALTH DISTRICT—**Western** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	0	0	70	43	27
Illegitimate Births - -	1	0	0	1	-	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	69	1	8	76	40	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.2	15.2	-
Marriage-rate - - - - -	2.2	-	-
Death-rate—All Causes - - - -	15.0	16.5	10.4
Do. —Phthisis - - - - -	-	0.2	-
Do. —All Tuberculosis - - - -	-	0.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—43.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.4.

CAUSES OF DEATH (corrected for Transfers)..

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - -	3	2	-	-	-	-	-	-	-	2	2	1	-	-	-
Cancer, Malignant Disease - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	3	-	-	-
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	-	-
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - -	4	1	-	1	-	1	1	-	-	-	1	-	1	-	1
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	20	18	-	-	-	-	-	-	2	2	2	4	28	-	-
Other Defined Diseases - - - - -	3	3	1	-	-	-	-	-	-	1	1	1	2	-	-
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	40	36	3	1	-	1	2	2	4	4	7	12	40	-	-

YEAR 1912.

Population—Census 1901, - - - 17,303.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 16,877.

Do. estimated to middle of 1912, 16,565.

PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	312	6	1	307	175	132
Illegitimate Births -	30	0	0	30	14	16
Marriages - - -	122	-	-	-	-	-
Deaths - - -	287	2	16	301	153	148

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.8	18.5	-
Marriage-rate - - - - -	7.4	-	-
Death-rate—All Causes - - - - -	17.3	18.2	18.3
Do. —Phthisis - - - - -	-	1.2	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—150.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	11	5	4	11	-	-	1	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	5	5	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	
Phthisis, Pulmonary Tuberculosis - - - - -	9	11	-	-	1	1	3	6	5	-	3	1	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	3	-	1	-	1	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	13	13	-	-	-	2	-	1	-	-	-	-	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	6	10	5	4	
Meningitis - - - - -	1	3	1	-	-	2	1	-	-	-	-	1	-	
Organic Heart Disease - - - - -	18	17	-	-	1	-	1	1	2	6	6	10	8	
Bronchitis - - - - -	6	9	4	-	-	-	-	-	1	-	1	1	8	
Pneumonia (all forms) - - - - -	6	2	1	2	-	-	1	-	1	1	1	1	-	
Other Diseases of Respiratory Organs - - - - -	5	4	-	2	-	1	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	4	1	-	-	-	1	1	-	-	2	2	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	2	3	-	-	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	6	3	-	-	-	-	-	-	-	-	2	4	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	8	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	-	-	-	-	1	-	1	2	-	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Other Defined Diseases - - - - -	44	46	3	2	1	1	2	3	3	11	22	23	19	
Diseases Ill-defined or Unknown - - - - -	7	3	2	-	-	-	-	1	-	-	1	4	2	
Total - - - - -	153	148	46	23	4	9	11	15	18	25	48	54	48	

YEAR 1912.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Jedburgh (Burgh).**

Population—Census 1901, - - - 3,136.

Do. Do. 1911, - - - 2,752.

Do. estimated to middle of 1912, 2,663.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	45	3	1	43	13	30
Illegitimate Births -	6	0	1	7	2	5
Marriages - - -	10	-	-	-	-	-
Deaths - - -	37	1	4	40	22	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	16.1	-
Marriage-rate - - - - -	3.8	-	-
Death-rate—All Causes - - - - -	13.9	15.0	14.2
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - -	6	2	-	-	-	-	-	-	1	3	-	3	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	-	3	3	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	4	-	-	-	-	-	-	-	-	1	-	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	-	-	-	-	-	-	-	-	4	5	3	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	22	18	-	-	-	1	-	1	2	6	6	14	10	

YEAR 1912.

Population—Census 1901, - - - 4,008.

Do. Do. 1911, - - - 3,982.

Do. estimated to middle of 1912, 3,917.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Kelso (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	74	1	4	77	47	30
Illegitimate Births -	10	0	1	11	7	4
Marriages - - -	18	-	-	-	-	-
Deaths - - -	63	9	3	57	22	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.9	19.7	-
Marriage-rate - - -	4.6	-	-
Death-rate—All Causes - - -	16.1	17.1	14.9
Do. —Phthisis - - -	-	0.5	-
Do. —All Tuberculosis - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—18.2.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	2	-	1	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	4	-	-	-	-	-	-	-	1	2	1	1	
Rheumatic Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	5	-	-	-	-	-	1	1	2	3	-	-	
Bronchitis - - -	1	4	1	-	-	-	-	-	-	1	-	-	3	
Pneumonia (all forms) - - -	1	3	1	1	-	-	-	-	-	1	-	-	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	10	1	-	1	-	-	1	-	1	2	4	7	
Diseases Ill-defined or Unknown - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - -	22	35	14	2	1	-	1	3	2	4	7	9	14	

YEAR 1912.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Melrose (Burgh).**

Population—Census 1901, - - - 2,195.
 Do. Do. 1911, - - - 2,166.
 Do. estimated to middle of 1912, 2,129.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	25	1	0	24	11	13
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	55	25	4	34	14	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11·7	11·3	-
Marriage-rate - - - - -	3·3	-	-
Death-rate—All Causes - - - - -	25·8	16·0	13·5
Do. —Phthisis - - - - -	-	0·5	-
Do. —All Tuberculosis - - - - -	-	0·9	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	-	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	-	-	-	-	-	-	-	1	7	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Pneumonia (all forms) - - - - -	1	2	1	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	1	1	1	2	3	
Other Defined Diseases - - - - -	2	6	-	-	-	-	-	-	-	-	1	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	20	2	1	-	-	1	-	2	3	4	10	11	

YEAR 1912.

Population—Census 1901, - - - 3,265.

Do. Do. 1911, - - - 3,258.

Do. estimated to middle of 1912, 3,207.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Hawick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	2	1	50	26	24
Illegitimate Births - -	5	2	1	4	2	2
Marriages - - -	18	-	-	-	-	-
Deaths - - -	30	0	1	31	14	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.9	15.6	-
Marriage-rate - - -	5.6	-	-
Death-rate—All Causes - - -	9.4	9.7	9.5
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.) - -	-	0.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Tuberculous Meningitis - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	2	2	-	-	-	-	-	-	1	-	1	-	2	
Bronchitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	4	-	-	-	-	-	-	2	2	1	1	3	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	14	17	2	2	1	-	2	1	7	2	4	3	7	

YEAR 1912.

Population—Census 1901, - - - 5,257.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 4,855.

PUBLIC HEALTH DISTRICT—**Jedburgh** (County District).

Do. estimated to middle of 1912, 4,731.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	1	2	95	51	44
Illegitimate Births -	5	0	1	6	5	1
Marriages - - -	20	-	-	-	-	-
Deaths - - -	58	3	3	58	31	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.9	20.1	-
Marriage-rate - - -	4.2	-	-
Death-rate—All Causes - - -	12.3	12.3	12.0
Do. —Phthisis - - -	-	0.4	-
Do. —All Tuberculosis - - -	-	0.4	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	-	-	-	-	-	-	-	2	-	-	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	2	-	
Cancer, Malignant Disease - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	6	-	-	-	-	1	-	-	-	2	3	5	
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - -	4	1	1	1	-	-	1	-	1	1	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	1	-	2	-	
All Liver Diseases (not Malignant) -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	-	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	7	-	1	-	-	-	2	2	2	-	4	4	
Diseases ill-defined or Unknown -	3	1	1	-	-	-	-	-	-	-	-	1	2	
Total - - - - -	31	27	5	3	2	-	3	3	6	6	2	13	15	

YEAR 1912.

Population—Census 1901, - - - 6,653.

Do. Do. 1911, - - - 6,321.

Do. estimated to middle of 1912, 6,183.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Kelso** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	145	5	1	141	66	75
Illegitimate Births -	27	1	1	27	13	14
Marriages - - -	39	-	-	-	-	-
Deaths - - -	71	3	8	76	32	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.5	22.8	-
Marriage-rate - - - - -	6.3	-	-
Death-rate—All Causes - - - - -	11.5	12.3	12.0
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													
	Males.	Females														
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	4	-	-	-	-	1	3	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	11	-	-	-	-	-	1	1	1	5	4	3	-	-	-
Bronchitis - - - - -	3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	-
Pneumonia (all forms) - - - - -	5	1	-	-	-	-	1	-	2	-	2	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	1	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	13	-	-	1	-	-	-	2	-	2	6	13	-	-	-
Diseases Ill-defined or Unknown - -	3	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-
Total - - - - -	32	44	9	1	1	-	2	5	6	4	14	14	20	-	-	-

YEAR 1912.

Population—Census 1901, - - - 1,872.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 1,934.

Do. estimated to middle of 1912, 1,912.

PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	1	3	45	25	20
Illegitimate Births -	3	-	1	4	4	-
Marriages - - -	10	-	-	-	-	-
Deaths - - -	22	1	2	23	11	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	23.5	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	11.5	12.0	9.6
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—89.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	2	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	1	-	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	2	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	1	3	2	
Other Defined Diseases - - - - -	3	3	-	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	12	4	-	-	-	2	-	1	2	2	5	7	

YEAR 1912.

Population—Census 1901, - - - 5,115.

Do. Do. 1911, - - - 5,047.

Do. estimated to middle of 1912, 4,960.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Melrose** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	97	2	2	97	53	44
Illegitimate Births -	5	1	0	4	1	3
Marriages - - -	24	-	-	-	-	-
Deaths - - -	63	1	6	68	30	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.6	19.6	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	12.7	13.7	11.9
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	0.8	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	1	1	-	-	-	1	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	10	-	-	-	-	-	-	-	3	-	5	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	2	-	1	
Bronchitis - - - - -	5	2	1	-	-	-	-	-	-	1	-	2	3	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	3	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	9	-	-	-	-	-	1	1	1	3	5	8	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	30	38	8	1	1	-	2	3	3	6	5	20	19	

YEAR 1912.

Population—Census 1901, - - - 13,615.

COUNTY—**Selkirk.**

Do. Do. 1911, - - - 14,531.

Do. estimated to middle of 1912, 14,419.

PUBLIC HEALTH DISTRICT—**Galashiels (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	254	5	9	258	136	122
Illegitimate Births -	16	1	5	20	14	6
Marriages - - -	98	-	-	-	-	-
Deaths - - -	182	6	9	185	91	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	17.9	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	12.6	12.8	13.1
Do. —Phthisis - - - - -	-	1.0	-
Do. —All Tuberculosis - - - - -	-	1.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	2	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	1	-	-	2	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	6	4	2	1	2	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	6	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	14	-	-	-	1	1	-	1	7	4	10	1	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	1	2	8	10	5	
Organic Heart Disease - - - - -	15	12	-	-	-	1	-	-	1	-	2	2	5	
Bronchitis - - - - -	6	6	1	-	-	1	-	-	1	-	1	-	1	
Pneumonia (all forms) - - - - -	6	4	3	2	-	-	1	-	2	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	4	1	-	-	-	-	-	1	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	6	7	-	-	-	-	-	-	1	4	3	5	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	3	-	-	-	-	1	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	1	-	2	2	4	6	6	12	15	
Other Defined Diseases - - - - -	29	25	6	-	-	-	-	-	-	-	-	2	1	
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	91	94	18	3	3	5	8	9	18	21	26	46	28	

YEAR 1912.

Population—Census 1901, - - - 5,655.

Do. Do. 1911, - - - 5,886.

COUNTY—**Selkirk.**

Do. estimated to middle of 1912, 5,824.

PUBLIC HEALTH DISTRICT—**Selkirk** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	3	1	92	39	53
Illegitimate Births - -	2	0	0	2	1	1
Marriages - - -	51	-	-	-	-	-
Deaths - - -	78	1	11	88	43	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	15.8	-
Marriage-rate - - - - -	8.8	-	-
Death-rate—All Causes - - - - -	13.4	15.1	14.7
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.9	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	-	2	3	1	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	-	3	2	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	1	-	-	1	1	2	1	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	-	2	1	3	
Pneumonia (all forms) - - - - -	3	3	2	1	-	-	-	-	-	-	-	2	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	1	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	18	1	-	-	-	-	2	1	1	6	10	12	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	43	45	6	3	-	-	4	8	3	8	13	22	21	

YEAR 1912.

Population—Census 1901, - - - 4,086.

Do. Do. 1911, - - - 4,184.

Do. estimated to middle of 1912, 4,131.

COUNTY—**Selkirk.**PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	1	5	76	43	33
Illegitimate Births -	1	0	1	2	2	-
Marriages - - -	10	-	-	-	-	-
Deaths - - -	47	1	3	49	23	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	18.4	-
Death-rate—All Causes - - - -	2.4	-	-
Do. —Phthisis - - - - -	11.4	11.9	11.9
Do. —All Tuberculosis - - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-
	-	0.2	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	2	1	-	1	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	2	2	2	-	
Cancer, Malignant Disease - - - - -	2	5	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	1	-	1	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	1	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	1	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	*2	1	-	-	-	-	-	-	-	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	9	1	-	-	-	-	-	1	-	3	5	5	
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	-	1	1	1	2	
Total - - - - -	*23	26	5	2	-	1	3	1	2	5	10	8	11	

*Including 1 of unspecified age.

YEAR 1912.

Population—Census 1901, - - - 4,281.

COUNTY—**Shetland**.

Do. Do. 1911, - - - 4,664.

Do. estimated to middle of 1912, 4,639.

PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	88	2	1	87	46	41
Illegitimate Births -	8	0	1	9	2	7
Marriages - - -	76	-	-	-	-	-
Deaths - - -	67	4	4	67	31	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	18.8	-
Marriage-rate - - - - -	16.4	-	-
Death-rate—All Causes - - - - -	14.4	14.4	11.8
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	1.7	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	3	-	-	-	-	3	2	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	2	6	-	-	1	-	-	-	-	2	3	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	8	-	-	-	-	-	-	-	1	-	4	5	
Bronchitis - - - - -	1	6	1	-	-	-	-	-	-	-	1	3	2	
Pneumonia (all forms) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	1	1	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	7	5	2	-	-	-	1	1	1	1	-	1	5	
Diseases Ill-defined or Unknown - - - - -	4	2	-	-	-	-	-	-	1	1	1	1	2	
Total - - - - -	31	36	9	3	2	-	5	5	4	6	6	12	15	

YEAR 1912.

Population—Census 1901, - - - 19,109.

COUNTY—**Shetland**.

Do. 1911, - - - 18,543.

PUBLIC HEALTH DISTRICT—**Mainland** (County District).

Do. estimated to middle of 1912, 18,188.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	312	0	3	315	166	149
Illegitimate Births -	15	0	2	17	10	7
Marriages - - -	36	-	-	-	-	-
Deaths - - -	292	1	10	301	134	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.2	17.3	-
Marriage-rate - - -	2.0	-	-
Death-rate—All Causes - - -	16.1	16.5	11.4
Do. —Phthisis - - -	-	1.5	-
Do. —All Tuberculosis - - -	-	2.1	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	2	-	-	-	1	2	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	2	8	8	1	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	3	-	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis -	17	10	-	-	-	2	10	5	4	3	2	1	-	
Tuberculous Meningitis - -	3	4	-	1	2	-	3	1	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	1	3	-	2	-	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - -	7	12	-	-	-	-	-	-	2	5	3	5	4	
Rheumatic Fever - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	-	2	-	-	-	-	-	1	-	1	-	-	-	
Organic Heart Disease - - -	12	16	-	-	-	-	-	1	-	4	2	10	11	
Bronchitis - - - - -	7	10	1	1	-	-	-	-	-	-	2	3	10	
Pneumonia (all forms) - -	5	5	-	1	-	-	1	1	-	-	1	4	2	
Other Diseases of Respiratory Organs -	2	2	-	-	-	-	-	-	-	-	-	2	2	
*Diarrhoea and Enteritis (under 2 years)	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	3	2	-	-	-	-	1	-	-	2	-	1	1	
Puerperal Sepsis - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	3	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	*6	5	-	1	-	-	1	1	1	-	-	1	4	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	49	73	3	2	1	1	3	-	2	2	6	17	85	
Diseases Ill-defined or Unknown -	8	6	1	1	1	-	1	1	-	-	1	1	7	
Total - - - - -	*134	167	21	12	7	4	22	15	9	17	17	47	128	

*Including 2 of unspecified age.

YEAR 1912.

COUNTY—**Shetland.**PUBLIC HEALTH DISTRICT—**North Isles** (County District).

Population—Census 1901, - - - 4,776.
 Do. Do. 1911, - - - 4,704.
 Do. estimated to middle of 1912, 4,623.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	78	0	0	78	43	35
Illegitimate Births - -	5	0	0	5	3	2
Marriages - - -	7	-	-	-	-	-
Deaths - - -	65	0	1	66	20	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	16.9	-
Marriage-rate - - - - -	1.5	-	-
Death-rate—All Causes - - -	14.1	14.3	10.6
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	5	-	-	-	1	1	1	2	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	1	-	-	-	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	-	-	-	4	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	7	25	-	-	-	-	-	1	1	2	5	23	-	
Diseases Ill-defined or Unknown - -	1	2	1	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	20	46	3	-	-	-	2	3	3	3	4	14	34	

YEAR 1912.

Population—Census 1901, - - - 3,240.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 3,121.

Do. estimated to middle of 1912, 3,058.

PUBLIC HEALTH DISTRICT—**Bridge of Allan (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	15	9
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	8	-	-	-	-	-
Deaths - - -	38	2	4	40	19	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	7·8	7·8	-
Marriage-rate - - - - -	2·6	-	-
Death-rate—All Causes - - - - -	12·4	13·1	11·7
Do. —Phthisis - - - - -	-	1·3	-
Do. —All Tuberculosis - - - - -	-	2·0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	3	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	1	-	1	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	-	-	1	5	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	1	-	-	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	1	2	4	
Other Defined Diseases - - - - -	8	5	-	-	1	-	-	-	1	1	2	4	4	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	19	21	1	2	2	-	-	2	4	4	5	12	8	

YEAR 1912.

Population—Census 1901, - - - 5,288.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 5,164.

Do. estimated to middle of 1912, 5,070.

PUBLIC HEALTH DISTRICT—**Denny and Dunipace (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	159	4	1	156	89	67
Illegitimate Births - -	10	0	0	10	7	3
Marriages - - -	26	-	-	-	-	-
Deaths - - -	70	1	2	71	32	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.4	30.8	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - -	13.8	14.0	15.2
Do. —Phthisis - - - - -	-	2.4	-
Do. —All Tuberculosis - - -	-	3.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis	6	6	-	1	1	-	3	-	4	2	1	-	-	-	-
Tuberculous Meningitis - - -	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - -	1	2	-	-	-	-	-	-	1	-	1	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	6	-	-	-	-	-	-	-	1	2	2	2	2	2
Bronchitis - - - - -	3	2	1	1	-	-	-	-	-	-	-	1	1	2	2
Pneumonia (all forms) - - -	1	2	-	1	-	-	-	-	1	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	1	-	1	-	1	-	-	1	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	9	12	2	1	-	1	1	1	1	2	3	5	4	-	-
Diseases Ill-defined or Unknown -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	32	39	9	9	2	2	6	1	9	6	8	10	9	-	-

YEAR 1912.

Population—Census 1901, - - - 29,280.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 33,574.

Do. estimated to middle of 1912, 34,351.

PUBLIC HEALTH DISTRICT—**Falkirk (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	921	9	9	921	466	455
Illegitimate Births -	45	1	3	47	20	27
Marriages - - -	228	-	-	-	-	-
Deaths - - -	455	48	27	434	235	199

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·8	26·8	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	13·2	12·6	13·8
Do. —Phthisis - - - - -	-	1·1	-
Do. —All Tuberculosis - - - - -	-	1·7	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·8	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	2	4	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	2	-	5	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	19	20	1	4	-	2	11	11	4	4	2	-	-	
Tuberculous Meningitis - - - - -	4	3	1	4	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	4	-	6	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	-	1	1	1	-	-	3	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	16	15	-	-	-	-	-	1	2	7	11	10	-	
Rheumatic Fever - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	5	1	2	2	-	-	-	1	-	-	-	1	-	
Organic Heart Disease - - - - -	17	18	-	-	-	-	-	6	5	9	13	2	6	
Bronchitis - - - - -	11	4	2	1	-	-	-	-	-	2	4	1	4	
Pneumonia (all forms) - - - - -	25	13	7	10	3	-	1	3	2	4	5	2	1	
Other Diseases of Respiratory Organs - - - - -	5	3	2	1	-	-	-	2	1	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	7	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	2	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	3	-	-	-	-	-	-	1	2	1	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	6	-	-	-	-	1	1	2	-	3	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	-	-	3	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	18	22	39	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	8	1	3	-	-	1	3	7	1	1	-	1	
Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-	
Other Defined Diseases - - - - -	62	57	16	4	2	5	4	6	8	12	12	24	26	
Diseases Ill-defined or Unknown - - - - -	7	1	-	-	-	-	-	-	1	1	1	4	1	
Total - - - - -	235	199	85	49	10	9	23	34	39	36	49	62	38	

YEAR 1912.

Population—Census 1901, - - - 8,999.

Do. Do. 1911, - - - 10,219.

Do. estimated to middle of 1912, 10,212.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Grangemouth** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	301	6	1	296	153	143
Illegitimate Births -	16	0	0	16	12	4
Marriages - - -	55	-	-	-	-	-
Deaths - - -	126	7	20	139	82	57

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	29.5	29.0	-
Marriage-rate - - -	5.4	-	-
Death-rate—All Causes - - -	12.3	13.6	15.2
Do. —Phthisis - - -	-	0.6	-
Do. —All Tuberculosis - - -	-	1.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.4.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
*Measles - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Phthisis, Pulmonary Tuberculosis - - -	2	4	-	-	-	2	2	1	1	-	-	-	-	
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	3	-	-	-	-	-	-	1	3	2	3	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	5	2	2	4	-	-	-	-	-	-	1	-	-	
Organic Heart Disease - - -	10	6	-	-	-	-	2	-	-	2	3	7	2	
Bronchitis - - -	4	3	2	-	-	-	-	1	-	-	1	1	2	
Pneumonia (all forms) - - -	8	4	2	1	1	-	1	2	-	1	3	1	-	
Other Diseases of Respiratory Organs - - -	4	-	-	-	-	-	-	-	-	1	2	-	1	
*Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years) - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	1	-	-	1	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	4	-	-	-	-	1	3	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	11	2	1	3	-	-	3	2	1	3	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	14	16	3	-	1	-	1	-	4	3	10	4	4	
Diseases Ill-defined or Unknown - - -	2	1	1	-	-	-	-	-	1	1	-	-	-	
Total - - -	82	57	25	13	2	3	11	10	9	16	22	19	9	

YEAR 1912.

Population—Census 1901, - - - 7,292.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 8,106.

Do. estimated to middle of 1912, 8,081.

PUBLIC HEALTH DISTRICT—**Kilsyth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	282	0	2	284	152	132
Marriages - - -	20	0	1	21	9	12
Illegitimate Births -	42	-	-	-	-	-
Deaths - - -	111	0	4	115	53	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	34.9	35.1	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	13.7	14.2	15.0
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—123.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers):

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	10	-	2	1	5	2	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	5	-	-	-	-	-	-	4	3	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	5	-	-	1	1	-	-	-	3	-	3	-	
Bronchitis - - - - -	8	3	5	2	-	-	-	-	-	2	2	-	-	
Pneumonia (all forms) - - - - -	5	2	3	2	-	-	1	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	4	2	-	-	-	-	-	1	1	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	2	2	-	-	-	-	-	-	2	1	1	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	7	7	14	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	5	2	-	3	-	-	1	-	1	-	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	2	3	-	-	-	1	-	2	7	4	-	
Diseases Ill-defined or Unknown - - -	1	3	1	-	-	-	-	-	1	2	-	-	-	
Total - - - - -	53	62	35	12	3	2	8	6	4	9	13	15	8	

YEAR 1912.

Population—Census 1901, - - 18,403.

Do. Do. 1911, - - 21,200.

Do. estimated to middle of 1912, 21,218.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Stirling (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	561	18	14	557	273	284
Illegitimate Births -	38	8	10	40	19	21
Marriages - - - -	199	-	-	-	-	-
Deaths - - - -	368	50	17	335	170	165

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	26.4	26.3	-
Marriage-rate - - - -	9.4	-	-
Death-rate—All Causes - - - -	17.3	15.8	16.0
Do. —Phthisis - - - -	-	1.2	-
Do. —All Tuberculosis - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	3	1	5	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	5	2	8	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	1	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	14	12	-	-	-	-	4	14	5	3	-	-	-	
Tuberculous Meningitis - - - - -	3	3	1	4	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	4	-	4	-	-	-	1	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	1	-	3	-	-	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	12	-	1	-	-	-	-	-	4	6	7	3	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	3	2	2	-	-	2	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	18	12	-	-	-	-	3	1	-	4	7	11	4	
Bronchitis - - - - -	15	14	9	5	-	-	-	-	1	1	5	5	3	
Pneumonia (all forms) - - - - -	15	11	7	6	-	2	-	1	2	1	3	-	4	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	3	2	5	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Other Diseases of Digestive System (under 2 years)	1	1	1	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	6	3	-	-	-	-	-	2	1	2	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	11	11	22	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	6	-	4	1	1	1	-	1	2	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	44	46	11	3	-	-	3	3	6	9	13	18	24	
Diseases Ill-defined or Unknown - -	2	3	1	-	-	-	-	-	-	1	2	1	-	
Total - - - - -	170	165	63	47	4	5	18	24	20	28	38	49	39	

YEAR 1912.

Population—Census 1901, - - - 19,217.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 26,203.

Do. estimated to middle of 1912, 26,660.

PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	802	6	7	803	436	367
Illegitimate Births -	39	0	2	41	23	18
Marriages - - -	133	-	-	-	-	-
Deaths - - -	324	6	36	354	174	180

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.1	30.1	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	12.2	13.3	13.5
Do. —Phthisis - - - - -	-	0.9	-
Do. —All Tuberculosis - - - - -	-	1.5	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	5	3	-	-	-	1	6	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	9	4	9	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	3	5	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	3	-	5	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	12	13	1	3	-	1	6	5	6	3	-	-	-	
Tuberculous Meningitis - - - - -	2	3	1	1	2	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	3	2	2	1	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	5	17	-	-	1	-	-	-	2	6	8	4	1	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	1	3	2	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	20	-	-	-	-	1	1	3	2	6	11	8	
Bronchitis - - - - -	21	7	9	4	-	-	-	1	1	1	6	3	3	
Pneumonia (all forms) - - - - -	17	6	8	3	2	-	-	1	-	-	5	3	1	
Other Diseases of Respiratory Organs - - - - -	5	3	1	1	1	1	1	-	-	-	2	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	7	5	10	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	3	-	-	1	1	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	1	-	-	1	1	
Other Diseases of Digestive System (under 2 years) - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	4	-	1	-	1	1	-	-	2	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	3	-	1	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	11	4	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	7	1	6	-	2	3	2	1	1	1	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	32	47	8	4	2	2	1	1	3	8	14	17	19	
Diseases Ill-defined or Unknown - - - - -	7	6	3	3	-	-	-	-	-	1	1	1	4	
Total - - - - -	174	180	77	48	11	11	23	15	18	26	44	43	38	

YEAR 1912.

Population—Census 1901, 39,474.

Do. Do. 1911, 41,745.

Do. estimated to middle of 1912, 41,381.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,154	8	21	1,167	609	558
Illegitimate Births -	65	1	7	71	30	41
Marriages - - -	210	-	-	-	-	-
Deaths - - -	565	94	51	522	266	256

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.9	28.2	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	13.7	12.6	13.4
Do. —Phthisis - - - - -	-	0.7	-
Do. —All Tuberculosis - - - - -	-	1.3	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.1	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.7.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	10	8	5	13	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	2	4	-	5	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	6	2	2	5	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	14	13	-	1	-	3	7	8	3	3	2	-	-	-	-
Tuberculous Meningitis - - - - -	3	4	-	5	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	4	1	3	-	1	3	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - -	4	6	2	3	-	-	2	1	1	1	-	-	-	-	-
Cancer, Malignant Disease - - - -	11	24	-	-	-	-	-	1	2	10	7	9	6	-	-
Rheumatic Fever - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningitis - - - - -	4	5	2	5	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	29	27	-	-	1	-	1	2	2	8	17	17	8	-	-
Bronchitis - - - - -	16	13	8	3	-	-	-	-	-	1	4	6	7	-	-
Pneumonia (all forms) - - - - -	23	11	10	6	2	1	3	1	1	3	2	5	-	-	-
Other Diseases of Respiratory Organs	4	2	2	1	-	-	-	-	-	1	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years)	6	5	9	2	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	6	1	-	2	-	-	-	-	1	1	1	2	-	-	-
Other Diseases of Digestive System (under 2 years)	3	5	7	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	8	13	1	1	-	-	-	1	5	1	4	4	4	-	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	-	3	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	14	19	32	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	21	2	2	3	1	-	-	4	5	5	2	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	68	69	14	6	4	-	6	4	8	9	11	34	41	-	-
Diseases Ill-defined or Unknown -	5	10	2	5	-	-	-	1	-	1	2	2	2	-	-
Total - - - - -	266	256	101	72	14	6	24	29	29	45	52	81	69	-	-

YEAR 1912.

Population—Census 1901, - - - 11,098.

Do. Do. 1911, - - - 11,659.

Do. estimated to middle of 1912, 11,548.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Western Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	205	6	.9	208	115	93
Illegitimate Births -	15	0	5	20	12	8
Marriages - - -	49	-	-	-	-	-
Deaths - - -	141	11	23	153	76	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.8	18.0	-
Marriage-rate - - -	4.2	-	-
Death-rate—All Causes - - -	12.2	13.2	12.1
Do. —Phthisis - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	10	6	-	-	-	4	4	2	5	1	-	-	-	
Tuberculous Meningitis -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	2	-	-	2	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases -	2	1	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease -	9	4	-	-	-	-	1	3	3	4	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - -	11	9	-	-	-	-	1	-	3	3	6	7	-	
Bronchitis - - - - -	3	3	1	-	-	1	-	-	-	2	1	1	-	
Pneumonia (all forms) - -	5	7	4	1	-	1	-	-	-	1	-	2	-	
Other Diseases of Respiratory Organs -	2	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	1	-	-	-	
Appendicitis and Typhlitis -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	3	-	-	-	1	-	1	-	1	-	-	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	3	-	-	-	1	-	-	-	1	2	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	1	-	-	-	-	1	1	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	22	28	2	-	1	3	1	3	6	8	13	13	-	
Diseases Ill-defined or Unknown -	2	1	-	1	-	-	-	-	1	1	-	-	-	
Total - - - - -	76	77	11	7	3	4	10	11	11	23	27	22	24	

YEAR 1912.

Population—Census 1901, - - - 624.

COUNTY—**Sutherland.**

Do. 1911, - - - 741.

PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

Do. estimated to middle of 1912, 744.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	0	0	11	5	6
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	13	0	1	14	9	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.8	14.8	-
Marriage-rate - - - - -	8.1	-	-
Death-rate—All Causes - - - - -	17.5	18.8	17.1
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	1	2	2	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	3	2	1	-	-	-	-	-	-	-	1	3	-	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	9	5	1	-	1	-	-	-	-	2	3	5	2	-	-

YEAR 1912.

Population—Census 1901, - - - 20,816.

COUNTY—**Sutherland.**

Do. Do. 1911, - - - 19,438.

Do. estimated to middle of 1912, 18,969.

PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	335	3	6	338	175	163
Illegitimate Births - -	21	1	3	23	10	13
Marriages - - -	46	-	-	-	-	-
Deaths - - -	330	3	17	344	169	175

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	17.8	-
Marriage-rate - - - - -	2.4	-	-
Death-rate—All Causes - - - -	17.4	18.1	12.9
Do. —Phthisis - - - - -	-	1.3	-
Do. —All Tuberculosis - - - -	-	1.6	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.7	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	6	3	5	2	-	-	-	-	-	1	-	-	
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	-	1	-	-	-	-	-	-	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	15	10	-	-	2	9	5	6	2	1	-	-	-	
Tuberculous Meningitis - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	10	10	-	1	-	-	-	-	-	4	4	6	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	17	16	1	-	-	-	1	1	4	6	9	11	5	
Bronchitis - - - - -	10	6	3	-	-	-	-	-	-	1	7	5	4	
Pneumonia (all forms) - - - -	16	11	5	4	1	-	1	2	2	3	5	4	-	
Other Diseases of Respiratory Organs -	4	1	-	-	-	1	-	1	3	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	2	2	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	6	-	-	-	1	-	-	1	2	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	3	2	-	1	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	1	-	1	-	1	-	3	3	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	65	88	6	3	2	1	3	2	7	11	23	95	8	
Diseases Ill-defined or Unknown - -	6	10	3	2	-	-	-	-	1	2	-	-	-	
Total - - - - -	169	175	26	17	7	4	13	14	17	29	33	52	132	

YEAR 1912.

Population—Census 1901, - - - 2,204.

Do. Do. 1911, - - - 2,063.

COUNTY—Wigtown.

Do. estimated to middle of 1912, 2,013.

PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	39	0	6	45	19	26
Illegitimate Births -	4	0	1	5	2	3
Marriages - - -	9	-	-	-	-	-
Deaths - - -	36	1	6	41	20	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.4	22.4	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - - -	17.9	20.4	18.0
Do. —Phthisis - - - - -	-	1.5	-
Do. —All Tuberculosis - - - - -	-	2.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	3	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	3	2	-	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	1	-	-	1	2	
Pneumonia (all forms) - - - - -	2	1	-	1	-	-	-	1	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	1	-	-	1	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	8	-	-	-	-	-	-	1	-	2	2	8	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	20	21	2	1	-	2	-	5	3	1	6	10	11	

YEAR 1912.

Population—Census 1901, - - - - 6,036.

COUNTY—Wigtown.

Do. Do. 1911, - - - - 6,444.

Do. estimated to middle of 1912 6,395.

PUBLIC HEALTH DISTRICT—Stranraer (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	151	5	1	147	79	68
Illegitimate Births - -	24	1	1	24	9	15
Marriages - - -	36	-	-	-	-	-
Deaths - - -	148	24	4	123	60	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	23.6	23.0	-
Marriage-rate - - -	5.6	-	-
Death-rate—All Causes - - -	23.1	20.0	17.9
Do. —Phthisis - - -	-	1.4	-
Do. —All Tuberculosis - - -	-	1.4	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.3	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - -	1	3	2	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	7	2	-	-	-	2	1	2	1	2	1	-	-	
Tuberculous Meningitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - -	-	-	-	-	-	-	-	-	1	5	3	2	2	
Cancer, Malignant Disease - -	4	9	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	11	12	-	-	-	-	1	2	3	4	7	6	4	
Bronchitis - - - - -	6	3	1	1	-	-	-	1	-	-	2	-	-	
Pneumonia (all forms) - - -	7	4	2	1	-	1	2	1	1	2	1	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	2	1	-	1	-	-	-	-	-	1	-	
Appendicitis and Typhlitis - -	1	2	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	2	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	3	-	-	-	-	2	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	4	5	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	-	-	-	-	1	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	17	1	-	-	-	-	1	2	2	6	14	-	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Total - - - - -	60	68	19	6	1	-	4	6	13	12	17	23	27	

YEAR 1912.

Population—Census 1901, - - - 1,188.

Do. Do. 1911, - - - 1,170.

COUNTY—**Wigtown.**

Do. estimated to middle of 1912, 1,150.

PUBLIC HEALTH DISTRICT—**Whithorn (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	23	0	1	24	8	16
Illegitimate Births -	3	0	0	3	2	1
Marriages - - -	14	-	-	-	-	-
Deaths - - -	11	0	0	11	4	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	20.9	-
Marriage-rate - - - - -	12.2	-	-
Death-rate—All Causes - - - - -	9.6	9.6	7.2
Do. —Phthisis - - - - -	-	0.0	-
Do. —All Tuberculosis - - - - -	-	0.0	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.0	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	1	-	1	3	-	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	4	7	2	-	-	-	-	-	-	1	1	2	5		

YEAR 1912.

COUNTY—**Wigtown.**PUBLIC HEALTH DISTRICT—**Wigtown (Burgh).**

Population—Census 1901, - - - 1,386.

Do. Do. 1911, - - - 1,369.

Do. estimated to middle of 1912, 1,346.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29	0	1	30	15	15
Illegitimate Births -	4	0	1	5	2	3
Marriages - - -	5	-	-	-	-	-
Deaths - - -	26	0	4	30	19	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.5	22.3	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - - - -	19.3	22.3	18.7
Do. —Phthisis - - - - -	-	3.7	-
Do. —All Tuberculosis - - - - -	-	3.7	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.5	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—233.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	3	2	-	-	-	1	-	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	1	-	-	-	1	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	1	2	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	5	2	-	-	-	-	-	-	1	-	1	3	2	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	11	7	-	-	1	1	3	3	-	4	8	3	

YEAR 1912.

Population—Census 1901, - - - 9,186.

COUNTY—Wigtown.

Do. Do. 1911, - - - 8,853.

Do. estimated to middle of 1912, 8,676.

PUBLIC HEALTH DISTRICT—Machars (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	226	5	2	223	111	112
Illegitimate Births - -	37	1	1	37	14	23
Marriages - - -	43	-	-	-	-	-
Deaths - - -	106	1	10	115	56	59

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.0	25.7	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	12.2	13.3	11.6
Do. —Phthisis - - - - -	-	1.4	-
Do. —All Tuberculosis - - - - -	-	1.8	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.6	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	7	-	-	-	3	2	3	2	1	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	-	1	6	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	10	-	1	-	-	-	-	-	2	2	6	5	
Bronchitis - - - - -	2	6	-	1	-	-	-	-	-	-	-	2	5	
Pneumonia (all forms) - - - - -	4	5	2	-	-	1	-	-	-	1	1	1	3	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	3	-	1	-	-	-	-	2	1	1	1	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	16	1	2	-	1	1	3	4	7	8	9	-	
Diseases Ill-defined or Unknown - - - - -	4	1	1	-	-	-	-	1	-	1	2	-	-	
Total - - - - -	56	59	8	7	2	1	5	3	10	13	20	21	25	

YEAR 1912.

Population—Census 1901, - - - 12,685.

COUNTY—Wigtown.

Do. Do. 1911, - - - 12,099.

Do. estimated to middle of 1912, 11,840.

PUBLIC HEALTH DISTRICT—Rhins (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	267	6	5	266	128	138
Illegitimate Births -	58	1	3	60	29	31
Marriages - - -	77	-	-	-	-	-
Deaths - - -	156	1	15	170	89	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.6	22.5	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	13.2	14.4	13.1
Do. —Phthisis - - - - -	-	0.8	-
Do. —All Tuberculosis - - - - -	-	1.2	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.4	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	1	4	1	-	3	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	-	1	1	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	6	-	-	-	-	1	2	1	2	4	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	-	-	-	2	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	10	13	-	-	-	-	-	2	1	1	3	8	8	
Bronchitis - - - - -	4	4	2	-	-	-	-	-	-	-	1	2	3	
Pneumonia (all forms) - - - - -	9	3	2	1	-	-	1	-	2	3	-	2	1	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	-	-	1	1	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	1	1	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	9	8	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	2	-	-	1	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	25	23	3	1	-	-	-	2	2	2	6	12	20	
Diseases Ill-defined or Unknown - - - - -	*4	4	2	1	-	-	1	-	-	-	1	1	1	
Total - - - - -	*89	81	31	8	3	4	9	8	10	11	18	30	37	

* Including 1 of unspecified age.

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
BALTASOUND— T. Edmonston Saxby, L.R.C.S., Edinburgh.	50	Jan.	29·809	41·0	35·3	38·2	...	50	1st	27	27th
		Feb.	29·487	43·0	36·5	39·8	...	50	29th	24	2nd, 3rd
		Mch.	29·412	45·5	37·7	41·6	...	52	25th	30	31st
		Apl.	...	48·0	37·6	42·8	...	59	16th, 23rd, 24th	29	11th, 12th
		May	...	49·5	41·4	45·5	...	57	8th	34	5th
		June	...	52·9	45·6	49·3	...	59	24th	36	18th
		July	...	57·5	48·9	53·2	...	61	11th, 30th	45	4th
		Aug.	...	55·9	47·0	51·5	...	61	8th, 15th, 16th	39	20th
		Sept.	...	52·7	45·1	48·9	...	57	23rd	37	1st
		Oct.	...	49·4	41·9	45·7	...	55	10th	30	31st
		Nov.	...	44·1	37·6	40·9	...	51	21st, 22nd	21	29th
		Dec.	...	44·5	36·4	40·5	...	48	4th, 9th, 31st	28	1st
		Year	...			44·8		61		21	
LERWICK— The Meteorologi- cal Office.	59	Jan.	29·806	41·1	35·9	38·5	-0·5	50	1st	28	7th, 8th
		Feb.	29·453	43·1	35·9	39·5	+1·3	50	29th	25	2nd, 3rd, 4th
		Mch.	29·383	45·2	37·8	41·5	+2·9	50	14th, 25th	30	31st
		Apl.	29·931	47·0	36·9	42·0	+0·5	58	24th	25	11th
		May	29·807	49·3	41·8	45·6	+0·4	55	8th	34	5th
		June	29·709	52·7	45·9	49·3	-0·4	59	25th	39	18th
		July	29·857	57·1	49·8	53·5	+0·7	62	26th	46	4th, 17th
		Aug.	29·578	55·8	48·5	52·2	-0·8	62	14th, 16th	43	3rd
		Sept.	30·022	52·2	46·5	49·4	-1·2	56	23rd	40	8th
		Oct.	29·665	49·5	43·5	46·5	+0·8	54	8th, 14th	35	3rd
		Nov.	29·567	44·4	37·3	40·9	-1·4	50	5th, 6th, 22nd	24	29th
		Dec.	29·294	44·9	37·6	41·3	+1·7	50	20th	27	1st
		Year	29·673			45·0		62		24	
DEERNES— M. Spence.	163	Jan.	29·671	41·8	36·4	39·1	+0·1	50	1st, 2nd	29	7th, 8th
		Feb.	29·322	42·1	36·8	39·5	+1·0	49	29th	22	5th
		Mch.	29·251	45·5	39·3	42·4	+3·1	53	25th	34	30th, 31st
		Apl.	29·838	47·7	39·2	43·5	+1·1	56	16th	28	11th
		May	29·706	51·1	42·5	46·8	+0·4	59	7th	37	4th
		June	29·581	54·0	47·0	50·5	-0·8	60	19th	40	17th
		July	29·740	57·7	49·6	53·7	-0·5	63	4th	46	17th
		Aug.	29·471	55·4	48·0	51·7	-2·3	58	6th, 11th	43	2nd, 28th
		Sept.	29·933	52·8	46·0	49·4	-2·1	57	13th	41	3rd, 28th
		Oct.	29·546	49·9	43·1	46·5	+0·1	55	6th	36	21st, 31st
		Nov.	29·517	44·9	37·9	41·4	-1·0	51	9th, 22nd	22	29th
		Dec.	29·231	43·8	36·9	40·4	+0·7	50	14th	27	1st
		Year	29·567			45·4		63		22	
KIRKWALL— A. G. Spence.	72	Jan.	29·788	41·6	35·0	38·3	-1·2	51	1st	27	8th
		Feb.	29·434	42·8	35·0	38·9	-0·2	50	17th, 29th	17	5th
		Mch.	29·340	46·7	37·7	42·2	+2·5	52	14th, 23rd	31	31st
		Apl.	29·952	50·4	38·4	44·4	+0·9	61	23rd	28	11th
		May	29·821	52·9	41·3	47·1	-0·9	63	7th	34	4th
		June	29·688	56·2	45·8	51·0	-1·9	67	22nd, 23rd	39	17th
		July	29·850	59·5	48·6	54·1	-0·9	67	27th	43	15th, 17th
		Aug.	29·580	56·2	46·2	51·2	-3·6	60	11th	40	24th
		Sept.	30·024	54·1	44·5	49·3	-3·1	61	23rd	37	3rd
		Oct.	29·637	50·3	42·5	46·4	-0·7	57	10th	31	21st
		Nov.	29·611	64·9	37·5	41·2	-1·8	52	21st, 22nd	18	29th
		Dec.	29·335	43·5	36·0	39·8	-1·0	48	11th, 13th	25	1st
		Year	29·672			45·3		67		17	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.										
Mean at 9 A.M. and 9 P.M.					Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations at 9 A.M. and 9 P.M.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
°	°	Inch.	%		Inch.	Inch.	Inch.																		
38.2	1.3	.204	89	7.5	27	2.53	...	0.40	2nd	6	3	0	0	13	0	5	13	4	3	10	7	8	8	9	0
40.4	0.8	.235	94	7.8	29	3.84	...	0.58	19th	6	1	1	0	15	1	0	2	3	6	9	14	13	10	1	0
42.1	1.4	.238	89	7.4	29	3.26	...	0.57	31st	2	2	0	0	12	1	1	7	4	3	12	14	13	6	2	1
...	18	2.64	...	0.52	10th	5	0	0	0
...	24	3.26	...	0.90	11th	4	2	0	1
...	15	1.36	...	0.40	19th
...	13	1.90	...	0.70	28th	0	0	0	7
...	21	2.71	...	0.84	18th	0	0	3	6
...	16	1.79	...	0.45	4th	0	0	1	0
...	28	4.67	...	0.61	16th	1	3	0	0
...	30	5.31	...	1.37	26th	5	3	1	0
...	31	5.95	...	0.58	10th	3	4	1	0
					281	39.22		1.37																	
38.7	2.0	.197	85	7.8	26	3.60	...	0.61	14th	12	1	0	0	13	0	11	9	3	6	13	7	3	7	11	3
40.3	1.6	.217	88	8.0	27	3.83	...	0.47	19th, 22nd	6	0	0	0	13	1	0	3	3	3	11	19	10	5	3	1
41.3	2.0	.219	84	7.7	28	3.53	...	0.63	12th	3	3	0	0	9	1	6	5	4	5	15	13	9	2	5	4
42.1	2.0	.226	85	7.5	16	4.06	...	0.96	8th	5	0	0	0	5	1	3	11	7	1	9	11	5	7	7	2
45.1	2.3	.248	83	7.6	21	4.80	...	1.18	11th	0	2	0	0	7	1	9	4	3	8	7	7	5	18	1	
48.8	1.9	.300	86	8.3	11	1.73	...	0.67	18th	0	0	0	0	14	6	0	15	9	10	11	6	1	5	3	0
52.6	1.8	.348	88	8.0	13	2.38	...	0.77	28th	0	0	0	0	13	10	1	15	4	5	13	11	5	4	5	0
51.6	2.1	.328	86	7.0	15	3.97	...	1.78	18th	0	0	0	0	9	3	2	11	13	10	5	3	1	9	7	3
49.2	2.1	.298	86	6.9	14	1.80	...	0.55	1st	0	0	0	0	7	1	5	4	1	10	8	6	6	15	10	0
46.6	2.1	.269	86	7.2	26	5.56	...	0.82	20th	2	0	0	0	4	0	8	6	2	11	10	11	10	8	4	0
41.6	1.8	.226	86	7.1	29	5.35	...	1.12	26th	6	2	0	0	8	0	6	4	1	1	4	11	13	13	13	0
42.1	1.9	.228	85	6.5	29	6.48	...	1.05	11th	5	6	0	0	7	0	4	0	0	1	9	23	14	11	2	2
					255	47.09		1.78																	
38.4	1.3	.206	89	7.1	22	2.34	-1.07	0.42	2nd	6	7	0	0	12	0	10	7	3	5	17	7	6	6	8	3
39.2	1.0	.220	92	7.3	20	3.17	+0.31	0.47	19th	4	2	0	0	214	5	1	2	3	3	13	18	9	4	2	4
41.9	1.6	.233	88	7.1	24	3.84	+1.03	0.51	12th	3	4	0	0	113	0	2	5	5	7	10	15	7	11	2	0
42.9	1.6	.242	87	7.3	16	2.89	+0.97	1.15	7th	4	3	0	0	212	3	5	9	7	2	6	12	5	9	9	1
46.2	2.2	.263	85	6.7	16	3.77	+1.85	1.80	15th	0	0	0	0	12	2	0	12	6	3	5	9	2	9	13	3
49.7	1.5	.318	89	8.0	13	1.26	-0.59	0.20	18th, 19th	0	0	0	0	16	8	1	10	11	11	15	6	0	3	4	0
52.7	1.6	.354	89	8.0	10	1.66	-1.19	0.47	28th	0	0	0	0	18	7	0	11	5	6	10	9	4	5	6	6
51.2	1.8	.330	88	7.8	16	2.98	+0.05	0.61	29th	0	0	3	0	18	4	0	7	7	11	6	2	2	6	13	8
49.1	1.6	.309	89	6.4	9	0.84	-2.42	0.36	4th	0	0	1	4	11	1	2	7	1	3	9	12	3	9	16	0
46.7	1.5	.284	89	6.6	26	3.79	-0.49	0.46	23rd	0	2	1	0	9	0	2	4	3	6	9	15	10	7	5	3
41.0	1.4	.227	89	6.6	27	3.76	-0.20	0.37	26th	8	5	1	0	10	2	3	7	0	0	1	7	13	15	14	3
40.4	1.1	.228	91	6.9	24	4.34	+0.18	0.50	27th	7	4	2	1	11	0	4	0	0	0	5	21	20	11	3	2
					223	34.64		1.80																	
38.9	1.9	.200	85	6.6	27	2.49	-1.46	0.52	2nd	4	0	0	0	11	0	8	8	8	2	10	16	10	0	4	4
39.7	1.3	.218	89	7.0	24	2.96	-0.45	0.49	19th	3	0	0	0	21	2	3	2	2	6	8	18	10	6	2	4
42.8	1.8	.236	86	7.0	28	4.10	+0.77	0.52	26th	1	1	0	0	10	0	2	2	4	6	4	12	16	8	8	2
45.3	2.0	.257	85	7.5	14	3.29	+1.15	1.40	7th	3	0	0	0	10	1	3	4	10	0	6	10	12	8	10	0
48.5	2.9	.272	80	6.6	18	3.77	+1.98	1.85	15th	0	0	0	0	8	1	0	8	12	2	6	6	6	8	12	2
52.1	2.0	.337	86	7.8	17	1.18	-0.48	0.29	19th	0	0	0	0	17	0	1	4	14	12	8	6	6	0	8	2
54.9	1.5	.388	91	7.5	13	1.73	-0.88	0.46	28th	0	0	0	1	12	5	0	10	12	6	4	0	12	10	6	2
53.0	1.2	.369	92	7.2	24	4.87	+1.85	1.12	29th	0	0	2	0	26	5	0	214	4	12	6	2	6	10	6	2
50.7	2.0	.320	87	7.4	11	1.05	-2.27	0.47	4th	0	0	0	2	11	0	3	2	0	0	6	8	16	6	22	0
47.6	1.6	.290	89	7.9	28	4.86	+0.64	0.61	23rd	0	0	1	1	15	0	2	2	4	6	10	8	18	8	6	0
41.9	1.6	.233	88	7.5	29	6.06	+1.75	0.57	29th	4	2	1	0	10	1	4	4	4	0	0	2	20	12	16	2
40.6	1.5	.221	88	6.7	23	5.62	+0.98	0.86	13th	4	0	1	0	7	0	3	0	0	2	10	12	24	6	8	0
					256	41.98		1.85																	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
WICK— The Meteorologi- cal Office.	Feet. 94	Jan.	Inch. 29-750	42-0	34-9	38-5	+0-7	52	1st	29	8th, 24th, 28th	
		Feb.	29-403	42-9	34-5	38-7	+0-8	51	28th, 29th	13	6th	
		Mch.	29-325	45-8	37-7	41-8	+2-3	55	25th	31	9th	
		Apl.	29-923	48-3	38-3	43-3	+0-2	61	16th	25	10th	
		May	29-790	51-1	41-4	46-3	-1-0	60	9th	33	4th	
		June	29-645	53-4	46-1	49-8	-2-4	64	18th	38	17th	
		July	29-812	57-4	48-3	52-9	-2-4	63	9th, 11th, 14th	37	24th	
		Aug.	29-537	55-0	46-5	50-8	-4-1	59	21st	39	2nd, 24th, 28th	
		Sept.	30-005	53-3	44-7	49-0	-2-9	59	13th	35	3rd	
		Oct.	29-614	50-5	40-9	45-7	-0-5	57	7th	28	21st, 22nd	
		Nov.	29-611	44-5	36-4	40-5	-1-2	53	6th, 22nd	18	29th, 30th	
		Dec.	29-313	44-0	34-5	39-3	+0-9	52	13th	20	2nd	
		Year	29-644			44-7		64		13		
DUNROBIN— D. Melville, for the Duke of Sutherland, K.G.	16	Jan.	29-839	42-5	33-9	38-2	0-0	54	1st	27	8th	
		Feb.	29-510	43-3	33-9	38-6	-0-2	53	28th	12	5th	
		Mch.	29-415	47-7	37-1	42-4	+2-1	55	25th	31	6th, 21st	
		Apl.	30-026	52-2	39-1	45-7	+1-9	62	24th	30	11th, 12th	
		May	29-873	54-9	42-3	48-6	+0-4	64	8th	32	5th	
		June	29-723	57-9	47-0	52-5	-0-7	67	18th	39	17th	
		July	29-888	60-5	50-4	55-5	-0-6	66	7th	44	11th	
		Aug.	29-632	56-5	46-1	51-3	-4-5	63	15th	38	2nd, 24th	
		Sept.	30-087	55-2	45-3	50-3	-2-3	61	14th	38	9th	
		Oct.	29-725	51-3	41-0	46-2	-0-5	58	8th	29	21st	
		Nov.	29-735	46-0	36-5	41-3	-0-9	54	22nd	20	29th	
		Dec.	29-434	43-4	34-2	38-8	+0-1	52	11th	18	2nd	
		Year	29-741			45-8		67		12		
FORTROSE— Archd. Thom.	69	Jan.	...	41-6	33-9	37-8	...	53	1st	26	30th	
		Feb.	...	44-9	34-0	39-5	...	54	22nd, 23rd, 28th	15	5th	
		Mch.	...	48-1	37-1	42-6	...	53	27th	30	9th	
		Apl.	...	53-4	40-3	46-9	...	61	16th, 18th, 20th	31	10th, 11th, 12th	
		May	...	56-2	43-7	50-0	...	66	8th	36	4th	
		June	...	59-4	48-2	53-8	...	68	23rd	39	17th	
		July	...	62-4	51-7	57-1	...	71	14th	47	4th	
		Aug.	...	57-8	47-6	52-7	...	63	5th, 17th	39	2nd	
		Sept.	...	57-1	44-8	51-0	...	62	12th, 22nd	39	12th, 26th	
		Oct.	...	51-9	41-5	46-7	...	60	9th	33	21st	
		Nov.	...	46-2	37-3	41-8	...	57	23rd	18	30th	
		Dec.	...	45-2	35-1	40-2	...	54	13th	17	2nd	
		Year	...			46-7		71		15		
STRATHPEFFER— The Meteorologi- cal Office.	210	Jan.	29-624	41-7	32-2	37-0	+0-3	54	13th	23	20th	
		Feb.	29-278	44-0	31-9	38-0	+0-8	55	29th	7	5th	
		Mch.	29-206	47-6	36-2	41-9	+2-8	55	13th	29	16th, 21st	
		Apl.	29-820	54-3	38-9	46-6	+3-0	68	23rd	30	10th, 11th, 12th	
		May	29-676	56-8	42-1	49-5	+1-3	67	8th	31	5th, 22nd	
		June	29-505	60-2	47-0	53-6	-0-5	71	23rd	39	4th	
		July	29-697	65-3	49-7	57-5	+1-0	74	14th	40	4th	
		Aug.	29-422	59-5	46-1	52-8	-2-2	65	13th, 16th	37	23rd	
		Sept.	29-908	56-4	42-7	49-6	-2-2	63	12th, 19th	33	27th	
		Oct.	29-523	51-7	38-5	45-1	-0-1	60	10th	29	21st	
		Nov.	29-540	46-6	35-7	41-2	+0-8	56	22nd	15	28th, 29th	
		Dec.	29-225	44-9	33-0	39-0	+2-6	54	11th	14	1st	
		Year	29-535			46-0		74		7		

HYGROMETER.				CLOUD. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS. Number of Observations at 9 A.M. and 9 P.M.										
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—															
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	in or Variable.
°.	°.	Inch.	%			Inch.	Inch.	Inch.																	
38.6	1.4	.207	89	7.2	22	1.59	-0.80	0.26	5th	8	2	0	0	10	0	11	7	4	3	9	14	7	6	12	0
39.1	0.8	.223	93	7.2	21	2.38	+0.29	0.67	19th	4	1	0	0	7	6	1	4	3	3	9	15	13	6	4	1
41.4	1.4	.231	89	7.4	22	2.98	+0.84	0.41	30th	3	3	0	0	7	1	2	3	5	2	13	14	11	2	12	0
42.9	1.4	.246	89	7.3	12	2.25	+0.43	0.75	7th	7	6	0	1	5	5	3	5	7	3	6	10	5	12	10	2
46.1	1.9	.268	86	7.1	20	3.51	+1.64	1.63	15th	0	0	0	0	7	0	0	11	11	0	3	12	3	9	12	1
49.7	1.2	.326	92	8.2	17	0.90	-0.91	0.14	11th	0	0	0	0	14	8	0	5	12	7	14	10	2	4	4	2
52.6	1.3	.361	91	8.1	15	2.19	-0.55	0.61	31st	0	0	0	0	17	10	0	10	11	3	7	9	7	2	8	5
50.7	1.4	.334	90	7.3	21	4.97	+2.23	0.96	8th	0	0	1	0	11	7	0	10	9	9	7	4	0	6	16	1
49.0	1.7	.305	88	6.3	14	0.96	-1.63	0.27	5th	0	0	0	1	8	0	4	12	2	1	7	15	5	6	9	3
45.8	1.9	.264	86	6.5	27	2.39	-8.84	0.35	23rd	0	2	0	0	8	0	5	4	3	6	9	14	10	8	5	3
40.4	1.2	.22.6	91	7.3	29	4.82	+1.98	0.93	29th	8	7	0	0	4	2	5	8	1	0	11	10	15	13	1	1
39.8	0.7	.230	95	6.9	25	3.57	+0.58	0.55	24th	7	0	0	0	4	0	6	0	0	0	1	27	17	11	5	1
					245	32.51		1.63																	
38.0	1.8	.194	85	6.4	8	1.73	-0.95	0.37	5th	4	0	0	5	11	0	3	4	1	13	6	7	1	13	2	15
38.5	1.4	.205	88	6.0	14	1.80	-0.94	0.55	18th	2	0	0	5	9	0	0	5	3	14	2	3	1	13	3	14
42.1	1.8	.230	86	6.2	23	3.19	+0.82	0.35	19th	1	0	0	2	8	0	1	1	7	19	4	1	1	13	2	14
46.0	2.9	.246	80	5.2	9	2.24	+0.32	0.82	7th	4	0	1	7	7	1	1	3	5	15	0	2	1	16	3	15
48.8	3.2	.270	78	7.2	11	1.99	+0.10	0.61	15th	0	0	0	2	11	0	0	1	23	2	1	1	14	3	15	
53.0	2.4	.337	84	8.8	15	2.74	+0.75	0.51	19th	0	0	1	0	21	1	0	0	0	34	0	1	2	4	0	19
55.5	2.6	.367	83	8.4	10	2.25	-0.39	0.63	31st	0	0	2	1	21	1	0	0	1	22	1	0	2	12	0	24
52.9	2.9	.323	81	7.0	18	6.38	+3.71	1.29	4th	0	0	0	1	18	0	0	1	22	5	0	4	3	11	1	15
50.7	2.6	.305	83	5.7	8	1.03	-1.60	0.40	3rd	0	0	0	6	11	0	1	0	18	0	2	4	15	0	21	
46.5	2.2	.266	84	7.7	17	2.28	-0.98	0.34	13th	2	1	1	1	15	0	1	1	15	2	1	1	19	1	12	
40.6	1.6	.219	87	7.3	21	4.35	+1.15	0.70	26th	3	0	0	2	13	0	1	6	0	1	1	0	26	6	20	
38.9	1.4	.210	90	6.2	16	3.92	+0.59	0.48	4th	2	1	0	2	12	0	1	1	0	3	1	1	1	18	11	26
					170	33.90		1.29																	
37.1	1.5	.192	87	7.1	11	0.42	...	0.16	2nd	2	0	0	2	15	0	0	10	18	0	12	0	12	6	4	0
38.5	1.4	.205	88	6.0	13	1.31	...	0.65	19th	0	0	0	1	6	0	0	4	12	2	4	0	14	6	12	4
42.6	1.9	.233	86	6.8	18	1.41	...	0.31	29th	1	1	0	0	10	0	0	4	10	2	8	0	8	20	8	2
47.4	3.4	.249	77	6.0	10	1.57	...	0.51	7th	3	0	0	2	8	2	0	0	2	6	14	2	18	2	14	2
50.8	3.6	.283	76	5.8	18	1.71	...	0.39	10th	0	0	0	1	5	0	0	8	4	20	0	0	14	14	2	0
54.4	2.6	.351	83	8.4	20	3.54	...	0.74	30th	0	0	2	1	18	1	0	0	12	26	2	0	8	6	6	0
57.6	3.3	.379	80	7.1	9	1.91	...	0.61	27th	0	0	2	1	9	0	0	0	23	6	0	0	4	14	4	2
53.6	2.6	.339	82	7.8	20	3.92	...	0.97	20th	0	0	0	2	13	0	0	0	24	0	0	2	12	12	10	0
51.5	3.4	.295	78	5.5	6	1.41	...	0.50	4th	0	0	0	5	11	0	0	0	21	0	2	0	6	28	4	8
47.4	2.5	.269	83	6.8	15	1.48	...	0.32	13th	0	0	0	2	11	0	0	4	21	0	0	2	0	10	20	14
41.4	2.1	.218	84	7.7	16	2.33	...	0.81	26th	2	0	0	0	15	0	2	4	2	2	2	0	6	24	20	0
40.7	1.7	.219	87	7.6	22	2.91	...	0.33	13th	1	0	0	0	17	0	4	0	0	0	0	0	26	18	10	8
					178	24.42		0.97																	
36.2	1.4	.187	98	7.6	18	1.49	-1.62	0.23	9th	8	1	0	1	18	0	0	0	4	4	4	4	9	7	4	26
36.4	1.5	.187	87	6.0	17	1.41	-1.22	0.67	18th	2	0	0	3	7	0	2	1	1	2	1	1	6	8	6	32
41.3	2.3	.213	82	6.2	23	2.53	-0.06	0.50	28th	1	0	0	0	8	0	1	4	3	4	5	5	9	7	7	18
46.7	3.4	.242	77	6.2	13	2.19	+0.40	0.72	7th	4	0	0	4	10	0	2	4	1	7	3	4	7	9	6	19
49.4	3.6	.268	76	7.7	19	1.20	-0.88	0.30	10th	0	1	0	0	16	0	0	2	2	5	1	7	9	8	3	25
53.7	2.6	.341	83	8.6	26	3.18	+1.10	0.53	2nd	0	0	2	0	20	0	0	1	8	14	3	2	6	8	2	16
57.2	3.1	.378	81	7.2	13	1.62	-1.45	0.71	25th	0	0	2	1	15	0	0	1	3	7	3	3	8	4	3	30
52.5	2.3	.335	85	8.0	25	4.12	+1.49	1.02	20th	0	0	0	18	0	0	3	6	2	7	0	6	6	6	6	26
49.2	2.4	.292	84	5.1	10	1.88	-0.67	0.52	4th	0	0	0	8	8	0	0	1	0	9	2	1	7	5	8	27
45.1	2.3	.248	83	6.3	21	2.20	-0.94	0.35	6th	1	0	0	3	10	2	0	2	3	4	1	5	10	7	4	26
40.0	1.5	.217	88	6.3	20	4.80	+1.86	0.91	26th	3	0	0	0	8	0	2	4	3	1	0	2	15	8	8	19
38.0	1.4	.201	88	5.8	25	4.75	+1.12	0.62	13th	3	1	2	3	8	1	2	0	0	0	0	3	12	16	4	27
					230	31.37		1.02																	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
GLENCARRON— D. D. Munro.	504	Jan.	Inch.	°	°	°	°	°	°	14 th	21	29 th
		Feb.	29.276	41.3	32.3	36.8	-0.3	55	22 nd	7	5 th	
		Mch.	28.962	43.6	31.4	37.5	+0.6	54	1 st	29	11 th	
		Apl.	28.898	46.9	35.6	41.3	+3.0	52	23 rd , 24 th	26	12 th	
		May	29.517	51.9	38.5	45.2	+2.3	68	8 th	35	4 th , 22 nd , 25 th	
		June	29.363	53.7	41.8	47.8	-0.2	62	22 nd , 28 th	38	17 th	
		July	29.187	58.1	46.8	52.5	-1.3	66	5 th	35	25 th	
		Aug.	29.373	60.2	49.1	54.7	-0.6	73	6 th	36	3 rd	
		Sept.	29.111	56.9	44.5	50.7	-4.2	64	23 rd	34	26 th , 27 th	
		Oct.	29.599	5.56	42.4	49.0	-2.5	66	8 th	32	21 st , 22 nd	
		Nov.	29.186	50.7	39.4	45.1	-0.1	62	9 th	12	29 th	
		Dec.	29.250	44.1	36.0	40.1	-0.6	52	11 th	11	1 st	
		Year	28.917	44.9	34.4	39.7	+2.7	55	73	7		
STORNOWAY— The Meteorologi- cal Office.	51	Jan.	29.220	41.3	35.7	39.4	+0.6	52	1 st	27	8 th	
		Feb.	29.433	44.4	34.1	39.3	+0.3	52	9 th	15	5 th	
		Mch.	29.376	47.6	37.2	44.4	+4.7	52	27 th	32	11 th , 23 rd , 31 st	
		Apl.	29.997	50.2	39.6	44.9	+1.7	62	23 rd	30	12 th	
		May	29.864	53.7	42.9	48.3	+1.0	59	7 th	37	13 th	
		June	29.693	57.1	47.7	52.4	0.0	66	26 th , 28 th	40	17 th	
		July	29.875	59.6	50.0	54.8	0.0	64	4 th , 15 th , 27 th	44	4 th , 20 th	
		Aug.	29.622	56.3	46.1	51.2	-3.4	61	6 th , 7 th , 8 th	38	28 th	
		Sept.	30.089	55.3	44.6	50.0	-1.5	60	20 th , 23 rd	37	12 th	
		Oct.	29.675	51.0	41.5	46.3	+0.5	56	8 th , 10 th	32	22 nd , 23 rd	
		Nov.	29.731	45.6	38.1	41.9	-0.4	53	22 nd	21	29 th , 30 th	
		Dec.	29.350	45.9	36.1	41.0	+1.7	53	13 th	16	2 nd	
		Year	29.706			46.2		66		15		
MONACH— Principal Keeper of the Light- house.	150	Jan.	29.639
		Feb.	29.293
		Mch.	29.249
		Apl.	29.891
		May	29.748
		June	29.549
		July	29.755
		Aug.	29.527
		Sept.	29.966
		Oct.	29.554
		Nov.	29.658
		Dec.	29.248	43.4
		Year	29.590									
CASTLEBAY (Barra) The Meteorologi- cal Office.	48	Jan.	29.748	44.6	39.0	41.8	+0.9	51	1 st	33	9 th , 18 th	
		Feb.	29.412	44.9	38.4	41.7	+0.8	50	22 nd	27	3 rd	
		Mch.	29.370	46.8	40.8	43.8	+2.2	49	13 th 25 th 27 th	36	29 th	
		Apl.	30.010	50.4	42.8	46.6	+1.7	61	24 th	34	1 st	
		May	29.854	52.8	45.5	49.2	+0.3	59	30 th , 31 st	38	13 th	
		June	29.649	57.4	49.9	53.7	+0.1	61	10 th	43	17 th	
		July	29.852	58.8	51.7	55.3	-1.8	65	27 th	48	19 th	
		Aug.	29.627	56.3	49.0	52.7	-4.2	61	5 th , 7 th	44	2 nd	
		Sept.	30.078	55.0	49.2	52.1	-0.3	58	2 nd , 19 th , 30 th	44	9 th , 12 th	
		Oct.	29.671	51.3	45.1	48.2	+1.8	56	7 th	37	21 st	
		Nov.	29.770	47.3	41.0	44.2	-0.4	53	7 th	28	29 th	
		Dec.	29.374	48.2	40.5	44.4	+2.7	54	13 th	26	1 st	
		Year	29.701			47.8		65		26		

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.												
Mean at 9 A.M. and 9 P.M.					Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations at 9 A.M. and 9 P.M.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	N.W.	Calm or Variable.	
°.	°.	Inch.	%.		Inch.	Inch.	Inch.																			
36.2	1.7	.182	86	6.7	15	6.05	-4.12	1.55	1st	4	0	0	4	13	0	3	23	6	7	3	1	1	17	0	4	
37.3	1.5	.193	87	6.8	20	5.44	-1.67	1.27	25th	2	0	0	3	12	1	1	18	7	11	2	1	0	19	0	0	
40.7	1.7	.218	86	6.6	27	8.08	+0.23	1.29	12th	1	0	0	4	14	1	0	12	4	13	1	0	0	32	0	0	
45.0	2.7	.239	80	6.8	18	10.95	+5.64	2.68	4th	4	1	1	5	16	0	3	15	2	10	1	1	1	28	0	2	
47.3	2.8	.261	81	7.8	18	4.19	-0.31	0.81	8th	0	0	0	0	15	0	0	12	2	17	1	1	0	27	0	2	
52.5	2.6	.327	82	9.2	24	4.63	+0.59	0.56	19th	0	0	2	0	24	0	0	8	8	23	0	1	0	17	0	3	
55.3	3.5	.342	78	7.5	14	4.24	-1.31	0.87	7th	0	0	1	1	19	0	0	16	4	20	3	2	0	17	0	0	
51.2	3.0	.302	80	8.5	21	6.17	-1.14	1.30	20th	0	0	0	0	21	0	0	14	4	19	0	1	0	23	1	0	
48.3	2.4	.281	83	4.9	14	5.15	-3.29	1.25	4th	0	0	0	9	9	0	0	11	1	21	0	2	0	24	1	0	
45.5	2.5	.248	82	6.9	25	8.84	-0.62	2.00	6th	0	0	0	3	16	0	0	1	13	6	13	0	1	0	29	0	0
40.5	1.4	.222	89	8.2	29	14.71	+5.66	1.99	26th	2	0	0	1	22	2	1	4	0	11	0	0	0	41	0	4	
40.2	1.9	.211	85	7.3	27	16.92	+6.49	2.06	3rd	4	2	3	2	16	0	4	2	1	8	0	0	0	50	1	0	
					252	95.37		2.68																		
39.4	1.7	.208	87	7.1	22	3.63	-1.62	0.52	16th	6	1	0	0	13	0	1	9	5	5	11	11	7	5	7	2	
39.2	1.0	.220	92	7.1	20	5.34	+1.45	0.84	29th	2	0	1	1	14	0	2	8	1	4	9	12	5	3	2		
41.4	1.3	.233	90	6.5	27	5.17	+1.26	0.79	3rd	3	3	1	0	8	0	1	5	2	5	9	12	13	9	6	0	
44.1	1.6	.254	87	7.4	20	3.94	+1.26	1.20	7th	4	2	0	0	15	0	3	8	12	2	3	8	13	9	5	0	
47.4	2.2	.275	84	6.8	21	2.78	+0.33	0.56	11th	0	0	0	1	10	0	0	5	14	3	4	8	15	6	6	1	
51.6	1.6	.340	89	8.1	18	3.18	+0.74	0.58	30th	0	0	1	0	18	0	0	4	23	6	8	10	6	2	1	0	
53.7	1.9	.360	88	7.8	16	2.65	-0.38	0.71	29th	0	0	1	0	12	1	0	6	24	3	2	9	8	7	3	0	
50.2	1.3	.330	91	7.4	25	5.59	+1.71	0.75	13th	0	0	0	0	13	0	0	11	18	6	1	7	3	9	6	1	
49.1	1.8	.304	87	6.3	13	1.77	-2.31	0.68	3rd	0	0	0	2	9	0	3	10	4	3	7	9	7	13	7	0	
46.0	1.7	.272	88	7.1	27	5.51	-0.81	0.97	13th	0	0	0	0	14	0	0	5	7	3	8	8	16	11	4	0	
41.9	1.3	.239	91	...	29	7.13	+1.72	1.92	26th	3	7	1	0	11	0	9	13	1	0	0	2	16	17	11	0	
41.2	1.1	.235	92	7.5	30	8.05	+2.15	0.89	30th	3	3	0	0	14	2	12	4	0	0	3	13	21	18	3	0	
					268	54.74		1.92																		
40.8	6.5	16	3.13	-2.07	0.78	16th	2	1	0	4	11	3	0	4	9	6	7	22	8	3	3	0	
41.3	6.6	19	4.51	+0.55	0.87	25th	2	1	0	5	9	1	2	6	3	6	7	17	14	5	0	0	
43.3	6.3	24	4.41	+0.74	0.61	12th	1	1	0	3	8	3	0	6	1	7	2	18	13	13	1	1	
46.2	5.7	12	2.90	+0.32	0.95	5th	0	0	0	5	10	4	0	8	5	8	1	15	10	9	4	0	
48.2	5.0	14	2.94	+0.83	0.97	11th	0	0	0	10	8	5	0	6	12	4	0	11	13	11	5	0	
52.2	6.9	15	3.09	+0.98	0.73	29th	0	0	0	2	12	4	0	3	14	11	8	11	10	2	1	0	
54.0	5.9	13	2.12	-0.90	0.80	8th	0	0	2	5	10	4	0	24	5	8	2	4	10	2	5	2	
52.2	6.2	12	2.41	-1.31	0.42	14th	0	0	0	2	8	0	0	17	13	9	1	2	6	7	7	0	
51.2	5.2	9	2.42	-1.75	0.74	3rd	0	0	0	4	6	3	2	8	4	5	2	20	6	6	9	0	
47.9	5.7	23	7.51	+2.76	1.05	11th	0	0	0	2	4	0	0	4	8	4	3	11	13	10	8	1	
43.3	6.0	19	3.89	-0.97	0.90	27th	3	3	0	0	3	2	2	8	5	1	3	1	13	12	17	0	
...	6.3	24	6.43	+0.89	0.90	31st	0	0	0	0	5	3	2	1	0	0	2	16	20	14	9	0	
					200	45.76		1.05																		
42.0	1.9	.227	86	7.6	17	3.54	...	0.81	15th	5	3	0	1	19	0	5	7	9	13	13	6	6	4	4	0	
42.3	1.6	.236	88	7.0	19	4.09	...	0.74	19th	3	0	0	0	14	0	0	4	7	12	12	7	9	2	4	1	
43.9	1.5	.254	88	7.1	26	3.44	...	0.39	20th	1	4	0	0	13	1	0	1	5	7	11	9	9	11	8	1	
46.6	2.5	.260	83	6.3	14	2.05	...	0.82	20th	1	3	0	2	8	1	1	5	7	6	8	6	7	10	8	3	
48.8	2.3	.290	84	6.9	19	2.31	...	0.52	10th	0	1	0	1	10	2	0	6	7	9	5	3	9	11	11	1	
52.9	1.9	.348	87	8.0	23	3.49	...	0.61	27th	0	0	1	0	17	3	0	6	15	13	9	4	2	7	4	0	
54.7	2.1	.369	86	7.5	13	2.45	...	0.77	28th	0	0	0	0	16	3	0	9	9	8	3	3	7	6	14	3	
52.0	1.7	.343	88	7.4	18	3.63	...	0.74	4th	0	0	0	0	18	0	0	13	10	7	3	3	2	5	16	3	
51.7	2.4	.322	84	6.9	11	2.93	...	1.21	3rd	0	0	0	1	7	2	0	6	6	5	15	1	3	8	13	3	
48.7	2.3	.289	84	7.2	27	5.65	...	1.07	13th	1	4	0	0	12	0	1	7	5	7	8	8	6	14	5	2	
44.8	1.7	.257	87	8.5	30	3.67	...	0.65	25th	5	9	0	0	19	3	4	9	3	0	2	5	9	16	15	1	
45.5	1.8	.263	87	7.8	30	5.97	...	0.56	25th	3	10	1	0	18	0	7	0	0	2	9	13	16	17	4	0	
					247	43.22		1.21																		

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
				Inch.	°	°	°	°	°	1st, 13th, 14th	°	8th, 29th
INVERNESS— W. G. MacCon- nachie, M.A.	Feet. 114	Jan.	29-736	42-4	34-6	38-5	0-0	52	1st, 13th, 14th	26	8th, 29th	
		Feb.	29-397	44-4	33-8	39-1	+0-1	54	23rd, 29th	11	5th	
		Mch.	29-336	48-4	37-8	43-1	+2-3	56	13th	31	24th	
		Apl.	29-932	53-6	40-5	47-1	+1-8	66	24th	31	10th 12th 30th	
		May	29-786	56-8	43-8	50-3	+1-1	67	8th	34	4th	
		June	29-611	59-0	49-0	54-0	-0-7	70	23rd	40	17th	
		July	29-808	63-3	51-9	57-6	+0-6	74	14th	46	20th	
		Aug.	29-541	57-7	47-6	52-7	-4-0	64	5th	41	2nd	
		Sept.	30-032	57-4	45-0	51-2	-1-9	64	12th	36	26th	
		Oct.	29-630	52-3	41-3	46-8	-0-1	61	8th	31	22nd	
		Nov.	29-674	46-8	38-3	42-6	+0-9	55	7th, 21st	16	29th	
		Dec.	29-341	46-4	36-1	41-3	+2-6	55	14th	11	2nd	
Year	29-652			47-0		74		11				
FORT AUGUSTUS— Rev. Cyril von Dieckhoff, O.S.B.	73	Jan.	29-777	42-2	32-4	37-3	-0-8	57	15th	18	30th	
		Feb.	29-443	45-3	32-6	39-0	+0-8	54	29th	8	5th	
		Mch.	29-374	48-4	37-3	42-9	+3-2	53	1st, 11th, 13th	26	23rd	
		Apl.	29-988	53-8	39-1	46-5	+2-0	71	23rd	27	12th	
		May	29-835	56-4	42-8	49-6	+0-2	65	8th	31	13th	
		June	29-640	59-3	48-5	53-9	-1-0	69	22nd, 23rd	38	17th	
		July	29-833	63-1	50-6	56-9	-0-2	74	4th	39	23rd	
		Aug.	29-578	58-2	46-8	52-5	-4-4	66	5th	37	31st	
		Sept.	30-061	57-6	43-1	50-4	-2-9	65	14th	33	24th	
		Oct.	29-678	51-7	39-1	45-4	-1-2	60	8th, 10th	29	22nd	
		Nov.	29-733	45-6	36-1	40-9	-0-9	53	5th, 8th, 22nd	13	28th, 29th	
		Dec.	29-409	45-1	35-1	40-1	+2-1	54	14th	15	3rd	
Year	29-700			46-3		74		8				
FORT WILLIAM— W. T. Kilgour.	38	Jan.	29-818	41-5	32-4	37-0	-1-8	54	13th	18	30th	
		Feb.	29-481	45-2	33-7	39-5	+0-5	54	22nd	17	4th, 5th	
		Mch.	29-425	48-8	37-4	43-1	+2-5	54	1st	27	23rd	
		Apl.	30-044	55-0	39-3	47-2	+2-1	71	23rd	25	12th	
		May	29-871	58-5	43-1	50-8	+0-8	66	25th	33	13th	
		June	29-684	61-8	48-4	55-1	-0-2	68	12th 23rd 28th	40	17th	
		July	29-872	66-2	50-5	58-4	+1-2	74	16th	44	19th	
		Aug.	29-618	60-4	46-4	53-4	-3-9	66	5th	37	3rd	
		Sept.	30-103	58-2	44-2	51-2	-2-5	65	18th	35	9th	
		Oct.	29-726	51-5	39-9	45-7	-1-7	62	8th	28	3rd	
		Nov.	29-794	45-9	37-0	41-5	-1-2	53	5th 7th 8th 15th	13	29th, 30th	
		Dec.	29-465	45-6	35-8	40-7	+1-3	55	14th	15	2nd, 3rd	
Year	29-742			47-0		74		13				
KINGUSSIE— W. de Watte- ville, M.D.	828	Jan.	28-937	39-8	30-0	34-9	+0-2	50	13th	11	30th	
		Feb.	28-646	41-5	29-5	35-5	+0-3	51	29th	4	5th	
		Mch.	28-524	45-6	33-8	39-7	+3-0	53	13th	23	16th	
		Apl.	29-128	53-1	35-6	44-4	+2-9	69	23rd	24	12th	
		May	28-999	55-4	38-9	47-2	+0-3	64	8th	27	13th	
		June	28-817	58-3	45-5	51-9	-2-0	66	23rd	37	17th	
		July	28-996	64-0	47-4	55-7	+0-3	77	15th	41	19th, 23rd	
		Aug.	28-746	57-0	44-0	50-5	-3-7	67	16th	32	23rd	
		Sept.	29-213	55-8	41-7	48-8	-1-2	65	12th	31	12th	
		Oct.	28-825	49-6	36-7	43-2	-0-6	59	10th	25	22nd	
		Nov.	28-902	43-1	33-3	38-2	-0-2	53	5th, 6th, 7th	5	29th	
		Dec.	28-583	42-4	31-4	36-9	+1-5	53	14th	10	3rd	
Year	28-860			43-9		77		4				

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Difference from Average.	Absolute Maximum and Minimum.			
					A	B		Maximum.	Day of Month.	Minimum.	Day of Month.
				Inch.	Maximum.	Minimum.	Mean of A and B				
NAIRN— The Meteorologi- cal Office.	82	Jan.	29-750	40-7	31-9	36-3	-1-1	54	1st	19	29th
		Feb.	29-410	43-8	30-5	37-2	-0-5	55	28th	4	5th
		Mch.	29-333	49-3	34-9	42-1	+2-3	58	13th	28	16th, 24th
		Apl.	29-945	54-0	37-0	45-5	+1-4	67	24th	27	30th
		May	29-808	56-9	41-3	49-1	+0-1	67	7th	32	25th
		June	29-637	59-7	46-7	53-2	-1-5	74	23rd	38	17th
		July	29-817	63-4	48-7	56-1	-1-3	72	14th	42	4th, 20th, 23rd
		Aug.	29-553	57-8	44-1	51-0	-5-7	64	5th, 17th	37	23rd, 25th
		Sept.	30-038	57-0	40-9	49-0	-3-9	63	12th	31	26th, 27th, 28th
		Oct.	29-648	52-2	37-6	44-9	-1-1	60	8th, 10th, 13th	26	22nd
		Nov.	29-686	45-4	35-9	40-7	-0-3	56	7th	13	29th
		Dec.	29-363	45-0	32-2	38-6	+1-1	56	11th	8	2nd
		Year	29-666			45-3		74		4	
GORDON CASTLE— E. Webster, for the Duke of Richmond and Gordon, K.G.	107	Jan.	29-753	42-4	33-6	38-0	+0-1	55	2nd	26	8th, 30th
		Feb.	29-418	45-6	33-8	39-7	+1-4	56	29th	-1	5th
		Mch.	29-345	49-2	37-2	43-2	+3-1	59	25th	29	24th
		Apl.	29-943	55-3	38-4	46-9	+2-5	70	22nd, 23rd	29	12th
		May	29-794	57-2	41-9	49-6	+0-8	69	8th	32	22nd
		June	29-631	60-4	47-8	54-1	-0-5	75	23rd	40	4th
		July	29-808	63-8	49-9	56-9	-0-3	73	7th, 12th	45	21st, 31st
		Aug.	29-546	58-2	46-4	52-3	-4-2	65	6th	38	24th
		Sept.	30-009	56-8	43-1	50-0	-3-3	65	23rd	35	27th
		Oct.	29-645	53-1	38-3	45-7	-1-1	65	10th	29	21st
		Nov.	29-657	47-0	36-5	41-8	+0-3	58	6th	18	29th
		Dec.	29-369	45-8	34-5	40-2	+1-4	58	11th	11	2nd
		Year	29-660			46-5		75		-1	
BALMORAL— J. Michie, M.O.V., and J. M. Troup.	927	Jan.	28-826	42-5	27-5	35-0	+0-3	52	1st, 2nd	7	30th
		Feb.	28-516	45-6	29-4	37-5	+2-5	53	22nd	-2	5th
		Mch.	28-452	47-6	33-5	40-6	+3-8	54	25th, 27th	21	16th
		Apl.	29-017	58-8	33-6	46-2	+5-0	68	16th, 25th	20	12th
		May	28-880	59-4	37-5	48-5	+1-9	64	18th, 25th	27	4th, 13th
		June	28-714	59-7	44-0	51-9	-1-3	68	22nd, 23rd, 25th	32	4th
		July	28-908	69-6	45-5	57-6	+2-0	87	15th	31	23rd
		Aug.	28-619	58-5	43-4	51-0	-3-3	67	23rd	32	23rd, 25th
		Sept.	29-096	57-1	38-4	47-8	-2-5	68	12th	27	24th, 25th
		Oct.	28-717	53-2	34-7	44-0	+0-4	63	10th	21	22nd
		Nov.	28-760	46-9	31-9	39-4	+1-2	58	8th	6	30th
		Dec.	28-475	43-8	30-3	37-1	+2-1	53	10th, 13th	2	2nd
		Year	28-750			44-7		87		-2	
LOGIE COLD- STONE— J. B. Anderson, The School- house.	608	Jan.	...	38-8	28-6	33-7	-1-8	55	1st	11	29th
		Feb.	...	41-5	31-3	36-4	+0-6	53	28th	1	5th
		Mch.	...	47-1	34-6	40-9	+3-5	60	13th	23	16th
		Apl.	...	55-0	35-0	45-0	+2-7	68	23rd	27	19th
		May	...	56-2	38-7	47-5	0-0	66	8th	28	4th, 22nd
		June	...	58-7	46-1	52-4	-1-6	70	23rd, 24th	38	17th
		July	...	63-5	47-6	55-6	-0-4	78	14th	35	23rd
		Aug.	...	56-3	43-2	49-8	-5-7	62	6th, 14th	29	25th
		Sept.	...	55-6	41-0	48-3	-3-4	56	16th	30	25th
		Oct.	...	50-5	36-5	43-5	-0-7	61	7th	22	21st
		Nov.	...	44-7	33-6	39-2	+0-4	56	6th, 7th	6	29th
		Dec.	...	44-2	31-6	37-9	+2-1	51	11th, 13th, 14th	5	2nd
		Year				44-2		78		1	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.											
Mean at 9 A.M. and 9 P.M.					Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	N.								N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.	
36.7	1.7	185	85	7.1	18	1.00	-0.90	0.19	2nd	5	1	0	1	11	0	2	1	1	6	7	4	5	15	1	22	
37.4	1.9	187	84	6.9	22	1.60	+0.01	0.55	18th	3	0	0	0	8	0	0	0	4	1	4	9	11	2	27		
40.7	2.2	210	83	7.1	25	1.53	-0.30	0.27	28th	3	1	0	0	7	0	0	1	1	8	4	4	8	20	1	15	
45.3	3.1	235	77	6.3	13	1.65	+0.38	0.52	4th	2	2	0	0	3	0	1	2	2	10	1	3	5	21	6	10	
49.8	3.9	266	74	6.8	23	1.78	+0.11	0.45	16th	0	0	0	0	7	0	0	1	2	16	1	1	5	19	5	12	
54.0	3.0	334	80	7.5	25	3.74	+1.88	1.34	30th	0	0	1	0	12	0	0	1	10	15	3	1	2	9	1	18	
56.7	3.0	373	81	7.8	14	1.67	-1.10	0.26	26th	0	0	4	0	6	0	0	3	9	19	2	0	6	10	2	11	
51.8	2.3	326	85	8.1	26	4.51	+1.86	0.82	20th	0	0	0	0	13	0	0	3	9	12	1	1	1	10	4	21	
48.5	2.1	290	85	6.8	10	1.16	-1.21	0.34	3rd	0	0	0	1	2	0	0	5	4	7	3	1	2	6	9	23	
44.9	2.0	253	86	7.1	23	2.25	-0.22	0.41	13th	0	2	0	0	4	0	0	5	3	4	4	2	10	13	3	18	
41.1	1.6	224	87	7.5	24	2.78	+0.57	0.55	26th	3	0	0	0	11	1	4	7	0	0	1	1	7	25	10	9	
39.2	1.5	210	88	7.2	25	3.27	+1.19	0.44	13th	3	0	0	0	11	0	2	0	0	0	1	3	12	20	3	23	
					248	26.94		1.34																		
37.4	1.6	192	86	7.3	21	2.45	+0.41	0.45	8th	11	2	0	0	1	12	0	0	2	0	2	24	11	8	6	9	0
39.1	1.8	204	85	6.3	14	1.82	-0.14	0.61	18th	2	1	0	0	1	9	0	1	2	6	0	23	13	10	2	2	0
42.7	2.5	222	81	6.7	19	2.14	-0.01	0.42	5th	1	2	0	0	1	8	0	0	2	7	0	22	14	11	3	3	0
46.4	3.5	238	76	6.9	13	1.30	-0.48	0.28	4th	2	4	0	0	1	8	0	1	2	5	1	11	6	10	7	18	0
48.9	3.0	276	80	7.6	16	3.28	+1.24	1.64	15th	0	0	0	0	11	0	0	3	9	1	11	3	6	9	20	0	
53.4	2.5	340	83	8.5	17	2.76	+0.69	0.89	30th	0	0	4	0	20	0	0	5	16	5	13	9	6	1	5	0	
57.0	3.1	374	80	8.4	15	1.90	-1.20	0.90	26th	0	0	4	0	19	0	0	12	10	0	10	6	8	3	13	0	
52.1	1.8	342	87	9.1	22	5.57	+2.20	0.93	4th	0	0	0	0	23	0	0	2	16	0	11	1	6	1	25	0	
49.9	2.2	304	86	7.5	15	1.39	-1.55	0.32	30th	0	0	0	3	17	0	0	6	2	2	10	5	15	5	15	0	
45.8	2.2	259	84	6.9	22	2.54	-0.76	0.39	30.3h	0	3	0	0	1	14	0	0	1	4	1	12	19	19	0	6	0
41.3	1.5	229	88	7.2	22	2.66	-0.20	0.40	4th	0	3	0	0	1	12	0	1	0	0	0	9	7	29	3	12	0
40.2	1.8	213	86	5.7	16	1.88	-0.88	0.41	27th	2	0	0	0	2	5	0	2	0	0	11	14	33	4	0	0	
					212	29.69		1.64																		
32.3	1.3	154	84	9.0	20	5.26	...	1.06	16th	10	0	0	0	1	23	6	5	0	0	14	6	4	10	22	6	0
34.0	2.1	154	79	8.0	19	2.55	...	0.75	18th	5	0	0	0	0	16	6	5	2	0	4	6	6	16	16	8	0
38.1	2.0	191	83	7.4	25	2.51	...	0.34	18th	7	0	0	0	2	15	2	1	4	0	8	4	6	10	18	12	0
44.1	2.4	237	81	5.0	10	1.02	...	0.26	4th, 8/h	5	0	0	0	9	10	2	5	6	0	0	2	2	12	26	12	0
48.0	2.4	276	83	7.3	15	1.82	...	1.00	15th	0	0	3	5	14	1	1	6	4	2	2	6	8	22	12	0	
50.2	2.0	312	86	8.3	19	2.17	...	0.25	17th	0	0	0	0	120	3	0	4	0	4	8	12	8	14	10	0	
56.1	2.5	380	84	6.3	9	2.14	...	0.72	25th	0	0	4	5	13	1	2	0	2	2	4	2	24	18	10	0	
48.9	2.2	294	85	8.2	24	4.56	...	1.25	4th	0	0	0	0	0	18	2	0	4	4	6	4	16	16	8	0	
43.1	2.2	231	82	6.3	12	3.11	...	1.85	30th	0	0	0	6	12	2	4	10	0	4	4	8	6	18	10	0	
41.6	2.1	220	84	7.4	22	5.41	...	1.15	30th	2	0	0	4	18	0	0	2	4	8	6	4	12	22	4	0	
36.9	1.8	185	85	6.6	17	3.99	...	0.85	12th	7	0	0	0	4	12	0	7	6	2	0	0	0	20	22	10	0
36.6	2.0	180	83	7.5	19	3.73	...	0.69	24th	3	0	0	0	2	16	0	4	4	0	4	0	4	20	18	12	0
					211	38.27		1.85																		
33.4	0.8	175	91	...	23	4.06	...	0.83	8th	8	0	0	0	0	0	4	0	0	19	4	3	10	21	1
35.6	1.3	185	88	...	20	1.87	...	0.38	18th	3	0	0	0	2	2	3	0	1	10	11	16	2	12	3
39.0	2.0	199	84	...	20	1.79	...	0.56	18th	3	0	0	0	0	2	1	0	1	8	6	17	9	14	6
42.7	2.7	218	80	3.6	10	0.71	...	0.37	8th	5	0	0	0	11	3	0	2	10	0	1	1	13	5	6	22	2
46.3	3.3	241	77	...	15	2.17	...	1.11	15th	0	0	1	0	0	2	1	0	1	3	7	15	28	5
51.6	2.2	325	85	8.9	23	2.08	...	0.26	19th	0	0	2	0	22	0	0	5	2	7	17	1	2	4	9	13	
53.6	2.7	338	81	6.7	12	1.89	...	0.48	27th	0	0	2	0	14	1	0	1	0	1	4	8	5	12	16	15	
49.7	2.1	304	86	6.7	21	4.82	...	1.13	4th	0	0	0	1	7	0	0	3	3	2	5	0	3	1	21	24	
47.3	2.5	268	83	5.2	12	2.86	...	1.52	30th	0	0	0	4	7	0	1	0	0	2	4	5	5	10	16	18	
42.9	1.3	248	90	5.3	20	4.84	...	1.16	30th	2	0	0	6	6	0	1	7	1	1	6	4	18	9	10	6	
38.6	2.0	196	84	4.4	19	2.33	...	0.65	26th	3	0	0	7	4	0	1	0	0	0	1	1	7	15	31	5	
38.4	1.9	195	85	...	19	1.27	...	0.25	27th	3	0	0	0	4	0	0	0	0	12	12	30	5	3
					214	30.69		1.52																		

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.				Maximum.	Day of Month.	Minimum.	Day of Month.
				Maximum.	Minimum.						
LOANHEAD— A. Farquharson.	Feet. 747		Inch.	°	°	°	°	°			
		Jan.	29.046	38.8	29.9	34.4	-1.5	53	1st	16	30th
		Feb.	28.723	41.8	31.9	36.9	+0.9	52	28th, 29th	9	4th
		Mch.	28.644	47.3	34.8	41.1	+3.6	60	13th	25	16th
		Apl.	29.224	54.9	35.8	45.4	+2.9	70	24th	26	12th
		May	29.083	56.2	39.6	47.9	+0.6	67	7th, 8th	31	4th, 22nd
		June	28.912	58.4	45.7	52.1	-1.6	70	23rd, 24th	37	17th
		July	29.103	64.3	48.3	56.3	+0.5	80	14th	42	23rd, 31st
		Aug.	28.817	56.5	44.6	50.6	-4.5	64	25th	36	25th
		Sept.	29.298	55.6	42.0	48.8	-2.6	66	16th	35	3rd
		Oct.	28.936	50.5	37.3	43.9	-0.7	62	7th	24	21st
		Nov.	28.926	44.7	33.7	39.2	+0.6	57	6th	8	29th
		Dec.	28.683	44.5	32.2	38.4	+2.1	54	11th 12th 14th	11	1st, 2nd
		Year	28.950			44.6		80		8	
TILLYPRONIE— James Lawson, for W. H. Coltman.	1120	Jan.	28.658	38.2	28.3	33.3	-1.5	51	1st, 2nd	22	30th
		Feb.	28.332	39.8	30.5	35.2	+0.2	50	29th	9	5th
		Mch.	28.255	45.3	33.6	39.5	+3.0	58	13th	25	16th
		Apl.	28.828	53.1	35.3	44.2	+3.4	64	22nd, 24th	20	12th
		May	28.688	53.6	37.5	45.6	+0.3	64	8th	27	5th
		June	28.542	55.6	44.4	50.0	-1.8	67	23rd	35	17th
		July	...	62.1	45.0	53.6	-0.9	72	16th	34	24th
		Aug.	...	55.1	42.1	48.6	-5.2	60	6th	29	25th
		Sept.	...	54.8	40.2	47.5	-2.1	65	13th	31	10th
		Oct.
		Nov.
		Dec.
		Year
ABERDEEN (King's Coll.)— The Meteorologi- cal Office.	90	Jan.	29.797	41.8	35.3	38.6	+0.9	54	1st	27	8th
		Feb.	29.460	43.3	36.3	39.8	+1.7	52	29th	12	5th
		Mch.	29.370	47.1	38.5	42.8	+2.7	57	25th	32	16th
		Apl.	29.970	50.8	39.1	45.0	+1.2	60	4th, 5th	30	12th
		May	29.817	54.8	42.3	48.6	+0.3	64	9th	34	4th
		June	29.656	57.0	48.3	52.7	-1.2	67	18th	40	17th
		July	29.835	60.2	50.8	55.5	-1.7	70	14th	46	5th, 9th, 31st
		Aug.	29.555	56.3	46.6	51.5	-5.0	60	18th	36	25th
		Sept.	30.043	55.0	46.0	50.5	-2.5	65	16th	36	3rd
		Oct.	29.675	51.6	40.7	46.2	-0.7	62	7th	29	21st
		Nov.	29.674	45.8	37.0	41.4	-0.5	55	6th	19	29th
		Dec.	29.420	45.3	35.4	40.4	+2.4	57	14th	9	2nd
		Year	29.689			46.1		70		9	
BRAEMAR— A. M. Shirran.	1114	Jan.	...	37.8	26.9	32.3	-1.9	51	1st	6	29th, 30th
		Feb.	...	39.7	29.2	34.5	0.0	48	23rd 26th 28th 29th	4	5th
		Mch.	...	45.6	33.3	39.5	+3.2	56	25th	23	16th
		Apl.	...	52.2	34.0	43.1	+2.4	64	23rd, 24th	21	12th
		May	...	54.4	37.9	46.2	+0.1	64	8th	27	22nd
		June	...	56.6	44.3	50.5	-2.2	65	23rd	37	4th
		July	28.740	63.3	46.3	54.9	-0.2	75	14th	34	23rd
		Aug.	28.460	55.2	42.8	49.0	-4.8	61	16th, 18th	31	23rd
		Sept.	28.920	54.3	40.1	47.2	-2.6	64	16th	30	23rd, 25th
		Oct.	28.561	48.7	36.4	42.6	-0.5	62	6th	23	21st
		Nov.	28.584	42.6	31.5	37.1	-1.1	53	5th, 6th, 15th	0	29th
		Dec.	28.308	41.3	30.9	36.1	+1.6	51	11th, 13th	7	1st, 2nd
		Year	...			42.8		75		-4	

HYGROMETER.				Cloud.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS.									
Mean at 9 A.M. and 9 P.M.					Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations at 9 A.M. and 9 P.M.							
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Show.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
35.2	0.6	194	94	7.6	24	3.63	+1.71	0.61	15th	12	0	0	3	18	1	1	2	2	5	14	1	3	6	15	14
37.4	0.8	208	93	7.1	20	1.81	-0.34	0.36	18th	4	0	0	2	13	1	2	1	2	9	10	1	11	4	7	13
40.8	1.2	230	91	5.3	23	2.16	-0.08	0.78	18th	5	3	0	7	10	0	3	0	2	7	12	1	7	14	5	14
46.0	2.6	252	82	4.8	12	0.77	-1.29	0.34	8th	4	0	0	8	8	0	3	4	1	3	6	0	5	11	12	18
48.6	2.7	278	81	6.9	20	2.43	+0.28	1.43	15th	0	0	1	2	13	0	2	1	6	13	8	1	4	14	17	7
52.4	1.5	353	90	9.2	23	2.32	+0.26	0.29	17th	0	0	2	0	25	0	0	5	8	13	8	1	1	4	13	7
56.0	1.9	394	88	6.3	14	1.93	-1.04	0.55	27th	0	0	0	4	3	13	1	1	8	4	4	10	0	0	16	20
51.5	1.5	341	89	7.6	24	4.58	+1.36	0.99	4th	0	0	0	0	2	17	0	0	1	7	5	2	2	5	22	17
49.3	2.0	301	86	6.7	14	2.68	+0.06	1.35	30th	0	0	0	0	4	13	0	1	2	6	7	7	0	3	7	16
44.8	1.1	271	92	5.6	21	4.92	+1.73	1.38	30th	3	0	0	7	11	0	1	3	5	5	6	1	11	9	9	13
39.8	1.5	215	88	4.5	20	2.50	-0.49	0.58	11th	7	0	0	8	6	0	3	0	6	2	2	2	1	9	8	25
39.9	1.8	210	86	5.0	16	1.24	-1.67	0.30	27th	4	0	0	8	5	0	4	0	0	3	4	0	35	5	5	10
					231	30.97		1.43																	
34.0	0.8	180	91	7.9	25	3.52	+1.65	0.59	8th	13	0	0	1	18	1	4	0	16	0	11	0	17	0	18	0
35.4	1.2	184	89	7.3	22	2.44	+0.33	0.66	18th	3	0	0	1	14	4	5	0	6	0	14	1	20	2	15	0
38.7	1.7	202	86	6.6	22	2.09	-0.18	0.42	18th	4	0	0	1	10	2	4	0	7	0	15	1	15	1	19	0
43.9	3.1	221	77	5.6	10	0.74	-1.42	0.35	8th	6	0	0	2	5	0	4	0	0	0	0	0	21	0	39	0
44.8	2.8	235	79	6.1	13	2.35	+0.31	1.30	15th	0	0	0	0	0	0	2	2	1	9	0	5	0	7	0	40
49.6	2.1	303	86	...	23	4.43	+0.17	0.33	17th	0	0	3	0	0	0	3	1	2	4	1	10	1	8	2	32
52.9	2.8	326	82	6.2	10	2.39	-0.40	0.66	25th	0	0	3	0	0	0	1	1	0	5	0	9	0	1	0	47
49.1	2.2	295	84	6.9	24	5.48	+1.36	1.04	4th	0	0	0	0	9	1	0	1	1	0	10	0	29	0	21	
48.2	2.3	281	84	7.0	14	3.13	+0.44	1.70	30th	0	0	0	1	8	0	1	1	2	0	6	0	2	0	49	0
...
...
...
38.4	1.9	195	85	7.6	20	2.89	+0.71	0.61	8th	14	0	0	1	17	0	0	3	2	3	13	7	9	9	10	6
39.5	1.7	209	86	7.8	19	2.99	+0.75	0.46	18th	3	0	0	2	18	1	0	1	1	3	13	14	7	5	5	9
42.7	2.2	228	84	6.9	21	2.38	+0.05	0.61	18th	1	3	0	1	11	0	0	1	1	2	13	14	8	10	7	6
45.5	3.2	235	77	5.6	7	0.39	-1.70	0.16	8th	6	3	0	4	5	1	1	4	3	4	7	11	4	9	10	8
48.8	3.7	259	75	6.2	15	1.99	-0.15	1.04	15th	0	1	2	3	9	0	0	6	5	8	11	3	6	14	5	
52.3	2.4	330	83	8.2	18	1.96	+0.11	0.29	13th	0	0	3	0	19	3	0	3	9	4	12	13	1	2	8	8
55.4	3.0	355	81	7.4	11	1.76	-1.14	0.45	25th	0	0	3	0	13	3	0	11	5	6	10	11	3	2	7	7
52.4	2.7	324	82	7.8	19	4.82	+1.74	0.95	9th	0	0	0	1	14	1	0	4	3	8	7	6	1	11	17	5
50.7	3.2	291	79	6.8	13	1.77	+0.94	0.81	30th	0	0	0	0	21	0	0	4	1	5	9	11	3	7	14	6
46.0	2.4	257	83	6.0	18	4.06	+1.12	1.31	30th	1	3	0	3	8	1	0	2	2	4	5	18	13	8	8	2
41.0	2.2	211	83	5.5	20	3.13	-0.09	0.56	30th	4	1	0	6	8	1	0	3	0	0	0	7	13	19	13	5
40.3	2.2	206	83	5.1	12	1.19	-1.87	0.27	27th	1	0	0	5	6	0	3	0	0	1	3	20	24	9	2	3
					193	29.33		1.31																	
32.1	1.1	156	86	...	20	6.44	+3.52	1.70	16th	10	0	0	0	...	6	12	12	8	10	6	4	4	0
34.6	1.7	167	83	...	19	2.90	+0.35	0.84	18th	4	0	0	6	5	6	2	8	4	22	12	0	0	0
37.9	1.8	193	85	...	16	1.96	-0.69	0.27	28th	5	0	0	0	1	2	4	8	6	14	12	6	10	0
43.0	2.8	219	79	...	6	0.85	-1.38	0.26	4th	4	0	0
46.1	3.5	235	76	...	14	1.23	-1.07	0.60	15th	0	0	0	0	1	10	6	8	0	8	22	8	0	0
50.2	2.4	302	84	8.0	23	2.67	+0.29	0.31	13th	0	0	3	0	16	0	0	2	14	16	0	8	18	0	2	0
55.1	3.3	343	79	5.0	9	2.46	-0.37	1.05	25th	0	0	3	6	5	0	0	6	4	18	4	24	0	2	0	0
49.3	2.2	298	85	...	19	4.92	+1.14	1.82	4th	0	1	0	0	0	6	6	4	2	2	26	8	8	0
46.6	2.1	269	86	...	7	2.72	-0.36	1.60	30th	0	0	0	1	1	4	0	2	4	16	20	10	0	0
42.3	1.9	230	86	...	22	3.95	+0.01	0.81	30th	2	0	0	0	0	2	8	6	0	10	18	14	4	0
36.8	1.6	188	87	5.9	13	3.97	+0.11	1.00	27th	7	0	0	0	5	14	0	0	0	0	12	20	14	0
36.8	1.8	184	85	...	21	5.49	+2.19	0.78	24th	4	0	0	0	2	0	0	0	0	2	26	30	4	0
					189	39.56		1.82																	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.									
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.				
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	
	Feet.		Inch.	°	°	°	°	°	°	°	°	°	°
DUNDEE (Eastern Neero- polis)— J. Carnochan, Curator of Parks.	164	Jan.	29.719	40.7	32.7	36.7	+0.1	50	1st	21	29th		
		Feb.	29.390	42.8	34.2	38.5	+0.8	51	29th	15	4th		
		Mch.	29.318	48.0	36.9	42.5	+2.9	58	25th	29	16th		
		Apl.	29.923	53.9	38.0	46.0	+1.4	64	16th	27	12th		
		May	29.757	58.4	42.4	50.4	+1.1	67	8th	35	13th, 22nd		
		June	29.576	57.9	47.9	52.9	-2.8	71	23rd	39	17th		
		July	29.748	63.4	51.1	57.3	-1.4	72	14th	43	23rd		
		Aug.	29.487	59.3	47.3	53.3	-4.2	68	16th, 18th	40	21st		
		Sept.	29.977	57.4	44.4	50.9	-2.6	69	16th	35	9th		
		Oct.	29.630	51.7	39.2	45.5	-1.0	59	7th	30	21st		
		Nov.	29.650	46.2	36.0	41.1	+0.4	55	7th, 8th	18	29th		
		Dec.	29.382	44.7	34.3	39.5	+2.0	54	11th	22	1st, 3rd		
Year	29.630			46.2		69		15					
DUNDEE HAR- BOUR— J. H. Thompson, F.R.S.E.	20	Jan.	29.877	42.2	34.3	38.3	+0.5	51	1st	26	29th, 30th		
		Feb.	29.547	43.8	34.9	39.4	-0.1	54	29th	20	3rd		
		Mch.	29.482	49.4	38.4	43.9	+2.6	58	25th	34	16th, 17th		
		Apl.	30.066	53.9	40.3	47.1	+0.8	63	14th 15th 16th	31	12th		
		May	29.918	58.4	44.3	51.4	+1.1	67	7th, 9th	40	4th, 13th, 22nd		
		June	29.734	59.1	48.8	54.0	-2.7	69	23rd	42	17th		
		July	29.909	62.5	51.4	57.0	-2.3	77	17th	48	23rd		
		Aug.	29.643	59.5	48.8	54.2	-4.8	66	17th	43	9th		
		Sept.	30.133	57.5	45.7	51.6	-3.2	68	16th	39	9th		
		Oct.	29.778	52.4	41.4	46.9	-1.5	59	7th	35	21st		
		Nov.	29.814	47.4	37.5	42.5	+0.4	59	22nd	22	29th		
		Dec.	29.549	45.4	36.2	40.8	+1.8	55	11th	25	1st		
Year	29.788	47.3	...	77		20					
BALRUDDERY— G. Davie, for J. Martin White.	280	Jan.	29.562	41.5	31.9	36.7	-0.2	52	1st	21	8th, 29th, 30th		
		Feb.	29.244	43.7	33.1	38.4	+0.4	53	29th	15	5th		
		Mch.	29.176	49.7	35.8	42.8	+2.7	60	25th, 26th	30	16th, 21st, 23rd		
		Apl.	29.781	56.4	36.6	46.5	+1.8	69	21st	25	12th		
		May	29.616	60.1	39.8	50.0	+0.7	68	7th	33	13th		
		June	29.439	60.4	46.5	53.5	-2.2	70	23rd	35	17th		
		July	29.625	65.7	48.9	57.3	-1.6	75	14th	40	23rd		
		Aug.	29.348	60.1	45.4	52.8	-4.2	68	18th	35	27th		
		Sept.	29.839	58.3	41.5	49.9	-4.2	70	16th	32	9th		
		Oct.	29.487	52.7	36.8	44.8	-1.6	61	8th	27	21st		
		Nov.	29.509	47.3	34.5	40.9	+0.2	59	6th	16	29th		
		Dec.	29.250	44.3	32.5	38.4	+1.3	53	13th, 15th	19	1st		
Year	29.490			46.0		75		15					
KETTINS— W. Andrew, The Schoolhouse.	218	Jan.	...	39.8	30.0	34.9	...	51	1st	17	8th		
		Feb.	...	43.0	31.2	37.1	...	53	28th	10	5th		
		Mch.	...	48.4	35.6	42.0	...	57	13th, 25th	25	16th		
		Apl.	...	56.6	36.0	46.3	...	68	24th	23	12th		
		May	...	59.8	39.3	49.6	...	68	7th	30	23rd		
		June	...	60.8	46.8	53.8	...	70	23rd	35	17th		
		July	...	66.5	49.1	57.8	...	76	14th	40	23rd		
		Aug.	...	60.5	44.8	52.7	...	70	7th	33	26th		
		Sept.	...	58.1	41.3	49.7	...	69	16th	32	12th 22nd 25th		
		Oct.	...	51.7	36.9	44.3	...	59	7th	27	21st		
		Nov.	...	45.3	33.2	39.3	...	55	6th	12	29th		
		Dec.	...	44.8	32.1	38.5	...	54	11th, 13th	18	1st, 3rd		
Year				45.5		76		10					

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
PERTH— A. M. Rodger, The Museum.	85	Jan.	29.799	41.0	31.4	36.2	-1.1	54	1st	15	30th
		Feb.	29.476	43.8	32.7	38.3	+0.1	54	29th	10	4th, 5th
		Mar.	29.406	50.2	36.8	43.5	+3.7	60	25th	26	16th, 23rd
		Apl.	30.009	58.3	37.1	47.7	+2.5	71	24th	25	12th
		May	29.834	61.2	41.8	51.5	+1.9	69	10th	31	25th
		June	29.654	62.5	48.5	55.5	-0.4	72	23rd	36	17th
		July	29.834	68.0	50.6	59.3	+0.7	79	14th	42	23rd
		Aug.	29.569	61.2	46.2	53.7	-3.9	68	16th, 18th	34	26th
		Sept.	30.062	59.7	42.9	51.3	-2.0	73	16th	33	9th, 12th, 27th
		Oct.	29.711	53.2	37.6	45.4	-1.0	67	13th	28	4th, 22nd
		Nov.	29.740	47.7	35.2	41.5	+0.6	57	15th	12	30th
		Dec.	29.474	45.9	34.1	40.0	+2.1	56	11th, 14th	16	1st, 2nd, 3rd
		Year	29.714			47.0		79		10	
CRIEFF— Dr. Meikle and G. Reid.	436	Jan.	29.398	40.2	31.1	35.7	-1.1	52	1st	20	8th
		Feb.	29.084	42.9	32.8	37.9	0.0	52	29th	13	5th
		Mar.	29.013	48.3	35.7	42.0	+1.9	58	25th	29	23rd
		Apl.	29.609	56.6	37.3	47.0	+2.2	69	24th	26	12th
		May	29.450	58.9	41.6	50.3	+0.2	68	28th	35	26th
		June	29.275	60.8	47.3	54.1	-2.1	71	26th	38	17th
		July	29.457	66.5	50.0	58.3	-0.5	78	14th	45	11th, 18th, 31st
		Aug.	29.195	59.9	45.7	52.8	-4.7	67	15th, 16th	38	26th
		Sept.	29.670	58.5	43.5	51.0	-2.4	72	16th	36	27th
		Oct.	29.322	51.3	38.2	44.8	-1.6	61	8th	30	21st
		Nov.	29.348	46.7	35.3	41.0	0.0	58	15th	15	29th
		Dec.	29.085	44.2	33.6	38.9	+1.8	55	14th	20	1st
		Year	29.326			46.2		78		13	
STRONVAR— G. Dickson, for J. Carnegie.	422	Jan.	29.399	40.4	29.6	35.0	-1.6	50	1st, 2nd, 13th	15	29th, 30th
		Feb.	29.067	42.1	31.6	36.9	0.0	52	29th	10	5th
		Mar.	28.996	46.1	35.4	40.8	+2.0	55	25th	24	23rd
		Apl.	29.587	57.3	35.2	46.3	+2.4	72	24th	23	12th
		May	29.430	58.0	38.8	48.4	-0.1	67	28th	29	13th
		June	29.237	61.1	45.2	53.2	-1.5	71	26th	34	17th
		July	29.429	66.4	47.4	56.9	-0.1	79	15th	43	1st, 15th
		Aug.	29.179	59.5	43.8	51.7	-4.3	65	14th 15th 18th	34	31st
		Sept.	29.666	58.5	40.0	49.3	-2.7	69	16th	31	12th
		Oct.	29.307	51.8	35.9	43.9	-1.7	59	8th	26	22nd
		Nov.	29.346	47.6	33.8	40.7	+0.9	56	5th, 15th, 21st	10	29th, 30th
		Dec.	29.078	45.0	33.5	39.3	+2.4	55	4th	12	3rd
		Year	29.310			45.2		79		10	
CUPAR— A. R. Turnbull, M.D., Fife and Kinross Asy- lum.	210	Jan.	...	42.2	32.2	37.2	+0.1	53	1st	20	29th, 30th
		Feb.	...	45.4	32.7	39.1	+1.2	52	17th	12	5th
		Mar.	...	49.3	37.2	43.3	+3.4	55	26th	29	16th, 23rd
		Apl.	...	54.5	38.0	46.3	+2.2	66	21st	25	12th
		May	...	57.5	41.2	49.4	+0.3	66	28th	33	25th
		June	...	58.8	47.2	53.0	-2.7	68	23rd	39	15th
		July	...	64.2	50.0	57.1	-0.7	75	14th	40	23rd
		Aug.	...	58.9	46.4	52.7	-4.1	65	17th 18th 19th	38	26th, 31st
		Sept.	...	56.7	42.7	49.7	-3.2	71	16th	36	12th
		Oct.	...	52.3	38.6	45.5	-1.0	59	7th, 10th	28	21st
		Nov.	...	46.8	35.9	41.4	+1.6	55	6th, 7th	14	29th
		Dec.	...	47.8	34.1	41.0	+2.8	53	11th, 14th	19	1st
		Year	...			46.3		75		12	

HYGROMETER.				CLOUD. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.												
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow. Hail.	Thunderstorm Clear Sky.	Overcast.	Fog.	Gale.	Number of Observations at 9 A.M. and 9 P.M.												
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.						N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.				
°	°	Inch.	%			Inch.	Inch.	Inch.																			
35.1	1.5	.175	85	6.1	17	2.88	-0.11	0.80	8th	4	0	0	4	11	4	1	12	9	6	6	5	6	8	5	5	5	
37.3	1.6	.192	87	6.5	16	2.55	-0.03	0.40	18th	0	0	0	3	15	8	1	6	6	10	2	6	7	6	7	8		
41.4	2.1	.218	84	5.2	21	2.62	+0.28	0.43	18th	0	1	1	5	5	1	1	2	0	8	12	7	14	9	7	3		
45.8	3.5	.233	76	4.7	5	0.22	-1.90	0.09	4th	0	0	0	7	6	2	4	4	7	10	4	2	18	7	6	2		
50.8	4.2	.270	73	6.0	10	1.29	-0.91	0.56	8th	0	0	0	3	8	0	0	1	13	12	3	4	14	7	5	3		
54.1	2.7	.343	81	8.0	25	3.14	+1.03	0.59	15th	0	0	3	0	17	0	0	1	10	15	12	4	7	3	4	4		
57.4	3.3	.376	80	6.1	8	1.99	-1.03	0.57	25th	0	0	3	3	10	0	1	4	4	9	14	3	19	1	8	0		
53.3	2.6	.336	82	6.5	19	3.82	+0.51	1.24	4th	0	0	1	2	10	0	1	3	8	10	5	1	16	6	12	1		
49.5	2.6	.290	82	5.1	7	2.19	-0.64	0.87	30th	0	0	0	8	9	1	1	2	8	13	8	2	8	8	9	2		
43.7	2.0	.242	85	5.8	15	3.24	+0.14	0.82	30th	0	0	0	3	10	4	1	3	6	6	5	3	19	5	8	7		
40.1	2.2	.204	82	4.3	10	2.05	-0.85	0.97	24th	1	0	0	8	5	3	2	8	4	4	0	5	18	6	13	2		
40.1	2.0	.208	84	5.8	25	4.11	+0.95	0.68	13th	4	0	0	3	8	2	4	5	1	3	8	7	18	15	0	5		
					178	30.10		1.24																			
35.4	0.8	.192	93	7.6	23	4.32	-0.14	0.84	8th	6	0	0	1	17	0	0	9	4	22	3	1	4	12	7	0		
37.8	1.1	.206	91	7.5	18	4.31	+1.04	0.70	22nd	2	0	0	1	16	2	1	7	5	21	4	1	4	13	3	0		
40.8	1.8	.217	86	7.3	24	4.43	+1.51	0.79	16th	1	0	0	0	12	0	3	1	2	15	6	2	4	26	6	0		
46.1	3.8	.230	74	6.1	6	0.58	-1.70	0.31	4th	0	0	0	2	9	0	4	2	2	22	2	2	1	24	5	0		
50.0	3.9	.267	75	7.6	15	1.35	-1.00	0.48	8th	0	0	1	1	18	0	0	6	8	21	0	0	2	21	4	0		
52.9	2.3	.339	85	8.9	24	5.39	+2.49	0.97	15th	0	0	4	0	24	0	0	4	19	4	11	6	9	3	0			
56.6	3.2	.367	79	6.8	15	2.29	-0.87	0.62	28th	0	0	3	0	12	0	0	3	0	35	2	3	5	14	0			
52.4	2.6	.326	83	8.4	17	4.61	+0.62	1.44	4th	0	0	1	0	22	0	1	5	4	27	0	3	2	14	7			
50.1	2.7	.294	81	5.9	8	2.75	-0.52	0.82	30th	0	0	0	4	10	0	2	9	6	20	2	0	2	15	6			
44.4	1.9	.251	86	7.2	18	4.15	+0.05	1.11	13th	0	0	0	1	14	0	2	5	4	23	3	1	3	23	0			
40.5	1.9	.213	85	6.1	16	2.90	-1.50	0.82	24th	0	0	0	2	9	0	4	10	0	7	0	0	2	31	10			
39.5	1.2	.218	90	8.8	27	9.47	+5.16	0.91	19th	4	1	0	0	23	0	3	2	1	1	0	4	13	32	9			
					211	46.56		1.44																			
34.2	7.6	15	8.89	-0.39	1.82	16th	5	0	0	4	18	0	0	2	11	1	24	2	8	2	12	0		
36.4	7.3	18	8.23	+1.28	1.53	27th	2	0	0	3	14	1	1	3	6	2	18	1	20	2	6	0		
41.2	8.2	24	8.23	+2.07	1.00	17th	2	0	2	1	19	0	2	4	5	3	7	2	25	1	15	0		
45.8	3.2	.239	78	6.3	11	3.26	-1.01	1.80	4th	0	0	0	2	12	0	2	6	2	0	14	3	17	3	15	0		
47.0	2.8	.257	80	6.9	9	2.58	-1.33	0.67	8th	0	0	1	2	15	0	0	5	9	5	12	1	18	1	11	0		
52.0	2.3	.328	84	9.5	23	8.06	+4.12	0.87	2nd	0	0	4	0	27	0	0	1	7	2	17	3	21	4	5	0		
57.2	2.9	.383	82	7.9	13	2.98	-1.63	0.77	28th	0	0	1	1	20	1	0	1	16	2	18	2	20	0	3	0		
51.1	2.0	.325	86	9.0	22	4.70	-1.19	1.52	4th	0	0	2	0	23	0	0	6	13	0	12	2	11	1	17	0		
48.3	2.5	.279	83	6.4	8	3.49	-2.88	1.23	3rd	0	0	0	3	12	1	1	2	8	4	19	0	7	3	17	0		
43.0	2.0	.234	84	7.2	19	8.20	+0.66	1.00	13th	9	0	0	2	15	1	1	4	9	0	13	0	22	1	13	0		
39.7	1.7	.210	86	7.6	13	7.43	-0.18	2.00	24th	3	0	0	3	18	1	1	17	2	0	2	1	22	3	13	0		
39.6	1.3	.217	89	8.9	27	24.95	+15.73	4.35	19th	7	0	0	0	23	0	6	1	5	2	6	1	30	6	11	0		
					202	91.00		4.35																			
...	13	2.30	-0.01	0.60	16th	5	1	0	2	13	12	5	5	10	4	6	12	8	0	
...	15	2.04	+0.06	0.35	19th	8	3	14	8	6	9	7	3	0		
...	18	2.33	+0.49	0.34	17th	8	2	7	5	4	9	19	8	0		
...	3	0.15	-1.73	0.07	4th	12	2	11	3	1	0	21	6	4		
...	7	1.39	-0.50	0.60	15th	6	0	17	3	5	0	20	9	2		
...	28	3.86	+1.96	0.60	15th	0	4	22	6	5	2	18	3	0		
...	10	2.80	+0.21	0.50	25th, 28th	0	0	4	2	0	2	4	22	5	3	2	19	0		
...	7.0	20	4.72	+1.51	1.24	4	0	22	5	1	2	13	10	5		
...	5.2	6	2.64	-0.20	1.55	9	1	17	6	3	3	12	9	0		
...	7.1	16	3.37	+0.75	0.90	9	5	6	5	5	4	24	4	0		
...	5.2	15	1.76	-0.83	0.50	15	0	0	2	0	6	20	17	0		
...	23	3.30	+0.52	0.43	13th	7	0	2	2	4	15	19	13	0		
					174	30.66		1.55																			

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Maximum.	Minimum.						
COLINSBURGH— Rev. Robert Dick	147	Jan.	29.730	41.4	34.5	38.0	+0.7	53	1st	23	30th
		Feb.	29.412	43.6	35.1	39.4	+1.4	53	28th	15	5th
		Mar.	29.342	49.0	37.9	43.5	+3.5	59	25th	29	16th
		Apl.	29.936	56.0	38.9	47.5	+2.7	68	21st	27	12th
		May	29.772	59.7	42.0	50.9	+1.4	69	7th 8th 28th	36	14th, 25th
		June	29.591	60.1	47.4	53.8	-1.6	72	23rd	40	17th
		July	29.779	64.8	51.0	57.9	-0.2	72	14th, 26th	42	23rd
		Aug.	29.505	60.3	47.7	54.0	-3.3	67	8th, 16th	39	31st
		Sept.	29.992	58.6	43.9	51.3	-2.1	67	17th	35	9th
		Oct.	29.644	52.4	41.2	46.8	0.0	61	7th, 10th	30	21st
		Nov.	29.671	45.9	37.0	41.5	+1.0	55	7th	21	30th
		Dec.	29.421	44.1	36.4	40.3	+2.7	52	11th	22	1st
		Year	29.650			47.1		72		15	
BUCHLYVIE— Rev. J. A. Mac- donald.	125	Jan.	29.471	40.6	31.6	36.1	-1.2	51	1st	16	29th
		Feb.	29.428	43.5	32.5	38.0	+0.2	54	29th	10	4th
		Mar.	29.365	48.2	36.4	42.3	+2.6	55	13th 25th 27th	26	23rd
		Apl.	29.954	56.3	38.9	47.6	+3.3	70	24th	24	12th
		May	29.784	61.4	41.6	51.5	+2.2	68	24th 26th 28th	34	23rd, 26th
		June	29.601	62.9	47.8	55.4	0.0	71	26th	38	17th
		July	29.777	68.8	49.3	59.1	+1.7	78	14th	42	19th
		Aug.	29.524	61.1	45.8	53.5	-3.5	67	8th, 14th	35	3rd, 31st
		Sept.	30.008	59.8	41.5	50.7	-2.8	70	16th	30	9th
		Oct.	29.664	51.5	36.8	44.2	-2.1	59	5th 8th, 13th	27	3rd
		Nov.	29.714	47.0	36.0	41.5	+1.9	56	5th	14	30th
		Dec.	29.440	45.4	34.6	40.0	+2.8	54	11th, 13th 14th	14	3rd
		Year	29.667			46.7		78		10	
HELENSBURGH— James Andrew, Water Trust.	18	Jan.	...	41.2	32.5	36.9	-2.0	51	1st	20	28th, 29th
		Feb.	...	45.0	34.6	39.8	+1.1	54	17th	13	3rd
		Mar.	...	49.4	37.7	43.6	+3.1	55	25th, 27th	27	22nd
		Apl.	...	57.6	40.1	48.9	+3.7	73	24th	25	12th
		May	...	60.6	42.7	51.7	+1.6	68	26th	34	12th
		June	...	63.8	48.0	55.9	+0.5	72	26th	36	17th
		July	...	69.7	49.8	59.8	+2.3	85	16th	40	19th
		Aug.	...	61.7	46.1	53.9	-3.2	68	16th	36	27th
		Sept.	...	59.2	43.9	51.6	-1.9	66	2nd, 11th, 18th	31	9th
		Oct.	...	52.0	39.7	45.9	-0.7	60	8th	28	3rd, 22nd
		Nov.	...	47.5	36.3	41.9	+0.7	57	5th	15	30th
		Dec.	...	46.1	36.6	41.4	+2.6	51	8th, 10th	17	1st
		Year				47.6		85		43	
DUMBARTON— William Denny and Brothers.	27	Jan.	29.846	42.6	33.8	38.2	-1.0	52	1st	21	30th, 31st
		Feb.	29.538	44.8	34.2	39.5	+0.3	53	28th	14	4th
		Mar.	29.471	49.0	39.6	44.3	+3.2	59	27th	29	23rd
		Apl.	30.068	56.4	41.3	48.9	+3.0	69	23rd, 24th	28	12th
		May	29.895	59.1	44.7	51.9	+1.6	65	26th	34	27th
		June	29.697	61.6	50.1	55.9	-0.3	67	26th	41	17th
		July	29.886	67.0	52.0	59.5	+1.2	75	15th	44	19th
		Aug.	29.643	60.6	48.5	54.6	-3.2	39	3rd
		Sept.	30.131	58.8	44.8	51.8	-2.5	34	9th
		Oct.	29.752	52.9	40.5	46.7	-0.8	29	3rd
		Nov.	29.831	49.0	38.6	43.8	+2.1	56	7th	17	30th
		Dec.	29.561	48.2	37.1	42.7	+3.4	55	13th	20	1st, 3rd
		Year	29.776			48.1				14	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.								
ARDTORNISH— E. Matthews, for G. Craig Sellar.	Feet. 40	Jan.	29·829	42·9	32·8	37·9	...	53	1st	21	30th
		Feb.	29·491	45·8	34·3	40·1	...	53	22nd	16	4th
		Mch.	29·435	48·8	37·1	43·0	...	56	14th	28	23rd
		Apl.	30·062	54·7	39·3	47·0	...	70	24th	26	12th
		May	29·895	58·2	42·5	50·4	...	66	30th	33	13th
		June	29·693	61·9	47·6	54·8	...	68	26th	37	17th
		July	29·884	65·2	48·4	56·8	...	73	22nd	40	19th
		Aug.	29·636	60·9	43·8	52·4	...	70	25th	35	3rd, 31st
		Sept.	30·122	60·3	43·3	51·8	...	70	19th	34	9th
		Oct.	29·744	52·6	37·9	45·3	...	58	10th 11th 12th	25	3rd
		Nov.	29·815	47·8	36·4	42·1	...	55	7th, 22nd	15	29th, 30th
		Dec.	29·495	47·6	35·2	41·4	...	54	4th	16	1st
		Year	29·758			46·9		73		15	
LOCHBUIE— E. Lovesey, for The MacLaine of Lochbuie.	20	Jan.	...	42·7	34·5	38·6	-2·1	50	1st	25	8th, 30th
		Feb.	...	44·7	35·6	40·2	+0·3	52	23rd	19	4th
		Mch.	...	48·4	38·7	43·6	+2·5	52	14th, 28th	31	23rd
		Apl.	...	55·7	40·5	48·1	+3·1	67	25th	26	12th
		May	...	55·9	43·3	49·6	-0·4	62	31st	37	19th
		June	...	59·7	48·5	54·1	-0·9	65	13th	38	17th
		July	...	63·7	49·8	56·8	-0·2	70	17th	45	4th, 5th
		Aug.	...	59·2	46·1	52·7	-4·0	64	26th	36	31st
		Sept.	...	57·7	45·3	51·5	-2·4	63	16th	40	9th, 13th
		Oct.	...	52·5	41·6	47·1	-1·3	58	1st, 9th	30	3rd
		Nov.	...	47·8	39·4	43·6	-0·4	53	16th	19	30th
		Dec.	...	47·4	36·8	42·1	+0·8	53	14th	17	1st
		Year				47·3		70		17	
OBAN— Edwin Bailey, M.D., M.O.H.	20	Jan.	29·850	45·2	33·8	39·5	-1·3	55	1st	22	30th
		Feb.	29·523	45·7	34·6	40·2	-0·1	54	22nd	17	4th
		Mch.	29·476	48·8	39·3	44·1	+2·8	52	2nd, 11th, 25th	28	23rd
		Apl.	30·070	54·8	40·8	47·8	+2·2	70	23rd	28	12th
		May	29·909	57·1	44·5	50·8	+0·8	62	8th	34	13th
		June	29·702	60·5	49·0	54·8	-0·2	66	23rd	40	17th
		July	29·888	64·5	51·0	57·8	+0·9	71	25th	45	19th
		Aug.	29·635	60·4	47·6	54·0	-3·0	65	17th	39	3rd, 27th
		Sept.	30·139	58·4	46·8	52·6	-1·1	62	2nd, 23rd	36	9th
		Oct.	29·777	54·1	42·6	48·4	-0·2	60	10th	31	3rd, 22nd
		Nov.	29·811	48·6	39·9	44·3	+0·5	55	22nd	18	30th
		Dec.	29·502	48·4	38·1	43·3	+1·7	55	5th	21	1st, 3rd
		Year	29·773			48·1		71		17	
POLTALLOCH— D. S. Melville, for Colonel Malcolm.	135	Jan.	29·711	41·5	32·4	37·0	-2·2	52	1st	22	8th, 27th
		Feb.	29·412	44·1	33·5	38·8	-0·4	50	22nd, 28th	16	4th
		Mch.	29·335	47·6	38·5	43·1	+2·4	52	14th	29	23rd
		Apl.	29·962	53·9	40·7	47·3	+2·2	66	23rd, 24th	26	12th
		May	29·780	56·3	43·8	50·1	0·0	60	10th	33	13th
		June	29·583	60·2	49·6	54·9	-1·1	65	5th	37	17th
		July	29·771	64·0	50·8	57·4	-0·4	70	25th	43	5th
		Aug.	29·524	58·8	47·0	52·9	-4·6	63	18th	35	27th
		Sept.	30·008	56·2	45·5	50·9	-3·2	61	18th	33	9th
		Oct.	29·636	51·4	41·4	46·4	-1·1	58	13th	25	3rd
		Nov.	29·726	46·7	38·4	42·6	-0·3	53	7th, 8th	17	30th
		Dec.	29·408	46·7	36·9	41·8	+2·3	53	13th, 14th	19	1st
		Year	29·655			46·9		70		16	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.											
Mean at 9 A.M. and 9 P.M.					Scale 0-10.	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations at 9 A.M. and 9 P.M.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	alm or Variable.
37.1	1.5	.192	87	6.7	20	7.95	...	1.70	16th	6	1	0	3	12	5	2	5	5	6	11	7	2	7	4	15	
39.2	1.6	.208	87	6.5	19	5.73	...	1.10	22nd	4	0	0	3	11	0	2	8	3	2	9	16	8	3	7	1	8
42.7	2.1	.230	84	6.6	27	8.17	...	1.05	16th	3	2	1	2	11	2	3	9	2	2	13	15	6	8	7	7	7
47.0	3.0	.253	79	5.9	15	6.36	...	1.78	4th	2	1	1	4	8	0	2	6	4	4	8	3	8	7	14	4	0
51.2	3.6	.288	77	6.6	21	2.98	...	0.46	1st	0	0	0	1	10	0	0	3	2	4	3	7	4	12	10	17	4
54.4	2.6	.351	83	7.8	27	5.71	...	0.59	22nd	0	0	2	0	12	0	0	12	5	1	6	9	8	5	4	20	2
57.7	3.2	.378	79	6.0	14	3.86	...	0.75	28th	0	0	2	1	5	0	0	3	1	3	8	10	3	3	9	22	1
52.8	2.5	.333	83	6.7	19	4.30	...	0.54	28th	0	0	1	1	9	0	0	8	6	3	5	3	1	6	12	18	1
51.2	2.7	.309	82	5.5	10	5.44	...	2.27	3rd	0	0	0	0	3	15	5	2	8	3	2	14	0	5	4	8	16
46.1	2.1	.264	85	6.7	23	7.53	...	1.04	27th	1	1	1	2	13	3	1	1	1	0	5	6	16	10	2	5	16
42.2	1.5	.237	89	7.0	27	10.77	...	1.53	26th	4	3	0	3	13	6	2	11	2	0	0	3	5	16	10	13	6
42.4	1.7	.235	87	8.0	30	14.83	...	1.25	4th	4	4	2	1	16	1	8	0	2	0	5	16	22	7	6	4	4
					252	83.63		2.27																		
38.9	1.8	.202	86	...	20	5.89	...	0.92	12th	2	1	0	0	1	4	30	6	4	4	6	0	8	0	0
40.3	1.4	.221	89	...	16	5.44	...	1.45	18th	1	0	0	0	0	8	16	12	8	4	8	2	0	0	0
44.0	2.3	.238	82	5.2	27	9.59	...	1.23	12th	4	10	4	8	12	14	8	2	0	0
47.9	3.1	.262	80	...	16	7.21	...	2.10	4th	1	1	0	1	2	6	2	10	2	16	14	6	4	0	0
51.5	3.3	.298	78	...	16	4.72	...	1.10	1st	0	0	0	0	0	10	10	6	0	8	14	10	4	0	0
54.5	2.4	.357	84	...	22	7.90	...	1.70	21st	0	0	1	0	0	10	10	2	16	8	12	2	0	0	0
57.5	3.5	.372	78	...	12	4.95	...	1.22	28th	0	0	1	1	0	16	2	6	10	10	12	2	4	0	0
54.2	3.5	.325	77	...	17	5.27	...	1.02	28th	0	0	0	0	0	18	8	6	2	4	8	4	12	0	0
52.0	2.3	.328	84	...	8	5.74	...	2.56	3rd	0	0	0	0	1	12	26	0	4	2	10	4	2	0	0
48.1	2.2	.282	84	...	22	10.83	...	2.15	15th	0	0	1	0	3	16	12	12	6	8	10	0	8	0	0
44.4	1.7	.255	88	...	25	12.35	...	1.62	24th	3	4	0	0	2	16	4	0	0	6	20	6	8	0	0
43.9	1.0	.265	92	6.7	30	18.21	...	2.06	3rd	2	1	2	0	10	0	4	4	4	6	12	10	18	4	4	0	0
					231	98.10		2.56																		
39.8	2.1	.204	84	...	21	4.70	...	0.80	15th	5	1	0	0	1	5	9	10	4	6	8	2	1	17	0
41.1	0.9	.238	93	...	17	3.48	...	1.02	27th	1	0	0	0	0	4	8	12	12	10	10	2	0	0	0
44.9	3.1	.231	78	...	27	5.95	...	1.45	30th	1	7	2	0	0	0	2	2	10	10	19	7	10	2	0
49.4	4.7	.245	69	...	15	3.53	...	1.01	4th	2	2	0	0	1	5	7	2	3	24	10	2	2	5	0
52.6	4.7	.280	71	...	18	2.98	...	0.61	8th	0	0	0	0	0	6	4	5	6	12	14	7	7	1	0
56.4	3.8	.350	77	...	26	5.30	...	0.94	21st	0	0	4	0	0	2	4	3	13	21	9	7	0	1	0
59.4	4.7	.368	73	...	14	2.43	...	0.70	28th	0	0	1	0	0	4	5	4	5	17	7	10	3	7	0
55.7	4.1	.333	75	...	16	3.81	...	1.02	5th	0	0	0	1	0	0	2	9	2	7	5	5	7	16	9
53.5	4.4	.297	73	5.1	9	3.24	...	1.55	3rd	0	0	0	5	3	0	0	2	3	0	17	10	6	6	6	10	0
49.0	3.4	.268	77	6.1	24	5.76	...	0.84	15th	0	0	0	5	8	0	0	0	2	4	12	20	10	7	2	5	0
44.7	2.5	.240	82	5.7	24	6.05	...	0.88	24th	3	2	0	3	4	0	1	10	2	2	0	7	16	7	9	7	0
44.6	2.0	.250	85	7.0	31	13.99	...	1.64	13th	4	4	1	0	12	0	2	2	0	0	0	15	17	15	6	7	0
					242	61.04		1.64																		
37.4	1.1	.202	91	7.8	20	7.65	+2.44	1.92	16th	4	0	0	1	16	0	1	8	9	1	15	6	11	5	0	7	0
39.5	1.1	.220	91	6.5	17	4.16	+0.15	1.02	27th	1	0	1	4	14	0	1	4	3	2	6	6	13	9	1	14	0
42.7	1.9	.234	86	7.0	27	5.86	+2.18	0.65	30th	1	2	0	1	15	0	0	4	3	1	12	12	6	8	7	9	0
47.5	2.5	.269	82	6.0	13	3.75	+1.07	1.34	4th	1	1	0	4	11	0	1	4	6	1	5	8	9	11	3	13	0
51.1	3.3	.293	78	7.2	14	2.13	-0.46	0.50	8th	0	0	0	1	14	0	0	3	9	2	6	11	6	14	7	4	0
54.2	1.8	.369	88	8.2	25	5.71	+2.53	0.98	21st	0	0	0	1	0	16	0	0	0	7	11	3	7	13	7	4	8
57.4	2.9	.387	82	5.8	12	2.64	-1.54	0.54	28th	0	0	0	3	8	0	0	3	11	0	6	8	6	15	4	9	0
52.8	1.8	.350	87	8.3	19	3.97	-0.78	0.87	28th	0	0	0	0	21	0	0	10	8	5	5	10	4	10	3	7	0
50.9	1.9	.324	87	6.0	10	4.87	-0.32	2.43	3rd	0	0	0	4	13	0	1	4	10	0	8	10	9	6	5	8	0
46.5	1.9	.272	86	7.0	23	6.11	+0.52	1.17	15th	0	0	0	4	15	0	1	3	2	2	5	6	19	12	5	8	0
42.9	1.1	.253	91	8.1	22	6.76	+1.40	0.99	25th	1	1	0	1	20	0	1	9	4	0	0	1	11	19	8	8	0
42.8	0.9	.256	93	8.5	29	12.20	+6.50	1.15	24th	2	4	2	0	21	0	2	1	2	0	2	6	23	21	3	4	0
					231	65.81		2.43																		

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
ROTHESAY— D. Penney, Glen- burn Hydro.	76	Jan.	29.784	42.9	35.0	39.0	-0.2	55	1st	25	30th
		Feb.	29.471	44.9	37.0	41.0	+1.4	51	17th 23rd 29th	22	4th
		Mch.	29.423	48.2	38.9	43.6	+2.9	55	25th	30	23rd
		Apl.	30.029	55.4	41.4	48.4	+3.1	69	24th	29	12th
		May	29.850	58.8	44.4	51.6	+1.7	66	28th	37	13th 19th 20th
		June	29.655	61.4	49.1	55.3	+0.1	69	7th	39	17th
		July	29.831	67.0	51.3	59.2	+1.8	77	16th	46	11th, 19th
		Aug.	29.583	60.9	47.4	54.2	-2.5	66	16th	40	27th, 28th
		Sept.	30.071	59.2	45.7	52.5	-1.2	65	18th	38	9th
		Oct.	29.707	53.1	41.7	47.4	-0.1	59	6th, 8th, 13th	32	20th, 22nd
		Nov.	29.787	48.3	39.5	43.9	+1.3	56	22nd	20	30th
		Dec.	29.493	47.5	38.5	43.0	+3.0	54	13th, 14th	24	1st
		Year	29.724			48.3		77		20	
GREENOCK— D. Macalister, C.E., Water Trust.	238	Jan.	29.628	41.9	32.5	37.2	-1.5	53	1st	24	29th, 30th
		Feb.	29.297	44.8	33.4	39.1	+0.4	55	23rd	17	4th, 5th
		Mch.	29.246	48.4	37.3	42.9	+2.7	56	25th	31	23rd
		Apl.	29.847	55.2	39.8	47.5	+3.0	67	22nd 23rd 24th	29	12th
		May	29.663	57.8	43.0	50.4	+1.1	64	8th, 26th	37	13th
		June	29.481	60.7	48.1	54.4	-0.6	67	23rd, 26th	39	17th
		July	29.663	66.0	50.4	58.2	+0.8	75	15th	46	19th
		Aug.	29.420	59.6	46.8	53.2	-3.9	66	16th	40	3rd
		Sept.	29.891	57.7	44.0	50.9	-2.5	63	2nd, 14th, 18th	36	9th
		Oct.	29.557	52.3	40.9	46.6	-0.3	60	8th, 9th, 10th	33	3rd 21st 22nd
		Nov.	29.615	47.9	37.5	42.7	+0.9	56	7th	21	30th
		Dec.	29.216	47.6	35.6	41.6	+2.2	55	13th	22	1st
		Year	29.544			47.1		75		17	
PAISLEY— D. Maclean, The Coats Observatory.	107	Jan.	29.767	42.1	33.3	37.7	-1.2	53	1st	21	29th
		Feb.	29.424	45.0	34.3	39.7	+0.8	53	29th	14	4th
		Mch.	29.390	50.5	37.5	44.0	+3.7	58	25th	28	23rd
		Apl.	30.000	57.1	39.5	48.3	+3.2	70	24th	27	12th
		May	29.819	60.4	43.1	51.8	+1.1	69	28th	38	23rd, 25th
		June	29.622	62.3	48.9	55.6	-0.8	72	26th	39	17th
		July	29.809	68.3	50.5	59.4	+0.7	77	14th, 15th	44	19th
		Aug.	29.553	61.8	46.6	54.2	-3.8	68	16th, 18th	39	3rd
		Sept.	30.043	59.9	43.3	51.6	-2.8	69	16th	35	9th
		Oct.	29.698	53.8	39.1	46.5	-1.2	62	9th	30	3rd, 22nd
		Nov.	29.759	48.2	37.6	42.9	+0.6	57	5th	17	30th
		Dec.	29.481	47.3	37.2	42.2	+2.7	56	14th	20	3rd
		Year	29.697			47.8		77		14	
KILMARNOCK (Agricultural Coll.)— Prof. Berry.	90	Jan.	...	41.7	31.9	36.8	-2.6	53	1st	19	29th
		Feb.	...	45.6	33.8	39.7	+0.4	53	28th	12	3rd, 4th
		Mch.	...	48.6	38.8	43.7	...	54	25th	30	23rd
		Apl.	...	55.7	39.2	47.5	+2.3	71	23rd	27	12th, 28th
		May	...	59.0	42.8	50.9	...	64	8th, 28th	32	13th
		June	...	61.9	49.1	55.5	...	68	12th	37	17th
		July	...	67.0	50.1	58.6	-0.1	76	15th	37	19th
		Aug.	...	60.5	46.0	53.3	-4.4	68	14th	34	27th, 28th
		Sept.	...	58.4	42.4	50.4	-3.3	66	18th	29	11th
		Oct.	...	52.7	39.6	46.2	-1.1	61	10th	22	3rd
		Nov.	...	47.1	36.5	41.8	-0.7	56	5th	6	30th
		Dec.	...	47.5	36.7	42.1	+2.9	54	4th, 11th, 13th	11	1st
		Year				47.2		76		6	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
TURNBERRY— F. Grosser and J. Richards	97	Jan.	29.784	43.3	35.2	39.3	-0.8	52	1st	25	29th	
		Feb.	29.469	45.8	36.5	41.2	+0.7	52	17th, 28th	19	4th	
		Mch.	29.418	48.6	39.4	44.0	+2.8	58	26th	34	16th, 20th	
		Apl.	30.027	52.6	41.8	47.7	+2.5	64	22nd	30	12th	
		May	29.847	57.1	44.4	50.8	+1.6	63	8th	32	23rd	
		June	29.639	60.3	49.9	55.1	+0.6	66	23rd	44	17th	
		July	29.827	64.6	51.6	58.1	+0.6	71	25th	43	19th	
		Aug.	29.562	59.1	49.3	54.2	-3.1	65	16th	40	27th	
		Sept.	30.072	57.8	46.1	52.0	-2.6	64	4th	33	9th	
		Oct.	29.721	52.9	42.8	47.9	-1.3	58	7th, 8th, 9th	32	3rd, 22nd	
		Nov.	29.798	48.8	40.3	44.6	0.0	55	3rd, 7th	17	30th	
		Dec.	29.513	48.3	39.0	43.7	+1.1	55	11th	25	1st	
		Year	29.723			48.2		71		17		
BOWHILL— A. Gillespie, C.E.	978	Jan.	28.788	39.6	29.8	34.7	-0.6	49	1st	21	8th	
		Feb.	28.496	42.0	31.2	36.6	+1.1	50	29th	13	4th	
		Mch.	28.431	44.3	33.2	38.8	+2.6	51	25th	29	16th, 21st	
		Apl.	29.039	51.9	35.9	43.9	+2.8	66	22nd, 23rd	27	1st	
		May	28.858	55.2	39.4	47.3	+0.8	62	8th	32	23rd	
		June	28.669	58.1	45.0	51.6	-0.8	62	23rd	37	17th	
		July	28.862	62.5	46.8	54.7	+0.6	69	14th, 21st	41	30th	
		Aug.	28.599	55.9	41.4	48.7	-4.6	63	5th	37	27th, 28th, 31st	
		Sept.	29.075	54.7	38.6	46.7	-3.4	60	19th, 20th	33	9th, 10th	
		Oct.	28.734	51.9	35.3	43.6	+0.4	55	10th, 13th	28	3rd, 22nd	
		Nov.	28.835	44.1	32.1	38.1	-0.9	53	7th, 8th	15	29th	
		Dec.	28.541	44.4	31.7	38.1	+2.3	52	13th, 14th	25	2nd	
		Year	28.744			43.6		69		13		
COLMONELL— Andrew Ogg, for W. McConnell of Knockdolian	150	Jan.	29.738	43.3	33.8	38.6	-0.7	54	1st	23	8th	
		Feb.	29.409	45.5	34.7	40.1	+0.6	52	28th	12	4th	
		Mch.	29.369	49.1	38.6	43.9	+2.5	55	25th	30	16th	
		Apl.	29.985	56.5	39.4	48.0	+2.5	69	23rd	17	12th	
		May	29.798	59.0	43.1	51.1	+1.3	64	8th, 28th	30	13th	
		June	29.586	61.3	49.0	55.2	-0.2	67	12th	38	7th	
		July	29.777	65.8	50.5	58.2	+0.9	72	21st	39	19th	
		Aug.	29.507	60.1	47.8	54.0	-3.4	64	6th, 16th	34	28th	
		Sept.	30.021	58.3	43.9	51.1	-2.8	65	18th	32	11th	
		Oct.	29.685	54.0	40.5	47.3	-0.6	61	7th	28	3rd, 25th	
		Nov.	29.759	48.5	38.7	43.6	+0.5	57	7th	12	30th	
		Dec.	29.491	48.0	37.6	42.8	+2.6	55	13th	16	1st	
		Year	29.677			47.8		72		12		
GLASGOW (Belvi- dere Hospital)— Alex. Johnston, M.D.	54	Jan.	29.817	42.2	34.8	38.5	-0.5	53	1st, 13th	21	29th	
		Feb.	29.489	45.2	35.9	40.6	+1.1	54	29th	12	4th	
		Mch.	29.430	48.0	39.3	43.7	+2.6	56	14th, 25th	31	30th	
		Apl.	30.044	57.0	40.6	48.8	+3.0	66	23rd	32	12th, 13th	
		May	29.870	59.5	44.7	52.1	+1.7	65	8th, 26th	35	25th	
		June	29.690	62.0	50.2	56.1	-0.1	68	23rd, 26th	41	17th	
		July	29.863	66.9	51.8	59.4	+0.6	77	14th	46	19th, 23rd	
		Aug.	29.600	60.8	48.7	54.8	-3.3	67	17th, 18th	36	3rd	
		Sept.	30.104	59.9	44.8	52.4	-1.9	66	4th	33	25th	
		Oct.	29.747	53.6	41.4	47.5	+0.3	64	10th	28	4th	
		Nov.	29.802	47.9	39.5	43.7	+1.4	56	5th, 7th	14	30th	
		Dec.	29.526	47.5	38.0	42.8	+3.5	56	14th	17	1st	
		Year	29.748			48.4		77		12		

HYGROMETER.				CLOUD. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.										
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations at 9 A.M. and 9 P.M.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°.	°.	Inch.	%.		Inch.	Inch.	Inch.																		
39.3	1.9	.204	85	7.5	14	2.60	-0.89	0.37	8th	2	1	0	2	17	1	1	5	18	6	7	14	5	5	2	0
40.4	1.7	.216	87	6.9	14	1.99	-0.89	0.36	9th	1	0	0	4	12	0	0	6	15	1	18	13	3	1	1	0
43.6	2.1	.239	84	7.7	23	3.02	+0.20	0.39	29th	1	3	1	0	11	0	0	1	4	6	13	18	11	8	1	0
48.1	3.3	.258	77	6.1	10	1.03	-0.92	0.60	4th	1	0	0	3	9	3	1	6	10	5	5	15	8	5	6	0
51.4	3.0	.305	80	7.5	10	0.95	-1.17	0.21	1st	0	0	0	4	16	0	0	6	14	1	3	11	13	9	5	0
55.0	2.7	.357	83	8.8	17	3.32	+1.02	0.49	22nd	0	0	3	0	20	0	0	6	10	4	2	15	13	8	1	1
58.5	3.7	.381	77	8.1	9	1.24	-1.60	0.33	28th	0	0	0	4	19	0	0	13	15	3	0	10	10	5	5	1
54.5	2.9	.345	81	9.3	13	1.85	-2.02	0.64	19th	0	0	0	0	25	0	0	5	11	5	5	3	7	8	16	2
52.4	3.5	.304	77	6.9	7	1.60	-2.13	0.61	3rd	0	0	0	3	11	0	2	12	14	8	4	4	2	9	7	0
48.0	2.3	.278	84	7.8	16	2.81	+1.05	0.63	15th	0	0	1	0	15	0	3	2	11	3	8	16	15	5	2	0
44.8	2.3	.246	83	8.2	19	2.78	+1.00	0.45	24th	2	3	0	1	18	2	5	11	5	1	2	16	6	9	10	0
44.0	1.8	.248	86	9.7	24	3.60	-0.10	0.44	30th	6	3	1	0	22	1	2	0	3	4	5	26	17	6	1	0
					176	26.79		0.64																	
35.0	0.8	.188	92	7.7	22	5.38	...	0.75	15th	2	3	5	25	8	11	3	5	0
37.3	0.8	.207	94	7.3	18	2.97	...	0.58	7th	2	4	4	18	14	11	3	2	0
39.3	1.0	.221	92	7.9	27	5.72	...	0.91	29th	0	1	2	14	16	13	9	7	0
43.9	2.2	.240	84	6.4	15	3.54	...	2.21	4th	6	2	3	15	9	9	7	9	0
47.3	2.3	.271	84	7.7	19	2.28	...	0.68	1st	1	1	5	11	11	10	10	13	0
51.5	1.7	.336	89	8.1	24	6.28	...	0.67	22nd	3	4	12	7	9	7	11	7	0
54.6	2.1	.367	87	7.6	16	2.66	...	0.51	28th	4	10	10	10	6	9	5	8	0
49.9	1.6	.318	89	8.0	25	3.26	...	0.41	20th	1	5	9	8	6	9	7	17	0
48.1	1.7	.294	88	6.9	13	4.26	...	1.64	3rd	3	1	3	20	8	4	6	15	0
43.8	1.6	.250	88	6.8	23	4.65	...	0.91	15th	1	7	4	5	24	10	7	3	1
40.1	1.2	.223	90	6.6	21	5.98	...	0.78	24th	2	1	1	3	5	11	10	27	0
39.6	0.8	.227	93	7.8	30	8.10	...	1.01	13th	0	0	0	9	6	31	11	5	0
					253	55.08		2.21																	
38.1	1.7	.196	85	7.5	19	6.17	+1.58	1.02	16th	4	1	0	3	18	0	2	6	2	16	6	10	4	12	6	0
38.6	1.8	.199	85	6.6	16	3.89	+0.26	1.14	7th	1	0	0	6	14	1	2	8	8	4	10	12	8	4	2	0
42.8	1.9	.235	85	8.4	25	5.15	+2.01	0.68	12th	1	1	1	1	20	0	2	0	4	6	6	8	12	6	2	0
48.9	3.8	.258	75	5.0	11	1.25	-1.07	0.49	4th	0	1	1	12	10	2	2	8	6	6	8	8	0	10	14	0
52.8	2.8	.325	81	6.5	14	1.51	-1.01	0.25	30th	0	0	1	4	11	0	0	2	2	4	4	2	10	20	8	0
55.7	2.1	.385	87	8.3	22	7.34	+4.77	1.10	10th	0	0	3	0	14	1	0	0	2	12	6	12	4	20	2	0
59.5	3.0	.416	82	4.8	14	1.72	-1.46	0.35	12th, 28th	0	0	1	5	10	1	0	4	8	4	4	10	0	18	10	0
54.8	1.5	.387	90	7.5	20	4.45	+0.33	1.15	4th	0	0	0	1	17	0	0	8	0	8	4	2	6	18	12	4
51.7	2.2	.327	86	5.4	10	1.81	-2.25	0.60	3rd	0	0	0	9	14	3	1	0	2	6	12	10	0	20	8	2
46.7	0.8	.301	94	6.7	21	4.48	-0.51	1.15	15th	0	0	0	5	15	0	0	0	4	10	8	6	10	16	4	4
43.4	0.9	.262	93	7.8	17	4.27	-0.65	0.59	10th	1	0	0	4	18	2	1	12	2	0	2	0	8	20	14	2
43.5	1.7	.246	86	8.5	27	5.86	+0.76	0.73	30th	1	0	0	0	20	2	3	2	0	4	4	8	14	28	0	2
					216	47.90		1.15																	
38.0	1.5	.199	87	...	21	2.30	-1.30	0.43	8th	5	1	0	0	0	0	11	11	11	6	6	4	1	12
39.8	1.5	.215	88	...	17	2.35	-0.46	0.46	18th	1	0	0	0	0	0	8	12	14	2	11	5	3	3
42.7	2.1	.230	84	...	27	3.62	+1.19	0.45	29th	1	2	1	0	0	0	4	3	15	3	21	10	1	5
47.1	3.3	.248	77	...	8	1.17	-0.71	0.85	4th	0	0	0	0	0	1	7	8	10	1	15	12	0	6
50.5	3.7	.277	76	...	10	1.10	-1.15	0.50	8th	0	0	0	0	0	0	11	11	2	4	11	12	3	8
54.2	2.7	.345	82	...	25	4.59	+2.04	0.67	28th	0	1	3	0	0	1	8	16	3	5	12	8	1	6
57.9	4.2	.361	75	...	11	2.16	-0.83	0.45	27th	0	0	1	0	0	2	12	19	1	3	13	7	1	4
53.4	2.9	.330	81	8.1	20	4.15	+0.67	0.75	4th	0	0	1	1	20	0	0	0	8	14	4	1	10	11	3	11
50.8	3.1	.294	79	6.7	7	2.91	-0.37	1.31	3rd	0	0	0	1	9	0	0	1	8	6	13	3	7	5	7	10
46.0	2.2	.261	85	7.6	17	3.28	-0.25	0.45	28th	0	1	0	0	13	0	0	1	7	2	11	0	15	3	1	22
43.0	2.3	.228	82	6.7	17	3.58	+0.01	1.10	24th	0	0	0	5	14	1	1	2	2	1	6	0	18	11	9	11
43.0	1.9	.236	85	7.6	27	6.04	+2.17	0.81	13th	5	1	2	2	18	1	3	0	1	3	8	2	31	3	4	10
					207	37.25		1.10																	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
GLASGOW (The Observatory)— Prof. L. Becker, Ph.D., F.R.S.E.	Feet. 184	Jan.	Inch.	°	°	°	°	°		°	
		Feb.	29·670	41·7	35·0	38·4	0·0	52	1st	23	29th
		Mar.	29·347	44·1	36·2	40·2	+1·2	53	29th	16	4th
		Mch.	29·292	47·8	39·0	43·4	+2·9	54	25th	32	23rd
		Apl.	29·905	54·7	41·4	48·1	+3·2	67	24th	30	12th
		May	29·722	57·8	44·9	51·4	+1·4	65	26th	40	13th 22nd 25th
		June	29·529	60·1	50·2	55·2	-0·8	68	23rd	41	17th
		July	29·716	65·4	52·0	58·7	+0·7	73	14th, 15th	47	19th
		Aug.	29·459	59·2	48·5	53·9	-3·2	64	16th, 17th	40	3rd
		Sept.	29·947	56·9	45·2	51·1	-2·1	62	16th	37	9th, 11th
		Oct.	29·596	51·9	41·9	46·9	+0·1	59	8th, 13th	32	22nd
		Nov.	29·657	47·0	39·3	43·2	+0·9	55	5th, 7th	20	30th
		Dec.	29·382	46·7	38·3	42·5	+3·7	56	14th	23	1st, 3rd
		Year	29·602			47·7		73		16	
BOTHWELL— J. T. Wilson, M.D.	150	Jan.	...	41·6	32·8	37·2	-1·0	53	1st	19	29th
		Feb.	...	44·9	33·8	39·4	+1·0	54	9th	9	4th
		Mch.	...	49·2	37·6	43·4	+3·3	57	25th	28	23rd
		Apl.	...	57·1	38·9	48·0	+3·2	71	22nd	25	12th
		May	...	59·1	43·0	51·1	+1·1	67	10th, 26th	33	25th
		June	...	61·1	49·1	55·1	-0·5	70	26th	39	17th
		July	...	65·7	50·4	58·1	-0·1	77	14th	42	19th
		Aug.	...	59·5	47·2	53·4	-3·8	65	8th, 16th, 17th	36	3rd
		Sept.	...	57·9	41·9	49·9	-3·8	66	16th	31	25th
		Oct.	...	52·3	38·3	45·3	-2·0	63	10th	26	22nd
		Nov.	...	47·4	37·4	42·4	+1·4	56	7th	10	30th
		Dec.	...	46·9	35·9	41·4	+2·8	54	11th 13th 14th	15	1st, 3rd
		Year	...			47·1		77		9	
DUNGAVEL— J. Macaulay, for the Duke of Hamilton and Brandon.	800	Jan.	...	39·1	30·6	34·9	...	50	1st	20	8th, 29th
		Feb.	...	42·6	31·7	37·2	...	50	19th, 28th	12	4th
		Mch.	...	45·4	35·2	40·3	...	53	25th	29	16th
		Apl.	...	53·2	36·0	44·6	...	68	23rd	24	12th
		May	...	55·4	39·9	47·7	...	61	28th	32	23rd, 26th
		June	...	58·2	45·9	52·1	...	63	12th	35	17th
		July	...	63·3	47·4	55·4	...	73	15th	39	19th
		Aug.	...	56·5	43·9	50·2	...	63	16th	37	3rd
		Sept.	...	54·9	40·9	47·9	...	62	18th	32	11th
		Oct.	...	49·6	38·1	43·9	...	59	10th	26	3rd
		Nov.	...	44·1	34·9	39·5	...	53	7th	14	29th, 30th
		Dec.	...	44·7	34·3	39·5	...	52	13th	17	1st
		Year	...			44·4		73		12	
LEADHILLS— J. M'Farlane, J.P.	1300	Jan.	...	37·3	26·8	32·1	-1·4	47	1st	10	29th
		Feb.	...	41·5	29·2	35·4	+1·5	49	22nd	5	4th
		Mch.	...	44·1	32·6	38·4	+2·8	53	25th	23	16th
		Apl.	...	52·0	34·7	43·4	+3·5	67	23rd	20	12th
		May	...	54·5	38·9	46·7	+1·1	60	26th, 28th	32	23rd
		June	...	56·8	44·8	50·8	+0·9	65	25th	34	17th
		July	...	62·9	45·6	54·3	+0·4	76	14th	36	19th
		Aug.	...	55·4	42·4	48·9	-3·8	60	12th 16th 18th	34	3rd
		Sept.	...	54·3	38·7	46·5	-2·7	62	18th	30	11th
		Oct.	...	48·6	36·1	42·4	-0·3	57	10th, 13th	25	22nd
		Nov.	...	42·8	32·3	37·6	+0·7	55	7th	9	30th
		Dec.	...	42·3	31·5	36·9	+3·0	50	13th	17	3rd
		Year	...			42·8		76		5	

HYGROMETER.				Cloud. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.											
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations at 9 A.M. and 9 P.M.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.	Show.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°.	°.	Inch.	%		Inch.	Inch.	Inch.																		
37·8	1·3	·202	90	8·6	18	2·74	-1·09	0·82	8th	5	1	0	0	23	0	6	18	8	3	6	6	4	1	10	
39·6	1·4	·215	89	7·9	16	3·31	+0·17	0·62	18th	1	0	0	1	15	0	6	9	14	0	11	8	4	3	3	
42·6	1·9	·233	86	8·2	26	4·28	+1·77	0·52	4th	1	2	1	0	21	0	0	1	9	6	7	10	18	9	0	
46·8	3·4	·243	77	7·0	10	1·36	-0·77	0·93	4th	0	0	0	0	13	0	0	9	11	1	4	8	15	6	3	
50·5	3·7	·277	76	8·0	12	1·34	-1·08	0·56	8th	0	0	0	0	16	0	0	5	18	0	5	6	21	3	1	
54·0	2·6	·344	82	8·8	23	4·81	+2·09	0·55	2nd	0	1	3	0	23	0	0	2	17	5	7	8	11	5	2	
57·7	3·8	·370	78	7·3	14	2·28	-1·02	0·51	28th	0	0	1	0	9	0	0	2	20	11	1	4	13	6	3	
53·0	2·6	·332	82	8·4	17	4·12	+0·11	1·05	4th	0	0	1	0	18	0	0	3	14	8	1	1	5	22	1	
50·3	2·6	·299	82	6·7	11	2·85	-0·84	1·50	3rd	0	0	0	1	9	0	0	2	5	15	7	0	0	19	7	
46·0	2·1	·263	85	7·6	21	3·64	-0·10	0·51	29th	0	1	0	0	13	0	0	4	6	8	4	5	16	12	1	
42·6	1·9	·233	86	8·2	16	4·03	+0·38	1·47	24th	0	0	0	0	17	1	1	3	1	1	0	0	12	25	10	
42·4	1·5	·239	88	8·9	28	6·21	+2·08	0·63	13th	5	1	2	0	23	1	3	0	3	4	1	8	24	18	2	
					212	40·97		1·50																	
36·8	1·2	·195	90	...	15	1·64	-1·13	0·31	8th	2	0	0	3	0	2	14	8	16	8	2	10	0	2
38·5	1·4	·205	88	...	14	1·96	-0·16	0·31	27th	1	0	0	3	1	5	4	10	6	9	12	4	1	
41·5	1·7	·227	87	...	21	3·28	+1·27	0·52	29th	0	2	5	5	9	20	18	2	
48·4	3·0	·269	80	...	7	1·29	-0·48	0·86	4th	5	1	13	6	2	9	14	10	
51·1	2·0	·325	86	...	8	0·93	-0·85	0·45	8th	3	1	7	5	3	7	27	2	
54·2	2·4	·353	84	...	19	4·74	+2·83	0·72	12th	0	0	1	0	0	2	1	12	10	6	11	14	1	
57·5	3·0	·386	81	...	10	2·19	-0·56	0·46	27th, 28th	4	2	12	18	2	8	16	0	
53·3	2·3	·343	84	...	22	2·92	+0·00	0·56	1st	6	7	10	5	5	8	16	5	
50·8	2·1	·319	86	...	9	1·88	-0·59	0·96	3rd	4	4	10	12	0	6	14	10	
44·5	1·9	·251	86	...	14	2·86	+0·38	0·35	19th, 28th	2	4	2	10	12	14	12	6	
41·7	1·7	·228	87	...	13	3·16	+0·55	0·96	24th	1	0	4	2	1	16	30	3	
42·0	1·6	·233	88	...	27	7·16	+4·28	0·94	13th	0	0	2	6	8	22	20	4	
					179	34·01		0·96																	
34·9	0·7	·189	93	...	19	2·63	...	0·39	3rd	0	2	26	12	10	2	8	2	0
36·3	0·9	·198	93	...	19	2·78	...	0·50	15th	3	0	0	0	1	0	2	22	12	16	2	4	0	
39·5	1·4	·214	89	...	26	5·74	...	0·79	29th	6	0	0	0	0	0	8	16	18	6	14	0	0	
45·3	2·3	·250	83	...	8	2·00	...	1·45	4th	3	0	1	1	2	4	0	16	8	6	4	18	4	
49·5	3·5	·270	76	...	15	2·04	...	0·44	8th	0	0	0	0	0	0	2	12	8	10	6	20	4	
53·1	2·8	·329	81	...	25	4·52	...	0·36	3rd	0	0	4	0	0	2	4	20	4	22	2	6	0	
56·6	3·3	·365	79	...	14	3·11	...	0·71	28th	0	0	2	0	1	0	0	36	8	14	4	0	0	
52·1	2·8	·317	81	...	23	4·47	...	0·87	4th	0	0	0	0	0	0	16	8	16	6	14	2	0	
49·2	2·4	·292	84	...	11	3·81	...	1·90	3rd	0	0	0	0	2	0	8	12	4	8	4	22	2	
44·5	1·5	·259	88	...	22	5·76	...	1·03	15th	0	0	0	0	1	2	2	6	18	22	8	4	0	
40·0	1·1	·224	91	...	19	4·95	...	1·07	24th	3	0	0	1	2	6	0	0	4	18	6	18	8	
39·6	0·9	·226	93	...	28	13·83	...	1·24	13th	5	0	0	2	6	0	0	4	6	34	8	10	0	
					229	55·64		1·45																	
31·6	0·8	·159	89	...	19	5·59	...	1·03	13th	6	0	0	0	2	4	0	4	4	14	0	0	6	30
34·2	0·8	·182	91	...	21	5·79	...	1·01	22nd	1	0	0	0	1	2	4	4	6	20	2	2	0	18
36·8	1·4	·192	89	...	26	7·77	...	0·82	30th	8	2	1	0	0	2	0	4	4	12	2	12	0	26
43·9	3·8	·208	73	...	11	2·21	...	0·49	4th	0	2	1	2	2	6	6	0	2	10	4	0	1	31
47·0	2·8	·257	80	...	13	1·77	...	0·46	8th	0	0	2	0	0	0	8	0	6	14	2	10	0	14
50·2	1·9	·315	87	...	29	6·97	...	0·78	1st	0	1	5	0	0	0	0	0	6	18	2	10	0	16
52·4	3·1	·353	81	...	14	4·38	...	1·21	12th	0	0	2	2	0	16	2	0	4	20	0	6	4	10
50·3	1·8	·319	88	...	25	6·11	...	0·75	2nd	0	0	0	2	0	10	6	6	0	10	4	16	0	10
46·9	2·2	·269	85	...	10	3·38	...	1·70	3rd	0	0	0	0	3	11	0	9	2	12	2	0	0	22
41·5	1·3	·234	90	...	19	6·91	...	1·21	15th	1	0	0	0	1	8	0	2	2	28	0	0	0	22
37·4	0·8	·208	93	...	22	4·83	...	1·02	26th	4	0	0	5	1	2	0	0	0	26	0	2	0	30
38·0	1·1	·206	90	...	28	10·77	...	1·06	23rd	6	1	0	3	6	0	0	0	2	32	8	0	0	20
					237	66·48		1·70																	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
HAMILTON— J. Macaulay, for the Duke of Hamilton and Brandon.	Feet. 140	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch.	° 41·8 44·8 49·7 55·9 58·9 61·0 65·7 60·4 58·3 53·1 47·7 47·4	° 31·3 33·1 37·2 37·5 42·0 47·6 49·2 45·8 40·8 38·0 36·1 34·4	° 36·6 39·0 43·5 46·7 50·5 54·3 57·5 53·1 49·6 45·6 41·9 40·9	°	° 55 53 59 70 65 70 76 65 65 62 57 57	° 1st 10th 23rd 29th 12th 23rd 11th 27th 29th 29th 15th 17th 18th 19th 17th 11th 23rd 14th	° 18 8 27 24 32 37 40 34 30 26 9 14	° 29th 4th 23rd 12th 25th 17th 19th 3rd 11th 3rd 30th 1st	
BANGOUR VILLAGE— D. Hendry, for John Keay, M.D.	584	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29·229 28·919 28·861 29·461 29·292 29·107 29·294 29·033 29·511 29·165 29·205 28·943 29·169	39·5 42·5 46·5 52·6 56·3 57·7 61·9 56·6 55·7 50·2 45·0 44·4	31·2 31·8 34·9 35·8 40·4 46·9 48·9 45·9 41·4 37·2 35·4 33·6	35·4 37·2 40·7 44·2 48·4 52·3 55·4 51·3 48·6 43·7 40·2 39·0	°	° 51 52 55 63 64 65 72 62 63 60 56 52	° 1st 29th 25th 21st, 24th 8th 18th 23rd 26th 12th 7th, 8th 12th, 16th 10th 5th 11th 13th 14th	° 18 10 27 23 31 38 41 32 31 26 15 16	° 29th 4th 23rd 12th 25th 17th 19th 3rd 22nd, 27th 3rd 30th 1st	
EDINBURGH (Blackford)— Professor R. A. Sampson, F.R.S.	441	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29·401 29·086 29·023 29·619 29·454 29·270 29·459 29·192 29·673 29·327 29·365 29·107 29·331	40·7 44·1 48·1 53·0 56·4 57·9 61·8 58·1 56·3 51·8 46·2 46·6	33·6 34·9 38·4 40·1 43·9 48·4 50·9 47·8 44·7 42·5 38·4 36·9	37·2 39·5 43·3 46·6 50·2 53·2 56·4 53·0 50·5 47·2 42·3 41·8	-0·2 +0·8 +3·4 +3·1 +2·2 -0·8 -0·3 -2·9 -2·3 +1·2 +1·2 +3·7	° 55 54 59 67 65 67 75 64 65 64 58 55	° 1st 29th 25th 22nd 8th 23rd 12th 6th, 16th 16th 10th 7th 13th	° 22 17 32 29 38 42 47 41 37 33 21 24	° 29th 5th 21st 12th 5th 17th 19th, 23rd 3rd 9th, 27th 21st 30th 1st, 3rd	
EDINBURGH (University)— Professor T. Hudson Beare, F.R.S.E.	227	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	41·5 44·9 48·8 53·6 58·0 59·5 63·3 60·4 57·7 52·9 47·1 47·3	34·8 35·9 39·4 41·1 45·5 49·7 52·3 49·0 45·6 43·2 39·5 37·6	38·2 40·4 44·1 47·4 51·8 54·6 57·8 54·7 51·7 48·1 43·3 42·5	°	° 55 56 60 67 67 71 76 65 66 62 58 55	° 1st 28th 25th 21st, 22nd 9th 27th 12th 6th 16th 17th 16th 10th 7th 11th, 13th	° 25 19 34 30 41 44 48 43 38 35 23 24	° 29th 5th 21st, 23rd 12th 5th, 26th 17th 19th 3rd 8th 5th, 21st 30th 1st	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.									
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.
°.	°.	Inch.	%	Scale 0-10.	Number of Days.	Total Fall.	Inch.	Inch.															
36.0	1.1	.191	90	8.9	13	1.55	...	0.28	8th	2	0	0	0.25	2	0	0	5	0	19	0.23	6	9	0
38.0	1.4	.201	88	7.3	14	2.17	...	0.40	18th	1	0	0	0.12	3	1	0	10	2	28	0.12	2	4	0
42.7	2.3	.226	83	7.5	22	3.20	...	0.52	29th	1	0	0	0.13	0	0	0	2	20	0.24	2	14	0	
48.1	3.9	.246	73	6.5	5	1.15	...	0.77	4th	0	0	0	0.13	3	0	0	0	4	24	2	16	4	
52.3	4.8	.274	70	7.8	8	1.00	...	0.41	8th	0	0	0	0.16	0	0	2	0	12	8	2	18	6	
55.4	3.5	.344	78	8.6	21	4.59	...	0.62	2nd	0	0	1	0.20	0	0	0	0	8	16	4	18	8	
59.2	4.7	.365	73	7.7	12	2.39	...	0.44	27th	0	0	1	0.12	2	0	0	0	2	30	0	16	4	
54.3	3.3	.331	78	8.1	17	4.11	...	0.69	5th	0	0	0	0.19	0	0	0	0	4	30	2	2	0	
50.6	3.0	.294	80	7.8	8	2.06	...	0.94	3rd	0	0	0	0.16	1	0	4	0	26	0	2	0	0	
45.3	2.1	.254	84	8.0	15	2.71	...	0.33	28th	0	0	0	0.18	3	0	0	2	6	14	2	14	6	
41.8	1.9	.227	86	7.9	12	2.88	...	0.80	24th	0	0	0	0.17	2	2	8	0	2	8	0	8	10	
41.9	2.0	.226	86	9.1	25	6.70	...	0.74	13th	2	0	0	0.22	2	3	0	4	6	0	26	4	20	
					172	34.51	...	0.94															
35.7	1.4	.184	87	7.7	19	1.32	...	0.34	21st	10	0	0	0.16	5	0	3	9	4	13	1	15	1	
36.8	1.2	.195	90	6.9	19	1.98	...	0.37	18th	3	1	0	0.10	3	1	5	0	16	0	24	3	9	
39.6	1.4	.215	89	6.8	27	2.53	...	0.31	29th	4	1	0	0.6	1	0	1	4	2	7	2	32	10	
43.7	2.0	.242	85	6.5	5	0.64	...	0.39	4th	1	2	0	0.6	4	4	2	7	7	6	0	7	18	
48.2	2.8	.270	81	7.2	12	1.04	...	0.53	8th	0	1	0	0.7	0	0	6	14	3	7	0	17	3	
51.9	2.2	.329	86	7.9	24	3.42	...	0.50	14th	0	1	7	0.12	3	0	0	16	10	3	0	23	1	
54.4	2.5	.353	83	7.3	13	2.75	...	0.53	1st	0	1	2	0.13	6	0	3	19	7	8	0	16	3	
50.8	1.7	.328	88	7.3	23	3.58	...	0.80	4th	0	0	2	0.7	2	0	0	15	8	3	3	2	10	
48.0	2.1	.283	85	6.2	7	1.68	...	0.55	3rd	0	0	0	0.5	4	2	5	12	7	1	4	10		
43.0	1.6	.242	87	6.0	15	2.34	...	0.39	23rd	0	1	0	1.5	1	1	2	8	3	4	0	24		
39.4	1.6	.210	87	6.3	13	2.20	...	0.64	24th	0	0	0	1.6	0	1	4	2	0	0	13	16		
39.8	1.6	.213	88	6.6	24	4.28	...	0.55	13th	6	0	0	0.5	1	2	0	4	1	0	0	34		
					201	27.76	...	0.80															
37.0	1.6	.189	86	7.5	17	1.14	-0.76	0.27	21st	7	1	0	0.15	2	1	4	2	7	8	9	10		
39.1	1.9	.202	85	6.2	15	1.81	+0.16	0.75	19th	4	1	0	1.9	3	2	2	3	6	7	13			
41.9	2.2	.222	85	6.0	18	1.77	+0.30	0.24	31st	5	1	0	2.8	0	1	2	2	6	9	21			
45.9	3.4	.236	77	5.4	6	0.24	-1.27	0.13	7th	0	1	0	3.6	1	4	3	7	7	4	7			
49.7	3.4	.275	77	6.4	12	1.42	-0.23	0.41	15th	0	0	0	0.9	1	1	1	8	13	1	5			
52.8	2.1	.343	86	7.3	25	3.95	+2.04	0.44	12th	0	1	5	0.17	6	1	5	8	12	1	16			
55.7	2.5	.374	84	7.0	12	2.01	-0.59	0.66	27th	0	0	2	1.11	7	0	4	7	14	5	2			
52.2	2.1	.335	86	7.3	15	4.75	+2.03	1.24	4th	0	0	3	0.12	0	0	6	7	8	3	7			
49.9	2.2	.304	86	5.1	7	2.60	+0.43	1.41	30th	0	0	0	7.7	2	1	5	7	4	10	7			
46.1	2.1	.264	85	4.9	15	2.49	+0.02	0.52	23rd	0	0	0	5.4	0	3	3	3	1	7	8			
41.8	1.8	.227	86	5.8	15	1.62	-0.68	0.61	24th	1	0	0	3.7	1	2	4	0	0	0	2			
42.1	2.3	.220	83	6.2	23	3.11	+0.87	0.48	24th	3	0	0	0.7	4	11	0	0	2	2	16			
					180	26.91	...	1.41															
38.1	1.6	.198	86	...	18	1.29	...	0.22	8th	4	0	0	...	4	0	6	4	0	16	4			
39.5	1.6	.211	87	...	18	2.10	...	0.68	19th	3	0	0	...	3	0	2	6	4	12	4			
43.4	2.6	.226	80	...	21	1.90	...	0.23	31st	1	1	0	...	0	0	0	2	6	10				
47.0	3.7	.239	75	...	6	0.31	...	0.14	7th	0	0	0	...	0	2	2	4	12	0				
53.2	5.7	.265	66	...	11	1.56	...	0.42	15th	0	0	0	...	1	1	0	10	6	2				
54.9	3.4	.339	78	...	26	3.54	...	0.35	12th	0	0	3	...	2	0	0	16	10	4				
58.0	4.4	.357	74	...	12	1.94	...	0.52	27th	0	0	2	...	5	0	4	12	2	0				
55.0	4.1	.323	75	...	19	5.01	...	1.12	4th	0	0	3	...	0	0	2	8	6	2				
52.7	4.4	.287	72	...	8	2.82	...	1.53	30th	0	0	0	...	1	1	10	4	2	12				
47.6	1.6	.268	82	...	14	2.71	...	0.51	24th	0	0	0	...	0	1	2	6	0	4				
43.1	2.5	.223	81	...	14	1.90	...	0.60	24th	0	0	0	...	1	1	4	0	0	0				
42.8	2.3	.227	83	...	21	3.00	...	0.48	16th	2	0	0	...	1	4	0	0	0	0				
					188	28.08	...	1.53															

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 33° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Maximum.	Minimum.							
LEITH— J. Bolam.	76		Inch.	°	°	°	°	°			
		Jan.	29·806	41·8	34·6	38·2	-0·7	56	1st	24	29th
		Feb.	29·485	45·3	34·6	40·0	+0·3	55	27th, 28th	14	4th
		Mar.	29·412	49·6	38·7	44·2	+2·5	61	25th	31	23rd
		Apl.	30·020	55·5	40·9	48·2	+3·0	68	21st	30	12th
		May	29·847	59·3	44·5	51·9	+2·4	68	8th	37	25th, 26th
		June	29·656	60·1	49·7	54·9	-0·9	71	23rd	44	17th
		July	29·847	63·7	52·2	58·0	-0·5	74	12th	45	23rd
		Aug.	29·603	59·8	49·1	54·5	-3·2	65	16th, 17th	41	3rd
		Sept.	30·075	58·8	45·4	52·1	-2·2	66	16th	37	25th, 27th
		Oct.	29·715	53·2	42·0	47·6	+0·2	61	9th	33	21st, 26th
		Nov.	29·759	47·6	39·5	43·6	+1·2	59	7th	22	30th
		Dec.	29·512	48·0	37·0	42·5	+2·9	56	11th, 13th	22	3rd
		Year	29·728			48·0		74		14	
DALKEITH— J. Whytock, for the Duke of Buccleuch, K.G.	190	Jan.	29·684	42·0	33·0	37·5	+0·2	54	1st	20	29th
		Feb.	29·391	45·5	34·1	39·8	+1·8	54	23rd, 28th	9	5th
		Mar.	29·308	49·2	36·0	42·6	+2·0	60	25th	29	23rd
		Apl.	29·900	55·8	38·2	47·0	+1·2	69	21st, 22nd	25	12th
		May	29·716	58·2	42·5	50·4	+1·0	66	8th	34	24th, 27th
		June	29·540	60·2	48·8	54·5	-1·3	70	23rd	42	17th
		July	29·728	64·6	50·9	57·8	-0·2	76	12th	42	19th
		Aug.	29·481	60·1	47·1	53·6	-3·4	66	16th, 18th	38	3rd, 31st
		Sept.	29·949	58·1	43·4	50·8	-2·6	66	16th	32	9th
		Oct.	29·628	53·7	38·5	46·1	-1·0	65	10th	28	26th
		Nov.	29·657	48·5	36·6	42·6	+1·1	58	7th	15	30th
		Dec.	29·400	47·4	34·8	41·1	+2·8	56	11th	19	1st
		Year	29·615			47·0		76		9	
SMEATON— Thomas Braid- wood, for Sir A. Buchan- Hepburn, Bart.	100	Jan.	29·813	40·7	32·9	36·8	-0·9	51	1st	24	8th
		Feb.	29·477	43·5	35·2	39·4	+1·2	53	28th, 29th	17	4th
		Mar.
		Apl.
		May	29·830
		June	29·656	...	48·9	45	16th, 17th
		July	29·820	64·8	50·8	57·8	-1·6	78	13th	41	9th
		Aug.	29·565	60·9	47·9	54·4	-3·7	67	9th, 19th	40	3rd
		Sept.	30·056	57·4	43·8	50·6	-3·3	66	16th	35	8th
		Oct.	29·724	51·6	39·7	45·7	-1·1	59	15th	31	26th
		Nov.	29·754	46·1	37·4	41·8	+0·9	56	8th	20	30th
		Dec.	29·509	45·6	34·7	40·2	+2·0	54	12th, 14th	21	1st
		Year									
MARCHMONT— J. A. Wood.	500	Jan.	29·350	40·0	32·0	36·0	-0·8	52	1st	20	29th
		Feb.	29·033	42·6	33·0	37·8	+0·3	53	29th	12	4th
		Mar.	28·972	48·1	36·0	42·1	+3·2	58	25th	27	16th
		Apl.	29·568	54·7	37·0	45·9	+2·1	69	21st	26	12th
		May	29·396	56·8	41·1	49·0	+0·9	66	8th	34	14th
		June	29·217	58·6	46·5	52·6	-1·5	68	23rd	41	2nd, 17th
		July	29·409	62·5	49·2	55·9	-1·0	74	14th	42	6th
		Aug.	29·134	58·3	45·8	52·1	-4·1	66	18th	36	3rd
		Sept.	29·606	56·7	42·2	49·5	-2·7	69	16th	34	9th
		Oct.	29·278	51·7	38·7	45·2	-0·5	62	10th	30	21st
		Nov.	29·300	46·2	35·3	40·8	+0·9	54	8th	18	30th
		Dec.	29·077	45·0	33·5	39·3	+2·7	54	14th	19	3rd
		Year	29·278			45·5		74		12	

HYGROMETER.				CLOUD. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.											
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	Number of Observations at 9 A.M. and 9 P.M.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.								N.	N.E.	E.	S.	S.W.	W.	N.W.	alm or Variable.		
°.	°.	Inch.	%.		Inch.	Inch.	Inch.																			
38.0	1.5	.199	87	7.9	19	1.38	-0.61	0.19	8th	4	2	0	3	20	2	0	4	6	10	12	4	6	14	2	4	
38.8	1.3	.211	90	7.3	22	2.22	+0.45	0.53	19th	2	1	0	4	16	1	2	4	10	8	6	8	10	2	8		
43.7	2.4	.233	81	6.5	21	2.03	+0.37	0.25	29th	1	1	0	6	16	0	0	2	4	6	6	4	10	30	0	0	
48.2	3.5	.255	76	6.2	7	0.31	-1.45	0.13	7th	1	0	0	7	15	0	1	2	6	20	0	4	0	22	6	0	
53.1	4.6	.287	71	6.9	13	1.69	-0.18	0.47	5th	0	0	0	2	12	0	1	2	8	16	2	0	4	18	12	0	
55.1	2.7	.358	82	7.8	27	3.86	+1.86	1.03	12th	0	0	3	1	20	1	0	2	8	26	4	2	8	10	0	0	
58.0	3.3	.385	80	6.7	13	1.82	-1.11	0.43	25th	0	0	3	2	12	1	0	4	10	28	0	2	4	10	4	0	
55.5	2.8	.362	82	7.3	18	1.48	+1.18	0.90	4th	0	0	3	0	12	0	0	2	6	14	2	2	0	22	6	8	
51.7	3.1	.305	80	5.4	7	2.53	+0.29	1.38	30th	0	0	0	9	10	2	1	6	4	14	6	6	2	14	8	0	
47.3	2.3	.271	84	5.5	14	2.62	+0.03	0.48	24th	0	0	0	8	14	0	0	4	4	8	8	2	10	18	4	4	
43.3	2.2	.233	83	6.6	18	1.96	-0.35	0.54	24th	0	0	0	4	14	0	1	4	0	0	0	0	10	38	6	2	
42.7	2.3	.226	83	6.2	22	2.73	+0.44	0.51	16th	4	1	0	2	8	4	0	0	0	4	4	6	22	22	0	4	
					201	27.33		1.38																		
37.2	1.3	.196	88	8.5	17	1.85	...	0.34	16th	8	1	0	0	21	1	0	0	5	0	19	0	23	6	9	0	
39.7	1.4	.216	88	7.2	17	1.71	...	0.72	19th	5	0	0	1	14	1	1	0	6	0	5	1	31	2	13	0	
42.6	2.2	.227	84	6.6	22	1.51	...	0.18	29th, 31st	1	0	0	1	10	0	0	0	3	2	8	0	35	3	11	0	
47.2	3.5	.245	76	6.8	4	0.16	...	0.11	7th	1	0	0	1	11	1	1	0	4	5	10	0	23	7	11	0	
50.4	4.1	.267	74	8.1	12	1.51	...	0.48	15th	0	0	0	0	19	0	1	7	6	9	1	10	26	3	0		
54.0	2.0	.360	86	9.3	25	4.86	...	1.03	12th	0	0	4	0	26	3	0	0	20	6	9	0	7	12	6	0	
57.2	3.1	.378	81	...	12	1.68	...	0.45	25th	0	0	3	2	0	0	3	9	33	0	8	9	0	0	
53.1	2.2	.344	84	...	19	4.87	...	1.01	4th	0	1	3	0	0	1	5	10	13	4	13	16	0	0	
51.1	2.4	.315	83	...	7	2.95	...	1.82	30th	0	0	0	1	1	0	1	8	21	0	5	25	0	0	
45.5	1.6	.268	88	...	16	2.62	...	0.63	23rd	0	0	0	2	1	1	6	2	5	1	24	21	2	0	
41.7	1.5	.232	89	5.3	12	1.51	...	0.55	24th	0	0	0	4	7	1	1	1	0	0	0	4	17	25	12	1	
41.6	1.5	.231	89	...	17	3.22	...	0.48	24th	2	0	0	0	3	0	0	1	0	2	10	43	6	0	
					180	28.45		1.82																		
37.2	1.6	.191	86	...	18	1.91	+0.11	0.46	8th	3	0	0	1	0	0	6	2	11	13	13	11	6	0	
39.0	1.5	.209	88	...	16	2.27	+0.70	1.02	19th	1	0	0	2	0	1	0	13	18	0	12	4	10	0	
...	3	0.29	-1.22	0.15	7th	
54.4	3.5	.329	77	...	7	1.51	-0.25	0.42	15th	0	0	2	0	1	2	10	16	2	0	4	24	4	0	
56.0	1.9	.394	88	...	22	3.37	+1.50	0.48	15th	0	0	4	2	0	2	2	26	2	2	4	20	2	0	
58.9	2.7	.414	83	7.6	10	1.14	-1.93	0.40	25th	0	0	3	0	16	1	0	0	10	14	0	10	10	16	2	0	
54.5	2.4	.357	84	7.6	16	5.13	+2.18	1.15	4th	0	0	2	0	16	0	0	6	12	10	0	0	18	16	0	0	
50.4	2.0	.315	87	7.0	6	3.31	+1.02	2.10	30th	0	0	0	0	13	0	1	4	10	12	10	0	6	16	2	0	
44.8	1.7	.257	87	7.6	11	2.28	-0.20	0.60	23rd	0	0	0	0	16	0	1	2	4	12	10	0	12	22	0	0	
41.8	2.0	.225	85	8.2	12	1.33	-1.05	0.45	24th	0	0	0	0	19	0	1	2	8	0	2	0	8	30	10	0	
40.5	1.8	.215	86	8.4	16	1.40	-0.62	0.25	21st	2	0	0	0	21	0	1	2	2	2	4	10	24	18	0	0	
35.7	1.0	.192	91	7.2	22	2.53	-0.01	0.37	24th	7	1	0	2	16	1	0	5	6	17	4	5	5	14	6	0	
37.7	0.9	.209	92	7.5	22	2.73	0.40	0.90	19th	2	1	0	1	15	2	0	5	12	8	5	2	6	13	7	0	
41.0	1.8	.219	86	6.2	21	2.51	+0.11	0.56	21st	2	1	1	3	11	1	0	9	2	7	3	4	18	15	4	0	
45.8	4.0	.223	73	4.8	6	0.27	-1.99	0.13	7th	4	4	0	9	9	0	1	12	6	9	2	3	4	15	9	0	
49.2	3.5	.268	76	7.4	8	1.64	-0.72	0.63	15th	0	0	0	2	17	0	0	7	5	10	7	2	7	18	6	0	
52.6	1.9	.345	87	8.9	25	5.00	+2.48	0.60	15th	0	0	6	0	24	0	0	14	4	11	3	5	12	8	3	0	
55.5	2.3	.376	85	8.3	13	1.62	-1.72	0.30	27th	0	0	4	1	22	0	0	14	4	26	0	5	7	6	0	0	
52.3	2.4	.330	83	8.5	20	4.53	+0.82	0.90	4th	0	0	1	0	23	0	0	7	5	18	1	7	2	17	5	0	
49.6	2.6	.291	82	8.8	6	3.26	+0.35	1.76	30th	0	0	0	6	13	1	0	10	0	22	3	6	9	6	4	0	
44.9	1.7	.259	88	5.4	19	3.42	-0.12	0.48	24th	0	1	0	5	8	1	0	4	4	14	0	5	11	24	0	0	
40.8	1.8	.217	86	5.1	15	1.90	-1.35	0.35	24th	1	0	0	8	9	0	1	8	1	2	0	3	4	31	11	0	
39.8	1.4	.217	89	6.9	20	2.52	-0.48	0.40	27th	2	0	0	1	13	0	1	0	1	0	1	6	28	23	3	0	
					197	31.93		1.76																		

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Difference from Average.	Absolute Maximum and Minimum.				
					A	B		Mean of A and B	Maximum.	Day of Month.	Minimum.	Day of Month.
DUNS— P. Smith, for F. S. Hay.	Feet. 500	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch. 29.334 29.024 28.972 29.545 29.394 29.213 29.403 29.117 29.602 29.262 29.313 29.061 29.270	° 40.8 44.4 49.0 55.0 57.3 60.5 63.1 58.9 57.9 53.9 47.0 44.0	° 32.1 32.7 35.4 35.4 39.8 45.5 49.0 45.0 41.8 36.8 35.4 31.9	° 36.5 38.6 42.2 45.2 48.6 53.0 56.1 52.0 49.9 45.4 41.2 38.0	° -0.4 +0.8 +3.0 +1.1 +0.4 -1.2 -0.8 -4.0 -2.4 -0.3 +1.1 +1.3	° 55 56 60 68 66 68 75 66 70 63 56 54 75	° 1st 29th 25th 21st, 22nd 9th, 28th 23rd 14th 16th, 18th 16th 10th 6th 14th	° 21 12 27 27 32 40 42 36 34 28 17 18 12	° 29th 4th 16th 2nd, 12th 14th 17th 6th, 10th 3rd 27th 4th, 21st, 22nd 30th 3rd	
WEST LINTON— Rev. J. S. Begg.	805	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	28.998 28.686 28.635 29.219 29.029 ... 29.065 28.802 29.280 28.939 28.977 28.729	38.6 42.5 46.5 53.2 56.4 58.7 63.1 57.7 55.8 50.5 44.4 44.3	29.5 30.8 33.8 34.0 38.1 46.2 47.7 43.8 39.7 35.3 33.2 32.3	34.1 36.7 40.2 43.6 47.3 52.5 55.4 50.8 47.8 42.9 38.8 38.3	50 52 57 67 63 65 76 64 63 61 54 53 76	1st 22nd, 29th 25th 23rd 10th 29th 14th 18th 17th 10th 5th, 7th, 8th 14th	13 -5 23 20 29 37 38 31 30 26 9 -5	29th 4th 23rd 12th 25th 17th 19th 3rd 9th 4th, 26th 30th 3rd	
THE GLEN— Alex. Black, for Lord Glencon- ner.	750	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29.070 28.750 28.690 29.281 29.101 28.924 29.115 28.858 29.327 29.023 29.061 28.831 29.003	38.8 43.0 47.1 54.9 57.4 60.4 64.1 55.0 53.7 49.2 45.8 41.3	29.5 30.5 35.6 35.0 38.4 46.1 48.2 44.3 39.9 37.6 34.1 32.9	34.2 36.8 41.4 45.0 47.9 53.3 56.2 49.7 46.8 43.4 40.0 38.6 +2.7 +0.1 -1.1 -0.2 -6.3 -4.9 -1.6 +1.3 +2.8	52 53 59 67 66 69 84 62 68 64 53 53 84	1st 22nd, 28th 25th 23rd 15th 23rd 14th 20th 15th 10th 1st, 3rd 14th	14 5 25 21 29 40 40 33 31 25 7 13 5	29th 4th 23rd 12th 24th 17th 23rd 3rd 23rd, 27th 4th 30th 3rd	
BROOMLANDS— J. Brunton.	205	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29.695 29.364 29.321 29.912 29.740 29.542 29.733 29.456 29.853 29.612 29.660 29.431 29.610	41.0 43.1 49.9 56.3 59.3 61.2 64.6 60.3 58.2 53.7 47.0 46.2	33.6 34.7 37.4 39.5 50.4 45.1 41.2 37.3 35.8 36.1	37.3 39.2 43.7 47.9 57.5 52.7 49.7 45.5 41.4 41.2	+0.1 +1.1 +4.0 +2.9 -0.5 -4.4 -3.6 -1.0 +0.7 +3.5	52 55 60 71 69 70 75 67 68 65 56 56 75	1st 27th, 28th 25th, 28th 21st 8th 23rd 12th 6th, 18th 16th 10th 8th 11th	21 7 30 31 10 16	29th 4th 23rd 11th 30th 1st	

HYGROMETER.				CLOUD. Scale 0-10.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.					WIND DIRECTIONS.												
Mean at 9 A.M. and 9 P.M.					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	Number of Observations at 9 A.M. and 9 P.M.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.									N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm or Variable.
°.	°.	Inch.	%			Inch.	Inch.	Inch.																		
36.1	1.2	.190	89	7.1	17	2.31	-0.15	0.50	24th	6	0	0	217	1	0	4	5	1	3	3	22	5	1	18		
38.7	0.9	.218	93	7.0	21	2.67	+0.42	0.80	19th	2	1	0	416	2	0	10	7	2	0	7	28	1	3	0		
41.7	1.4	.235	89	6.0	20	2.28	+0.02	0.58	21st	2	1	1	310	1	0	1	5	2	4	16	27	5	2	0		
44.7	2.5	.240	82	5.4	2	0.06	-2.12	0.04	9th	4	4	0	6	8	0	1	3	7	0	5	6	30	1	8	0	
48.2	2.6	.274	82	5.6	8	0.91	-1.17	0.60	15th	0	0	0	4	6	0	3	7	2	6	5	26	1	12	0		
51.8	1.9	.336	87	7.5	25	4.58	+2.31	0.72	15th	0	0	2	014	0	0	17	2	8	5	19	1	8	0			
54.7	2.3	.363	85	6.6	13	1.80	-1.26	0.34	27th	0	0	2	313	0	0	5	25	1	2	9	10	1	9	0		
52.4	2.8	.321	82	...	19	4.70	+1.59	1.00	4th	0	1	1	0	0	4	15	3	6	9	13	1	11	0		
49.0	1.8	.303	87	...	5	3.28	+0.43	1.83	30th	0	0	0	0	1	1	11	1	13	4	17	1	12	0		
44.7	1.7	.257	87	4.8	15	3.25	-0.12	0.51	26th	0	1	0	7	6	0	1	2	6	0	7	4	34	0	9	0	
40.9	1.9	.216	85	5.1	13	1.72	-1.27	0.37	24th	1	0	0	6	6	0	1	0	3	0	0	5	39	2	11	0	
38.9	1.3	.212	90	6.2	16	2.00	-1.06	0.45	27th	2	0	0	111	0	1	1	1	1	0	0	5	53	0	2	0	
					174	29.56		1.83																		
34.0	0.7	.182	92	8.3	22	2.43	...	0.51	16th	12	1	0	120	2	1	5	6	11	4	5	10	8	6	7		
35.8	0.9	.195	92	7.1	22	2.21	...	0.40	18th	5	1	0	212	3	2	3	5	7	6	12	13	6	3	3		
39.2	1.2	.216	90	7.5	27	3.26	...	0.38	29th	7	3	0	014	1	0	1	2	4	4	10	20	16	1	4		
43.9	2.9	.225	78	5.6	8	0.79	...	0.26	7th	3	2	0	6	8	3	1	4	8	3	1	4	11	15	6	8	
47.6	2.7	.266	81	6.8	15	1.69	...	0.42	8th	0	0	0	111	0	0	2	9	7	2	2	12	16	4	8		
51.8	2.0	.333	87	8.7	26	5.04	...	0.80	12th	0	1	3	020	0	0		
54.7	2.4	.360	84	8.0	15	2.27	...	0.40	27th	0	0	2	118	2	0	6	15	5	1	4	9	5	6	11		
50.6	2.1	.316	86	7.9	26	3.96	...	0.55	4th	0	0	3	016	0	0	7	11	2	5	2	5	16	3	11		
47.5	1.9	.283	86	5.4	8	3.76	...	1.66	30th	0	0	4	8	3	0	5	6	3	9	2	3	12	2	18		
42.4	1.4	.241	89	5.5	24	3.68	...	0.56	15th	1	2	0	4	8	2	0	4	5	2	1	4	22	5	4	15	
38.2	1.1	.208	91	6.4	17	2.72	...	0.50	24th	5	0	0	412	1	1	4	0	0	0	1	22	10	8	15		
38.8	1.1	.215	91	7.8	26	5.22	...	0.70	13th	5	0	0	016	0	1	0	1	0	1	7	36	8	0	9		
					236	37.03		1.66																		
35.4	1.0	.188	91	6.6	17	3.10	...	0.85	16th	9	0	0	012	0	1	5	1	1	7	13	8	23	4	0		
39.0	1.4	.210	89	6.2	16	2.92	...	0.80	19th	2	0	0	0	8	0	2	3	5	2	5	11	6	25	1	0	
40.8	1.9	.216	85	6.5	24	5.43	...	0.82	29th	4	0	0	0	6	0	2	4	0	3	6	10	7	30	2	0	
45.2	2.8	.239	80	...	5	0.66	...	0.20	7th	2	0	0	0	1	5	0	5	6	9	4	26	5	0		
48.4	2.8	.273	81	6.7	14	1.17	...	0.26	15th	0	0	1	0	8	0	8	2	3	2	9	8	22	8	0		
52.0	1.8	.340	87	7.9	25	5.17	...	0.87	2nd	0	0	2	016	0	0	4	4	8	10	4	7	21	2	0		
55.8	3.1	.360	80	6.3	15	2.90	...	0.91	25th	0	0	2	0	8	0	7	3	11	7	11	4	15	4	0		
51.3	2.9	.306	80	6.4	18	4.54	...	0.93	4th	0	0	0	011	0	0	6	2	7	5	6	5	27	4	0		
48.1	2.8	.269	80	4.8	7	2.96	...	1.05	30th	0	0	0	0	6	0	1	6	2	4	4	5	3	31	5	0	
43.8	2.0	.243	84	5.7	19	4.10	...	1.10	23rd	0	0	0	1	5	0	4	0	3	7	19	11	16	2	0		
41.0	1.4	.227	89	5.3	16	4.14	...	0.71	26th	1	0	0	2	5	0	2	15	1	0	0	0	8	22	14	0	
39.2	1.3	.214	89	6.5	28	6.93	...	1.16	13th	3	0	0	011	0	3	1	0	0	2	9	15	29	6	0		
					204	44.02		1.16																		
36.5	1.2	.193	90	7.8	12	1.61	-0.37	0.45	21st	3	0	0	016	1	1	2	3	20	6	5	18	3	4	1		
38.3	1.2	.207	90	6.9	15	1.99	+0.22	0.84	19th	2	0	0	011	1	0	3	2	8	2	9	31	2	1	0		
42.9	2.4	.226	83	6.6	20	1.53	-0.34	0.33	21st	0	3	5	8	4	32	9	1	0		
46.4	3.5	.238	76	5.1	5	0.10	-1.62	0.04	8th	0	0	0	4	4	1	2	3	15	1	1	24	8	3	0		
50.6	3.5	.282	77	7.1	8	1.68	-0.16	0.79	15th	0	2	23	0	5	20	12	0	0		
54.0	1.9	.363	87	8.6	22	5.91	+3.92	0.97	14th	0	0	3	021	0	0	1	4	17	1	6	18	13	0	0		
56.5	2.0	.398	87	7.7	14	1.52	-1.30	0.26	29th	0	6	27	1	6	15	6	1	0		
53.4	2.3	.345	85	7.0	21	4.38	+1.50	0.68	7th	0	6	19	3	0	17	15	0	2		
50.1	2.4	.301	83	...	5	2.43	+0.01	1.25	30th	2	10	11	9	1	12	13	1	1		
44.5	1.6	.257	88	5.3	15	2.46	-0.30	0.66	23rd	0	0	0	1	3	2	0	0	6	7	1	3	43	1	0	1	
40.6	1.9	.214	86	6.4	10	1.41	-1.13	0.29	24th	4	5	1	0	1	36	12	1	0		
41.2	1.9	.219	85	7.1	12	2.13	-0.19	0.30	21st	0	0	2	0	5	53	2	0	0		
					159	27.15		1.25																		

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	Baro- meter.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°					
WOLFELEE— W. Steedman, for Major Elliot.	537	Jan.	29-310	40.5	30.5	35.5	-0.1	51	1st	14	29th
		Feb.	29-988	42.0	31.6	36.8	+0.2	52	22nd, 29th	0	4th
		Mch.	28-951	48.7	36.2	42.5	+4.0	57	25th	25	23rd
		Apl.	29-531	56.2	34.5	45.4	+2.2	70	22nd	17	12th
		May	29-369	58.4	39.2	48.8	-0.2	66	8th, 10th	27	24th, 25th
		June	29-180	61.7	46.2	54.0	-0.9	70	19th	38	17th
		July	29-359	65.4	48.0	56.7	-0.2	78	14th	41	19th, 31st
		Aug.	29-098	59.6	43.7	51.7	-4.4	67	17th	31	3rd
		Sept.	29-578	57.8	39.7	48.8	-3.8	65	13th, 16th	29	9th
		Oct.	29-251	52.5	35.8	44.2	-1.1	65	10th	24	3rd
		Nov.	29-284	45.7	33.4	39.6	-0.4	60	6th	2	30th
		Dec.	29-059	43.5	33.0	38.3	+1.4	51	13th, 20th	10	1st
		Year.	29-330			45.2		78		0	
ESKDALEMUIR— The Meteorologi- cal Office.	778	Jan.	29-037	39.1	29.9	34.5	...	47	1st, 3rd	14	29th
		Feb.	28-729	42.2	32.4	37.3	...	51	28th	10	4th
		Mch.	28-681	45.7	34.6	40.2	...	52	13th, 25th	22	16th, 23rd
		Apl.	29-262	53.0	33.2	43.1	...	66	22nd	19	12th
		May	29-089	54.9	38.5	46.7	...	62	28th	29	14th
		June	28-907	58.1	45.9	52.0	...	63	1st, 12th, 29th	38	17th, 30th
		July	29-090	62.2	48.5	55.4	...	76	16th	41	31st
		Aug.	28-838	56.1	42.6	49.4	...	60	8th	31	3rd
		Sept.	29-303	54.8	38.4	46.6	...	61	14th, 16th, 17th	33	9th, 26th, 27th
		Oct.	28-974	49.8	36.1	43.0	...	59	10th	20	4th
		Nov.	29-019	44.3	33.8	39.1	...	53	5th, 7th, 8th	6	30th
		Dec.	28-790	43.4	32.5	38.0	...	52	14th	8	1st
		Year.	28-976			43.8		76		6	
DRUMLANRIG— D. Inglis, for the Duke of Buc- cleuch, K.G.	191	Jan.	29-716	41.7	30.5	36.1	-1.5	51	1st	15	29th
		Feb.	29-390	45.1	32.1	38.6	+0.6	52	29th	6	4th
		Mch.	29-337	49.0	35.5	42.3	+2.6	56	26th, 28th	22	16th
		Apl.	29-938	56.6	35.6	46.1	+2.1	70	23rd, 24th	20	11th
		May	29-745	59.2	41.8	50.5	+0.8	68	30th	30	1st, 14th
		June	29-570	62.9	48.1	50.5	-0.3	68	26th	35	17th
		July	29-749	67.7	50.0	58.9	+0.9	85	15th	39	23rd
		Aug.	29-482	59.5	45.2	52.4	-4.4	68	8th	31	28th
		Sept.	29-979	58.5	41.0	49.8	-3.5	67	18th	28	10th
		Oct.	29-644	52.6	36.2	44.4	-2.4	60	7th	24	26th
		Nov.	29-699	46.8	34.3	40.6	-0.4	56	7th, 8th	4	30th
		Dec.	29-468	47.0	32.2	39.6	+1.6	55	14th	6	1st
		Year.	29-643			46.2		85		4	
DUMFRIES— C. C. Easterbrook, M.D.	155	Jan.	29-732	42.2	33.3	37.8	-0.5	49	1st	21	29th
		Feb.	29-426	45.4	34.9	40.2	+1.1	56	28th	13	4th
		Mch.	29-380	48.3	37.9	43.1	+2.0	54	27th	28	16th, 23rd
		Apl.	29-980	56.3	38.9	47.6	+1.6	70	22nd	27	12th
		May	29-790	58.0	43.8	50.9	-0.5	66	30th	37	14th
		June	29-599	61.2	50.0	55.6	-1.3	67	9th, 12th	41	17th
		July	29-774	66.4	52.0	59.2	+0.1	80	14th, 15th	45	19th
		Aug.	29-525	59.5	47.7	53.6	-4.6	68	4th	36	3rd
		Sept.	30-012	58.3	43.3	50.8	-3.8	64	18th	35	11th
		Oct.	29-688	52.9	39.4	46.2	-1.3	59	6th, 10th	29	4th
		Nov.	29-749	47.1	37.0	42.1	+0.2	56	8th	11	30th
		Dec.	29-507	47.1	36.5	41.8	+3.0	55	14th	14	1st
		Year.	29-680			47.4		80		11	

STATIONS AND OBSERVERS' NAMES.	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
			Mean at Station at 32° Fahr. at 9 A.M. and 9 P.M.	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.				
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	
			Inch.	°	°	°	°	°	°	°	°	°
COMLONCON— W. H. Whellens, for A. H. John- stone-Douglas.	74	Jan.	29·819	42·4	32·3	37·4	...	50	3rd	16	29th	
		Feb.	29·506	45·3	33·6	39·4	...	52	29th	10	4th	
		Mar.	29·468	49·3	37·2	43·3	...	55	24th, 27th	27	16th, 23rd	
		Apl.	30·071	56·8	37·6	47·2	...	73	22nd	23	12th	
		May	29·878	59·1	42·4	50·8	...	70	30th	34	14th	
		June	29·689	62·3	49·3	55·8	...	70	1st	36	17th	
		July	29·856	68·3	51·0	59·7	...	85	15th	41	19th	
		Aug.	29·602	60·4	46·7	53·6	...	67	8th	34	3rd	
		Sept.	30·091	59·6	41·9	50·8	...	66	14th	32	11th	
		Oct.	29·765	54·3	37·8	46·1	...	64	10th	26	3rd, 4th	
		Nov.	29·830	47·2	34·9	41·1	...	55	8th	6	30th	
		Dec.	29·603	46·5	35·5	41·0	...	55	14th	15	1st	
Year	29·765			47·2		85		6				
CARGEN— Colonel R. F. Dudgeon.	85	Jan.	29·718	42·2	32·2	37·2	-1·1	51	1st	23	30th	
		Feb.	29·495	45·4	34·0	39·7	+0·6	54	28th	12	4th	
		Mar.	29·456	49·9	37·1	43·5	+2·8	56	25th, 26th	28	16th, 23rd	
		Apl.	30·048	57·3	37·4	47·4	+2·1	70	22nd	25	12th	
		May	29·873	59·2	42·2	50·7	+0·2	68	30th	35	14th	
		June	29·677	62·5	49·1	55·8	0·4	68	12th	40	17th	
		July	29·853	68·0	50·9	59·5	+0·9	84	15th	42	19th	
		Aug.	29·603	60·2	46·7	53·5	-4·2	66	8th	35	3rd	
		Sept.	30·085	59·8	42·3	51·1	-3·4	66	13th	34	27th	
		Oct.	29·765	53·9	38·8	46·4	-0·9	62	7th	27	4th	
		Nov.	29·871	47·7	35·7	41·7	-0·1	58	4th	6	30th	
		Dec.	29·582	47·1	35·9	41·5	+2·7	55	14th	9	1st	
Year	29·752			47·3		84		6				
CALLY— W. Thompson, for Colonel Murray Baillie.	120	Jan.	29·764	42·7	34·1	38·4	-0·3	50	1st 11th 13th	20	29th	
		Feb.	29·464	45·1	34·9	40·0	+1·0	51	29th	15	4th	
		Mar.	29·415	48·3	37·7	43·0	+2·3	53	11th	27	23rd	
		Apl.	30·021	55·9	38·0	47·0	+1·2	70	22nd	24	12th	
		May	29·832	59·5	43·3	51·4	+1·0	69	28th	32	13th	
		June	29·633	61·4	49·3	55·4	-0·3	67	27th	40	17th	
		July	29·810	66·8	50·5	58·7	+0·6	83	15th	40	18th	
		Aug.	29·558	62·4	47·4	54·9	-1·9	66	9th	35	3rd, 28th	
		Sept.	30·047	56·8	43·1	50·0	-3·9	67	16th	32	11th	
		Oct.	29·730	53·9	38·4	46·2	-1·2	58	2nd 10th 15th	27	4th	
		Nov.	29·795	48·4	36·2	42·3	+0·2	54	6th, 8th	7	30th	
		Dec.	29·544	47·8	36·8	42·3	+3·0	54	14th	18	1st, 3rd	
Year	29·726			47·5		83		7				



